Preface 14 November 2001 George W. Argus (argus@post.harvard.edu)

Since the publication of The Genus *Salix* in Alaska and the Yukon in 1973, many changes have been made in *Salix* nomenclatural and classification. In order the bring this volume up to date the following changes and corrections should be noted.

1. Nomenclatural changes and corrections

Table 1. p. 11, line 20. Johnson and Packer 1968 chromosome number for *Salix rotundifolia* Trautv. applies to *Salix phlebophylla* Andersson.

Table 1. p. 11, line 39. Johnson and Packer 1968 chromosome number for *Salix brachycarpa* Nutt. ssp. *niphoclada* applies to *Salix hastata* L.

Table 1. p. 11, line 41. Johnson and Packer 1968 chromosome number for *Salix glauca* was retracted by the authors.

Table 1. p. 12, line 21. The Taylor and Mulligan 1968 chromosome number for *Salix scouleriana* Barratt ex Hooker applies to *Salix hookeriana* J. Barratt ex Hook.

p. 35. Salix lasiandra Benth. = Salix lucida Muhl. subsp. lasiandra (Benth.) E. Murray

p. 41. *Salix babylonica* L. in Alaska was reidentified as *Salix × sepulcralis* Simonk.

p. 43. Salix interior Rowlee = Salix exigua Nutt. subsp. interior (Rowlee) Cronquist

p. 81-89. Header and Section 7. *Glaucae* Pax should read *Salix* sect. *Diplodictya* C. K. Schneider

p. 89. Salix brachycarpa Nutt. ssp. brachycarpa = Salix brachycarpa Nutt. var. brachycarpa

p. 91. Salix brachycarpa Nutt. ssp. niphoclada (Rydb.) Argus = Salix niphoclada Rydb.

p. 97. The Beringia Phase (var. *glauca*) = *Salix glauca* L. subsp. *stipularis* (Flod. ex Häyrén) Hiitonen

p. 97. The Western Phase (var. *acutifolia*) = *Salix glauca* L. subsp. *acutifolia* (Hook.) Hultén

p. 98. The Rocky Mountain Phase (var. *villosa*) = *Salix glauca* L. subsp. *glabrescens* (Andersson) Hultén

p. 103-105. *Salix athabascensis* Raup is now placed in *Salix* sect. *Myrtilloides* (Borrer) Andersson

p. 121. Salix rigida Muhl. should read Salix prolixa Andersson

p. 124. *Salix monticola* Bebb in Alaska and Yukon = *Salix pseudomonticola* C. R. Ball

p. 140. Salix novae-angliae Andersson = Salix pseudomyrsinites Andersson

p. 157-167. Section 13. *Arbuscella* Ser. ex Duby should read *Salix* sect. *Phylicifoliae* (Fries) Andersson

p. 157. Salix planifolia Pursh ssp. planifolia = Salix planifolia Pursh

p. 159. Salix planifolia ssp. pulchra (Cham.) Argus var. pulchra = Salix pulchra Cham.

p. 161. *Salix planifolia* ssp. *pulchra* (Cham.) Argus var. *yukonensis* (C. K. Schneider) Argus = *Salix pulchra* Cham.

p. 171. Salix lanata L. ssp. richardsonii (Hook.) A. Skv. = Salix richardsonii Hook.

p. 175. Salix barrattiana Hook. is now placed in Salix sect. Villosae (Andersson) Rouy

p. 177. *Salix candida* Flüggé ex Willd. is now placed in *Salix* sect. *Candidae* C. K. Schneider

p. 186. *Salix drummondiana* Barr. is now placed in *Salix* sect. *Phylicifoliae* (Fries) Andersson

2. Classification of *Salix* in Alaska, the Yukon Territory, and adjacent regions (based on: Argus, G. W. 1997, Infrageneric Classification of *Salix* (Salicaceae) in the New World. Systematic Botany Monographs 52)

I. Salix subg. Salix

A. Salix sect. Subalbae

1. Salix ×sepulcralis Simonk. Oesterr. Bot. Zeitschr. 40: 424. 1890

B. Salix sect. Salicaster Dumort. Fl. belge. 14. 1827

2. Salix lucida Muhl. Ges. Naturf. Freunde Berlin II. 4: 239. 1803

2a. Salix lucida Muhl. subsp. lasiandra (Benth.) E. Murray, Kalmia 15: 11. 1984 "1985"

2b. *Salix lucida* Muhl. subsp. *caudata* (Nutt.) E. Murray, Kalmia 15: 11. 1984 "1985"

3. Salix pentandra L. Sp. pl. 2: 1016. 1753

4. Salix serissima (L. H. Bailey) Fernald, Rhodora 6: 6. 1904

C. Salix sect. maccallianae Argus, Syst. Bot. Monogr. 52: 57. 1997

5. Salix maccalliana Rowlee, Bull. Torrey Bot. Club 34: 158. 1907

II. Salix subg. Longifoliae

D. Salix sect. Longifoliae (Andersson) Andersson in DC. Prodr. 16(2): 214. 1868.
6. Salix exigua Nutt. N. Amer. Sylv. 1: 75. 1842

6a. *Salix exigua* subsp. *interior* (Rowlee) Cronquist, Vasc. Pls. Pacific NW 2:51. 1964

III. Salix subg. Chamaetia

E. Salix sect. Chamaetia Dumort. Verh. Gesl. Wilgen 15. 1825

7. Salix reticulata L. Sp. pl. 2: 1018. 1753

F. *Salix* sect. *Herbella* Ser. Exemplaires desséchés de la révision inédit du genre Salix. 14th page 1824.

8. Salix polaris Wahl. Fl. Lapp. 261. 1812

9. Salix nummularia Andersson in DC. Prodr. 16(2): 298. 1868.

G. Salix sect. Setchellianae Argus, Syst. Bot. Monog. 52: 62. 1997

10. Salix setchelliana C. R. Ball, Univ. Calif. Publ. Bot. 17: 410. 1934

H. Salix sect. Myrtosalix A. Kerner, Verh. Zool.-Bot. Ges. Vereins Wien 10: 203. 1860

11. Salix arctophila Cockerell ex A. Heller, Cat. N. Amer. Pl., ed. 3, 89. 1910

12. Salix chamissonis Andersson in DC. Prodr. 16(2): 290. 1868

13. Salix fuscescens Andersson, Monogr. Salicum 97. 1867

14. Salix phlebophylla Andersson in DC., Prodr. 16(2): 290.1868

15. Salix saxatilis Turcz. ex Ledeb. Fl. Ross. 3, 2: 621. 1850

16. Salix tschuktschorum A. K. Skvortsov, Bot. mat. Gerb. Bot. in-ta AN SSSR 21: 83, 90. 1961

17. Salix rotundifolia Trautv. Nouv. Mem. Soc. Nat. Mosc. 2: 304. 1832

17a. *Salix rotundifolia* subsp. *dodgeana* (Rydb.) Argus, Canad. J. Bot. 47: 795. 1969

17b. Salix rotundifolia subsp. rotundifolia

I. Salix sect. Ovalifoliae (Rydberg) C. K. Schneider in Wils. Pl. Wils. 3: 140.1916
 18. Salix ovalifolia Trauty. Nouv. Mem. Soc. Mosc. 2: 306. 1832

18a. *Salix ovalifolia* var. *arctolitoralis* (Hultén) Argus, Canad. J. Bot. 47: 795. 1969

18b. Salix ovalifolia var. cyclophylla (Rydb.) C. R. Ball, Proc. Nat. Acad. Sci. 21: 184. 1935

18c. Salix ovalifolia var. glacialis (Andersson) Argus, Canad. J. Bot. 47: 798. 1969
18d. Salix ovalifolia var. ovalifolia

19. Salix stolonifera Coville, Proc. Wash. Acad. Sci. 3: 333. 1901

J. Salix sect. Diplodictyae C. K. Schneider in Sarg. Pl. Wils. 3: 136. 1916
20. Salix arctica Pall. Fl. Ross. 1: 86. 1788

21. Salix sphenophylla A. K. Skvortsov in Tomatchev, Fl. Arct. URSS 5: 62. 1966.

K. Salix sect. myrtilloides (Borrer) Andersson in DC., Prodr. 16(2): 229. 1868

22. Salix athabascensis Raup, Rhodora 32: 111. 1930

23. Salix pedicellaris Pursh, Fl. Am. Sept. 2: 611. 1814

24. Salix raupii Argus, Canad. J. Bot. 52: 1303. 1974

L. Salix sect. Glaucae (Fries) Andersson in DC. Prodr. 16: 273. 1868.

25. Salix brachycarpa Nutt. N. Am. Sylva 1: 69. 1842.

26. Salix glauca L. Sp. pl. 2: 1019. 1753

26a. Salix glauca subsp. acutifolia (Hook.) Hultén, Ark. f. Bot. 7: 40. 1967

26b. *Salix glauca* subsp. *stipularis* (Flod. ex Häyrén) Hiitonen, Suomen kasvio, 272. 1933

26c. Salix glauca subsp. glabrescens (Andersson) Hultén

27. Salix niphoclada Rydb. Bull. N. Y. Bot. Gard. 1: 272. 1899

28. Salix reptans Rupr. Fl. samojed. cisur. 54. 1845

IV. Salix subg. Vetrix

M. Salix sect. Hastatae (Fries) A. Kerner, Verh. Zool.-Bot. Ges. Vereins Wien 10: 241. 1860

29. *Salix barclayi* Andersson, Öfvers. Förh. Kongl. Svenska Vetensk.-Akad. 15: 125. 1858

30. Salix commutata Bebb, Bot. Gaz. 13: 110. 1888

31. Salix eriocephala Michx. var. famelica (C. R. Ball) Dorn, Brittonia 47: 165. 1995

32. Salix hastata L., Sp. pl. 2: 1017. 1753

33. *Salix myrtillifolia* Andersson, Öfvers. Förh. Kongl. Svenska Vetensk.-Akad. 15: 132. 1858

34. Salix pseudomonticola C. R. Ball, Standley, Contr. U. S. Natl. Herb. 22: 321. 1921

35. *Salix pseudomyrsinites* Andersson, Öfvers. Förh. Kongl. Svenska Vetensk.-Akad. 15: 130. 1858

36. Salix pyrifolia Andersson, Monogr. Salicum 162. 1867

N. Salix sect. Cordatae J. Barratt ex Hook. Fl. bor.-amer. 2: 149. 1838

37. Salix prolixa Andersson, Monogr. Salicum 94. 1867

O. Salix sect. Fulvae J. Barratt, Salices Americanae. Sect. VII. (no pagination) 1840

38. Salix bebbiana Sarg. Gard. & For. 8: 463. 1895
P. Salix sect. Cinerella Ser. Exemplaires dess ch s de la r vision in dit du genre
Salix, 2nd page. 1824.
39. Salix discolor Muhl. Ges. Naturf. Freunde Berlin II. 4: 234. 1803
40. Salix hookeriana J. Barratt ex Hook. Fl. boramer. 2: 145. 1838
41. Salix scouleriana J. Barratt ex Hook. Fl. Boramer. 2: 145. 1838
Q. Salix sect. Phylicifoliae (Fries) Andersson in DC. Prodr. 16: 240. 1868
42. Salix drummondiana J. Barratt ex Hook. Fl. boram. 2: 144. 1838
43. Salix planifolia Pursh, Fl. Am. Sept. 2: 611. 1814
44. Salix pulchra Cham. Linnaea 6: 543. 1831
R. Salix sect. Arbuscella Ser. Exemplaires dess ch s de la r vision in dit du genre
Salix, 5th page 1824.
45. Salix arbusculoides Andersson, Monogr. Salicum 147. 1867
46. Salix boganidensis Trauty. in Middendorff, Reise Sibir. 1, 2: 154. 1847
S. Salix sect. Candidae C. K. Schneider, Ill. Handb. Laubholzk. 1: 46. 1904
47. Salix candida Flüggé ex Willd. Sp. pl. 4: 708. 1806
48. Salix krylovii E. Wolf, Trudy SPb. bot. sada 28: 537. 1911
T. Salix sect. Lanatae (Andersson) Koehne, Deut. Dendrol. 87, 93. 1893
49. Salix richardsonii Hook. Fl. boramer. 2: 147. 1838
U. Salix sect. Villosae (Andersson) Rouy, Fl. France. 12: 200. 1910
50. Salix alaxensis (Andersson) Coville Proc. Wash. Acad. Sci. 2: 280. 1900
50a. Salix alaxensis var. alaxensis
50b. Salix alaxensis var. longistylis (Rydb.) C. K. Schneider, J. Arnold Arb. 1: 225.
1919
51. Salix barrattiana Hook., Fl. boramer. 2: 146. 1838
V. Salix sect. Geyerianae Argus, Syst. Bot. Monogr, 52: 85. 1997
52. Salix petiolaris Sm. Trans. Linn. Soc. 6: 122. 1802
W. Salix sect. Sitchenses (Bebb) C. K. Schneider J. Arnold Arbor. 1: 91. 1919
53. Salix sitchensis Sanson ex Bong. Mem. Acad. St. Petersb. 6. 2: 162. 1833
Further information on the identification of Salix in Alaska and the Yukon may be found
in: Argus G W 2001 A Guide to the Identification of Willows in Alaska the Yukon

Further information on the identification of Salix in Alaska and the Yukon may be found in: Argus, G. W. 2001. A Guide to the Identification of Willows in Alaska, the Yukon Territory, and adjacent regions. Workshop on Willow Identification. 112 pages. Including The Interactive Identification of Native and Naturalized New World *Salix* using Intkey. 35 pp. and computer diskette. Privately Published.

A downloadable interactive key to New World *Salix* is available online at the Alaska Natural Heritage Program's website: http://www.uaa.alaska.edu/enri/aknhp_web/ National Museums of Canada Ottawa 1973

Publications in Botany, No. 2 National Museum of Natural Sciences

The Genus Salix in Alaska and the Yukon

George W. Argus

Publications de Botanique, nº 2

Musées nationaux du Canada Musée national des Sciences naturelles

STRATHMORE #36

The Genus Salix in Alaska and the Yukon Publications in Botany, No. 2

Published by the National Museums of Canada

National Museum of Natural Sciences Musee national des Sciences naturelles Publications de botanique. no2

Į÷:

Publie par les Musees nationaux du Canada

Staff editor **Frances Smith**

The Genus Salix in Alaska and the Yukon

George W. Argus

Crown Copyrights reserved

Available by mail from the National Museums of Canada Marketing Services Ottawa K1A OM8

Catalogue No. NM95-9/2

National Museum of Natural Sciences National Museums of Canada Ottawa, Canada 1973 .

ω.

6 -

. .

PO987654321 Y79876543

Printed in Canada

The research an which this study is based was carried out prior to 1969.

Contents

List of Plates. vi	
List of Figures, viii	
List of Maps, ix	
List of Tables, xii	
Resume, xiv	
Summary, xv	
Biographical Note, xvi	
Preface, 1	
Taxonomic Relationships, 4	
Classification of Salix in Alaska and the Yukon, 5	
Hybridization, 6	
Polyploidy, 10	
Ecology, 13	
Eco-geographical Key. 18	
Method of Study, 20	
Systematic Treatment, 23	
Key to the Species, 25	
Section 1. Pentandrae (Borr.) Schneid 35	
Section 2. Maccaiiianae Argus, 38	
Section 3. Subalbae Koidz 41	
Section 4. Longifoliae Anderss., 43	
Section 5. Chamaetia Dumort., 45	
Section 6. Retusae Kern 49	
Section 7. Glaucae Pax, 81	
Section 8. Myrtosalix Kern., 107	
Section 9. <i>Myrtiiioides</i> Koehne. 113	
Section 10. Hastatae Kern., 119	
Section 11. Cordatae Barr. ex Hook., 121	
Section 12. Vetrix Dumort., 149	
Section 13. Arbuscella Ser. ex Duby, 157	
Section 14. Lanatae Koehne. 171	
Section 15. Villosae Rouy, 177 Section 16. Sitchenses Bebb, 191	
Appendices	
A. Key to Codes, 193	
B. Specimens Cited, 197	
Bibliography, 271	
Index to Salix, 275	

l Salix lasiandra Benth., 36	
II Salix maccalliana Rowlee. 40	
III Salix interior Rowlee. 42	
IV Salix reticulata L. 46	
V Salix polaris Wahl., 50	
VI Salix rotundifolia Trautv., 54	
VII Salix nummularia Anderss 60	
VIII Salix phlebophylla Anderss., 62	
IX Salix ovalifolia Trautv 64	
X Salix stolonifera Cov., 74	
XI Salix setchelliana Ball. 78	
XII Salix arctica Pall 80	
XIII Salix sphenophylla Skvortsov. 86	
XIV Salix brachycarpa Nutt., 90	
XV Salix glauca L 96	
XVI Salix athabascensis Raup, 102	
XVII Salix chamissonis Anderss., 106	
XVIII Salix arctophila Cock. ex Heller. 108	
XIX Salix <i>fuscescens</i> Anderss 112	
XX Salix pedicellaris Pursh. 114	

,

XXI
Salix hastata L 118
XXII
Salix rigida Muhl., 122
XXIII
Salix monticola Bebb, 126
XXIV
Salix barclayi Anderss., 128
XXV
Salix hookeriana Barr., 132
XXVI
Salix commutata Bebb. 136
XXVII
Salix novae-angliae Anderss., 138
XXVIII
Salix myrtillifolia Anderss., 142
XXIX
Salix pyrifolia Anderss., 144
XXX
Salix bebbiana Sarg., 148
XXXI
Salix scouleriana Barr., 152
XXXII
Salix planifolia Purshssp. planifolia, 156
XXXIII
Salix planifolia Pursh ssp.pulchra (Cham.) Argus, 160
XXXIV
Salix arbusculoides Anderss 168
XXXV
Salix lanata L. ssp. richardsonii (Hook.) Skvortsov. 170
XXXVI
Salix barrattiana Hook., 174
XXXVII
Salix candida Flugge ex Willd., 176
XXXVIII
Salix alaxensis (Anderss.) Cov., 180
Salix drummondiana Barr., 184
XL
Salix sitchensis Sanson, 190

1 Summary data card, 21 2 The variation of some morphological characteristics in Salix ovalifolia. 72 3 The variation in pistil indumentum in Salix ovalifolia. 73 4 The variation in stipule and petiole length in Salix barclayi, 134 5 A comparison of stipule and petiole length variation in Salix planifolia, 165 6 A representative chromatogram of crude leaf extracts in Salix planifolia, 166

1 Salix Hybrids, 7
2
Salix Hybrids and Intergrades, 8
3
Salix Intergrade, 9
4 Optimularization data 20
Salix lasiandra. 38
5 Salix maccalliana, 41
6
Salix interior. 44
7
Salix reticulata ssp. reticulata. 48
8 Salix reticulata ssp. glabellicarpa. 49
9 Salix polaris, 52
10
Salix rotundifolia ssp rotundifolia. 56
11
Salix rotundifolia ssp.dodgeana. 57
12 De l'a service de la companya de la
Salix nummularia. 61
13 Salix phlebophylla, 65
14
Salix ovalifolia var. ovalifolia. 67
15
Salix ovalifolia var.arctolitoralis, 68
16
Salix ovalifolia var. cyclophylla, 69
17 Salix ovalifalia var. glacialis, 70
Salix ovalifolia var. glacialis. 70 18
Salix stolonifera, 76
19
Sali <u>x setchelliana, 79</u>
20
Salix arctica, 83

Salix	sphenophylla. 89
22 Salix	brachycarpa ssp. brachycarpa. 92
<mark>23</mark> Salix	brachycarpa ssp. niphoclada. 94
24 Salix	glauca, Beringia phase (var.glauca],98
25 Salix	glauca, Western phase (var.acutifolia), 99
26 Salix	glauca, Rocky Mountain phase (var.villosa),100
27 Salix	athabascensis. 104
28 Salix	chamissonis. 110
<mark>29</mark> Salix	arctophila, 111
30	fuscescens. 116
31 Salix	pedicellaris. 117
32	hastata. 121
33 Salix	rigida. 124
34	monticola, 127
35	barclayi, 130
36	hookeriana. 135
37 Salix	commutata. 139
38	novae-angliae, 141
39	myrtillifolia. 146
40	pyrifolia, 150

41
Salix bebbiana, 151
42
Sa!ix scouleriana. 155
43
Salix planifolia ssp.planifolia, 15944
Salix planifolia ssp. pulchra var. pulchra, 162
45
Salix_planifolia.ssp.pulchra.var.yukonensis, 16346
Salix arbusculoides. 172
47 Salix lanata ssp. richardsonii,173
48
Sa <u>lix barrattiana,</u> 178
49
<u>Sal</u> ix candida, 179
50 Sa <u>lix a/axensisvar. alaxensis. 182</u>
51 Salix alaxensis var. longistylis, 183
52 Salix drummondiana. 187
53 Salix sitchensis, 192

1

Chromosome numbers of Salix indigenous to Alaska and the Yukon.11

2

Comparison table: Salix polaris. S. rotundifolia, S. stolonifera, S. phlebophylla and S. arctica. 53

3

Comparison table: Salix rotundifolia ssp. rotundifolia and ssp. dodgeana. **58**

4

Comparison table: Salix rotundifolia. S. phlebophylla and S. nummularia. **58**

5

Comparison table: Salix arctica, S. glauca and S. brachycarpa. 87

6

Comparison table: Salix sphenophylla, S. arctica and S. ovalifolia. **87**

7

Comparison table: Salix brachycarpa ssp. brachycarpa, ssp. niphoclada and S. glauca. **95**

8

Comparison table: Salix athabascensis and S. pedicellaris. **105**

Comparison table: Salix arctophila and S. arctica, 111

10

Comparison table: Salix pedicellaris and S. myrtilloides. **119**

11

Comparison table: Salix hastata and S. barclayi, 121

12

Comparison table: Salix rigida, S. monticola and S. barclayi. 125

13

Comparison table: Salix commutata, S. novae-angliae, S. myrtillifolia and S. hastata, **140**

14

Comparison table: Salix novae-angliae and S. myrtillifolia. 145

15

Comparison table: Salix scouleriana and S. sitchensis, 157

16

Comparison table: Salix planifolia ssp. planifolia and ssp. pulchra, **167**

17

Comparison table: Salix planifolia ssp. planifolia, ssp. pulchra and S. phylicifolia. **167**

18

Comparison table: Salix lanata ssp. richardsonii, S. barclayi and S. planifolia ssp. pulchra. **175**

19

Comparison *table:* Salix drummondiana and S. alaxensis var. longistylis, **188**

Resume

Le present examen du genre Salix s'appuie sur des etudes effectuees sur le terrain et visant a interpreter les especes en fonction des criteres suivants : 1) variations au sein des populations, 2) variations reliees au deveioppement, 3) variations provoquees par le milieu, 4) preferences ecologiques et 5) modifications resultant de l'hybridation et de l'introgression. Il se refere aussi aux specimens d'herbiers et a la documentation existante.

Trente-neuf especes aborigenes, deux acclimatees. neuf sous-especes et onze varietes composent cette flore. Chaque espece est decrite en detail et les groupes taxonomiques intraspecifiques sont compares a l'espece elle-mi.me. Les descriptions, qui se veulent le plus completes possible, expliquent largement les variations naturelles. L'expose des problemes taxonomiques. ecologiques et evolutifs se complete d'un resume des caracteristiques permettant l'identification definitive. En outre, l'ouvrage decrit dans ses grandes lignes la repartition ecologique et geographique de chaque groupe taxonomique et la reporte sur une carte appropriee. Une annexe issue de l'ordinateur enumere les specimens qui font l'objet des descriptions et des cartes. L'ordinateur permet de stocker et de recuperer les donnees pour ensuite imprimer la liste systematique des specimens. Voila une innovation dont on tire a bon compte toute la documentation que comportent les travaux de recherche.

L'un des principaux objectifs du present ouvrage est de faciliter l'identification des specimens. Cette operation devient beaucoup plus simple si l'on connait bien leur repartition et leur ecologie. L'auteur a etabii une cle eco-geographique qui se fonde sur la localisation. Avec la cle traditionnelle refletant les traits morphologiques, elle facilitera grandement les travaux d'identification. De plus, des tableaux comparatifs mettent en evidence les caracteristiques qui differencient les especes apparentees et exposent les difficultes d'ordre taxonomique qu'elles soulevent.

Les especes du genre Salix forment **un** ensemble polyploide dont le nombre des chromosomes somatiques varie de 38 (diploide) **a** 224 [dodecaploide]. On connait le nombre chromosomien de 33 des 50 especes qui composent cette flore. C'est une donnee precieuse permettant d'etablir **ou** de certifier l'identification dans de nombreux cas. Les tableaux contiennent tous les nombres chromosomiens des especes de l'Alaska et du Yukon.

L'hybridation naturelle semble beaucoup moins frequente qu'on ne l'avait cru. Bien que 12 hybrides interspecifiques et plusieurs populations introgressives soient notes, l'influence de l'hybridation ne semble que relativement importante.

On traite egalement du r81e des especes du genre Salix dans la succession ecologique des moraines glaciaires du sud-est de l'Alaska: dans celle des plaines de fusion de la chaine de l'Alaska; dans celle des alluvions de l'Alaska central et du gravier des plaines alluviales de l'Alaska septentrional. The revision of the genus Salix which is presented here is based on field studies which attempt to understand the species in terms of the following: 1) population variation, 2) developmental variation, 3) environmentally induced variation, 41 ecological preferences, and 5) modification as a result of hybridization and introgression, as well as on a study of herbarium specimens and the literature.

Thirty-nine native species, two introduced species, nine subspecies, and eleven varieties are recognized in the flora. A detailed description is provided for each species and intraspecific taxa are compared and contrasted with the species. The descriptions attempt to describe the species fully and to account for much of their natural variation. A discussion of taxonomic, ecological, and evolutionary problems includes a summary of diagnostic characteristics. In addition, a general statement of the ecological and geographical distribution of each taxon is included as well as a distribution map. The specimens on which the maps and descriptions are based are cited in a computer-generated appendix. The use of computerized data storage and retrieval methods to prepare this list of specimens is an innovation which permits the complete documentation of research materials at a modest cost.

One of the main objectives of the revision is to facilitate the identification of specimens. Identification can be aided greatly by a knowledge of the distribution and ecology of the specimens. An eco-geographical key, based on the geographical and ecological occurrence of the species, has been devised. The use of this key along with the conventional key based on morphological characteristics will permit much easier identifications than previously has been possible. In addition, species are compared, in tabular form, with related and similar species, and taxonomic problems are discussed.

Salix species form a polyploid complex with somatic chromosome numbers ranging from 38 (diploid) to 224 (dodecaploid). Chromosome numbers are known for 33 of the 50 native taxa in the flora and provide data valuable in making and corroborating taxonomic decisions. All chromosome numbers known for the Salix of Alaska and the Yukon are tabulated.

Natural hybridization is apparently less common than has previously been suspected and although 12 interspecific hybrids and several introgressive populations are recognized, the influence of hybridization on species variation is not considered to be of major importance.

The role that Salix species play in successional development on glacial moraine in southeastern Alaska, on glacial outwash plains in the Alaska Range, on river alluvium in central Alaska, and on gravel floodplains in arctic Alaska is discussed. Their success as colonizers is based on their growth forms and on their reproductive, evolutionary, and ecological characteristics. George William Argus was born and raised in Brooklyn, New York. In **1949** his interest in the North led him to Alaska where he studied geology and biology at the University of Alaska. He received a B.S. degree in **1952**. Following two years of military service in Alaska, he entered graduate school at the University of Wyoming and later at Harvard University where he was awarded a Ph.D. degree in biology (plant taxonomy] in **1961**. Field research for his dissertation on the taxonomy of the Salix glauca-complex in North America took him to Churchill. Manitoba and to the Gaspe Peninsula of Quebec. After graduation he held a National Research Council of Canada postdoctorate fellowship at the University of Saskatchewan for two years.

In **1963** Dr. Argus became a professor in the Departments of Plant Ecology and Biology and an associate of the Institute for Northern Studies at the University of Saskatchewan. During his eight years in Saskatoon he continued his studies on the taxonomy of Salix and published papers on the willows of Wyoming and of Wisconsin as well as on the chromosome numbers and taxonomy of Alaskan and Canadian willows. At this time he developed an interest in the boreal flora and conducted research into botanical endemism in the sand dune region of Lake Athabasca. In 1970, after a sojourn as curator of the herbarium at the University of Oregon, he returned to Canada where he was engaged in plant systematics research in the Forest Ecology Institute. Canadian Forestry Service of the Department of the Environment, Ottawa. He is now Associate Curator in the Vascular Plant Section of the National Herbarium (CAN). National Museum of Natural Sciences. In 1971 he became a naturalized Canadian and now lives in Ottawa with his family.

The genus Salix in the flora of Alaska and the Yukon is one of the largest, most widespread, and most taxonomically complex genera. Its antiquity, wide distribution, perennial habit, polyploidy, ability to hybridize, wide ecological amplitude, and morphological plasticity all contribute to its complexity and confer upon it great taxonomical, ecological, and evolutionary interest. However, because of its taxonomic complexities and uncertainties it is often avoided by taxonomists and ecologists and thereby valuable information is lost. The taxonomic problems in Salix are not wholly inherent and many can be traced to taxonomists who failed to understand the degree and importance of population variability, or who overemphasized the occurrence of natural hybridization, or who studied specimens as individuals rather than as samples of populations. It was through a desire to contribute to the solution of some of the taxonomic problems that this study was undertaken.

The only world-wide monograph of Salix was written in 1868 by N. J. Andersson for the A.P. de Candolle Prodromus. Since that time increased collecting and field study, modern taxonomic, methods, and new concepts of taxa have made this work obsolete. More recently, monographs have been written for the genus in North America (Schneider 1918-1921; Raup 1943, 1959) and in Europe and Asia (Schneider 1917; Skvortsov 1957, 1961, 1966, 1968; Rechinger 1964). Numerous floristic and monographic works dealing with smaller areas or with portions of the genus have also been prepared. Over the years, Salix in Alaska and the Yukon has received considerable attention from taxonomists and phytogeographers. Coville (1900, 1901) published two important papers on the willows of Alaska; Floderus contributed a treatment of the genus to Hulten. Flora of the Aleutian Islands (1937); Kimura prepared a treatment for Tatewaki and Kobayashi. A Contribution to the Flora of the Aleutian Islands (1934). Through the years, Eric Hulten (1940, 1943, 1967) has paid close attention to the genus. and his most recent treatment contained in his monumental Flora of Alaska and Neighboring Territories (1968) has made a significant contribution to our understanding of the taxonomy and phytogeography of Salix Hugh Raup, on the basis of field studies conducted along the Alaska Highway, on his wide experience, and on extensive herbarium collections, prepared a treatment of the willows of boreal western America (1959) which summarized our understanding of the genus up to that time. In 1964 Cronquist published a treatment of Salix in Vascular Plants of the Pacific Northwest, treating a large number of species which occur in Alaska and contributing a fresh point of view to their taxonomy. Monographs dealing with sections or with species complexes have been prepared by Crovello (1968) for the section Sitchenses and by Argus (1965a) for the Salix glauca-complex.

However, in spite of this attention, many of the Salix species in Alaska and the Yukon are still not well understood. The present work grew out of a study started in 1966 which was designed to resolve some of the taxonomic problems **as**- sociated with the dwarf, arctic species. At that time I was also asked to contribute a treatment of Salix to the revision of Anderson's Flora of Alaska and Adjacent Parts of Canada being prepared by S.L. Welsh. Initially the treatment was to be brief — more a compilation than a revision. However, as specimens were studied and field-work was undertaken it became evident that a revision would not only be possible but highly desirable. The primary purposes of this study are: 1) to provide a workable taxonomic treatment of Salix in Alaska and the Yukon, and 21 to contribute to the understanding of each taxon, including its morphology, variation, ecology, and distribution.

More than 3,000 herbarium specimens were studied in this investigation and over 2,000 specimens were studied and collected in the field. The collections were studied at the University of Saskatchewan [SASK]. Loans of all Salix from Alaska and the Yukon were obtained from the University of Alaska (ALA) and Iowa State University, including the J.P. Anderson collection (ISC); selected specimens and types were obtained from the Plant Research Institute. Ottawa (DAO). the University of Minnesota (MINI and the Rocky Mountain Herbarium, University of Wyoming [RM); visits were made to the Arnold Arboretum [A), the National Herbarium of Canada [CAN), the Chicago Natural History Museum (FI, the Gray Herbarium (GH]. the University of Michigan (MICHI. the U.S. National Arboretum (NA], the New York Botanical Garden [NY), and the US. National Museum (US1 to study type specimens, to obtain range data, and to select loans for special study. All specimens cited in Appendix B as located in GWA [Argus personal herbarium] have been deposited in CAN, and representative specimens are located at SASK. ALA, US, GH, the Naturhistoriska Riksmuseum. Stockholm, Sweden, and the Botanical Garden Herbarium, University of Moscow, U.S.S.R. I am indebted to the curators of these institutions for making available materials and facilities for study. I am also indebted to L. Viereck, D.B. Murray, W. Klein, W. Drury. S.L. Welsh, and M. Williams for placing their recent Alaska and Yukon collections at my disposal.

My experience with the willows of Alaska dates from 1952 when I collected the alpine flora on nunataks of the Juneau Icefield. This was followed by trips to the Kennecott region in 1955. and by extensive collecting in central Alaska in 7956 and 1957. in Mount McKinley Park in 1956, and along the Alaska Highway in 1956 and 1966. In 1966 my assistant Walter Chunys and I were accompanied by Dr. Yutaka Suda. the cytologist. to the Arctic Research Laboratory at Barrow, Alaska. There, through the invaluable logistical support provided by Drs. M. Brewer and J. Schlindler. we were able to visit Barrow, Meade River, Cape Beaufort, Nuvagapak Point, and Bullen on the Arctic slope of Alaska. In 1967 we visited southeastern coastal Alaska, travelling to Yakutat with the assistance of R. Hurd, US. Forest Service; to Glacier Bay, where we received logistical support from R. Howe of the US. National Park Service; and to Haines, Juneau, Sitka, Petersburg, Wrangell. and Ketchikan.

1

As is usual in studies covering a large geographical area, it was necessary to rely heavily on the knowledge, experience, and hospitality of many people. I would particularly like to acknowledge Les and Teri Viereck, College, Alaska; Keith and Betty Lou Hart, Juneau: M. Perensovich, Juneau; and C. Jonda. Glacier Bay; Walter Chunys, whose accomplished outdoor skills and fine companionship did much to ensure the success of the field research in 1966 and 1967; Yutaka and Sumi Suda. who accompanied us to Alaska in 1966; Jo Whitehorn. who spent many long hours looking up specimen latitude and longitude to upgrade the herbarium label data and supervising the keypunching of the summary data cards; and my wife, Mary, who undertook yeoman service while we were en route to Alaska in 1966.

Ihe base map is used with the permission of the Canada Department of Mines and Technical Surveys. Assistance in mapping data was provided by Eric Argus, Michael Argus, and M.L. Anderson. The final maps were drafted by the Canada Department of the Environment, Cartographic Section, under the supervision of J. Brittain. The computer print-out used in the Appendices was produced by the Canada Department of the Environment, Biometrics and Computer Science Branch, under the supervision of J. Barnabe.

The research was supported by grants from the National Research Council of Canada (A1955), the Arctic Institute of North America (ONR-390) under contractual arrangements with the U.S. Office of Naval Research, and from the Institute for Northern Studies, University of Saskatchewan.

One of the weakest links in the classification of Salix is the organization of species into sections. I am not at all confident that it is possible, with our present knowledge, to recognize meaningful sectional groupings, and a strong argument could be made for following the method used by Raup (1959) and simply group related species, assigning them informal "group" names. However, in this study I used sectional nomenclature, recognizing the difficulties and pitfalls involved in this method. I have not attempted to typify the sectional names, but rather selected names in common use by Schneider (1921) and Skvortsov (1968).

The sections are arranged according to a reductional series in stamen number, starting with section Pentandrae having more than two stamens, followed by the sections with two stamens and ending with section Sitchenses having one stamen. Within the sections with two stamens, section Maccallianae is first, indicating a presumed relationship with section Pentandrae, followed by sections Subalbae and Longifoliae. The latter section is assumed to be among the more primitive sections because of the occurrence of branched aments (Argus 1964). These sections are followed by those containing dwarf or low-growing species and their relatives, and then by sections containing taller, erect shrubs. This arrangement of sections cannot be interpreted in phylogenetic terms - except perhaps for the reductional series in stamen number - but only as a convenient way to arrange groups of presumably related species.

1

Section 1.Pentandrae (Borr.) Schneid. 1. S. pentandra L. 2. S. lasiandra Benth. Section 2. Maccallianae Argus 3. S. maccalliana Rowlee Section 3. Subalbae Koidz. 4. S. babylonica Section 4. Longifoliae Anderss. 5. S. interior Rowlee Section 5. Chamaetia Dumort. 6. S. reticulata L. ssp. reticulata ssp. glabellicarpa Argus Section 6. Retusae Kern. 7. S. polaris Wahl. 8. S. rotundifolia Trautv. ssp. rotundifolia **ssp.** dodgeana (Rydb.) Argus 9. S. nummularia Anderss. 10. S. phlebophvlla Anderss. 11. S. ovalifolia Trautv. var. ovalifolia var. arctolitoralis (Hult.) Argus var. cyclophylla (Rydb.) Ball var.glacialis (Anderss.)Argus 12. S. stolonifera Cov. 13. S. setchelliana Ball Section 7. Glaucae Pax 14. S. arctica Pall. 15. S. sphenophylla Skvortsov 16. S. brachycarpa Nutt. ssp. brachycarpa ssp. niphoclada (Rydb.) Argus 17. S. glauca L. var. glauca var. acutifolia (Hook.) Schneid. var. villosa (Hook.) Anderss. 18. S. athabascensis Raup Section 8. Myrtosalix Kern. 19. S. chamissonis Anderss. 20. S. arctophila Cock.

Section 9. Myrtilloides Koehne 21. S. fuscescens Anderss. 22. S. pedicellaris Pursh.

Section 10. Hastatae Kern. 23. S. hastata L.

Section 11. Cordatae Barr. ex Hook.

- 24. S. rigida Muhl.
- 25. S. monticola Bebb
- 26. S. barclayi Anderss.
- 27. S. hookeriana Barr.
- 28. S. commutata Bebb
- 29. S. novae-angliae Anderss.
- 30. S. myrtillifolia Anderss.
- 31. S. pyrifolia Anderss.

Section 12. Vetrix Dumort.

- 32. S. bebbiana Sarg.
- 33. S. scouleriana Barr.

Section 13. Arbuscella Ser. ex Duby 34. S. planifolia Pursh ssp. planifolia ssp. pulchra (Cham.) Argus var. pulchra var. yukonensis (Schneid.] Argus

35. S. arbusculoides Anderss.

Section 14. Lanatae Koehne

36. S. lanata L.
ssp. richardsonii [Hook.)
Skvortsov
37. S. barrattiana Hook.

37. S. barrattiana Hook.

Section 15. Villosae Rouy

- 38. S. candida Flugge ex Willd.
- **39.** S. alaxensis (Anderss.] Cov, var. alaxensis var. longistylis (Rydb.) Schneid.
- 40. S. drummondiana Barr.

Section 16. Sitchenses Bebb 41. S. sitchensis Sanson The genus Salix is frequently cited as an example of a taxonomically complex genus in which hybridization is at the root of many, if not most, of its taxonomic problems. Evidence supporting the occurrence of hybridization in **Salix** is based on: 1) the extensive hybridization experiments conducted by Heribert-Nilsson (1918, 1930); and 2) the occurrence of polyploidy. presumed to be largely of the alloploid type.

Heribert-Nilsson's artificial hybridizations and experiments in speciesmaking were very extensive and proved that hybrids are easily formed between species, particularly those with the same chromosome number and within the same section. Chromosome homology between species in the same section was subsequently shown to be high (Hakansson 1955). and remarkably good chromosome pairing was found even in 10- and 12-hybrids. Heribert-Nilsson also demonstrated the potential for new stabilized species to arise by the segregation and recombination which occurs during hybridization, citing the production of the "trigena-type" from the cross (S. repens X phylicifolia) X (S. viminalis X phylicifolia) and the natural occurrence of S. arctogena Flod. in northern Sweden derived from the cross S. herbacea X polaris.


In 1918 he stressed the observation that sometimes the offspring of crosses did not resemble one **or** either of the parents and that conclusions concerning the origin of these "extravagant" forms based on external morphology alone were likely to be erroneous. He cited as examples, certain shrubs of the cross S. viminalis X caprea which morphologically resemble the hybrids S. vi*minalis* X cinerea, S. viminalis X aurita, S. aurita X repens and S.

repens X viminalis; specimens of the hybrid (S. cinerea X purpurea) X S. caprea that could be mistaken for a S. phylicifolia hybrid and one plant of the cross (S. cinerea X purpurea) X (S. purpurea X viminalis) which diverged so widely from the parents that its origin would be doubtful. Although Heribert-Nilsson was very successful in producing artificial hybrids, he was sceptical about the permanence of the new forms, believing that they would be rapidly exterminated by nature.

recognition and taxonomic The treatment of natural hybridization has been the subject of considerable dispute and is not yet resolved. Standing at one extreme was the Swedish salicologist, B. Floderus (1926), who tended to treat most arctic and subarctic Salix populations as large, polymorphic hybrid populations, restricting species rank to more or less pure populations. Du Rietz (1930) noted that there were obvious dangers in assigning triple and quadruple hybrid names, as Floderus had done, to complex populations even if of the occurrence "exaggerant" forms was exaggerated by Heribert-Nilsson. He suggested as an alternative approach that highly polymorphic populations could be treated. without reference to their hybrid origin, as a single species subdivided into subspecies, varieties and forms. He noted, however, that this could result in the undesirable lumping together of widely divergent types. A second alternative, used widely today. is to hold a less rigid species concept than the Floderan one and to recognize as hybrids only those forms intermediate between clearly the "pure" species.

in 1959 Raup argued that since the recognition of most hybrids was based on the inspection and comĿ.

6




parison of small numbers of specimens. which could *not* be subjected to modern studies of introgression and hybridization, it is more appropriate *to* group such specimens with the species they *most* nearly resemble. He writes,

The recognition of hybrids among the willows by simple comparison ,of a few specimens. if carried to **its** logical conclusion. can lead to utter taxonomic confusion where this is not warranted.

In this study I have attempted *to* appraise hybridization and introgression in terms of: 1) discordant variation in several morphological characteristics, 2) signs of infertility, and

3) the sympatric occurrence of the putative parents. Where hybrids or introgressants are recognized I provide documentation to support such a conclusion. In the flora of Alaska and the Yukon the following hybrids are recognized: Salix arctica X glauca. S. arctica x ovalifolia. S. arctica X barclayi, S. arctica x stolonifera and S. brachycarpa ssp. niphoclada X glauca [Map 1); S. phlebophylla Xrotundifolia, S. athabascensis X pedicellaris, S. barclayi x commutata, S. barclavi X lanata ssp. richardsonii. S. barclayi X stolonifera, S. planifolia ssp. pulchra X scouleriana and S.

Ŀ



MAP 2 Selix Hybrids and Intergrades.

- 🕨 phlebophvlla 🗴 rotundifolia
- 🔿 rotundifolia > phlebophylla e phlebophylla x rotundifolia and
- rotundifolia > phlebophylla
- athabascensis x pedicellaris
- D pedicelleris > athebascensis


- 🔺 barclayi 🗴 commutata 🛆 barclayi 🗴 lanata ssp. richardsonii
- 🔿 barclayi x stolonifera
- 🗌 planifoliassp.pulchra x scoulariana
- alaxensis var. alaxensis x lanata SSD. richardsonii

alaxensis var. alaxensis X lanata SSP. richardsonii (Map 2). Four of these hybrids are based on studies of large population samples in the field and in the herbarium (S.phlebophylla X rotundifolia, S. arctica X stolonifera. S. athabascensis X pedicellaris, S. barclavi X stolonifera). whereas the others are based on isolated specimens.

The following intergrades, which are apparently the result of hybridization and introgression, are recognized: S. rotundifolia > phlebophylla and S. pedicellaris > athabascensis (Map 2): S. alaxensis var. alaxensis>

alaxensis var. longistylis (Map 3).

I am unable to recognize most of the hybrids recorded for Alaska and the Yukon by Hulten (1968). His suggestions that S. glacialis (S.ovalifolia var. glacialis) = S. arctica Xovalifolia, that S. myrtillifolia var. pseudomyrsinites (S. novae-angliae) = hybrid forms, that the glabrescent forms of S. commutata and S. arbusculoides are probably of hybrid origin, and that S. reticulata ssp. glabellicarpa is a possible hybrid are unsubstantiated and highly speculative. In my field experience natural hybridization was encountered infrequently.



MAP 3 Salix Intergrade. ● alaxensis var. alaxensis >var. longistylis

supporting the view that hybridization and introgression, although present in *Salix*, are not the major causes of its variability. species in the flora of Alaska and the Yukon reveal a polyploid series including: 2x. 3x, 4x. 5x. 6x, 8x. 10x and 12x (Table 1). These numbers are primarily derived from the basic number **19.** although a parallel series based on number 22 is known in Salix and the count reported for S. rigida is based on this number. The polyploid series probably represents, for the most part, alloploidy, a conclusion supported by the experimental production of tetraploid S. cinerea from crosses between the diploids S. caprea and S. viminalis (Hakansson 1955); but the possible occurrence of segmental allopolyploidy and autopolyploidy cannot be discounted.

Intraspecific variation in chromosome number is known, in our flora, for Salix maccalliana, S. rotundifolia, S. arctica. S. pedicellaris. S. hastata. S. sphenophylla and S. scouleriana, and intrapopulation variation is known to occur in S. glauca. S. athabascensis and S. planifolia ssp. planifolia. This variation in chromosome number. when unaccompanied by significant morphological differences, may be the result of autopolyploidy (Hakansson 1955). However, this remains to be proved. The taxonomic importance of this variation is that it emphasizes the need for many more chromosome counts, even for those species that have already been counted, before these data can be used with confidence in classification.

Many of the polyploid species, such as Salix glauca, *S.* arctica, *S.* scouleriana and *S.* planifolia are highly variable morphologically and have wide distributional ranges. This variability may be explained in terms of a rich environmental diversity (see *S.* arctica for discussion). or by repeated intergenomic exchange resulting in new linkage relationships and

or may be due to polyphylesis. It is very likely that many Salix polyploids have arisen several times (polychronism) and in several places (polytopism) in the past, and it is probable that some are actively evolving now. The possibility of the polyphyletic origin of species is receiving serious attention in the taxonomic literature (see Davis and Heywood **1963** and Cain **1944** for review) and the proof of its occurrence in Salix will have important taxonomic implications.

In this study chromosome numbers have been of assistance in making certain decisions concerning species relationships. For example, the relationship between Salix brachycarpa ssp. brachycarpa and ssp. niphoclada has been supported by their common diploid chromosome number, and their differentiation from the tetraploidhexaploid S. glauca has been affirmed. Similarly, S. planifolia ssp. planifolia and ssp. pulchra share a common tetraploid chromosome number in contrast to the hexaploid (or tetraploid on basic number 22) S. phylicifolia. It is the heuristic value of chromosome number data that makes them so important to the taxonomists. and our hopes for an improved classification of Salix depend upon obtaining further chromosomal and cytological data.

Table 1 Chromosome Numbers of Salix Indigenous to Alaska and the Yukon			
Species 2n	Geographic Origin	References	
Sect. Pentandrae S. lasiandra 76	California[?)	Wilkinson 1944	
Sect. Maccallianae S. maccalliana св. 190, 224	Saskatchewan	Suda and Argus 1968	
Sect. Longifoliae S. interior 38	Saskatchewan	Suda and Argus 1968	
Sect. Chamaetia S. reticulata 38	Alaska	Suda and Argus 1969. Johnson and	
38 38 38	N.W.T. Manitoba(?) U.S.S.R	Packer 1968 Hedberg 1967 Love 1954 Sokolovskaja and Strelkova 1941, 1960. Zhukova 1967	
38	Scandinavia	Holmberg 1931	
Sect. Retusae S. polaris S. rotundifolia S. nummularia S. phlebophylla 38	Scandinavia Alaska U.S.S.R. U.S.S.R. Alaska U.S.S.R.	Holmberg 1931 Johnson and Packer 1968 Zhukova 1968 Zhukova 1969 Suda and Argus 1969 Zhukova 1967	
S. ovalifolia var. ovalifolia 38	Alaska	Suda and Argus 1969, Johnson and Packer 1968	
Sect. Glaucae			
S. arctica 76 76 76 114 ca. 120	Alaska N.W.T. Greenland Alaska U.S.S.R.	Johnson and Packer 1968 Mosquin and Hayley 1966 Suda and Argus 1968, Holmen 1952 Suda and Argus 1969 Sokolovskaja and Strelkova 1948	
S. sphenophylla 38 52-54	U.S.S.R. U.S.S.R.	Zhukova 1969 Zhukova 1968	
S. brachycarpa ssp. brachycarpa ca. 38 38	Manitoba Saskatchewan	Argus 1965a Suda and Argus 1968	
ssp. niphoclada ca. 38 S. glauca 76. 95. 114 ca. 76 114 152 152 176 190 190	Alaska Alaska Alaska Alberta Europe Scandinavia Scandinavia Manitoba[?] Iceland	Johnson and Packer 1968 Suda and Argus 1969 Johnson and Packer 1968 Suda and Argus 1968 Love 1954 Holmberg 1931, Love and Love 1948 Wilkinson 1944 Love 1954 (as cordifolia s.l.1 Love and Love 1956 [as caiiicarpaea]	
<i>S</i> . athabascensis ca. 76 , 95, 114 76 114	Manitoba Yukon Saskatchewan	Argus 1965a (as glauca) Suda and Argus 1969 Suda and Argus 1969	
Sect. Myrtosalix			
S. chamissonis 114 S. arctophila 76	U.S.S.R. Greenland	Zhukova 1968 Jorgensen. Serensen, and Westergaard 1958	

Species	2n	Geographic Origin	References
Sect. Myrtilloides S. fuscescens	38	Alaska	Suda and Argus 1969. Johnson and Packer 1968
S. pedicellaris	38 38 57 76	U.S.S.R. Manitoba[?] Yukon Manitoba	Zhukova 1967 Love 1954 Suda and Argus 1969 Love and Ritchie 1966
Sect. Hastatae S. hastata	38 38 ca. 110	Scandinavia U.S.S.R. U.S.S.R.	Holmberg 1931 Zhukova 1967 Sokolovskaja and Strelkova 1960
Sect. Cordatae S. rigida S. monticola S. myrtillifolia	44 38 38	? Saskatchewan Saskatchewan	Wilkinson 1944 [as cordata] Suda and Argus 1968 Suda and Argus 1968
Sect. Vetrix S. bebbiana S. scouleriana	38 76 ca. 114	Manitoba[?) Saskatchewan B.C.	Love 1954 Suda and Argus 1968 Taylor and Muiligan 1968
Sect. Arbuscella S. planifolia ssp. planifolia	57 57, 76 76	Yukon Saskatchewan New Hampshire	Suda and Argus 1969 Suda and Argus 1968 Love and Love 1964
Ssp. pulchra S. arbuscoloides	152 ca. 76, 76 76 76 38	Manitoba[?) Alaska Alaska U.S.S.R. Alaska	Love 1954 Johnson and Packer 1968 Suda and Argus 1969 Zhukova 1967. 1968. 1969 Suda and Argus 1969
Sect. Lanatae S. lanata ssp. richardsonii	38	Saskatchewan	Suda and Argus 1968 Zhukova 1969
Sect. Villosae S. candida S. alaxensis	38	Saskatchewan	Suda and Argus 1968
var. alaxensis	38 38 57	Alaska U.S.S.R. Saskatchewan	Suda and Argus 1969. Johnson and Packer 1968 Zhukova 1967. 1969 Suda and Argus 1968 (as subcoerulea)
Sect. Sitchenses S. sitchensis	38	в.С.	Taylor and Mulligan 1968

In Alaska and the Yukon Salix species occupy a wide variety of habitats from forests to tundra and from wet bogs and marches to dry sandy forests, talus slopes and rock outcrops. These habitats are extremely diverse in terms of moisture and nutrient regimen and in species composition, but they have one important common attribute, namely, they are subject to change. This change may take the form of physical disturbance or of a labile successional stage. The relationship of Salix to habitat instability has long been known and willows are characteristically associated with seasonally disturbed river floodplains, gravel outwash plains, glacial moraines, fire disturbance, frost disturbed arctic and alpine tundra, and sites of human disturbance. They are also known to be components of labile successional stages often appearing in the earliest stages and becoming less and less important as vegetational succession leads to a relatively stable, mature vegetation.

An example of the role Salix plays in successional development on glacial moraine in southeastern Alaska, on glacial outwash in the Alaska Range, and on river alluvium in central and northern Alaska will illustrate this generalization.

Succession on Glacial Moraine

This account of the successional development on glacial moraine in southeastern Alaska is based on observations made at Muir Inlet, Glacier Bay National Monument in **1967**, and on work done by Decker (1966).

Stage 1. Recently uncovered glacial moraine near the ice front. No vegetational development except for seedlings of Epilobium latifolium. Dryas drummondii, Salix reticulata, **S.** stolonifera, S. arctica, S. commutata. S. alaxensis, S. barclayi and S. sitchensis.

Stage 2. Glacial moraine vegetated by separate, often circular. Dryas mats interspersed with lichens and the willows Salix stolonifera, S. reticulata (in lichen mats), S. arctica (usually in Dryas mats), S. commutata. S. alaxensis, *S.* barclayi, and S. sitchensis.

Stage 3. Dryas forms an almost continuous mat interspersed with shrubs of Alnus incana and Salix commutata. S. alaxensis, S. barclayi and S. sitchensis. The dwarf species, Salix arctica, often occurs under clumps of Alnus and under taller Salix.

Stage 4. A young Alnus-Salix thicket about 3 m tall. The same Salix species are present as in Stage 3 but S. arctica and S. commutata are less frequent.

Stage 5. A dense Alnus thicket with saplings of Picea and Populus. The only Salix present are S. barclayi and S. sitchensis.

Stage 6. In this stage succession has led to a young Picea sitchensis forest in which Salix sitchensis is the last surviving species of willow. As this forest type matures even Salix sitchensis is eliminated except for its occurrence in forest openings and along stream margins.

In general all the willow species in this example occur in the pioneer stages of vegetational development. As taller and taller shrubs invade the area, the dwarf willows are the first to be eliminated with only Salix arctica able to survive even under tall alder (Stage 4). The next to be eliminated is the low shrubby species, S. commutata, followed by S. alaxensis and S. barclayi and finally by S. sitchensis. The latter species is the only willow that occurs in this area from the fresh moraine up to the young Plcea forest stage. In the early stages of vegetational succession, Salix sitchensis

may be a prostrate or a very lowgrowing shrub, later producing erect branches and finally reaching a height of about 4 m tall. In the mature Picea sitchensis-Tsuga heterophylla forests few shrubs of any kind occur. However, the Salix that do occur there are always associated with forest openings, water courses and human disturbance.

The characteristics of these species that permit their rapid establishment on glacial moraine include the production of abundant, wind-borne seeds and rapid seed germination (Argus 1965a). Their elimination from the later successional stages is probably related, at least in part, to their growth habit. The dwarf species are eliminated as soon as they are overtopped by taller shrubs which shade them and which lead to a more rapid aggradation of the soil surface due to the accumulation of organic debris. The smaller shrubs are next shaded out and the longest surviving species. such as Salix sitchensis, are those which are able to remain in the canopy for the longest time.

Succession on Glacial Outwash

Viereck (1966) describes the vegetational succession on gravel outwash in Mount McKinley National Park, Alaska.

1. Pioneer Stage. Outwash plain vegetated by mats of Dryas drummondii and *D.* integrifolia and the willows. Salix alaxensis var. alaxensis, *S.* myrtillifolia. *S.* brachycarpa ssp. niphoclada. *S.* glauca and *S.* setchelliana. On the basis of my experience elsewhere, I would suspect that in this stage seedlings of all the Salix species that are to follow would be present: but the identification of willow seedlings is difficult and they may be easily missed.

2. Meadow Stage. Elymus-Festuca-

Poa meadow. The two low-growing species, S. myrtillifolia and S. setchelliana, present in stage 1 are absent and several taller species, including S. lanata ssp. richardsonii, S. planifolia ssp. pulchra and S. barrattiana are present for the first time. The dwarf species, S. reticulata, is also reported in this stage but its occurrence is erratic and its frequency is low.

3. Early Shrub Stage. In the early Betula glandulosa shrub stage, two additional tall Salix enter the picture, S. arbusculoides and S. barclayi.

4. Late Shrub Stage. In general. all the Salix in stages **2** and 3 persist through the late shrub stage although. as the Betula glandulosa thicket becomes more dense, several of these species decline in importance.

5. Climax Tundra. In the Eriophorum-Betula glandulosa tundra the only willow present is Salix glauca; however, this species is now erratic and infrequent.

Succession on River Alluvium in Central Alaska

In central Alaska, the role of Salix in succession on silty-sandy alluvial deposits follows a similar pattern of invasion and dominance in the early successional stages, followed by decline and elimination. Pioneer vegetation on silty-sandy bars is dominated by S. alaxensis in association with S. arbusculoides. S. lasiandra and S. planifolia ssp. pulchra var. yukonensis. As the site becomes more stabilized and the thicket increases in height and density, S. lasiandra and S. planifolia are eliminated. Salix alaxensis and S. arbusculoides may dominate such a site for a considerable period of time, reaching a height of 7-9 m and obtaining a circumference near the base of 5-10 dm. Populus balsamifera and Picea glauca then invade the site, eventually dominating it and eliminating the willows. In mature Picea glauca forests, Salix bebbiana may occur in forest openings produced by fallen trees or snow breakage but the original, pioneer Salix are absent.

Succession on River Alluvium in Northern Alaska

Bliss and Cantlon (1957) studied the vegetational succession **on** the Colville River at Umiat. Alaska, recognizing four plant communities.

1. Perennial Herb Community. Succession is initiated on pockets of sand and silt on the bare floodplain gravels. The pioneer species include the herbs, Crepis nana, Erigeron purpuratus, Epilobium latifolium, et al., and the willows, *Salix* alaxensis var. alaxensis, S. arbusculoides and S. glauca.

2. Voung Felt-Leaf Willow Community. On the next terrace vigorous stands of Salix alaxensis develop, in association with S. glauca, S. hastata. S. arbusculoides and S. lanata ssp. richardsonii.

3. Decadent Felt-Leaf Willow Community. In this community Salix alaxensis is still the dominant species but there are many dead stems present. There is an increase in the importance of S. arbusculoides and S. glauca: S. hastata is absent and S. brachycarpa ssp. niphoclada is present for the first time.

4. Terrace Communities. The vegetation on the higher terraces is composed of a mixture of shrubby, dwarf heath meadow and marsh types. Salix planifolia ssp. pulchra is the dominant shrub and is associated with S. lanata ssp. richardsonii, S. glauca and S. arbusculoides. The willows S. alaxensis, S. hastata and S. brachycarpa ssp. niphoclada are absent in this relatively undisturbed vegetation type.

Succession on Arctic Floodplain

On the arctic coast of Alaska at Cape Beaufort, a transect from the sandygravel floodplain of a creek to the upper terrace reveals a change in the Salix species composition (Argus, unpublished].

1. Floodplain. On the floodplain of the creek, frequently disturbed by flooding and the resulting erosion and siltation, Salix alaxensis var. alaxensis is the dominant species in thickets 1-2 m tall and is associated with occasional low shrubs of S. hastata.

2. First Terrace. At the level of the first terrace an organic turf develops over the gravel, and the vegetation consists of an open Salix alaxensis thicket with the shrubby S. lanata ssp. richardsonii and the dwarf willows, S. rotundifolia, S. reticulata and, rarely, S. arctica. The dwarf willows grow in the turf within openings in the Salix thicket.

3. Second Terrace. The drier second terrace is dominated by a Salix glauca, S. planifolia ssp. pulchra thicket, **3-6** dm tall, with the dwarf S. phlebophylla and S. reticulata in the openings.

4. Tussock Meadow. An Eriophorum, Arctagrostis tussock meadow develops on the upper terrace. The dominant shrub is Salix planifolia ssp. pulchra, and S. fuscescens grows in the wet depressions between the tussocks.

In the Cape Beaufort area the taller Salix occupy the open floodplains where drainage is better and where the depth to permafrost is greater. The dwarf species occur in the relatively stable vegetation in which disturbance and siltation are minimal and where drainage is still good. In the poorly drained vegetation only Salix planifolia ssp. pulchra is common and Salix fuscescens is restricted to the wettest habitats.

Colonizing Attributes of Salix

Ehrendorfer (1965) developed three models of successful colonizers based on habit and on reproductive, evolutionary, and ecological factors. The habitat requirements of Salix correspond very closely to those of Ehrendorfer's type 1 colonizer, the perennial polyploid type which occurs in "labile successional stages or open facies of otherwise more or less closed associations" or in secondary communities opened by man. A comparison of Salix with the characteristics of Ehrendorfer's type 1 colonizer may help explain its great success as a colonizer and its rapid geographical expansion. In the following discussion I will cite the factor to be considered, followed by the general characteristics exhibited by Ehrendorfer's type 1 colonizer in brackets and a discussion of the factor as it occurs in Salix.

1. Predominant form of fertilization (type 1, allogamy). Salix is dioecious and therefore obligately outcrossed.

2. Differentiation of seed or fruit structure and dispersal [type 1. weak, conservative). The seeds of Salix are specialized for wind dispersal by their light weight and the presence of an arillate comae of fine trichomes (Argus 1965a).

3. Vegetative reproduction (type 1. often present). Most Salix propagate readily from cuttings, and the dispersal of branch fragments by water is common. Some species, such as the North American S. hookeriana, S. *sit*chensis and S. lasiandra. and the European S. fragilis, are characterized by highly brittle branchlets, an attribute which confers an adaptive advantage, facilitating dispersal, to species occupying riverine habitats. Salix interior, a very aggressive colonizer of sandy and silty river bars and is-

lands, reproduces by shoot buds on roots, enabling it to spread rapidly and to form large colonies. This mode of vegetative reproduction is uncommon in Salix and is only known in section Longifoliae.

4. Chromosome number (type 1. often polyploid). About 40 per cent of Salix species are polypoid (Suda and Argus 1968).

5. Chromosome structural differentiation (type 1, weak). In general, the structural variation in Salix chromosomes is small. Wilkinson (1944). in describing the morphology of chromosomes in Salix, notes that the typical pattern consists of four long chromosomes with secondary constriction. four satellited chromosomes (two of these with median constrictions and two either constricted or unconstricted) and generally four to eight unconstricted chromosomes in a short length class.

6. Chromosome centromere position (type 1, relatively symmetrical). The majority of the somatic chromosomes in Salix have a median centromere (Wilkinson 19441.

7. Population isolation (type 1. primarily geographical and ecological). Salix species are differentiated ecologically and geographically and such isolation probably plays an important role in speciation. However, many Sa*lix* communities contain several species, and hybrids are not as abundant as they theoretically could be (Heribert-Nilsson 1918, 1930). suggesting that other isolating mechanisms, such as differences in flowering time (Argus 1965a), are also operative.

8. Population differentiation (type 1, mostly allopatric). The geographical differentiation within Salix suggests that this pattern is also displayed by Salix.

9. Hybridization (type 1. in contact areas, often extensive). Hybridization

between Salix species is theoretically possible (see Hybridization, p. 6) and occurs in some areas. However, of greater importance is the hybridization between incompletely differentiated geographical populations which were isolated by Pleistocene glaciations and have in post-Pleistocene time subsequently re-established their ranges. The great population variation in Salix glauca in the central Canadian Arctic and Subarctic is thought to be due to this process (Argus 1965a).

10. Population variability [type 1, populations relatively variable]. In Salix population variation is relatively high (cf. S. *arctica*, S. glauca, S. ova*lifolia* and S. scouleriana), as would be expected in an outcrossing taxon occurring in habitats which exert relatively low selection pressures (Baker 1959). However, at the same time, polyploidy. acting as a buffer against genetic change [Stebbins 1950, and Mosquin 19661, and vegetative reproduction may lead to a reduction in variability.

The comparison of Salix with Ehrendorfer's type 1 colonizer leads to the conclusion that the general success of Salix species as colonizers is due to an interrelated complex of ecological, reproductive and evolutionary characteristics. A comparative study of *Salix* species in relation to these characteristics could lead to hypotheses explaining the narrow ecological amplitude of some species and the limited geographical distribution of others. A knowledge of the distribution and ecology of unknown specimens of Salix can be very useful in arriving at their identification. The following key is an attempt to organize the Salix species of Alaska and the Yukon in relation to these attributes. The arrangement of the species is based largely on my field experience and on the herbarium specimens that I have studied. Further exploration and study are sure to result in some modification of this key, but its major outline is unlikely to be changed.

I. Forested Regions

- A. Central Alaska and Southern Yukon
 - 1. Treed vegetation
 - a. Upland forests
 bebbiana, scouleriana, planifolia ssp. planifolia, arbusculoides
 b. Floodplain forests
 - monticola, bebbiana, arbusculoides, alaxensis
 - c. Picea mariana muskegs maccalliana, glauca var. acutifolia. fuscescens, pedicellaris. *monti*cola, novae-angliae, myrtillifolia, bebblana, scouleriana, planifolia ssp. planifolia. ssp. pulchra var. yukonensis, arbusculoides
 - 2. Treeless Vegetation
 - a. Fens

maccalliana, brachycarpa ssp. brachycarpa. athabascensis. pedicellaris, myrtillifolia, planifolia ssp. planifolia, ssp. pulchra, candida

b. Floodplains

lasiandra, maccalliana, interior, brachycarpa **ssp.** brachycarpa, ssp. niphoclada, glauca var. acutifolia, var. villosa, rigida, novae-angliae. planifoila ssp. pulchra var. yukonensis, lanata ssp. richardsonii. alaxensis, drummondiana

- B. Southern Coastal Alaska
 - 1. Treed vegetation
 - a. Forest openings
 - barclayi, scouleriana, sitchensis
 - b. Floodplains and glacial outwash plains
 - lasiandra, barclayi, commutata, alaxensis. sitchensis
 - 2. Treeless vegetation
 - a. Sand dunes hookeriana, alaxensis var. alaxensis
 - b. Fens lasiandra, barclayi, commutata, hookeriana, scouleriana

II. Alpine and Subalpine Regions

- A. Yukon-Tanana Hills, Alaska Range, Coast Ranges and Northern Rocky Mountains
 - 1. Alpine vegetation
 - a. Tundra

reticulata ssp. reticulata, ssp. glabellicarpa, rotundifolia ssp. rotundifolia. ssp. dodgeana, phlebophylia, stolonifera. arctica. chamissonis, fuscescens, hastata. arbusculoides

- b. Snowbeds
- reticulata, polaris
- 2. Shrubby subalpine vegetation

brachycarpa. glauca var. acutifolia, var. villosa, hastata, barclayi, commutata, bebbiana, planifolia ssp. pulchra, lanata ssp. richardsonii, barrattiana, drummondiana

3. Floodplain vegetation

setchelliana, brachycarpa, hastata, monticola, commutata, bebbiana, scouleriana, planifolia ssp. pulchra, arbusculoides, lanata ssp. richardsonii, alaxensis

- B. Brooks Range and Northern Mackenzie Mountains
 - 1. Alpine vegetation
 - a. Tundra reticulata, rotundifolia, phlebophylla, arctica, chamissonis, arctophila, fuscescens, planifolia ssp. pulchra, arbusculoides
 - b. Snowbeds reticulata, polaris
 - 2. Subalpine vegetation

brachycarpa ssp. niphoclada. glauca var. glauca, planifolia ${
m ssp.}$ pulchra, lanata ssp. richardsonii, barrattiana

3. Floodplain vegetation brachycarpa ssp. niphoclada, glauca var. glauca, var. acutifolia, hastata, pyrifolia, alaxensis

III. Arctic Regions

- 1. Northern Alaska and Yukon, Western Alaska
 - a. Herbaceous tundra reticulata, polaris, rotundifolia ssp. rotundifolia, ssp. dodgeana, phlebophylla, arctica, sphenophylla, chamissonis, arctophila, fuscescens
 - b. Shrubby tundra glauca var. glauca, planifolia ssp. pulchra, arbosculoides, lanata ssp. richardsonii, barrattiana
 - c. Fell-fields and talus slopes reticulata, phlebophylla. arctica
 - d. Coastal beaches and marshes ovalifolia var. ovalifolia, var. arctolitoralis. var. glacialis, arctica
 - e. Floodplains and sand dunes brachycarpa ssp. niphoclada, glauca var. glauca. hastata, arbusculoides, alaxensis var. alaxensis, barrattiana
- 2. Bering Sea Islands

reticulata, polaris, rotundifolia ssp. rotundifolia, ssp. dodgeana, nummularia, phlebophylla, ovalifolia var. ovalifolia. var. cyclophylla, arctica, sphenophylla, chamissonis, fuscescens, planifolia ssp. pulchra, alaxensis var. alaxensis

3. Aleutian Islands

reticulata, rotundifolia ssp. rotundifolia, ovalifolia var. ovalifolia, var. cyclophylla, arctica. barclayi, commutata

This study began by an examination of herbarium specimens and the literature in order to obtain a preliminary understanding of the units (usually corresponding to species or intraspecific taxa) occurring in Alaska and the Yukon. These units were then studied as natural populations in the field during 1966 and 1967 at which time 36 of the 41 species in the flora were encountered. In the field an effort was made to gain an appreciation of the following: 1) population variation, 2) developmental variation, 3) environmentally induced variation, 4) ecological preferences, and 5) the occurrence of hybridization or introgression. This information, along with chromosome numbers and geographical distribution, was then used to delimit the taxa. Finally, the appropriate nomenclature was determined through a study of original descriptions and type specimens.

Descriptions

'i

ļ

A detailed description of each taxon based on specimens from Alaska and the Yukon was compiled. In some taxa (Salix nummularia. S. sphenophylla. S. maccalliana, S. pyrifolia and S. rigida) there were insufficient specimens from Alaska and the Yukon, and therefore extraterritorial specimens were used. Descriptive data were obtained from a number of specimens and generally the more variable the characteristic, the more specimens that were examined. For example, in S. planifolia ssp. pulchra the relatively invariable bract length and anther length were based on five to eight observations, but leaf length and width, petiole length and stipule length were based on 71 observations. Every effort was made to characterize the mean and the extremes of variation of each characteristic; for example, leaf length in S.

planifolia ssp. pulchra is given as (2.2) 3.2-6 (7.5) cm, indicating that the general variation in leaf length is between 3.2 and 6 cm, but extremes of 2.2 and 7.5 cm also occur. Measurements were made using a millimetre scale or an ocular micrometer in a dissecting microscope at 22x.

Terminology

The terminology used for simple, symmetrical, plane shapes follows the system proposed by the Systematics Association Committee for Descriptive Biological Terminology (1962). Other terminology generally follows W. T. Stearn, Botanical Latin. 1966.

In the case of certain commonly used terms for indumentum types, the following standards were set up within Salix.

Sericeous: the type of indumentum on the lower side of the leaves of S. arbusculoides.

Villous: the type of leaf indumentum in S. commutata.

Densely white lanate: the type of indumentum on the underside of leaves of S. alaxensis var. alaxensis.


Sericeous-lanate: the type of indumentum on the lower surface of the leaves of S. barrattiana.

Villous-woolly: the type of indumentum on the young branchlets of S. alaxensis var. alaxensis.

Some morphological terminology conventionally used in Salix is evidently incorrect and several new terms have been used in this paper:

Stipe: the pedicel of authors. If the nectary represents a reduced perianth as was suggested by Fisher (1928). then this structure cannot be a pedicel, which is the stalk of a flower, but rather a stipe or gynophore.

Floriferous branchlet: the peduncle of authors. In 1965 I proposed using



Columns	Data	Authority
1-5	Genus code number	Dalla Torre and Harms 1900-1907
6-8	Species code number	Arbitrary
9	Subspecies code number	Arbitrary
10	Variety code number	Arbitrary
11-13	Hybrid code; code number of second parent	Arbitrary
14-15	Province/State code number	Arbitrary
16-18	Quadrangle! code number; 1:250,000 mapsheet	Orth 1967 [Alaska). Arbitrary (Canada)
19-22	Latitude	(24.1444)
23-27	Longitude	
28-41	Locality place name	
42-48	Date	
49-64	Collector's name; first collector only	
65-70	Collection number	
71-74	Herbarium acronym	Lanjouw and Stafleau 1964
75-80	Herbarium accession number	

the term reproductive branchlet for the leafy branchlet terminating in an ament. However, this term is not completely appropriate and I have changed it to floriferous branchlet, that is, a branchlet bearing flowers. The length of the floriferous branchlet is measured from the proximal end of the branchlet to the lowermost (often sterile) bract. A true peduncle does occur (Argus 1965a) but its limits are often doubtful and this term is not used here.

Bract: the scale of authors. Usually this term is applied to the foliar structures on the floriferous branchlet, but I see no reason not to refer to them as leaves, and I use the term bract for the foliar structure subtending each flower.

Specimen Citations

Herbarium label data were recorded on 3 \mathbf{x} 5 inch index cards as the research proceeded. After these data were supplemented by geographical and taxonomic code numbers and, where necessary, by latitude and longitude, the data were key-punched on IBM-type summary data cards (Fig. 1) The cards were patterned after those used by Soper (1964) to machine map species distribution. Summary data cards were produced for

the Argus & Chunys 1967 collections

as a by-product of a computerized herbarium labelling system. The summary data cards were machine sorted in terms of taxa and geography, and a print-out of the information on these cards is included as Appendix **B**. Appendix A contains a list of code numbers, acronyms, and abbreviations used in Appendix B and in the text.

The use of computerized data storage and retrieval methods to prepare

a list of specimen citations is an innovation which permits the complete documentation of research materials at a modest cost.

Nomenclature

No attempt was made to cite complete synonymy for each taxon, and names used in reference to the species in northwestern North America are emphasized. Wherever possible type material was studied and all the

types cited have been examined. In cases where type specimens were not seen, the evaluation of names was based on the original descriptions and on common usage.

Distribution Maps

The specimens examined in this study (listed in Appendix **B**) were handplotted on outline maps. The map projection is Lambert azimuthal equal area. On the species maps dots represent specimens and circles represent literature reports or doubtful identifications. The distribution maps of Alaska and the Yukon are relatively comprehensive. However, all possible sources of collections from the western Northwest Territories and northwestern British Columbia were not consulted and the maps in these regions are therefore less complete.

Systematic Treatment

Salicaceae

SALIX	L. Sp). Pl.	1015.	1753.
-------	-------	--------	-------	-------

Description of genus

Plants dioecious: dwarf or trailing arctic-alpine shrubs, erect shrubs, or occasionally trees; buds covered with a single scale; leaves alternate, simple and usually stipulate, the margins entire or variously toothed; flowers unisexual, borne in spike-like aments which are either sessile or are borne on floriferous branchlets (short shoots) on the branches of the previous year: each flower subtended by an entire bract [scale). and by one to several nectaries (glands): staminate flowers usually consist of two stamens, rarely one, or three to five, the filaments distinct or partly united: pistillate flowers consist of a single pistil which may be sessile or borne on a stipe (pedicel). the single style sometimes bifurcate, the two stigmas usually bifurcate or horseshoe-shaped: fruit a two-valved capsule with several seeds surrounded by a coma of fine hairs.

- 1. Dwarf or prostrate, trailing shrubs under 2 dm tall.
 - Pistillate and staminate flowers with two nectaries, one on either side of stipe: leaves prominently reticulate and pale beneath; aments borne on prominent, subterminal floriferous branchlets.
 Pistils densely sericeous; stipes sericeous;
 - - S. reticulata ssp. glabellicarpa, p. 47

p. 107

2. Pistillate flowers with one nectary between the stipe and the ament axis; aments borne on lateral, floriferous branchlets.

tuse

- 4. Pistils pubescent, sometimes only on beak.

 - 5. Leaves entire or toothed only on the lower half.
 - 6. Leaves green or pale green beneath, non. glaucous.
 - 7. Branches clothed with persistent, skeletonized leaves: leaf margins usually ciliate; nectaries usually shorter than the stipes
 S. phlebophylla,
 - p. 61
 7. Branches without persistent, skeletonized leaves; leaf margins rarely ciliate: nectaries 2-5 times as long as the stipes
 S. polaris, p. 49
 - 6. Leaves glaucous beneath

 - Leaves longer than 1.5 cm, margins not ciliate; aments cylindrical.

9. Styles 0.1-0.5 mm long.

10. Leaves obovate to elliptic 1.7-2.7 times as long as wide, glabrous above, margins distinctly toothed on lower half; pistils sparsely pubes- cent with ferruginous trichomes	S. fuscescens, p. 113
 Leaves narrowly elliptic to narrowly obovate, 2-3.7 times as long as wide, pubescent on both sides, margins entire: pistils densely pubescent with white trichomes Styles longer than 0.5 mm. 	S. brachycarpa ssp. niphoclada, p. 91
11. Pistils sparsely pubescent with crinkly, refractive trichomes, nec- taries shorter than the stipes, branchlets slender and trailing, gla- brous; leaves glabrous	S. arctophila, p. 109
11. Pistils sparsely or densely pubes- cent with non-refractive trichomes: nectaries equal to or longer than the stipes; branchlets and leaves various.	μ. 109
 Pistils densely pubescent; leaves dark green and usually glossy above, cuneate to rounded at base; branchlets trailing to erect. 	<i>S</i> . arctica, p. 81
 Pistils glabrous or sparsely pu- bescent on beak; branchlets trail- ing and rooting. 	
 Leaves dull above, base usually cuneate, sometimes acute 	S. sphenophylla. p. 85
13. Leaves glossy above, base acute to rounded or subcordate	S. stolonifera. p. 72

.

- 4. Pistils glabrous,
 - 14. Leaves green [non-glaucous] beneath

 Decumbent or trailing forest shrubs, leaves narrowly elliptic to narrowly obovate, 2-5 cm long, margins crenate to crenate- serrulate 	S. myrtillifolia.
 Dwarf, sometimes trailing, arctic shrubs: leaves circular to obovate or narrowly el- liptic, 0.5-1.4 cm long. margins entire or toothed only at base. 	p. 145
 Leaves subcircular. prominently reticu- late, margins glandular toothed on lower halt, non-ciliate; branchlets more or less trailing; styles 0.2-0.4 mm long 	S. nummularia, p. 59
 Leaves circular or sometimes narrowly elliptic, not prominently reticulate, mar- gins entire and ciliate: branchlets erect, not trailing; styles 0.5-1 mm long. 	
17. Pistillate aments 4-12 (151-flowered; leaves 5-10-14 mm long, 0.9-1.3 times as long as wide: petioles 1.4-2-3 mm long	S. rotundifolia ssp. rotundifolia, p. 53
 Pistillate aments 2-4 (91-flowered; leaves 4-6 mm long, 1.7-2.7 times as long as wide; petioles 0.8-1.6mm long 	S. rotundifolia ssp. dodgeana. p. 55
14. Leaves glaucous beneath.	
 Branchlets usually densely woolly: leaves lemon green, coriaceous, obovate to nar- rowly obovate and tapering to a short petiole: petioles 0-0.3 mm long: bracts tawny, the apex often retuse: pistils brick red 	S. setchelliana,
18. Branchlets glabrous to sparsely pubescent:	p. 77

 Branchlets glabrous to sparsely pubescent: leaves thin, elliptic to subcircular: petioles 2-20 mm long: bracts brown to blackish: pistils reddish, purplish or greenish.

iİ

 Pistillate nectaries shorter than the stipes: leaf margins distinctly toothed on lower half: petioles 2-5.6 mm long Pistillate nectaries longer than or equal to the stipes; leaf margins usually entiples usually entiples usually entiples usually entiples. 	S. fuscescens. p. 113
 tire; petioles usually 4-20 mm long. 20. Leaves dull above, base usually cuneate 20. Leaves glossy above, base acute to rounded or subcordate. 	S. sphenophylla. p. 85
 21. Branches short and erect, sometimes trailing, often glaucous: plants often rhizomatous: styles 0.8-1.6 mm long 21. Branches long and trailing, non glaucous: styles 0.2-0.8mm long. 	S. stolonifera, p. 72
 22. Leaves subcircular 22. Leaves obovate to narrowly elliptic. 	S. ovalifolia var. cyclophylla, p. 67
 23. Leaves obovate, elliptic or broadly elliptic: pistillate am- ents generally shorter; pistils 2.5-4 mm long 	S. ovalifolia var. ovalifolia. p. 65
23. Leaves narrowly elliptic. 2.5- 4.6 cm long: pistillate aments 2.2-5 cm long: pistils 5.2-9.6 mm long	S. ovalifolia var. arctolitoralis, p. 66

.

- 1. Erect shrubs, exceeding 2 dm tall, or trees.
 - 24. Flowering precocious.

25. Pistils glabrous.

26. Stipules absent: branchlets brittle and with persistent, long villous hairs at the base	<i>S</i> . hookeriana,
26. Stipules present, often persistent: branchlets tenacious, without long, villous hairs at the base.	p. 131
27. Stipules persistent for several years, linear to ovate, the apex attenuate; styles longer than 1.2 rnrn: nectaries 2-3 times as long as the stipes	S. lanata ssp. richardsonii, p. 171
27. Stipules not persistent for more than one year, elliptic to broadly ovate, apex rounded; styles shorter than 1.2 mm; nec- taries shorter.	, nonaraconi, p . m
 28. Aments precocious, on floriferous branchlets 0-0.5 cm long; styles 0.8-1.2 mm long; branchlets sparsely pubescent; leaves elliptic or obovate 	<i>S.</i> monticola, p. 124
 28. Aments subprecocious, on floriferous branchlets 0.3-1.3cm long; styles 0.5-0.75 rnm long: branchlets glabrescent; leaves narrowly oblong-obovate 	S. rigida, p. 121
25. Pistils pubescent.	
29. Leaves densely white lanate beneath, bright green above: stipes 0-0.4 mm long.	
30. Branchlets densely white yellow, villous- woolly and non-glaucous	S. alaxensis var alaxensis. p. 181
30. Branchlets glabrescent and glaucous	<i>S.</i> alaxensis var. Iongistyiis, p. 182
 Leaves sericeous or densely villous to sparsely pubescent or glabrescent beneath; stipes 0.2-2 mm long. 	iongiotyno, p. 192

31. Branchlets with thick glaucescence31. Branchlets non-glaucous (rarely thinly so in S. planifolia).	S. drummondiana, p. 186
32. Buds and stipules oily; stipules broad- ly ovate, margins prominently glandular: leaves white or grey sericeous-lanate beneath	S.barrattiana. p. 175
 Buds and stipules not oily; stipules ovate to linear: leaves glabrous, gla- brate or sericeous beneath. 	
33. Branchlets velutinous: styles 0.2-0.5 mm long, stipes 0.8-2 mm long	S. scouleriana, p. 153
 33. Branchlets pubescent to villous: styles 0.5-1.8 mm long; stipes 0.2- 0.8 mm long. 	
34. Stipules narrowly elliptic, not per- sistent for more than one year, 0.8-2.8 mm long	S. planifolia ssp. planifolia, p. 157
 Stipules linear, often persistent for two to four years, 3.5-14. up to 32 mm long. 	
35. Branchlets glabrous or sparsely pubescent	S. planifolia ssp. pulchra var. pulchra, p. 159
35. Branchlets densely white grey. villous	S. planifolia ssp. pulchra var. yukonensis, p. 161
lowering coetaneous or serotinous	_

24. Flowering coetaneous or serotinous.

```
36. Pistils glabrous.
```

37. Introduced species cultivated in some southern centres.

 Leaves broadly ovate to narrowly elliptic, green or pale beneath; branches not pendulous; staminate flowers with five stamens 	S. pentandra, p. 35
 Leaves narrowly ovate, glaucous beneath; branchlets pendulous: staminate flowers with two stamens 	S. babylonica, p. 41
37. Indigenous species.	
39. Leaves green or pale beneath, non-glau- cous.	
40. Leaves linear, 7-18 times as long as wide, margins distantly denticulate: aments often branched: bracts decid- uous after flowering: stipes pubescent	S. interior. p. 43
 Leaves not linear, only 2-5 times as long as wide, margins serrulate or crenate: aments unbranched: bracts persistent: stipes glabrous. 	
41. Leaves coarsely villous on both sides, margins glandular serrulate or partly entire	S. commutata,
 Leaves glabrous or glabrescent, mar- gins glandular, crenate to crenate- serrulate. 	p. 135
42. Shrubs decumbent, 0.1-0.9 m tall; stipules minute to 1-2 m long: styles 0.3-0.5 mm long	S. myrtillifolia,
42. Shrubs erect, 0.6-4 m tali, stipules 1-5 mm long; styles 0.5-0.9 mm long	p. 145 S. novae-angliae,
39. Leaves glaucous beneath.	p. 140.
43. Immature leaves membranaceous and translucent, glabrate and green on both sides becoming glaucous beneath; leaves and buds with persistent balsam- like fragrance	<i>S</i> . pyrifolia, p. 147

 44. Petioles glandular near base of leaf: stamens 5; leaf apex acuminate to caudate	
 leaf apex acute to rounded. 45. Styles 0.1-0.4 mm long. 46. Stipes 2-3.2 mm long. glabrous; leaves coriaceous, glabrous styles; 0.1-0.2 mm long S. pedicellaris. p. 115 46. Stipes 0.4-1.2 mm long, pubescent; leaves thin, glabrescent with ferruginous trichomes per- 	
 46. Stipes 2-3.2 mm long. glabrous; leaves coriaceous, glabrous styles; 0.1-0.2 mm long S. pedicellaris. p. 115 46. Stipes 0.4-1.2 mm long, pubescent; leaves thin, glabrescent with ferruginous trichomes per- 	
brous; leaves coriaceous, gla- brous styles; 0.1-0.2 mm long S. pedicellaris. p. 115 46. Stipes 0.4-1.2 mm long, pubes- cent; leaves thin, glabrescent with ferruginous trichomes per-	
46. Stipes 0.4-1.2 mm long, pubes- cent; leaves thin, glabrescent with ferruginous trichomes per-	
sistent along midrib; styles 0.2- 0.4 mm long	
	,
45. Styles 0.5-2 mm long.	
 47. Stipules absent: leaves pubescent beneath, at least on mid-rib: branchlets brittle, with long, persistent, villous hairs at base; styles red in life	
p. 131 47. Stipules present; leaves glabrous beneath: branchlets tenacious, lacking persistent hairs at base; styles greenish.	
 48. Leaves elliptic or obovate, the immature green and opaque; petioles green; branchlets densely to sparsely villous: styles 0.6-1.6 mm long)
 48. Leaves narrowly oblong to narrowly obovate, the immature reddish and translucent; petioles reddish: branchlets glabrescent; styles 0.5-0.75 mm long	

36. Pistils pubescent.

49.	Stipes	2.8-4.8	mm lor	ng, abou	t 10	times	as		
	long as	s the ne	ectaries					S. bebbiana, p.	149

- 49. Stipes 0-2 mm long, 1-2 times as long as the nectaries.
 - 50. Leaves sericeous beneath, margins glandular serrulate to distantly so.
 - 51. Leaves narrowly ovate, 5-7 times as long as wide, sericeous beneath with short, white or ferruginous trichomes oriented toward the apex, margins prominently glandular serrulate, styles 0.3-0.5 mm long

S. arbusculoides,

p. 169

- 51. Leaves narrowly elliptic to obovate. 2.5-3 times as long as wide, appearing satiny beneath with matted sericeous trichomes, margins distantly and inconspicuously glandular serrulate to glandular crenate: styles 0.5-0.8 mm long. S. sitchensis, p. 191

S. maccalliana,

p. 38

- 50. Leaves densely pubescent to glabrescent beneath, not sericeous.
 - 52. Leaves pale green [non-glaucous) and glabrescent beneath, margins prominently glandular dotted to glandular serrulate: immature leaves sericeous with a mixture of white and ferruginous trichomes; stipes 0.8-2 mm long
 - 52. Leaves glaucous beneath. variously pubescent, margins entire: stipes 0.1-1.5 mm long.
 - 53. Leaves densely dull white lanatefloccose beneath, floccose to glabrescent above, narrowly elliptic to narrowly ovate, 3.5-7 times as long as wide; styles red S. candida, p. 177

53. Leaves not pubescent as above, obovate to broadly or narrowly elliptic,2-4 times as long as wide: styles yellow green.	
54. Leaves with ferruginous trichomes sparsely distributed on both sides, especially on immature leaves	S. athabascensis. p. 103
54. Leaves without ferruginous tri- chomes.	
55. Petioles 3-15 mm long, yellowish: stipes 0.5-2 mm long	S. glauca. p. 95
55. Petioles 1-3 mm long, often red- dish; stipes 0-0.5mm long.	
 56. Pistillate aments subglobose. densely flowered; styles 0.5- 0.8 mm long 	S. brachycarpa ssp. brachycarpa. p. 89
56. Pistillate aments cylindrical, loosely flowered: styles 0.2-0.5 mm long	S. brachycarpa ssp.

S. brachycarpa ssp. niphoclada, p. **91**

. /

•

p

۹. $\mathbf{t} \cdot$ Section 1. Pentandrae (Borr). Schneid.

1. SAUX PENTANDRA L.

S. pentandra L. Sp. Pl. 1016. 1753.

Description of species

Introduced shrubs or small trees up to 7 m tall: branchlets brown to reddish brown, glabrous and glossy. Leaves broadly ovate to narrowly elliptic, the largest mature leaves (3.51 7-8.5 (11) cm long (excluding apex]. (1.5) 2.5-3 (4.31) cm wide and 2.3-2.9 times as long as broad (excluding apex); apex acuminate on later leaves, 7-12 mm long; base rounded; margins glandular serrulate; immature leaves reddish and glabrous, mature leaves coriaceous, the upper side dark green, the lower side green or pale, non-glaucous: petioles 4-10 mm long, glandular at the distal end; stipules minute glandular lobes or narrowly obovate to transversely ovate, 1.4-4 mm long, deciduous. Aments coetaneous. on leafy, floriferous branchlets. Staminate aments 2-6 cm long, floriferous branchlets 1-2 cm long; stamens 5: filaments distinct, pilose below middle; anthers 0.5-0.6 mm long. Pistillate aments 3.5-6 cm long; floriferous branchlets 1.5-4.5 cm long; pistils ca. 2.5 mm long: capsules 5-6 mm long, glabrous; styles 0.5-1 mm long; stigmas 0.2-0.3 mm long: stipes 0.5-1 mm long, glabrous: nectaries 2, cup-like with lobes abaxially and adaxially, sometimes laterally, 0.4-0.6 mm long, about 0.5 times as long as stipe; bracts narrowly elliptic, apex broadly acute to round, 2-3 mm long, pale yellow, glabrate adaxially, pubescent at base abaxially, deciduous after flowering.

Habitat

Cultivated.

Range

Petersburg. southeastern Alaska: Eurasia, from British Isles eastward to Yenisei and Angara Rivers in central U.S.S.R.

2. SALIX LASIANDRA Benth.

S. lasiandra Benth. Pl. Hartweg. 335. 1857.

S. Iancifolia Anderss. Kg. Sv. **Vet.** Akad. Handl. **6:** 34. 1867. *S.* Iasiandra var. Iancifolia (Anderss.] Bebb. *in* Watson, Bot. Calif. 2: 84. 1879.

S. lasiandra var. recomponens Raup, Sargentia 6: 149. 1947. (Type: Raup & Soper 9076. A].



Salix lasiandra Benth. Argus 6682 Scale: On all the plates. one square represents one centimetre.

Description of species

Shrubs or small trees 1-7 (11) m tall; branches brown, glabrescent or sparsely lanate; branchlets tawny, brown or reddish, lanate to sparsely pubescent with spreading trichomes or glabrescent, brittle. Leaves narrowly to broadly ovate, the largest mature leaves 6.7-14.2 cm long, 1.3-3 cm wide and 3.7-5.5 (8.7) times as long as wide; apex acuminate to caudate, the apex or proximal leaves acute; base obtuse to round; margins glandular serrate-crenate to serrulate; immature leaves often reddish and densely lanate with white and ferruginous trichomes; the upper side of mature leaves glabrescent, green and glossy, the lower side sparsely pubescent, sometimes with ferruginous trichomes, becoming glabrescent, thinly glaucous, pale in about 20 per cent; petioles 1.3-3 cm long, glandular at distal end near base of blade, lanate; stipules semi-ovate, 1.4-5.6 mm long, glandular dotted on margins and at base. Aments coetaneous. on leafy, floriferous branchlets. Staminate aments 2-3.5 cm long, floriferous branchlets 0.9-2 cm long; stamens 4-5, filaments 3.5-4 mm long, pubescent at base; anthers 0.6-0.8 mm long; nectaries 2, adaxial and abaxial, small, up to 0.5 mm long. globular. Pistillate aments 2.5-5 cm long, rachis pubescent, floriferous branchlets 1.3-3.5 cm long; pistils 3-4.8 mm long, glabrous, capsules 5-6.5 mm long; styles 0.4-0.8 mm long; stigmas 0.2-0.3 mm long, 2 horseshoe-shaped lobes; stipes 0.9-1.2 mm long, glabrous; nectaries 1. adaxial, 0.2-0.4 mm long, broader than long, about 0.25-0.5 times as long as stipe; bracts narrowly oblong, apex acuminate, 1.7-3.2 mm long, tawny, pubescent on lower half, margins distantly denticulate or entire, often revolute, deciduous after flowering.


Habitat	Range
Thickets on river banks and alluvial deposits; wet Calamagrostis-Carex meadows.	Boreal: Central Alaska; Yukon River and its tributaries; Matanuska River; southeastern Alaska from Glacier Bay to the head of Lynn Canal (Haines); Liard River, Yukon Territory; east- ward in the boreal forest to Saskatch- ewan; southward in the codillera to California and New Mexico [Map 4).

Discussion

Salix lasiandra is characterized by 4-5 stamens and 2 nectaries per staminate flower, narrowly to broadly ovate leaves with long acuminate to caudate apices and by immature leaves pubescent with ferruginous and white trichomes.

This species is the western element of a North American complex including the eastern S. lucida Muhl. and the central S. serissima (Bailey) Fern. Boivin (1967) has combined S. lasiandra and S. lucida under the latter name, maintaining that they are not distinguishable geographically or morphologically. Further study may show that this view is tenable.

Several varieties of S. lasiandra have been based on variation in leaf glau-



Map 4 Salix lasiandra

cescence and in branchlet pubescence (Raup 1959). Following this view most of the Alaska and Yukon material must be referred to var. lancifolia which has leaves glaucous or pale beneath and branchlets densely pubescent: others with glabrous branchlets must be referred to var. lasiandra. S. lasiandra var. recomponens. with leaves green beneath [non-glaucous) and branchlets pubescent, described from the Mackenzie River basin, is unknown in our flora. Branchlet pubescence varies widely in this species and within the same population densely lanate to glabrescent branchlets may be recognized. Furthermore, this variation does not seem to have any geographical integrity and I am of the opinion that these taxa are minor variants not deserving taxonomic recognition.

Section 2. Maccallianae Argus1

3. SALIX MACCALLIANA Rowlee

S. maccalliana Rowlee. Bull. Torr. Bot. Club 34: 158. 1907. [Type: McCalla 2252a, US].

1 Maccallianae sect. nov.

Folia
 coriacea, concolora:
 pistilla
 sericea.
 6-8
 rnm
 Stamina
 2; nectaria
 4-6
 loba, cupulata.

 longa:
 styli
 0.8-1.2
 rnm
 longi;
 bracteae
 fulvae:
 stamina.
 Species
 typica
 Salix
 maccalliana
 Rowlee.

Description of species

Shrubs 0.9-2.5-3.5mtall; branches dark reddish brown, glabrous and glossy; branchlets reddish brown or chestnut brown, glossy, puberulent with short, curved trichomes becoming glabrescent or sometimes glabrous from the start. Leaves coriaceous, narrowly elliptic to oblong, the largest mature leaves 5.2-7 cm long, 0.8-2 cm wide and 3.1-4.1 (5.7) times as long as wide: apex acute to sometimes more or less acuminate; base acute to round: margins entire and prominently glandular dotted or glandular serrulate to glandular crenate: immature leaves reddish, sericeous on both sides with white and ferruginous trichomes; the upper side of mature leaves glabrescent, the midrib sometimes remaining puberulent, glossy, the lower side glabrescent and pale, non-glaucous; petioles 5-10 mm long, yellow brown, puberulent adaxially; stipules small glandular lobes or sometimes narrowly elliptic with glandular margins, 0.2-0.5 (2) mm long. Aments coetaneous, on leafy, floriferous branchlets. Staminate aments 1.8-2.7 cm long, floriferous branchlets 0.3-1.3 cm long; stamens 2, filaments 4.8-6.5 mm long, pubescent near base, distinct; anthers 0.8-1.1 mm long; nectaries cup-like and surrounding the stamens, usually with 4-6 lobes. Pistillate aments 2-6 cm long, densely flowered becoming loose in fruit, floriferous branchlets 1-2.8 cm long; pistils 6-8 mm long, densely sericeous often with white and ferruginous trichomes, tawny or green, capsules about 8 mm long, tawny, sericeousvillous; styles 0.8-1.2 mm long; stigmas 0.4-0.5 mm long, 2-lobed; stipes 0.8-2 mm long, densely sericeous; nectaries 1. adaxial, 0.4-0.6 mm long, about 0.5 times as long as stipe; bracts narrowly oblong, apex rounded, 1.6-3.6 mm long, tawny or lemon green, sometimes brownish toward apex, villous to glabrescent abaxially.


Habitat	Range
Muskegs: wet Carex-Betula glandu- sa fens; river margins.	Boreal, Aspen Parkland: Known in Yu - kon Territory only from Watson Lake, southeastern Yukon; along the Liard River in adjacent British Columbia; southward in the Rocky Mountains to Alberta: eastward to Saskatchewan, southern Manitoba, Ontario, and Que- bec [Map 5).

Discussion

Salix maccalliana is a very distinctive and relatively invariable species. Its leaves are coriaceous, glossy and green on both sides; the immature leaves are sericeous with white and ferruginous trichomes; the pistils are large (6-8 mm long) and densely sericeous with long styles (0.8-1.2 mm long) and are subtended by tawny or lemon green bracts; the stamens are surrounded by a cup-like nectary with 4-6 lobes.

The taxonomic relationships of this species have been the subject of much speculation. Because of the superficial resemblance of its aments to those of






Map 5 Salix maccalliana

S. glauca it has often been aligned with that species (Rowlee 1907; Schneider 1920: Raup 1959). In his discussion Rowlee (1907) also suggested a relationship with S. lucida of section Pentandrae on the basis of its leaves and buds. This suggestion has not been followed by later authors, but it does seem to have some merit and is further supported by the cup-like staminate nectaries and the large, long-beaked capsules. There are certain important points of discrepancy, however, including the presence of 2 stamens instead of 4-5, and sericeous rather than glabrous pistils; but I would suggest looking to section Pentandrae rather than to S. glauca for at least one element of its ancestry. The very high chromosome number (2n = 190-224, Suda and Argus 19681 suggests that it is a very complex polyploid, probably with a diverse ancestry.

Section 3. Subalbae Koidz.

4. SALIX BABYLONICA L

S. babylonica L. Sp. Pl. 1017. 1753.



Salix interior Rowlee. (A) Pistillate specimen, Cody 8273. (B) Staminate specimen. Cody 8157

Description of species

Introduced trees up to 12 m tall; branchlets slender, pendulous, yellowish to brown, glabrous. Leaves narrowly ovate, the largest mature leaves 8-12 cm long, 0.5-1.5 cm wide; apex long-acuminate; base acute; margins serrulate; immature leaves sericeous. the upper side of mature leaves glabrate, yellow-ish green, the lower side glaucous; petioles glandular at the distal end; stipules 2-7 mm long, narrowly ovate, often absent. Aments coetaneous. on leafy, floriferous branchlets. Staminate aments slender, up to 4 cm long, floriferous branchlets 0.5-1.5 cm long; stamens 2, filaments distinct, pubes-cent at base. Pistillate aments 2-3.5 cm long, slender, floriferous branchlets present; capsules narrowly ovoid, 1-2 mm long, glabrous; styles about 0.5 mm long; stigmas short; stipes very short: nectaries 1, adaxial; bracts pale yellow, pubescent and caducous.

Habitat	Range
Cultivated.	Petersburg and Wrangell, southeast- ern Alaska; originally Asian but nat- ural range obscured by widespread cultivation throughout Asia, Europe, and North America.

Section 4.	Longifoliae Anderss.

5. SALIX INTERIOR Rowlee

S. interior Rowlee. Bull. Torr. Bot. Club 27: 253. 1900


S. exigua ssp. interior Cronq. in Hitchcock. Cronquist, Ownbey and Thompson, Vas. **PI.** Pacific NW. 2: 51. 1964.

S. longifolia Muhl. *in* Muhl. and Willd. Neue Schr. Ges. Nat. Fr. Berlin 4: 238. 1803, non Lam. 1778.

S. longifolia var. pedicellata Anderss. Kg. Sv. Vet. Akad. Handl. 6: 55. 1867. S. exigua ssp. interior var. pedicellata Cronq. in Hitchcock, Cronquist. Ownbey and Thompson, Vas. Pl. Pacific NW. 2: 51. 1967.

Description of species

Shrubs 0.5-4 **m** tall, colonial, with shoots arising from roots; branches greyish; branchlets reddish brown, sparsely sericeous becoming glabrescent. Leaves narrowly oblong to linear, the largest mature leaves 4-12.8 cm long, 0.3-1 **cm** wide and 7-18.3 times as long as wide; apex acute; base narrowly cuneate; margins distantly glandular denticulate to subentire or entire: the upper side of mature leaves glabrous and green, the lower side sparsely sericeous to glabrescent and pale green, non-glaucous; petioles 0.8-5 mm long; stipules minute glandular lobes, rarely narrowly elliptic and up to 1.5 mm



Map 6 Salix interior

long. Aments coetaneous, on leafy, floriferous branchlets. Staminate aments 2-5 cm long, often branched and bearing lateral secondary aments, floriferous branchlets 0.5-5 cm long: stamens 2, filaments 2.4-2.8 mm long, lower half pubescent, distinct; anthers 0.5-0.8 mm long, curved or coiled after opening: nectaries 2, abaxial and adaxial. Pistillate aments 2.5-6 cm long, unbranched, floriferous branchlets 1.3-5.5 cm long: pistils long-beaked, 2-4.5 mm long, glabrous, capsules 5-8 mm long; styles 0-0.1 mm long; stigmas 0.2-0.3mm long, 4 broad lobes: stipes 0.6-0.8 mm long, pubescent or glabrous: nectaries 2, abaxial and adaxial. 0.5-0.8 mm long, 2-3 times as long as stipe; bracts oblong, apex acute to acuminate, 2.8-3.2 mm long, tawny to yellow green, glabrous abaxially, tomentose adaxially. inflated, deciduous after flowering.

Habitat	Range
River banks and alluvial deposits within the forested region.	Boreal: Yukon River and its trib- utaries. extending as far west as Tanana: south to the Liard River, Yukon Territory; in the cordillera to California; eastward across Canada to

northeastern United States (Map 6).

Discussion

Salix interior is a sand bar species spreading colonially, by shoots borne on roots, over newly formed alluvial deposits. It is characterized by linear, usually glabrous and distantly glandular denticulate leaves, aments which are often branched (Argus 1964) and bracts deciduous after flowering.

This species is part of the highly variable and taxonomically complex section Longifoliae which includes S. fluviatilis, S. exigua, S. melanopsis, et al. Revisions of this group have been proposed by Cronquist (1964) and by Boivin (19671. The section was once thought to be endemic to America

(Schneider 1919b) but the southern Asian species S. blakii Gorz. and possibly others, clearly belongs here.

Section 5. Chamaetia Dumort.

6a. SALIX RETICULATA L. SSD. RETICULATA

S. reticulata L. Sp. Pl. 1018. 1753,

S. reticulata a [var.] glabra Trautv. in Ledeb. Fl. Alt. 291. 1833. Chamitea reticulata Kerner, Verh. **Zool.** Bot. Ges. Wien. 10: 277. 1860.

S. reticulata (var.] subrotunda Ser. Essai Mon. Saules Suisse 29. 1815


S. orbicularis Anderss. in DC. Prodr. 16 (21): 300. 1868. *S.* reticulata [ssp.?) S. orbicularis Flod. Sv. Vet. Akad. Ark. Bot. 20A: 5. 1926. *S.* reticulata ssp. orbicularis Flod. in Hult. Fl. Aleut. 162. 1937.

S. reticulata var. gigantifolia Ball. Proc. Nat. Acad. Sci. 21: 185. 1935

S. reticulata f. villosa Kimura, *in* Tatewaki and Kobayashi, J. Fac. Agr., Hokkaido Imp. Univ. 36 31. 1934.

Description of species

Dwarf shrubs, prostrate and rooting along stems; branches light brown with short internodes; branchlets green to greenish brown, glabrous, rarely glaucous; buds glabrous or pubescent at tip, sometimes glaucous, bud scale persistent at base of shoot. Leaves elliptic-circular to oblong, the largest mature leaves 1.2-5-6.6 cm long, 0.8-5 cm wide and 1-1.5 times as long as wide; apex round, obtuse or rarely retuse; base obtuse, rounded or cordate; margins subentire to indistinctly glandular crenate, revolute; the upper side of mature leaves dark green and glossy, glabrous or rarely villous with long straight trichomes, the veins impressed, the lower side pale green and non-glaucous or rarely glaucescent. sparsely pubescent with long, silky, caducous trichomes, venation prominently reticulate, sometimes reddish; petioles (3) 10-25 (30-46) mm long, reddish or yellowish, glabrous; stipules minute glandular lobes 02-0.4 mm long. Aments coetaneous on prominent, leafy,



Salix reticulata L. [A, B, C) Subspecies reticulata, population sample, Argus 5621 (D) Subspecies glabellicarpa Argus, Argus 6645

floriferous branchlets. Staminate aments 1.1-5.2 cm long, floriferous branchlets 1.1-3.2 cm long; stamens 2, filaments about **2.8** mm long, pubescent on lower half; anthers 0.3-0.4 mm long; nectaries 2-3, abaxial and adaxial, sometimes more **or** less surrounding stamens. Pistillate aments 1-6 cm long, floriferous branchlets 1.2-4.5 cm long, as long as vegetative branchlets, glabrous to coarsely pubescent distally: pistils 2.5-3 mm long, densely sericeous with white or mixture of white, red violet and ferruginous trichomes, capsules about 4.5-5 mm long, sparsely sericeous: styles 0.2-0.3 mm long: stigmas 0.2-0.4 mm long, 4-lobed: stipes 0-0.4-0.8 mm long, pubescent: nectaries **2,** adaxial, 0.5-0.8 mm long, equal to or 2 times as long as stipe: bracts oblong to obovate, apex retuse or rounded, 0.8-1.8 mm long, reddish, greenish, tawny or drying brownish, sometimes white puncticulate, glabrous or glabrescent abaxially. densely pubescent adaxially.

Habitat

Arctic: tundra vegetation including polygonal tundra, dry tussock tundra, partly stabilized sand dunes, and Carex-Eriophorum meadows. Alpine: Dryas tundra: snow accumulation areas; stabilized talus slopes. In forested regions within mountains, it may occur in moss both in Picea glauca woods and in P. mariana muskegs.

Range

Arctic, alpine: Throughout Alaska and Yukon Territory; southward in the Rocky Mountains to British Columbia; transcontinental across Arctic and Subarctic Canada to Newfoundland and Greenland: Eurasia (Map 7).

6b. SALIX RETICULATA ssp. GLABELLICARPA Argus

S. reticulata ssp. glabellicarpa Argus, Can. J. Bot. 43: 1021. 1965. (Type: Calder & Taylor 36347, DAO).

Description of subspecies

Differs from ssp. reticulata in pistils glabrous or sparsely pubescent distally, glaucous: stipes glabrous: styles 0.2-0.4 mm long.

Habitat


Alpine tundra.

Range

Alpine: Mount Gastineau near Juneau: Queen Charlotte Islands. British Columbia (Map **8**).

Discussion

Salix reticulata is a dwarf, trailing willow characterized by prominently reticulate, elliptic-circular to oblong leaves and aments which are borne on long,




Map 7 Sa/ix reticulata ssp. reticulata. Circles based on Skvortsov, 1966. as S. reticulata

leafy, floriferous branchlets. These branchlets are as long and bear as many leaves as do the vegetative branchlets.

There are two variations within S. reticulata that deserve discussion. The first is represented by S. reticulata ssp. glabellicarpa, a variant with glabrous and glaucous pistils which was described from the mountains of the Queen Charlotte Islands. Because of its localized distribution, the absence of glabrous pistils elsewhere within the species, and the possibility that it may have survived the Pleistocene glaciation on a refugium on the Islands. it was assigned subspecific rank (Argus 1965b). In 1967 it was found to occur also in the alpine tundra on the slopes of Mount Gastineau near Juneau. In this region it is sympatric with ssp. reticulata, which is absent from the Queen Charlotte Islands, and some signs of intergradation were observed. Some specimens (Argus 6633 and 6644, SASK) were very sparsely pubescent, whereas others were either glabrous [Argus 6620a. SASK] or had a few trichomes at the apex (Argus 6632, SASK]. This subspecies is to be expected elsewhere in southeastern Alaska and coastal British Columbia where the ranges of the two subspecies evidently overlap.

The second variant is represented by S. reticulata f. villosa which has villous trichomes on the underside of mature leaves. This type of pubescence resembles that which occurs in S. vestita of the Rocky Mountains and eastern North America, and would probably be interpreted as an indication of hybrid-



ap 8 Salix reticulatassp.glabellicarpa

ization if the species were sympatric. I have seen specimens with this type of pubescence throughout the range of ssp. reticulata in Alaska and the Yukon, including Whitehorse, the Bering Sea Coast (Scammon Bay and Cape Thompson), the Alaska Range (Rainbow Mountain, Donnelly Dome and Eureka Roadhouse), and southeastern Alaska (Coronation Island), and specimens with villous leaves have been reported from Attu Island and Unalaska (Kimura 1934). Whether or not this unusual pubescence is a remnant of an ancient trans-Bering Straits distribution of S. vestita as suggested by Hulten (1967) is difficult to say. but it does deserve further study.

Section 6. Retusae Kern.

7. SALIX POLARIS Wahl.

S. polaris Wahl. Fl. Lapp. 261. 1812.

S. pseudopolaris Flod. Sv. Vet. Akad. Ark. Bot. 20A (6): 8. 1926. *S.* polaris ssp. pseudopolaris Hult. Fl. Alaska and Yukon 3: 510. 1943.

S. polaris var. selwynensis Raup. Contr. Arnold Arb. 6: 144. 1934.



Salix polaris Wahl. Murray 1042 (left) and Viereck 8361 [right)

Description of species

Dwarf shrubs often partly subterraneous, stems rooting, branches reddish brown, glaucous: branchlets short and not conspicuously trailing, greenish brown, glabrous: buds glabrous and glaucous, the scale often persistent at base of shoot. Leaves obovate to narrowly elliptic, the largest mature leaves 1-2-2.8 cm long. 0.8-1-1.8 cm wide and 1.1-1.7-2.5 time as long as wide: apex round, retuse or obtuse, usually conduplicate when pressed, base cuneate or round, inequilateral: margins entire, flat, often reddish, rarely ciliate: the upper side of mature leaves glabrous or rarely ciliate toward margin, alossy, the lower side glabrous or rarely pubescent with long, sparse, caducous trichomes, green and glossy, secondary veins prominently raised: petioles 2-5-10 mm long, yellow to reddish; stipules absent or minute glandular lobes 0.1-0.4 mm long. Aments coetaneous, on leafy, floriferous branchlets. Staminate aments 1.5-1.8 cm long, floriferous branchlets 0.5-1.5 cm long; stamens 2, filaments 4-4.4 mm long, glabrous, distinct: anthers about 0.6 mm long. Pistillate aments 1.5-3.5 mm long, floriferous branchlets 1.2-2 cm long; pistils about 2.5 mm long, reddish and glossy, entirely pubescent or sparsely pubescent on distal half, capsules 4.8-6.4 mm long, pale reddish brown, pubescent: styles 0.7-1.6 mm long, entire or bifurcate: stigmas 0.2-0.6 mm long, 4 linear lobes; stipes 0.2-0.7 mm long, glabrous or pubescent: nectaries 1, adaxial, 0.9-1 mm long, often 2-5 times as long as stipe; bracts oblong to broadly obovate, apex rounded, uniformly brown or dark brown, sometimes bicolour, sparsely pubescent to glabrescent abaxially. sparsely pubescent adaxially.


Habitat	Range
Tundra vegetation: late snowbed and snow flush areas; alpine scree slopes.	

Discussion

Salix polaris is a dwarf species characterized by pubescent pistils, long styles (0.7-1.6 mm long] and leaves non-glaucous beneath.

This species is commonly misunderstood in the North American literature. and many specimens in herbaria are misidentified. Wiggins and Thomas in A Flora of the Alaskan Arctic Slope (1962) completely misunderstood the species (as S. pseudopolaris), and many of the specimens they cited are S. ovalifolia var. glacialis or S. ovalifolia var. ovalifolia. I have not seen any authentic S. polaris from the Arctic slope of Alaska (reported by Hulten 1968. Map 4), although it does occur in the eastern Brooks Range.

In my opinion the characteristics that have been used to distinguish S. pseudopolaris from S. polaris, namely, light-coloured bracts with wavy hairs (Hulten 1943) and a greater number of flowers in the aments (Skvortsov



Map 9 Salix polaris. Circles based on Skvortsov, 1966

1966). and the characteristics that have been used to distinguish S. polaris var. seiwynensis, namely, longer aments and leaves ovate-elliptic or obovate (Raup 1934), are inconsequential and scarcely extend the normal range of variation of S. polaris. The taxonomic confusion results from a lack of specimens, and from typological thinking that fails to recognize and understand population variation. In his discussion of S. pseudopolaris Floderus (1926) referred to the hybridogenous nature of many of the specimens he studied and suggested that some characteristics were derived from crossing with S. arctica. S. glauca or S. chamissonis. In my opinion Floderus' presumption of hybridity is, in most cases, conjectural and originates from a lack of appreciation of character variation. However, as I studied S. polaris, I was repeatedly impressed with the apparent morphological links with S. rotundifolia, S. arctica and S. ovalifolia and with the heterogenous composition of the species. The material available to me is inadequate to fully understand this species and extensive field and laboratory studies are indicated.

Salix polaris is apparently related to S. rotundifolia, S. phlebophylla and S. stolonifera and is similar morphologically to some variants of S. arctica. The comparison table (Table 2) will aid in distinguishing them.

Characteristics	polaris	rotundifolia	stolonifera	phlebophyila	arctica
leaves	non-glaucous beneath	non-glaucous beneath	glaucous beneath	non-glaucous beneath	glaucous beneath
	rarely ciliate margins	sometimes ciliate margins	non-ciliate margins	i+-ciliate margins	non-ciliate margins but with long trichomes beneath
	non-persistent	often persis- tent for several years	non-persistent	persistent and skeleton- ized	non-persistent
pistillate aments	more than 15-flowered	4-15-flowered	more than 25-flowered	more than 25-flowered	more than 25-flowered
pistils	pubescent	usually glabrous	usually glabrous	usually pubescent	pubescent
nectary length	2-5 times stipe	1 - 3 times stipe	1.5-3 times stipe	less than or equal to stipe	1.5-4times stipe

Table 2 Comparison table: Salix polaris, S. rotundifolia. S. stolonifera. *s.* phlebophylla and S. arctica

8a. SALIX ROTUNDIFOLIA Trautv. ssp. ROTUNDIFOLIA


S. rotundifolia Trautv. Nouv. Mem. Soc. Nat. Mosc. 2: 304. 1832.

S. polaris var. leiocarpa Cham. Linnaea 6: 542. 1831. S. leiocarpa Cov. Proc. Wash. Acad. Sci. 3: 338. 1901.

S. behringica v. Seemen, Engler Bot. Jahrb. 21. 52: 6. 1895. (Type: Krause 85, US).

Description of species

Dwarf shrubs with slender branches arising from a taprooted caudex, forming a highly branched, largely subterranean shrub about 2-3 cm tall; branches yellow brown, glabrous, glossy and with short internodes: branchlets yellow brown, yellowish red or reddish green, sometimes glaucous, bearing 2-3 leaves: buds tawny to greenish or reddish, sometimes glaucous, the scale persistent at base of shoot. Leaves circular, elliptic or sometimes narrowly elliptic, the largest mature leaves 5-10-14 mm long, 4.2-6-9 (11.2) mm wide and (0.9) 1.2-1.3 (2.2) times as long as wide: apex rounded to more or less retuse: base rounded, narrowly cuneate in narrower leaves; margins entire, usually reddish, sometimes ciliate, revolute; the upper side of mature leaves glossy and glabrous, primary veins usually prominently raised, sometimes impressed, the lower side glossy, glabrous and green, non-glaucous, the 3-4 secondary veins prominently raised and veinlets evident, marcescent leaves often persistent for several years but not becoming skeletonized: petioles 1.4-2-3 mm long, tawny and glabrous; stipules usually minute glandular lobes, 0.1-0.2 (0.4) mm long, yellowish or reddish. Aments coetaneous or



Salix rotundifolia Trautv. [A. B) Subspecies rotundifolia. Argus 5695, (C) Subspecies dodgeana (Rydb.) Argus, Murray 788

serotinous, terminal on previous year's shoot, and borne on floriferous branchlet bearing 2 leaves. Staminate aments 0.3-1 cm long, 7-15-flowered. floriferous branchlets 3-7 mm long; stamens 2, filaments about 1.8-4 mm long. glabrous; anthers 0.4-0.6 mm long; nectaries long and narrow. Pistillate aments 0.7-2 cm long, rachis pubescent, 4-12 [15)-flowered, floriferous branchlets 0.7-2.5 cm long, as long or longer than aments; pistils 1.5-2.5 mm long, glabrous or rarely sparsely pubescent at tip, glossy and reddish brown. capsules 4-6-7.2 mm long, beak sometimes flattened; styles 0.5-1 mm long; entire or sometimes slightly bifid; stigmas 4 linear lobes. 0.4-0.5 mm long; stipes (1.4-0.8 mm long, glabrous or sometimes pubescent, nectaries 1, adaxial, 0.9-1.6 mm long, reddish, equal to or up to 3 times as long as stipe; bracts broadly obovate, apex rounded or retuse, 1.6-2.8 mm long. uniformly brown or bicolour and pale reddish brown at base, usually glabrous or sparsely pubescent abaxially. sparsely pubescent adaxially with long straggly trichomes appearing as cilia around margin.

Habitat

Tundra.

Range

Arctic, alpine: St. Lawrence Island; Bering Sea islands: Seward Peninsula; northern Alaska to Barter Island; Aleutian Islands: Alaska Peninsula: Kodiak Island; Talkeetna Range; Alaska Range; Eagle Summit, central Alaska; Ruby Range, southwestern Yukon; to the Mackenzie Mountains, Northwest Territories (Map 10).

8b. SALIX ROTUNDIFOLIA ssp. DODGEANA [Rydb.) Argus

S. rotundifolia ssp. dodgeana (Rydb.) Argus, Can. J. Bot. 47: 795. 1969

S. dodgeana Rydb. Bull. N.Y. Bot. Gard. 1: 277. 1899. (Type: Rydberg & Bessey s.n. NY).

Description of subspecies


Differs from ssp. rotundifolia in leaves smaller and narrower, 4-6 mm long, 1.7-3.6 mm wide and 1.7-2.7 times as long as wide, venation on upper side of mature leaves less prominent; petioles shorter, 0.8-1.6 mm long. Pistillate aments with fewer flowers, 2-4 (9)-flowered (Table 3).

Habitat

Tundra.

Range

Alpine, Arctic: Disjunct distribution in North America; northwestern Wyoming and adjacent Montana: Kluane Lake region, Yukon Territory: Mackenzie Mountains. Northwest Terri-




Map 10 Salix rotundifolia ssp. rotundifolia. Circles based on Skvortsov, 1966

tories. It also occurs sporadically throughout the range of ssp. rotundifolia in Alaska [Map 111.

Discussion

Salix rotundifolia is a dwarf, largely subterranean shrub characterized by circular or elliptic leaves which have 3-4 prominent veins and are glossy and green on both sides. The aments have few flowers (4-15) and the nectaries usually exceed the stipes.

There is some variation in pistil indumentum from usually glabrous to sometimes sparsely pubescent on the beak or, rarely, sparsely pubescent all over. The pubescent-capsuled variants have been named S. rotundifolia f. pilosiuscula Schneider (1919a), and Hulten (1943) regarded specimens with pilose capsules as the hybrid S. phlebophylla X rotundifolia. To base a conclusion of hybridity on pistil indumentum alone is unsound, for it requires the assumption that this characteristic is invariable. There are several species in Alaska and the Yukon which have been shown to have variable pistil pubescence. including S. hookeriana, S. reticulata. S. ovalifolia and S. phlebophylla, and the possibility that the pilose-capsuled forms of S. rotundifolia are part of the normal variation within this species must be seriously entertained.



Map 11 Salix rotundifolia ssp, dodgeana. Siberian locality: C. Wright, 1853.1856, Arakamechetchene Island. NY, US 26252

However, hybridization apparently does occur between S. phlebophylla and S. rotundifolia and, within sympatric populations, intermediate specimens can be detected on the basis of discordant combinations of characteristics including leaf shape, leaf pubescence, skeletonization of leaves, nectary length, and pistil indumentum. On the basis of these characteristics I have determined a series of specimens from the Arctic slope and central Alaska as S. rotundifolia > phlebophylla and S. phlebophylla > rotundifolia to indicate the varying degrees of intermediacy. There are no evident signs of infertility in the intermediate specimens and further study is necessary in order to establish the origin of the intermediates and to prove the occurrence of hybridization (Map 2).

Salix rotundifolia is closely related to S. phlebophylla and S. nummularia (Table 4), and is similar to S. polaris and S. stolonifera (Table 2).

In 1967 Hulten noted that S. behringica had long been neglected by most modern authors and that the type specimen was probably destroyed when the Berlin Museum was bombed. There is a fragment of the type collection at the U.S. National Herbarium which I have been able to examine (Krause, A. & A. 85, Luetke Harbour, St. Lawrence Bay, Siberian Coast of Bering Sea, 1881, US 411218). The specimen consists of 3 leaves and 4 somewhat damaged capsules. The leaves are elliptic, glabrous and non-glaucous; the cap-

Characteristics	ssp. rotundifolia	ssp. dodgeana
leaves	5-10-14 mm long	4-6 mm long
	4.2-6-9 mm wide	1.7-3.6 mm wid
	length/width (0.9) 1.2-1.3 (2.2)	length/width 1.7-2.7
	apex round to retuse. rarely acute	apex acute and +/- conduplicat when pressed
	veins prominent above	veins faint abov
petiole length	1.4-2-3 mm	0.8-1.6 mm
pistillate aments	4-12-flowered	2-4(9)-flowered

Table 3	Comparison	table:	Salix	rotundifolia s	sp.	rotundifolia	and	ssp.	dodgeana	
---------	------------	--------	-------	----------------	-----	--------------	-----	------	----------	--

Characteristics	rotundifolia	phlebophylla	nummularia
leaves	often persistent, not skeletonized	persistent and skeletonized	not persistent
	glossy	highly glossy	glossy
	not arcuate, pressing flat	arcuate. conduplicate when pressed	not arcuate, usu pressing flat
pistillate aments	4-12(15)-flowered	25-flowered	4-5-flowered
pistils	glabrous	usually pubescent	glabrous
nectary length	1-3 times stipe	less than or equal to stipe	about 2 times stipe
capsule length	4-6-7.2 mm	2.9-4.8 mm	ca. 3.5 mm
habitat	wet tundra	dry tundra	dry tundra

sules and stipes are glabrous and the nectaries are slightly longer than the stipes. I am of the opinion that this fragmentary material represents ${\boldsymbol S}$ rotundifolia.

Salix rotundifolia ssp. dodgeana is a diminutive race of the species which is distinguishable only on the basis of quantitative characters [Table 3). Salix dodgeana traditionally has been given a very narrow circumscription (Raup 1959). However, when the variation, present even within the type locality, has been taken into consideration it is evident that it intergrades with S. rotundifolia (Argus 1969). It has been assigned subspecific rank because of its distinctive cordilleran distribution.

9. SALIX NUMMULARIA Anderss

S. nummularia Anderss. in DC. Prodr. 16 (2):298. 1868

S. tundricola Schljak. Bot. Mater. Herb. Bot. Inst. Akad. Nauk SSSR 16: 67. 1954. S. numrnularia ssp. tundricola Love and Love, Bot. Not. 114: 51. 1961.


Description of species

Dwarf, trailing shrubs; branches slender, arising from a stout caudex, chestnut brown, glossy, glabrescent and sometimes glaucous; branchlets vellow brown, sparsely pubescent with spreading trichomes. Leaves subcircular, the largest mature leaves about 10-12 mm long. 8-10 mm wide and 1.2 times as long as wide: apex round to retuse; base subcordate to round; margins entire but with 3-4 pairs of glands or glandular teeth on lower half; mature leaves glabrous and glossy on both sides, green and non-glaucous beneath, the lowermost leaves with sparse, long trichomes beneath, venation prominently reticulate and with 4-5 pairs of secondary veins, leaves may persist for 2-3 vears but are more commonly deciduous each year: petioles 1.5-2 mm long. reddish; stipules minute glandular lobes. Aments probably coetaneous or serotinous, on short floriferous branchlets with 2-3 leaves. Staminate aments unknown in the flora of North America. Pistillate aments about 3-5 mm long. 4-5-flowered. floriferous branchlets about 1.5 mm long; pistils about 2 mm long. brownish and glabrous, capsules about 3.5 mm long: styles 0.2-0.4 mm long; stigmas 0.3-0.5 mm long, 4 linear lobes; stipes about 0.4 mm long, glabrous or pubescent; nectaries 1, adaxial, about 0.8 mm long and about 2 times as long as stipe; bracts obovate, apex rounded to retuse, about 1.2 mm long, pale brown, sparsely pubescent adaxially, more or less glabrous abaxially.


Habitat	Range
Tundra.	Arctic: Known in Alaska only from St. Paul Island; widely distributed in northern U.S.S.R. from the Kola Peninsula to the Chukotsk Peninsula [Skvortsov 1966) and in Transbaika- lia [Map 12).

Discussion

The Eurasian Salix nummularia has not previously been known to occur in North America. I have seen three specimens from St. Paul Island [Cole, July 8-9. 1941, WIS. ISC and Johnston, June 14, 1925. NA) which compare very favourably with S. nummularia from the U.S.S.R. and seem to represent that species. This species is characterized by prominently reticulate leaves which have several glandular teeth on the lower half of the blade, aments produced by lateral buds and often elongate and trailing vegetative shoots. These characteristics contrast with S. rotundifolia which has non-reticulate.



Salix nummularia Anderss. Skvortsov 10589, 23 VII 1964, Northern Urals. USSR.. GWA



Map 12 Saiix nummularia. Circles based on Skvortsov. 1966

leaves, aments produced by subterminal buds and short vegetative shoots (Table 4).

I am accepting the opinion of Skvortsov (1966) in treating *S. tundricola* as a synonym of *S. nummularia*. The Love and Love (1961) combination of these taxa which was accepted by Hulten (1968) was not accompanied by a discussion and therefore cannot be evaluated.

10. SALIX PHLEBOPHYLLA Anderss.

S. phlebophylla Anderss. Ofvers. Vet. Akad. Forh. (Stockh.) 15: 131. 1858

S. anglorum Cham. Linnaea 6: 541. 1831

S. paleoneura Rydb. Bull. N.V. Bot. Gard. 1: 267. 1899. [Type: *Murdock* s.n. GH).

Description of species

Dwarf shrubs forming compact mats up to 2 m in diameter, stems thick and arising from a taprooted caudex, stems partly subterranean and rooting, mostly aerial and clothed with persistent, skeletonized leaves: branches red-




Salix phlebophylla Anderss. Argus 5827

dish brown, glossy and glabrous; branchlets glabrous, non-glaucous. Leaves marcescent. narrowly obovate to broadly obovate or broadly elliptic, the largest mature leaves 7-11-15 mm long, (2.5) 3-5-11 mm wide and 1.1-1.7-2.3 (3.5) times as long as wide: apex obtuse, sometimes retuse, often conduplicate when pressed; base cuneate to broadly cuneate; margins entire, often reddish and somewhat ciliate; the upper side of mature leaves glabrous and glossy, the lower side sparsely pubescent with long, straight, caducous trichomes, glossy and non-glaucous, the 3-4 or 5 secondary veins and sometimes the tertiary veins prominent on both sides; petioles 1.2-2.4-3.2 (4.8) mm long, tawny and sparsely pubescent; stipules minute glandular lobes, 0.1-0.2-0.4 mm long. Aments coetaneous. borne on leafy, floriferous branchlets. Staminate aments 1.3-2.5 cm long, floriferous branchlets 5-13 mm long; stamens 2, filaments 2.5-4 mm long, glabrous: anthers 0.3-0.5 mm long; nectaries 1, adaxial or 2, adaxial and abaxial, 0.4-0.6 mm long, reddish or greenish. Pistillate aments 1.6-2.5 cm long, rachis pubescent and bearing more than 25 flowers, floriferous branchlets 0.8-2.4 cm long; pistils about **1.8** mm long, sericeous, with short, refractive trichomes, occasionally pubescent only on beak or entirely glabrous, non-glaucous. capsules 2.9-4.8 mm long, reddish, sparsely sericeous or glabrescent; styles 0.3-1 mm long, sometimes slightly bifid; stigmas 0.2-0.3 mm long, 2-lobed and broad; stipes 0.4-1.4 mm long, sparsely pubescent; nectaries 1, adaxial, 0.4-1 mm long, shorter than or equal to stipe: bracts broadly oblong, apex rounded, 1-1.3 mm long, dark brown to black or bicolour, pubescent on both sides with long straight or curly trichomes.


Habitat	Range
Tundra,	Arctic, alpine: St. Lawrence Island; northern Alaska; northern Yukon; Alaska Peninsula; mountains of cen- tral Alaska; Alaska Range; to south- eastern Yukon [Map 13).

Discussion

Salix phlebophylla is a dwarf, mat-forming shrub characterized by stems bearing persistent, skeletonized leaves. Leaves may be persistent in other species, such as S. rotundifoiia and S. planifolia ssp. pulchra, but they do not become skeletonized as in S. phlebophylla. The many-flowered aments, pubescent pistils and nectaries which are shorter than the stipes also distinguish this species from S. rotundifolia. See S. rotundifolia for a discussion of hybridization and Tables 2 and 4 for a comparison with related and similar species.



Salix ovalifolia Trautv. (A) Variety arctolitoralis (Hult.) Argus, Argus 5945, (B) Variety ovalifolia, Argus 5788, (C) Variety glacialis (Anderss.) Argus, Argus 5981, (D) Variety cyclophylia (Rydb.) Ball, Harms 5649



Map 13 Salix phlebophylla. Circles based on Skvortsov. 1966

IIa. SALIX OVALIFOLIA Trautv. var. OVALIFOLIA

Sovalifolia Trautv. Nouv. Mem. Soc. Nat. Mosc. 2: 306.1832,

S. ovalifolia var. camdensis Schneid. Bot. Gaz. 66: 139. 1918. (Type: Johansen 116. CAN].

S. flagellaris Hult. Sv. Bot. Tidskr. 34: 376. 1940. (Type: Walpole 1672, US)

Description of species

Dwarf trailing shrubs: branches long, slender and trailing sometimes up to 45 cm long, arising from a stout caudex with a strong taproot, yellow or greenish brown, glabrous or rarely sparsely pubescent, glossy: branchlets long and trailing, yellow brown or greenish brown, glabrous or sparsely pubescent toward distal end becoming glabrescent, non-glaucous; the distal 2-3 buds vegetative, the others reproductive, buds glabrous or sparsely pubescent, bud scales persistent at base of shoot. Leaves obovate, elliptic or broadly elliptic, the largest mature leaves 1.3-1.8-2.8 cm long, 0.7-1.2-1.8 cm wide and 1.1-1.6-2.2 times as long as broad; apex obtuse, acute or

Retusae Kern

round; base round, subcordate or acute, inequilaterial; margins entire, flat or slightly revolute, reddish, often ciliate; immature leaves sparsely villous with long straight trichomes, becoming glabrescent: the upper side of mature leaves glabrescent and glossy, the venation prominently reticulate, the lower side sparsely villous to glabrescent, glaucous, sometimes purplish. venation reticulate; petioles 2-4-7 mm long, reddish or yellow, concave adaxiaily and glabrous or sparsely ciliate; stipules minute glandular lobes, 0.2-0.6 (1.6) mm long, the longer are narrowly elliptic prophylla sometimes with glandular margins. Aments coetaneous. on leafy, floriferous branchlets. Staminate aments 0.6-1.8 cm long, floriferous branchlets 0.3-1.2 cm long; stamens 2, filaments 2-3.6 mm long, distinct and glabrous; anthers 0.3-0.5 (0.6) mm long. Pistillate aments 0.9-1.5-2.8 cm long, floriferous branchlets 0.5-1.5-2.5 cm long: pistils 2.5-4 mm long, dark purple, reddish or reddish brown, glabrous and glaucous with about 11 per cent somewhat pubescent, capsules 5.2-6.5 mm long, greenish or reddish brown, glabrous and glaucous; styles 0.2-0.8 mm long; stigmas 0.3-0.6 mm long, 4-lobed: stipes 0.2-0.7-1.4 mm long, glabrous or sometimes pubescent: nectaries 1, adaxial, rarely 2. adaxial and abaxial. 0.5-1-1.4 mm long, with two linear or several irregular lobes, reddish, 1-3 times as long as stipe; bracts narrowly to broadly oblong, apex rounded or rarely acute, 1.2-2 mm long, dark brown to blackish, sometimes bicolour and reddish at base, sparsely pubescent with straight or curly trichomes.

Habitat

Range

Usually at sea level on coastal beach ridges: gravel spits; wet, Carex aquatilis-Eriophorum meadows; saline marshes; occasionally in upland tundra. Arctic: Firth River, Yukon Territory; westward along the coast to Alaska Peninsula: Kodiak Island; Aleutian Islands: Asia: Chukotsk Peninsula [Map 14].

11b.SALIX OVALIFOLIA var. ARCTOLITORALIS [Hult.] Argus

S. ovalifolia var. arctolitoralis [Hult.) Argus, Can. J. Bot. 47: 795. 1969

S. arctolitoralis Hult. Sv. Bot. Tidskr. 34: 373. 1940. [Type: Anderson 4705, US).

Description of variety


Differs from var. ovalifolia in leaves sometimes narrowly elliptic, the largest mature leaves 2.5-4.6 cm long, 1-2.2 cm wide and 1.6-3.4 times as long as wide; petioles 4-16 mm long. Pistillate aments 2.2-5 cm long, floriferous branchlets 1-4 cm long; pistils 5.2-9.6 mm long.

Habitat

Range

Sea level; coastal beach ridges and sand spits; tundra meadows: low ridges near coast.

Arctic: Northeastern Alaskan coast; Unalakleet to Point Lay: northern Yukon; Mackenzie Delta [Map 15).



Map 14 Salix ovalifolia var. ovalifolia. Circles based on Skvortsov. 1968

11c. SALIX OVALIFOLIA var. CYCLOPHYLLA [Rydb.) Ball

S. ovalifolia var. cyclophylla [Rydb.] Ball, Proc. Nat. Acad. Sci. 21: 184. 1935.

S. cyclophylla Rydb. Bull. N.Y. Bot. Gard. 1: 274. 1899. (Type: Macoun 16645, NY).

S. rotundata Rydb. ex Macoun, Plants Pribilof Is., in D. Jordan, Fur Seals and Fur-Seal Is. N. Pacific Ocean 3: 571. 1899, nom. nud., non Forbes 1829.

Description of variety


Differs from var. ovalifolia in leaves subcircular, apex round or retuse, the largest mature leaves 1-1.5 times as long as wide, prominently reticulate above; branches stout, not as conspicuously trailing.

Habitat

Range

Sea level to ca. 100 ft on shores of lakes and lagoons; Empetrum tundra:

Arctic: Bering Sea islands; Aleutian Islands; from Rat Islands to Stepovak



Map 15 Salix ovalifolia var. arctolitoralis

in **moss** on rocky pavement; mead- Bay. Alaska Peninsula [Map 16) ows: beach ridges.

11d. SALIX OVALIFOLIA var. GLACIALIS IAnderss.] Argus


S. ovalifolia var. glacialis [Anderss.) Argus, Can. J. Bot. 47: 798. 1969

S. glacialis Anderss. Ofvers. Vet. Akad. Forh. [Stockh.) 15: 131. 1858.

Description of variety

Differs from var. ovalifolia in leaves sometimes ovate, the largest mature leaves 8.5-14 mm long, 4.5-7-9 mm wide: mature leaves sparsely pubescent to glabrescent on both sides: margins remaining ciliate: petioles 1.1-3.2 mm long. Staminate aments 4-9 mm long and globose, floriferous branchlets 2-3 mm long. Pistillate aments 0.7-1.3 cm long and globose, floriferous branchlets 2-8 mm long: pistils pubescent or rarely glabrous, capsules 4.3-5.2 mm long, non-glaucous, 85 per cent pubescent or at least partly so, 15 per cent glabrous: stipes 0.2-0.8 mm long.

1



Map 16 Salix ovalifolia var. cyclophylla

Habitat

Coastal sandy-gravel spits.

Range


Arctic: Point Barrow: Meade River: Topagoruk River: possibly Collinson Point, Camden Bay [Map 17].

Discussion

Salix ovalifolia is characterized by a dwarf, trailing habit, glabrous and often glaucous pistils, nectaries 1-3 times as long as the stipes and styles 0.2-0.8 mm long.

This species is closely related to S. stolonifera and with that species constitutes an arctic-alpine complex occurring in coastal Alaska and Yukon. There is a zone of overlap between these species from the Kenai Peninsula to Kodiak Island and King Cove, Alaska Peninsula, within which intergradation may occur. However, the material available to me is inadequate to determine whether or not the taxa hybridize and to what degree they intergrade. Because of this lack of information and because each of the taxa occupy different kinds of habitats, I am treating them as species.

Salix ovalifolia consists of four varieties: 1) var. ovalifolia. 2) var. arctolitoralis, 3)var. cyclophylla. and 4) var. glacialis. Salix ovalifolia var. ovali-



Map 17 Salix ovalifolia var. glacialis

folia is a wide-ranging taxon occurring throughout the range of the other varieties. It generally occupies habitats close to the ocean and is characterized by long, trailing branches and branchlets bearing small, obovate to elliptic or sometimes subcircular leaves and glabrous and glaucous pistils.

Salix ovalifolia var. arctolitoralis has a disjunct distribution in northwestern Alaska and the Mackenzie Delta region. It is characterized by large, sometimes narrowly elliptic leaves, large aments, large floriferous branchlets and large pistils. It is essentially a robust form of the species and, as suggested by its disjunct distribution, may be simply an environmental modification. However, because of its characteristic appearance I have recognized it as a variety until the necessary study has been completed (Argus **1969**).

Salix ovalifolia var. cyclophylla **is** a Bering Sea variant of the species characterized by cubcircular. prominently reticulate leaves and branchlets often not as long and trailing as in the other varieties. Hulten **(1967)** notes that this taxon seems to occupy upland rather than coastal habitats and for that reason he would treat it as a species. In general his observation seems to be supported. However, I have seen specimens of this variety from "sea level" and the occasional specimen of var. ovalifolia from upland situations. This taxon seems to be insufficiently distinct morphologically to be treated as a species.

Salix ovalifolia var. glacialis is an unusual variant of the species with a very limited distribution on the Arctic Coast of Alaska. The type material, which I have not seen, was collected by Captain Pullen, "between Cape Barrow and Mackenzie River" (Anderson 1858) and may have been collected from the extensive Point Barrow population located **on** the sand spit between the air strip and the old Eskimo village of Nuwuk. Andersson's (1858) description depicts very well the distintive Point Barrow population which is characterized by small, ovate leaves with ciliate margins, small globose aments, short floriferous branchlets and usually pubescent pistils. Point Barrow has been visited by many botanists and there are numerous specimens of this taxon from the vicinity of Nuwuk. The overwhelming number of specimens alone gives this taxon a disproportionate significance and it may not even deserve varietal rank. However, it is a distintive local variant which may prove to have some phytogeographic or evolutionary significance and for that reason I have assigned it varietal status [Argus 1969].

Two of these varieties, the distinctive var. glacialis and the large var. arctolitoralis, are quantitatively distinct from one another in reference to leaf length, leaf width, leaf length/width. petiole length, floriferous branchlet length and pistillate ament length [Fig. 2]. However, their range of variation overlaps that of the other varieties and the species as a whole presents a completely intergrading variation pattern. Pistil indumentum also varies significantly within the species. An analysis of pistil indumentum in population samples of var. ovalifolia and var. glacialis and in herbarium specimens of var. arctolitoralis and var. cyclophyila is shown on the graph in Fig. 3. Within the species, excluding var. glacialis, 60 per cent of the pistils are glabrous and glaucous, 29 per cent glabrous and 11 per cent variously pubescent. In var. glacialis pistil indumentum varies conversely. Within the Point Barrow population *86* per cent of the pistils are pubescent, although sometimes only sparsely so. and 14 per cent are glabrous.

Pistil indumentum in Salix has been assumed to be relatively invariable and variation in pistil indumentum such as described here is often attributed to hybridization. If we accept this assumption as an explanation of variation in pistil pubescence in S. ovalifolia, an argument could be made for hybridization between: 1) the sympatric S. ovalifolia var. glacialis [pubescent pistils) and S. rotundifolia [glabrous pistils). and 2) the glabrous-pistilled varieties of S. ovalifolia and the pubescent-pistilled S. phlebophylla or S. arctica. However, such a conclusion based on single character variation is untenable unless it is supported by additional evidence of hybridization, such as a reduction in fertility or a recombination of other characteristics. Only in the case of several specimens of the putative hybrid S. arctica X ovalifolia were other characteristics found to be recombined [see S. arctica and Table 6). It is therefore concluded that the variation in pistil indumentum described here is the normal variational pattern for the species and not the result of hybridization.

Hulten (1968) regards S. glacialis as the hybrid S. arctica X ovalifolia. However, this assumption is unlikely since at Point Barrow, where glacialis is most abundant, neither S. arctica nor "typical" S. ovalifolia occurs.





Fig. 2 The variation of some morphological characteristics in Salix ovalifolia: [A] leaf length, [B] pistillate ament length, [C] floriferous branchlet length, [D] leaf width, [E] petiole length, [F] relative leaf shape [length/width). Code: glac = var. glacialis. arcto = var. arctolitoralis, cyclo = var. cyclo. phylla. Logarithmic scales used in A-E.

12. SALIX STOLONIFERA Cov.

S. stolonifera Cov. Proc. Wash. Acad. Sci. 3: 333. **1901.** (Type. Walpole 1075, US).

Description of species


Dwarf shrubs arising from a stout caudex, the short branches may trail on the surface or if buried may spread underground rhizomatously: branches dark reddish brown, glabrous and glossy, sometimes glaucous; branchlets greenish



Pistil Indumentum

Fig. 3 The variation in pistil indumentum in Salix ovalifolia

or greenish brown, glabrous and glossy, sometimes glaucous; buds glabrous and usually glaucous. Leaves broadly obovate or broadly elliptic, sometimes elliptic or subcircular. the largest mature leaves 1.6-4.2 cm long, 1.2-3 (3.8) cm wide and 1-1.5-1.9 times as long as wide; apex round, obtuse or retuse, more or less conduplicate when pressed; base round, obtuse or acute, sometimes inequilateral and more or less conduplicate when pressed; margins entire or with several irregularly spaced glands or glandular teeth on lower half: the upper side of mature leaves glabrous or pubescent near margin, glossy and plane or subreticulate. the lower side sparsely pubescent to glabrescent, glaucous; petioles 3-9-20 mm long, tawny or reddish tawny, concave adaxially and glabrous or ciliate; stipules usually small glandular lobes 0.2-0.4-1.2 mm long, rarely absent or narrowly elliptic. Aments coetaneous. on leafy, floriferous branchlets. Staminate aments 1.2-2 cm long, floriferous branchlets 0.4-1 cm long; stamens 2, filaments about 4.5-4.8 mm long, glabrous, distinct; anthers 0.5-0.6 mm long. Pistillate aments 1.5-3-3.7 cm long in fruit, floriferous branchlets 0.8-2.5-6 cm long; pistils 4-5.6 mm long, greenish reddish brown or greenish yellow, glabrous or the beak sparsely pubescent, glossy, sometimes glaucous: styles (0.6) 0.8-1.4-1.6 mm long; stigmas 2-4-lobed, 0.2-0.6 mm long; stipes 0.2-0.6-0.8 mm long,



Salix stolonifera Cov. Argus 6772


glabrous, pubescent if pistil is so: nectaries 1, adaxial, 0.5-1.2 mm long, (0.8) 1.5-3 times stipe; bracts broadly oblong. apex rounded, 1.6-2 mm long, brown to dark brown, sparsely pubescent to glabrescent, adaxially more or less pubescent with long straight or curly trichomes usually 2 times as long as bract.

Habitat	Range
Tundra: slide rock; moraine; sandy lake margins: to sea level.	Alpine: Southern coastal Alaska from King Cove, Alaska Peninsula to Ko- diak Island: Cape Peirce to the Kenai Peninsula; southeastern Alaska and adjacent British Columbia (Map 18).

Discussion

Salix stolonifera is characterized by long styles, 0.8-1.6 mm long, glaucous branches and buds, and a tendency for buried branches to produce vellowish underground shoots. Coville (1901) referred to these shoots as "stolons". In the original description of S. stolonifera, he contrasted it with S. ovalifolia emphasizing its characteristic "production of slender, leafless, subterranean branches or stolons", and the absence of glaucescence on the capsules. The presence of subterraneous branches is more or less characteristic of the species but this condition seems to occur only in unstable habitats with an aggrading ground surface. Many specimens of S. stolonifera from southern coastal Alaska lack subterranean branches and have long branches trailing on the surface similar to S. ovalifolia. The absence of capsule glaucescence is superficially distinctive but I have seen some specimens of S. stolonifera which have glaucous pistils, and in S. ovaiifolia about 30 per cent of the specimens have non-glaucous pistils (Fig. 3). Clearly these taxa are closely related and I have seriously considered combining the two as suggested by Raup (1959); however, because of their distinctive eco-geographical distribution and in the absence of evidence of intergradation in the narrow zone of overlap (Alaska Peninsula and Kodiak Island). I have decided to treat them as species.

Some of the variation within Salix stolonifera may be attributable to hy. bridization. I have collected specimens from two possible hybrid swarms involving S. stolonifera, S. arctica and S. barclayi. The hybrid swarm in the Glacier Bay area is located on a wet, unstable clay-gravel morainal slope near Goose Cove, Muir Inlet. The open vegetation cover is dominated by Dryas drummondiana and Salix with patches of *Alnus* incana and Salix arctica. Many of the Salix, including S. stolonifera. S. barclayi, S. arctica. S. sitchensis, S. commutata and S. reticulata, are prostrate or only up to 3 dm tall. In this area I collected a series of putative hybrids including S. arctica X stolonifera and S. barclayi X stolonifera. The hybrids S. arctica X stolonifera are distinguished by their more or less pubescent pistils, narrowly obovate leaves which are often cuneate at the base. pubescent beneath, and by their prominent stipules. The hybrids S. barclayi X stolonifera are characterized by small leaves that are irregularly glandular serrulate, some young leaves reddish green, and a prostrate habit. A second



Map 18 Salix stolonifera

hybrid swarm is located on Mount Glave in northwestern British Columbia on the Haines Highway between Alaska and the Yukon. The habitat is a partly stabilized scree slope and adjacent alpine slopes are vegetated with Empetrum nigrum, Phyllodoce, Potentilla fruticosa, Salix stolonifera, S. reticulata, S. arctica and scattered S. planifolia ssp. pulchra thickets. In this area there are some very robust specimens which I have tentatively determined as S. arctica X stolonifera. Salix stolonifera requires study first, to determine its relationship with S. ovalifolia and secondly, to assess its capacity to hybridize with other species in the mountains of southeastern Alaska.

In **1969** Hulten stated that the occurrence of Salix stolonifera in the Kodiak Island refugium [NNW of Amara Lake] contributes to the tendency toward endemism which occurs in that area, and that this species may have survived the Wisconsin glaciation in that refugium. It is probable that S. stolonifera did survive the glaciation in the Pacific coastal region, but its present distribution suggests that it may have survived in more than one refugium — at least on the Kenai Peninsula [Heusser **1960**] and in the region south of Yakutat Bay. Its apparent absence between Yakutat Bay and the Kenai Peninsula may be a collecting hiatus. However, if it is real, it would support the hypothesis that this species survived the glaciation in more than one refugium.

The report of an isolated occurrence of S. stolonifera in central Alaska (Hulten 1968. Map 19) is doubtful, and Hulten's material should be reexamined.

13. SALIX SETCHELLIANA Ball

S. setchelliana Ball, Univ. Calif. Publ. Bot. 17: 410. 1934. [Type: Setchell 587, US).

S. aliena Flod. Sv. Vet. Akad. Ark. Bot. 27A: 1. 1935.

Description of species

Prostrate or semiprostrate shrubs up to 25 cm tall; branches grey brown to reddish brown, bark loose and coriaceous, often grey lanate; branchlets reddish, densely white lanate becoming grey lanate or glabrate. rarely reddish and glabrous from start. Leaves coriaceous, narrowly obovate, the largest mature leaves 2.5-6.6 cm long, 1-2 cm wide and 2-3.9 times as long as wide: apex round to obtuse or acute; base tapering into the short petiole or sometimes acute; margins entire to glandular serrulate or irregular glandular crenate; the upper side of mature leaves lemon green, glabrous, venation impressed, the secondary veins tapering toward base, the lower side glabrous, glaucescent or pale yellow green; petioles short 0-3 mm long, glabrous, reddish, sometimes glaucous. rarely inflated around buds, the branchlet below the petiole glabrous and appearing to be a part of it; stipules absent or small glandular lobes about 0.3 mm long. Aments coetaneous. on leafy, floriferous branchlets. Staminate aments 1.3-2 cm long, floriferous branchlets 0.7-1.3 cm long; stamens 2, filaments 2.8-3.2 mm long, glabrous or sparsely villous at base; anthers 0.6-0.8 mm long, slender; nectaries 2, abaxial and adaxial, about 0.6 mm long; bracts 2-2.8 mm long, greenish to golden brown, glabrous. Pistillate aments 4-20-flowered. 1.5-2.5 cm long, floriferous branchlets 1-2 cm long; pistils 3.5-4.8 mm long, brick red, glabrous, capsules 3.6-10 mm long, grey brown to brick red: styles 0.3-0.4 mm long, bifid to base; stigmas 0.4-0.5 mm long; stipes 0-0.6 mm long, glabrous; nectaries 1, adaxial. 0.8-1 mm long, equal to or up to 1.33 times as long as stipe; bracts broadly obovate, apex rounded and erose or entire, 2-3.6 mm long, papery, golden tawny, glabrous.


Habitat

Range

Pioneer on sandy beaches, sandygravel margins of glacial rivers, and on glacial moraine. Montane: Alaska Range: Kuskokwim River; upper Tanana River: Matanuska River: Chitina River; southwestern Yukon and adjacent coastal Alaska [Map 19].



Salix setchelllana Ball. Anderson 8431 [top) and Murray 365 [bottom]



Map 19 Salix setchelliana

Discussion

Salix setchelliana is a highly distinctive willow growing on unstable morainal and alluvial surfaces associated with glacial streams. It is characterized by a prostrate habit, branches with leathery, loose, reddish bark, usually lanate branchlets, and coriaceous, lemon green leaves on very short petioles. The pistils are brick red and almost completely surrounded by the golden tawny bracts.

It is not closely related to any North American species but does seem to have some affinities with the European S. retusa L. and is included here in section *Retusae*.

The isolated locality for *S. setchelliana* from the north slope of the Brooks Range (Hulten **1968**, Map 3) was probably based on Spetzman's (1959) report of this species from the Iltkillik River. I was unsuccessful in obtaining documentation for this report from the University of Minnesota Herbarium and it is possibly based on a misidentification.



Salix arctica Pall. [A] Arctic coastal form, Argus 5914, [B] Pacific coastal form, Argus 6484

Section 7. Glaucae Pax

14. SALIX ARCTICA Pall.

S. arctica Pall. Fl. Ross. 1: 86. 1788.

S. arctica R. Br. Bot. Ross Voy. App. 143. 1819, nom. nud. S. arctica R. Br. ex Richards. Bot. App. in Frankl. J. 752. 1823.

S. angloruM Cham. Linnaea 6: 541. 1831, attempt to validate S. arctica R. Br.. but type represents S. phlebophylla.

S. torulosa Trautv. Nouv. Mem. Soc. Nat. Mosc. 2: 309. 1832. S. arctica var. torulosa Raup. Contr. Gray Herb. 185: 49. 1959. S. arctica ssp. torulosa Hult. Ark. Bot. II. 7: 38. 1967.

S. crassijulis Trautv. Nouv. Mem. Soc. Nat. Mosc. 2: 308. 1832. S. arctica ssp. crassijulis A. Skvortsov. in Tolmatchev, Fl. Arct. URSS 5: 59. 1966. S. arctica ssp. crassijolis Hult. Ark. Bot. II. 7: 38. 1967.

S. anglorurn var. kophophylla Schneid. Bot. Gaz. *66:* 130. 1918. *S.* arctica var. kophophylla Polunin. J. Bot. 77: 271. 1931.

S. anglorurn var. araioclada Schneid. Bot. Gaz. 66: 133. 1918. S. arctica var. araioclada Raup, Sargentia 4: 100. 1943.

S. anglorurn var. arrtiplasta Schneid. Bot. Gaz. 66: 134. 1918. S. arctica var. antiplasta Fern. Rhodora 48: 44. 1946.

Description of species

Dwarf shrubs, usually prostrate or trailing but sometimes up to 3-5 dm tall in protected habitats; branches stout or long, slender and appressed, sometimes rooting, chestnut brown to dark brown, glabrescent and sometimes glaucous: branchlets vellow green to chestnut brown, glossy, glabrous or sparsely pubescent with straggly trichomes, sometimes densely villous at first but soon becoming glabrescent, sometimes glaucous. Leaves narrowly obovate to elliptic (Arctic Ocean populations), subcircular to broadly elliptic or narrowly obovate (Bering Sea populations), obovate to narrowly obovate or broadly elliptic (Pacific Coast and interior populations). the largest mature leaves 1.9-4.5-7.6 cm long (Arctic Ocean and interior populations), 2.5-5-8.5 cm long (Bering Sea and Pacific Coast populations). 0.7-1.8-3.4 cm wide (Arctic Ocean and interior populations). 1.9-3-6 cm wide (Bering Sea and Pacific Coast populations) and 1.4-2.4-3.5 times as long as wide (Arctic Ocean, interior and Pacific Coast populations) or 1.1-1.5-2.3 times as long as wide (Bering Sea populations); apex obtuse, round or acute in narrow leaves, obtuse and conduplicate to round or retuse in broad leaves: base narrowly to broadly cuneate or round in the broadest leaves; margins entire. slightly revolute, often glandular dotted on the lower quarter of the blade; the upper side of immature leaves glabrous or sparsely pubescent, the lower side

pubescent with long straight trichomes oriented toward the apex: the upper side of mature leaves usually glabrescent, indumentum may persist along the margins and on the lower half of the midrib, glossy, the lower side glabrescent, some long straight trichomes may persist near the apex producing a "bearded" apex, glaucous: petioles (3) 9-15-35 mm long, the length more or less correlated with leaf length, tawny or reddish (especially in some Arctic Ocean and interior populations), adaxially usually concave and glabrous to sparsely pubescent: stipules absent, minute glands or linear and up to 7-10 mm long. Aments coetaneous, on leafy, floriferous branchlets. Staminate aments 2.2-5 cm long, floriferous branchlets 0.9-5.5 cm long; stamens 2, filaments 4-5 mm long, glabrous and distinct: anthers 0.4-0.6-0.9 mm long (the longest in the Aleutian Islands and central Pacific Coast populations]: nectaries 1, adaxial, sometimes also with a second, smaller abaxial nectary. Pistillate aments 4-8-12 cm long, 1.5-5 cm long in Arctic Ocean populations, floriferous branchlets (1) 3-8 (12) cm long: pistils reddish or tawny, densely white pubescent, capsules 5.6-9 mm long, reddish or tawny, sometimes streaked with red, sparsely pubescent or sometimes remaining densely pubescent or becoming glabrescent, glossy: styles 0.6-2.2 mm long, entire or bifid up to one third the length of style, red in life, drying purplish; stigmas 0.2-0.8 (1) mm long, 4 linear or 2 broad lobes; stipes 0.2-1.6 mm long, elongating in age, pubescent: nectaries 1. adaxial, 0.4-1.8 mm long, usually 1.5-4 times as long as stipe, rarely equal to stipe: bracts broadly oblong, apex rounded to obtuse or rarely acute, **1.6-2** mm long, uniformly brown or bicolour. apex dark brown to black (light brown bracts common in Pacific Coast populationsl. sparsely pubescent on both sides with long straight trichomes 2-3 times as long as bract.

Habitat

Range


Occurring in a wide variety of tundra situations: Arctic: Carex aquatilis meadows; Carex-Alopecurus meadows: sandy Kobresia tundra: *Eiymus*-Deschampsia vegetation on beach ridges: Ernpetrum-lichen heath: snowbed vegetation: polygonal tundra. Alpine: glacial moraine: talus slopes; Salix-Phyllodoce tundra: Dryas tundra: subalpine shrubby tundra.

Arctic, alpine and subalpine: Throughout arctic and alpine Alaska and Yukon Territory: absent from the forests in the Yukon-Tanana River region and coastal Alaska: extending eastward to Greenland: southward in the cordillera to New Mexico: circumpolar (Map **20**).

Discussion

Salix arctica is characterized by a dwarf habit, elliptic to narrowly obovate or subcircular leaves, usually sparsely pubescent beneath with long straight trichomes producing a "beard" at the apex, coetaneous flowering, aments on prominent floriferous branchlets, pubescent pistils, and nectaries longer than the stipes.

This species is a taxonomically difficult circumpolar taxon-morphologically polymorphic, nomenclaturally confused and seriously in need of monographic study. It is not within the scope of this paper to conduct the critical



Map 20 Salix arctica. C rcles based on Skvortsov. 1966

studies required to resolve the many problems; therefore, I will refer the reader to the pertinent literature and restrict myself to a few brief comments on variation and nomenclature. The synonymy cited here includes only the more important names used in the literature dealing with Alaska and the Yukon.

In Alaska and the Yukon Hulten recognizes three major geographical variations. In 1943 he treated them, tentatively, as species, *S.* arctica Pall., *S.* crassijulis and **S.** torulosa, and in 1917 he reduced them to the rank of subspecies. Every author who has commented on the taxa within Salix arctica has noted that, although the extremes are distinctive, they appear to be confluent and that, for the most part, only trends are evident. Therefore, even the recognition of these taxa as subspecies presents problems.

One of the most distinctive variants, *S. arctica* ssp. crassijulis, has its centre of occurrence in the Bering Sea, the Aleutian Islands and the Pacific coastal regions. It is characterized by a tendency toward large, subcircular leaves, although they may vary from broadly elliptic to narrowly obovate, long petioles and large fruiting pistillate aments. In short, it is a robust variant of the species with leaves tending to be somewhat broader. I have had an opportunity to make and to study population collections of this form in southeastern Alaska. In the Glacier Bay region a population collection was

made on the moraine of the Casement Glacier. While collecting specimens along transect lines, I noted that the robust plants were all associated with **Alnus** thickets whereas the small plants occurred on the open moraine. It has been shown by Crocker and Major (1955) that Alnus crispa has the ability to fix nitrogen in the soil, probably through the association of nitrogen-fixing bacteria with its roots, and that nitrogen accumulates under alder at the rate of 62 kg/ha/per annum (55 lb./acre). Also, they showed

that thedevelopment of the soil nitrogen profile depends uponplant distribution, and it is possible to assume that there are higher nitrogen levels associated with **Alnus** shrubs and lower levels in the open moraine. If this is so, then it is possible that the more robust specimens of S. arctica are either modified directly by the increased nitrogen levels or that such specimens are able to grow only in nitrogen-rich soils. Several authors have suggested that the smaller forms of the species are the product of more rigorous environments, but no one has proposed that the more vigorous forms may be the product of more favourable environments. The possibility that the robust plants may be the result of direct environmental modification certainly cannot be ignored. Furthermore, the geographical integrity of this taxon is not as good as it may first appear. Robust plants are most evident in western and southern coastal Alaska but similar individuals occur in central Alaska. Porsild in 1951 reported this taxon from the Canol Road, Yukon, and Raup (1959) maintained that var, arioclada in eastern North America could not be distinguished from it. This preliminary evidence suggests that the taxon "crassijulis" may be better recognized as a form rather than as a subspecies, but no new combination is proposed here.

The taxon S. torulosa, which is supposed to be the characteristic form of S. arctica in central Alaska and the Yukon, is a very elusive one. It is characterized, according to Hulten (1943 and 1968). by light brown young twigs, leaves narrower, acute, light green and more or less glabrescent in age, styles 1-1.5 mm long and light brown, oblong or pointed bracts. In my experience it is virtually impossible to distinguish this taxon on the basis of these characteristics, all of which occur outside central Alaska and the Yukon in a wide variety of recombinations. For example, light brown bracts are more common in Pacific coastal populations than in the central Alaska populations and the variation in style length in central Alaska populations, 1-2 mm long, is exactly the same as occurs anywhere else. It is possible that S. torulosa occurs in central Siberia and Mongolia (Skvortsov 1966) but I doubt that it occurs in North America. It is my impression from examining a large series of specimens that the central Alaska population of S. arctica. rather than forming a distinct geographical entity, recombines most of the characteristics of the arctic Alaska, Bering Coast and Pacific coastal populations.

In **1959** Raup recognized five "poorly defined" varieties of Salix arctica in western America, var. arctica, var. kophophylla. var. araioclada, var. antiplasta and var. torulosa. For a key to these taxa which, "will do little more than indicate trends" see Raup **1959**, p. **50**. This key is difficult to use, reflecting the great and confluent variability within S. arctica. Those who wish to pursue this subject further will find the following references required reading: Schneider 1918a; Hulten 1943, 1968; Ball 1950; Raup 1959; Skvortsov 1966. There are a number of other, less important, papers which are referred to by these authors. It is important to be aware that none of these papers is monographic in its approach. In attempting to solve problems as an adjunct to other, usually floristic, considerations, the authors have often added as much to the confusion as to the elucidation of the problems at hand.

A problem almost as difficult as recognizing the variation patterns within S. arctica as taxa is to distinguish this species from its "relatives". In North America and Eurasia S. arctica is related to S. glauca and S. sphenophylla and in North America to S. brachycarpa. Salix arctophila. which many American authors have related to S. arctica [see that species and Table 9), is in reality related to S. chamissonis and only superficially resembles S. arctica. The characteristics which can be used to distinguish S. arctica from S. glauca and S. brachycarpa are few and often somewhat trivial and variable. Nevertheless, these taxa are distinct species belonging to the same section; Table 5 will aid in their identification. For a comparison with S. sphenophylla see Table 6.

Hybridization involving S. arctica seems to occur very infrequently, if at all, in Alaska and the Yukon. Skvortsov (1966) also comments that in arctic U.S.S.R. hybrids involving this species are rare. In Flora of Alaska and Yukon. Hulten (1943) recognized seven hybrid combinations involving S. arctica s.l., most of which are very difficult to substantiate, and in 1968 he cited ten taxa with which this species hybridizes. In my studies I have been able to recognize three putative hybrids in our flora: 1) S. arctica X stolonifera in the Glacier Bay and Haines regions of southeastern Alaska and adjacent British Columbia, 2) S. arctica X ovalifolia in the Bering Sea regions, and 3) S. arctica x glauca in northern Yukon [Map 1]. All of these hybrids are putative, and until the variation within the species is better understood, it is very difficult to recognize hybridization.

The somatic chromosome number data for Salix arctica seem to suggest the presence of two chromosomal races (Table 1): tetraploid in the eastern American arctic and hexaploid in Asia and the western American arctic [Suda and Argus 1969). The pattern is disturbed by the report of a tetraploid count from Ogotoruk Creek, Alaska [Johnson and Packer 1968]. but further cytological studies may reveal a differentiation pattern that could aid in the solution of the taxonomic problems in this very difficult species.

15. SALIX SPHENOPHYLLA Skvortsov

S. sphenophylla A. Skvortsov. in Tolmatchev, FI. Arct. URSS 5: 62. 1966.

S. cuneata Turcz. in Ledeb. Fl. Ross. 3: 623. 1850, non Nutt. 1842.

S. sphenophylla **ssp.** pseudotorulosa A. Skvortsov. in Tolmatchev. Fl. Arct. URSS **5: 63. 1966.**



Salix sphenophylla Skvortsov. Argus 5912

Characteristics	arctica	glauca	brachycarpa
chromosome number	2n 76.114	2n76.95.114	2n 38
habit	dwarf shrubs up to 3-5dm tall, pros- trate or trailing	erect shrubs 0.3-0.9 (4.5) m tall	erect shrubs 0.3-0.9 (2) m tall,sometimes prostrate
style length	0.6-2.2 mm	0.5-1 mm	0.2-0.5 or0.5-0.8 (1.5) mm
style colour	red in life	greenish in life	greenish in life
leaf pubescence	lower side pubescent with long, straight tri- chomes or glabrescent, a "beard" remaining at apex	lower surface villous to villous-sericeous or glabrescent with short trichomes	lower surface dense- ly matted greyish white trichomes to glabrescent or sparsely lanate or villous-lanate
bract colour	usually black, some- times brownish to light brown	light brown to tawny	light brown to dark brown or blackish
bract pubescence	long. straight trichomes. 2-3 times length of bract	short, wavy trichomes	short. wavy or straight trichomes
bract shape	broadly oblong, apex rounded to obtuse, rarely acute	ovate to narrowly elliptic. apex acute to obtuse	elliptic to broadly or narrowly so. apex acute to obtuse

Table 5 Comparison tabl	e: Salix	srctica.	S.	giauca	and S.	brachycarpa
-------------------------	----------	----------	----	--------	--------	-------------

Characteristics	sphenophylla	arctica	ovalifolia
branches	trailing and rooting	trailing and rooting or erect	trailing but not rooting
leaf base	mostly cuneate to acute	cuneate to rounded	round to subcordate or acute
leaf surface	dull above	usually glossy above	glossy above
petiole length	4-14 (15) mm	(3) 9-15-35 mm	2-4-7 mm
pistillate floriferous branchlet length	2.5-4.5 (5) cm	3-8 (12) cm	0.5-1.5-2.5 cm
pistillate ament length	2-4.5 (6) cm	4-8-12 cm	0.9-15-2.8 cm
pistil pubescence	glabrous or sparsely pubescent on beak	densely white pubescent	mostly glabrous and glaucous
style length	0.6-1.8 mm	0.6-2.2 mm	0.2-0.8 mm

Description of species


Dwarf shrubs, branches brownish, trailing and rooting, glaucous: branchlets **more** or less ascending, greenish brown, glabrous, bud scale often persistent at base. Leaves elliptic to narrowly or broadly so. the largest mature leaves **1.9-4.8** (6) cm long, **1-2** cm wide and **1.9-3**times as long as wide; apex

acute to obtuse or rounded; base cuneate to acute (rarely rounded) : margins entire, sometimes ciliate; the upper side of mature leaves light green. glabrous and dull, the lower side glabrous or sparsely pubescent with long, caducous trichomes, glaucous, venation prominent; petioles 4-14 (15) mm long, stipules minute lobes to 0.8 or sometimes 5.5 mm long. Aments coetaneous. on leafy, floriferous branchlets. Staminate aments [unknown in Alaska and the Yukon, description based on Siberian specimens) ca. 2.7-3 cm long, floriferous branchlets ca. 2.2-2.3 cm long, stamens 2, filaments ca. 4.5 mm long, glabrous, distinct; anthers (0.4) 0.5-0.6 mm long. Pistillate aments 2-4.5 (6) cm long, floriferous branchlets 2.5-4.5 (5) cm long, similar to vegetative shoots; pistils ca. 4 mm long, greenish, suffused with red, glabrous or sparsely pubescent on the beak, capsules ca. 5-6 mm long, glabrous or sparsely pubescent; styles 0.6-1.8 mm long, entire or partly bifurcate: stigmas 0.4-0.6 mm long, four linear lobes, stipes 0.5-1.4 mm long, glabrous or pubescent, nectaries 1, adaxial, 0.8-1.6 mm long, equal to or up to 2 times stipe: bracts narrowly elliptic, dark brown to blackish, sparsely pubescent on both sides, ca. 1.6-2 mm long.

Habitat	Range
Polygonal tundra; Carex aquatilis fens: dry, rocky slopes covered with Dryas.	Arctic: Little Diomede Island: Seward Peninsula: Barter Island: Nuvagapak Point; Cape Dalhousie. Northwest Territories: Asia: Lake Baikal; Lena River; eastward to Kamchatka and the Chukotsk Peninsula [Map 21).

Discussion

Salix sphenophylla seems to be related to S. ovalifolia and S. arctica. Skvortsov (1966) claims that it is not too closely related to S. arctica but belongs to a group of Asian species including S. nakamurana Koidz. and S. kurilensis Koidz. [S. longipetiolata Flod.). However, he does include it in the same section as S. arctica and it is similar enough morphologically so that he has described some specimens called S. torulosa by Hulten (1943). included as part of S. arctica in this treatment, as S. sphenophylla ssp. pseudotorulosa. According to Skvortsov, subspecies pseudotorulosa occurs in eastern Siberia and Alaska and is characterized by very sparsely pubescent pistils in contrast to the completely glabrous pistils of the species. The Alaskan specimens that I have determined as S. sphenophylla vary in this characteristic from specimens with completely glabrous pistils, to those with sparsely pubescent pistils [Argus & Chunys 5912). to one in which most pistils are glabrous but a few are very sparsely pubescent [Argus & Chunys 5848]. In view of this almost continuous variation, I have decided not to recognize the Alaska material as the subspecies. Salix sphenophylla can be distinguished from S. ovalifolia by a large number of characteristics [Table 6). but from S. arctica it is distinguishable only on the basis of its glabrous or sparsely pubescent pistils, and its dull leaves. Other characteristics which Skvortsov uses in his key, such as light yellow branches, the cuneate leaf



Map 21 Salix sphenophylla. Circles based on Skvortsov, 1966

base, the supposed absence of stipules and the shorter styles are too variable within these taxa to be of diagnostic value. It is with some hesitation that I recognize S. sphenophylla in the North American flora. and a case could be made for considering it either as an extreme variant of S. arctica or perhaps as the hybrid S. arctica X ovalifolia. However, it is relatively distinctive and I include it here with the hope that it will stimulate further consideration of this eastern Asian species in North America.

16a. SALIX BRACHYCARPA Nutt. ssp. BRACHYCARPA

S. brachycarpa Nutt:. N. Am. Sylva 1: 69. 1842. [Type col.: Nuttall s.n. GH).


S. desertorum P (var.) stricta Anderss. in *DC*. Prod. 16 (2): 281. 1868. (Type: Bourgeau *s.n.* photo and frag. A). S. stricta Rydb. Bull. N.Y. Bot. Gard. 1: 273. 1899.

S. desertorum y (var.) fruticulosa Anderss. in DC. Prod. 16 (21: 281. 1868.

S. brachycarpa var. glabellicarpa Schneid. Bot. Gaz. 66: 338. 1918. [Type: Macoun *95374*. CAN].

1

1



Salix brachycarpa Nutt. (A) Subspecies brachycarpa. Argus 6877; (B. C) Subspecies nlphoclada (Rydb.) Argus: Argus 5276 (6), and Argus 5276 (C) S. brachycarpa var, sansonii Ball, Univ. Calif. Publ. Bot. 17: 414. 1934. (Type: Sanson 119, Banff Nat. Pk.)

S. brachycarpa var. psammophila Raup, J. Arnold Arb. **17:** 230. 1936. (Type: Raup 6888, **GH)**.

Description of species

Shrubs erect, commonly 0.3-0.9 m tall, some up to 2-3 m tall; branches stout, reddish brown. pubescent with persistent, greyish indumentum. sometimes glabrescent; branchlets densely white or grey villous-lanate. sometimes sparsely pubescent with coarse trichomes. Leaves obovate to broadly or narrowly elliptic to narrowly obovate, the largest mature leaves (1.2) 2.3-3 (4) cm long, 6-9-16 mm wide. (1.5) 2.8-3 (4) times as long as wide; apex acute to obtuse; base rounded; margins entire; mature leaves pubescent on both sides with densely matted greyish white trichomes, sometimes only sparsely pubescent, glaucous beneath; petioles (0.5) 1-3 (4) mm long, usually shorter than bud, often reddish; stipules less than 0.5-1.5 mm long, broad, often obscured by the dense branchlet pubescence. Aments coetaneous. on leafy, floriferous branchlets. Staminate aments about 6-15 mm long, short-cylindrical to globose; floriferous branchlets rarely more than 10 mm long; stamens 2; filaments distinct or sometimes united at base, glabrous; anthers about 0.4-0.5 mm long; nectaries 2, abaxial and adaxial. Pistillate aments 15-20 mm long, short-cylindrical to nearly globose; floriferous branchlets 3-20 mm long; pistils densely white lanate. short-beaked, capsules less pubescent, light brown; styles 0.5-0.8 (1.5) mm long; stigmas 2, 0.2-0.3 mm long, each two-lobed; stipes usually absent or up to 0.25-0.5 mm long, pubescent; nectaries 1, adaxial, often 0.5 times as long as pistil; bracts elliptic to broadly so. light brown, often greenish early in development, pubescent on both sides with straight or curly trichomes.

Habitat


Alpine slopes; unstable limestone scree: Betula glandulosa-Carex-Salix fens: margins of alkaline or marly ponds and fens; unstable gravel margins of streams and lakes.

Range

Montane, boreal: Southeastern Yukon; adjacent British Columbia and Northwest Territories; southward in the cordillera to Utah and Colorado; eastward in Subarctic Canada to Hudson Bay, James Bay, Ungava. and the Gaspe Peninsula: across southern Alberta and Saskatchewan (Map 22).

16b. SALIX BRACHYCARPA ssp. NIPHOCLADA (Rydb.) Argus

- S. brachycarpa ssp. niphoclada Argus, Contr. Gray Herb. 196: 119. 1965.
- S. niphoclada Rydb. Bull. N.Y. Bot. Gard. 1: 272. 1899. [Type: Taylor



Map 22 Salix brachycarpa ssp. brachycarpa

60, CAN). S. glauca ssp. niphoclada Wiggins. *in* Wiggins and Thomas, Fl. Alaskan Arct. Slope 144. 1962.

?S. lingulata Anderss. *in* **DC.** Prodr. 16 (2): 281. 1868. (Type col.: Kastalsky *s.n.* NY).

S. brachycarpa ssp. mexiae Ball, Univ. Calif. Publ. Bot. 17: 412. 1934. (Type: Mexia *2131*, A). S. niphoclada var. mexiae Hult. Ark. Bot. ∥, 7: 41. 1967.

S. muriei Hult. Fl. Alaska and Yukon 3: 531. 1943. (Type: Murie s.R. A). S. niphoclada var. muriei Raup, Contr. Gray Herb. 185: 60. 1959.

Description of subspecies

Differs from ssp. brachycarpa in low shrubs, erect to prostrate, often spreading, 0.3-1 (2) m tall; branches thin and flexible, reddish brown, greyish or yellowish brown, sometimes with persistent pubescence. The largest mature leaves (2.1) 2.5-3.2 (4.5) cm long, 7-11-15 mm wide and (2.1) 2.9-3.7 (5.5) times as long as wide; apex acute-attenuate; base cuneate to rounded; margins entire or distantly glandular; immature leaves sericeous with appressed trichomes, the upper side of mature leaves sparsely

pubescent to glabrescent. the lower side sparsely lanate or villous-lanate. glaucous, the margin sometimes ciliate; petioles reddish to yellowish; stipules **2** mm or less up to 4 mm long, sometimes prominent, narrowly 0Vate, glandular on margin, pubescent. Staminate aments 1.6-3.7 cm long, narrowly cylindrical; anthers about 0.3-0.5 mm long. Pistillate aments 2.3-55 cm long; slender, loosely flowered, capsules sparsely pubescent. light brown sometimes greenish; styles 0.2-0.5 mm long, entire or bifurcate; nectaries 0.5-1.5-2 mm long, sometimes with lobes laterally as well as adaxially, often longer than pistil; bracts elliptic to narrowly elliptic or oval, apex rounded or emarginate. 1.5-2.8 mm long, tawny, greenish tawny or sometimes dark brown to blackish, pubescent on both sides with short trichomes or glabrescent abaxially.

Habitat

Range


Arctic: tundra; *Salix* thickets on stream margins and in sandy blow outs. Montane: dry alpine slopes: unstable limestone talus: glacial outwash; subalpine shrubby tundra. Boreal: early successional stages on alluvial deposits and on margins of semi-saline prairies Arctic, montane, boreal: Central Alaska; Alaska Range; arctic Alaska; Alaska Peninsula; throughout Yukon Territory to adjacent British Columbia; Northwest Territories to Hudson Bay (Map 23).

Discussion

Salix brachycarpa is characterized by a low shrubby habit, very short petioles, 0.5-1-3 (4) mm long, subglobose (ssp. brachycarpa) or narrowly cylindrical (ssp. niphoclada) aments. densely white lanate. almost sessile. pistils, the stipes 0-0.5 mm long, and small anthers, 0.3-0.5 mm long.

This species is closely related to S. glauca and S. arctica from which it may be distinguished by the characteristics in Tables 4 and 6. It is also related to the Eurasian S. reptans Rupr. and may eventually prove to be conspecific with it. I have seen specimens of the latter species from eastern Siberia (Gyda River and Vakutskaya) which have the short, subglobose aments of typical ssp. brachycarpa and others with the slender aments of ssp. niphoclada. However, there is wide variation within the specimens that I have seen and I am unable at the present time to formulate a clear concept of *S.* reptans. It is possible that the broad-leaved specimen that I have named ssp. niphoclsda. such as: Johnson. et al. 215 (Argus 1965a, Figs. 54 and 55). 673 & 215A, from Ogotoruk Creek; Harbo 42, from Cold Bay; Schofield 2274, from Naknek; and Scott 2023, from the Wrangell Mountains, may be referred to that species. For discussion of the broad-leaved variant of ssp. niphoclada, see Argus 1965a.

In 1965 I discussed the historical development of the concepts of the relationships of niphoclada and presented reasons for combining it with S. brachycarpa rather than with S. glauca as has been proposed by Hulten (1943). Raup (1959) and Wiggins (Wiggins and Thomas 1962). I pointed out that niphoclada differed from S. glauca in a number of important characteristics including stipe length. style length, petiole length, anther length,



Map 23 Salix brachycarpa ssp. niphoclada

the shape of the proximal leaves on vegetative shoots and probably also in chromosome number [based on stomata size]. Chromosome counts from Cape Thompson, Alaska, indicate that ssp. niphoclada is diploid (2n = ca. 38. Johnson and Packer 1968), supporting the indirect stomatal length data [Argus 1965a]. It was also noted that it was very similar to S. brachycarpa in all of these characteristics and that the two taxa seem to intergrade in southern Yukon and northern British Columbia. Since that time I have been able to collect additional specimens along the Alaska Highway in northern British Columbia and I am convinced that there is a continuous intergradation between these taxa in that area. Ssp. brachycarpa differs from ssp. niphoclada in ament shape, longer styles [Table 7] and in its coarsely pubescent leaves.

The apparent intergradation that seems to exist between S. glauca and S. brachycarpa ssp. niphoclada may be due to hybridization, which was suspected to be relatively common in arctic Alaska and in the Alaska Range [Map 11 as discussed by Argus [1965a), and to environmental modification, which may produce robust forms of ssp. niphoclada resembling S. glauca. Hybridization between these taxa needs to be verified.

Characteristics	brachycarpa ssp. brachycarpa	brachycarpa ssp. niphoclada	glauca
chromosome number	2n=38	2n=38	2n=(76,95). 114
petiole length	(0.5) 1-3 (4) mm	1-3-4 mm	2.5-5-15 mm
stipe length	;absent 10.25-0.51 mm	[absent) 0.25.0.5mm	0.25-1-2 mm
anther length	æ. 0.4-0.5 mrn	0.3-0.5 mm	0.5-0.8 mm
proximal leaves on vegetative shoots	strap-shaped, apex rounded to obtuse	strap-shaped, apex rounded to obtuse	obovate to oblong, apex acute to obtuse
ament shape	short-cylindrical to sub- globose. densely flowered	narrowly cylindrical. loosely flowered	cylindrical, densely flowered
style length	0.5-0.8 (1.5) mm	0.2-0.5 mm	0.5-1 mm

Table 7 Comparison table: Salix brachycarpa ssp. brachycarpa, ssp. niphoclada and S. glauca

17. SALIX GLAUCA L.*

S. glauca L. Sp. PI. 1019. 1753.

S. desertorum Richards. Bot. App. in Frankl. J. 753. 1823. S. glauca (ssp.) S. desertorum Anderss.. Ofvers. Vet. Akad. Forh. (Stockh.) 15: 127. 1858. S. glauca ssp. desertorum Hult. Fl. Alaska and Yukon 3: 527. 1943.

S. villosa Hook. Fl. Bor.-Am. 2: 144. 1838. S. glauca var. villosa Anderss. Ofvers. Vet. Akad. Forh. (Stockh.) 15: 127. 1858. S. X glaucops a (var.) villosa Anderss. in DC. Prodr. 16[2): 281. 1868.

S. *villosa p* [var.) acutifolia Hook. Fl. Bor.-Am. 2: 144. 1838. S. glauca var. acutifolia Schneid. Bot. Gaz. 66: 327. 1918. S. glauca ssp. acutifolia Huit. Ark. Bot. II. 7: 40. 1967.

S. X glaucops [var). glabrescens Anderss. in **DC**. Prodr. 16 (2): 281. 1868. S. glauca var. glabrescens Schneid. Bot. Gaz. 66: 329. 1918. S. glauca ssp. glabrescens Hult. Ark. Bot. 11. 7: 40. 1967.

S. glauca var. acutifolia f. poliophylla Schneid. Bot. Gaz. 67: 61. 1919. S. glauca var. *po/iophy//a* Raup. J. Arnold Arb. 17: 233. 1936 (as poliophila).

S. glauca var. alicea Ball. Univ. Calif. Publ. Bot. 17: 416. 1934.

S. glauca ssp. desertorum var. sericea Hult. Fl. Alaska and Yukon 3: 527. 1943.

S. glauca var. perstipula Raup, Sargentia 6: 154. 1947.

'See Argus 1965a for typification and further synonymy.



Salix glauca L (A) Beringia phase (var. glauca), Argus 6959, (B) Western phase (var. acutifolia), Rouse 52. IC) Rocky Mountain phase (var.villosa), Argus 5276

Description of species

Erect shrubs 0.3-0.9 (4.5) m tall, sometimes prostrate; branches reddish brown to grevish, epidermis often exfoliating, glabrate or variously pubescent, sometimes glaucous; branchlets pubescent to white vilious. sometimes glaucous. Leaves obovate, narrowly obovate or elliptic, the largest mature leaves 2.4-6-10 cm long, 0.7-1.8-3.2 cm wide, 2-3-5.2 times as long as wide: apex acute, acuminate or obtuse; base acute to acuminate or obtuse; margins entire often glandular on lower portion of blade, sometimes revolute; the upper side of mature leaves dark green, glossy, glabrescent or sometimes villous, the lower side villous with short appressed trichomes to villouslanate or glabrescent; petioles 2.5-5-15 mm long, yellowish, pubescent or glabrate; stipules narrowly ovate, apex attenuate to acute, minute to 1-7-17 mm long, margins glandular, Aments coetaneous, on leafy, floriferous branchlets. Staminate aments 1.6-2.5 cm long, floriferous branchlets 0.5-1.5 cm long, persistent after aments fall; stamens 2; filaments distinct or united at base, glabrous or pubescent near base; anthers 0.5-0.6-0.8 mm long, reddish in preanthesis. becoming brown; nectaries 2. abaxial and adaxial. Pistillate aments 2.2-4-7 cm long, cylindrical, floriferous branchlets 1-3.5 cm long: pistils densely white lanate. capsules sparsely pubescent to glabrescent, light brown, long-beaked, styles 0.5-1 mm long entire or bifurcate: stigmas with 4 linear lobes sometimes as long as style: stipes 0.25-1-2 mm long, pubescent: nectaries 1, adaxial 0.6-1.2 mm long, 0.4-2 times as long as stipe: bracts ovate to narrowly elliptic, light brown to tawny, pubescent both sides with short wavy trichomes, sometimes glabrate abaxially.

Salix glauca s.l. ranges in Eurasia from arctic Scandinavia to the Chukotsk and Kamchatka Peninsulas. U.S.S.R.

Beringia Phase (var. glauca)

Habitat

Arctic tundra; commonly forming thickets on the edges of creeks and rivers, on sandy and gravel flood-plains, and on old beaches.

Range


Range

Arctic, alpine: Western Alaska Peninsula; Kodiak Island; Lake Iliamna; east Cook Inlet; northward to the Kuskokwin River; along the Bering Sea Coast to the Seward Peninsula; eastward along the Arctic Coast and the Brooks Range (Map 24).

Western Phase (var. acutifolia)

Habitat

Common in Picea mariana muskegs, along drainage channels in P. glauca woods, and on river floodplains; subarctic Salix-Betula glandulosa thickets; alpine tundra. Boreal, montane: Central Alaska; Alaska Range; Yukon Territory: eastward to Great Bear and Great Slave Lakes: southward into northern British Columbia (Map 25). Ι



Map 24 Salix glauca, Beringia phase Ivar. glauca). Circles based on Skvortsov, 1966, as S. glauca

Rocky Mountain Phase (var. villosa)

Habitat


Range

Along rivers and creeks; openings in spruce woods: thickets on subalpine slopes.

Montane, Boreal: Rocky Mountains from northern British Columbia and adjacent Yukon Territory to Utah and New Mexico; eastward to Hudson Bay (Map 26).

Discussion


Salix glauca is a highly variable circumpolar taxon which, although subject to repeated study (Schneider 1918b: Hulten 1943: Raup 1959; and Argus 1965a), is not completely understood. In 1965 I published a study of this complex in which I concluded that it was advisable to treat the species in a broad sense and to recognize four geographical variants in North America. The decision to refer to these geographical variants by informal phase names was based on three considerations. First, the taxonomic concept of the geographical variants was based more on geography than on clearly defined morphological differences: secondly, extensive intergradation oc-



Map 25 Salix glauca, Western phase (var. acutifolia)

curred in the areas of overlap of the ranges of the variants; and thirdly, specimens which morphologically resemble each of the variants occurred within the range of the other variants. The geographical variation of each of the phases was described and problems which required special study were noted. Since that time I have been involved in additional study; chromosome numbers have been determined for the species in Alberta and Alaska (Suda and Argus **1968, 1969)** and a study of S. athabascensis in Saskatchewan and the **Yukon** has resulted in its separation from S. glauca but in its retention within the S. glauca-complex (see S. athabascensis for discussion). However, this information has not yet substantially aided in the solution of the problems of classification, and the variation within the species and its relationships remain obscure.

Skvortsov (1966) has independently arrived at a similar conclusion concerning this species in arctic U.S.S.R. He notes that there is some geographical correlation of characteristics in populations in Altai. Sayan, and Khanga which usually bear small leaves with sparse pubescence, lack stipules, and have short aments and floriferous branchlets. Whereas, in parts of the Lena, Indigira and Kolyma Rivers the leaves are larger, more strongly pubescent and have well developed stipules and longer aments. However, he does not attempt to recognize these variants nomenclaturally. Within the cir-



Map 26 Salix glauca, Rocky Mountain phase (var. villosa)

cumpolar extent of the species he suggests that there are four "races", one in eastern North America and Greenland, a second in Eurasia and western North America (west of Hudson Bay), a third beginning to be differentiated in southern Siberia and a fourth in the Alps. He ascribes formal nomenclatural recognition only to the latter which he recognizes as the species S. glaucosericea Floderus.

In Alaska and the Yukon I recognize three geographical phases: the Beringia phase, which is very similar to the Scandinavian S. glauca and may be named S. glauca L. var. glauca; the Western phase, which may be named S. glauca var. acutifolia (Anderss.) Schneider; and the Rocky Mountain phase, which may be named S. glauca var. villosa (Hook.) Andersson. For those who may wish to recognize the geographical variants as informal units or as formal taxa I have provided a key to the phases and maps depicting their approximate distribution. The synonyms listed here include only important names used in reference to the flora of Alaska and the Yukon; for a more complete synonymy see Argus 1965a.

Key to the major variants of Salix glauca in Alaska and the Yukon.

1a. Shrubs (0.3) 0.9-1.2 (3) m tall: leaves 2.4.4 (5) cm long, elliptic to obovate, 1.6-3 times as long as wide: stipules minute to 2-6 mm long,

I

I

generally inconspicuous: pistillate aments 2-4 cm long. Rocky Mountain phase (var. villosa).

- 1b. Shrubs prostrate to 4.5 m tall; leaves 4-10 cm long, obovate to narrowly obovate, 2.8-4 times as long as wide; stipules 4-10 (17) mm long, prominent; pistillate aments 3.5-7 cm long.
 - 2a. Shrubs 0.9-2.1 up to 4.5 m tail; leaves dark green and glabrescent above, villous-lanate or sometimes glabrescent beneath; petioles 3-7-16 mm long; stipules very prominent; branchlets villous to pubescent; pistillate aments stout, long-cylindrical; bracts light brown to tawny. Western phase (var.acutifolia).
 - 2b. Shrubs prostrate to 0.3-0.9 m tall; leaves light green above. pubescent on both sides, becoming glabrescent above, never villous-lanate beneath; petioles 2-5-10 mm long: stipules variable; branchlets densely villous, internodes usually short; pistillate aments shorter, narrowly cylindrical; bracts often dark brown. Beringia phase (var. glauca).

Salix glauca is characterized by pubescent branchlets and leaves, the usual occurrence of prominent, narrowly elliptic stipules, densely white lanate pistils borne on distinct stipes, and bracts usually tawny but sometimes brownish. It is related to S. athabascensis. S. brachycarpa and S. arctica (see those species for comments and Tables 5 and 7). It is also related to the Eurasian S. reptans. and to the European S. glaucosericea Flod., S. pyrenaica Gouan, and S. stipulifera Flod. ex Hayren.

The Beringia phase (var. glauca) is characterized by densely villous branchlets with short internodes, leaves villous to pubescent on both sides, short petioles and stipules usually exceeding the petioles, densely lanate pistils on short stipes and bracts tending to be brownish rather than tawny.

The Western phase (var. acutifolia) is characterized by large leaves often with a distinctive villous-lanate pubescence beneath and glabrescent to sparsely pubescent above, long petioles and prominent narrowly elliptic stipules. The aments are large and the pistils are borne **on** prominent stipes. There are some glabrescent forms which are included within this phase.

The Rocky Mountain phase [var. villosa) is characterized by a tendency toward more glabrescent leaves, less prominent stipules and smaller leaves and aments. It intergrades with the Western phase in southern Yukon and northern British Columbia and individuals are often very difficult to assign to one phase or the other **on** morphological grounds.

There are seven authentic chromosome counts for the North American Salix glauca (Suda and Argus 1968, 1969; Johnson and Packer 1968). Three of the counts based on specimens from Alberta representing the Rocky Mountain phase are hexaploid (2n = 114); three counts based on specimens from Umiat. Alaska, representing the Western phase, include tetraploid. pentaploid and hexaploid levels (2n = 76, 95 and 114): and one count representing the Beringia phase from Ogotoruk Creek, Alaska, is tetraploid. This evidence suggests that the North American S. glauca is basically hexaploid in contrast to the octoploid levels reported for European specimens [Holmberg 1931; Wilkinson 1944; Love and Love 1948). This evidence may eventually provide a basis for segregating the North American and European members into two major taxa; but in view of the intrapopulation



Salix athabascensis Raup. Population sample Argus 5054

variation in chromosome number for the Western phase and the tetraploid count for the Beringia phase, many more counts are needed before this apparent difference can be evaluated.


Within Alaska and the Yukon Salix glauca is suspected to hybridize with S. arctica and with S. brachycarpa ssp. niphoclada. In arctic Alaska the latter cross is reportedly common [Argus 1965a), but this conclusion was based **on** a subjective analysis of morphological intermediacy and character recombination, and therefore requires corroboration from other kinds of data. It could be speculated that the three ploidal levels reported for the Umiat material are the result of hybridization and backcrossing with S. brachycarpa ssp. *ni*-phoclada. If the basic number of S. glauca is 2n = 114 then hybridization with ssp. niphoclada. which is thought to be diploid [2n = 38], could yield F, tetraploids and backcross pentaploids. However, the tetraploid and pentaploid specimens (Suda 271-66, 274-66 and 277-66, SASK) show no morphological signs of hybridization and do not support such a hypothesis.

18. SALIX ATHABASCENSIS Raup

- S. athabascensis Raup, Rhodora 32: 111. 1930. (Type: Raup 8129, CAN).
- S. pedicellaris Pursh var. athabascensis Boivin. Phytologia 15: 411. 1967.
- S. glauca L. [ferruginous form) Argus, Contr. Gray Herb. 196: 85. 1965.
- S. fallax Raup, Contr. Arnold Arb. 6; 149. 1934. [Type: Raup 4312, A)

Description of species

Shrubs 0.6-0.9-1.3 m tall: branches grev brown, epidermis exfoliating: branchlets reddish brown, glossy, densely or sparsely pubescent with short trichomes curved toward the stem, becoming glabrescent. Leaves narrowly elliptic to elliptic or narrowly obovate, the largest mature leaves 1.7-3.7-5 cm long, 0.8-1.3-18 cm wide, 2-3.2times as long as wide; apex acute or more or less acuminate; base round or acute, often inequilateral; margins entire, often glandular on lower portion of blade or indistinctly and distantly alandular serrulate, flat or slightly revolute; the upper side of immature leaves usually villous or sericeous with mixed white and ferruginous trichomes, often rugulose; the upper side of mature leaves glabrescent. ferruginous trichomes sometimes persistent on midrib, glossy and reticulate, the lower side glabrescent but with some appressed white and ferruginous trichomes persistent for some time, glaucous; petioles 3-5-10 mm long, tawny or reddish, villous or puberulent adaxially; stipules glandular lobes, minute to 0.2-0.5 mm long. Aments coetaneous. on leafy, floriferous branchlets. Staminate aments 5-9 mm long, floriferous branchlets 2-3 mm long, persistent after aments fall; stamens 2, filaments distinct, pubescent on lower half; anthers 0.4-0.6 mm long, nectaries 2, abaxial and adaxial. Pistillate aments 1.2-3.7 cm long, loosely flowered, especially in fruit, floriferous



Map 27 Salix athabascensis

branchlets 0.2-1.5 cm long; pistils 1.8-2 mm long, greenish or tawny, densely sericeous with white or sometimes with white and ferruginous trichomes, capsules 5.6-7.2 mm long, tawny, reddish or greenish, sparsely sericeous to glabrescent; styles 0.5-1 mm long, partly bifid; stigmas 0.2-0.5mm long, 4 linear lobes; stipes 0.8-1.2 mm long, pubescent; nectaries 1, adaxial, sometimes 2-lobed. 0.4-0.8 mm long, usually 0.5 times as long as stipe; bracts ovate, apex rounded, 1-1.6 mm long, tawny, sometimes bicolour and brown at apex, pubescent on both sides or glabrescent abaxially.

Habitat	Range
Carex-Salix-Betula glandulosa fens; Picea mariana muskegs and bogs.	Boreal: Central Alaska along the Tanana River; southern Yukon and adjacent British Columbia: Northwest Territories to Hudson Bay (Map 27).

Discussion

Salix athabascensis is characterized by glabrescent, narrowly elliptic leaves usually sparsely pubescent with appressed white and ferruginous trichomes, loosely flowered aments, grey sericeous pistils sometimes with ferruginous

Table 8 Comparison table: Salix athabascensis and S. pedicellaris		
Characteristics	athabascensis	oediceiiaris
pistils	pubscent	glabrous
style length	0.5-1 mm	0.1-0.2 mm
branchlet pubescence	short, curved trichomes	very minute, straight trichomes
leaves	sparsely sericeous with white and furruginous trichomes	glabrous

and white trichomes, long stipes (0.8-1.2 mm long) and short nectaries. it is morphologically similar to S. pedicellaris from which it may be distinguished by the characteristics in Table 8.

In 1965 I incorrectly treated this species as a "form" of S. glauca (Argus 1965a) and attributed some sterile intermediates to hybridization between S. glauca (or S. planifolia or S. discolor) and S. pedicellaris. My 1965 opinion concerning the relationship of S. athabascensis and S. glauca was based on experience at Churchill, Manitoba. In this area S. glauca occurs in the tundra on the outcrop ridge and in streamside Salix thickets, whereas S. athabascensis occupies river floodplains, Picea mariana muskegs and forests, and also occurs occasionally in the tundra and in Salix thickets. The distinction between these taxa in central Canada is very tenuous and is based on the sparser leaf, branchlet and pistil pubescence of S. athabascensis on its leaves and sometimes on its pistils. Since that time new information has been obtained leading to reconsideration of this taxon. I am now of the opinion that it is best treated as a species related to S. glauca and hybridizing with S. pedicellaris.

Hybridization between S. athabascensis and S. pedicellaris is suspected to be relatively common in central Canada, and hybrid swarms have been studied in Saskatchewan and southern Yukon (Map 2). Apparent F1's. which are usually infertile and have a high percentage of aborted and unfilled pollen grains, may be distinguished by their sparsely pubescent pistils (often with patches or streaks of pubescence), undeveloped ovaries, short styles, sparsely pubescent branchlets and subcoriaceous leaves. A preliminary comparative chromatographic analysis of leaf pigments [Argus, unpublished] supports a hypothesis of hybridization between these species, and further study is in progress.

Chromosome counts indicate that S. athabascensis and S. pedicellaris are both tetraploid, 2n = 76 (Suda and Argus 1969; Love and Ritchie 19661 and that hybrids between these taxa, although sterile, are also tetraploid (Suda and Argus 1968). The three chromosome numbers reported for S. glauca from Churchill, Manitoba (Argus 1965a) were based on specimens of S. athabascensis growing on the floodplain of the Churchill River, and should be referred to that species. The three specimens counted exhibited three ploidal levels, 2n = ca. 76 [Argus **15s**]; 2n = 95 (Argus **517-58**) and **2n** = ca. 114 [Argus 26s). The tetraploid level is now thought to represent the general ploidal level for this species; the pentaploid and hexaploid



Salix chamissonis Anderss. Suvorova s.n., 12 VIII 1962, Leninogorsk, Eastern Altai. U.S.S.R.. GWA

levels may be the product of hybridization and backcrossing with the hexaploid S. glauca, or of autoploidy within S. athabascensis.

Section 8. Myrtosalix Kern.

19. SALIX CHAMISSONIS Anderss.

S. chamissonis Anderss. in DC. Prod. 16 (2): 290. 1868.

S. rectijulis Ledeb, ex Trautv. Nouv. Mem. Soc. Nat. Mosc. 2: 313. 1832. p.m.p. (quoad pl. ex. Ins. Sti. Laurentii).

Description of species

Prostrate, usually trailing shrubs; branches long, trailing on ground, aments and some vegetative branchlets arising at right angles to branch, reddish brown; branchlets yellow green, glabrous or sparsely pubescent with curly trichomes, becoming glabrescent. Leaves obovate to elliptic-obovate, the largest mature leaves 3-5 cm long, 1.7-3 cm wide and (1.1) 1.6-1.9 (2.1) times as long as wide: apex obtuse to round or retuse, rarely acute, sometimes conduplicate when pressed; base cuneate; margins prominently and uniformly glandular serrulate; the upper side of mature leaves glabrous and semi-glossy, sometimes drying black, the lower side glabrous or with caducous trichomes, thinly glaucous; petioles 5-13 mm long; stipules narrowly elliptic, 2.8-9 mm long, glandular serrulate. Aments coetaneous, on leafy, floriferous branchlets. Staminate aments 2.2-3.2 cm long, floriferous branchlets 1.3-2.2 cm long: stamens 2, filaments about 7 mm long, glabrous; anthers 0.5-0.6mm long, reddish; nectaries 1, adaxial, about 0.8 mm long. Pistillate aments 3-6 cm long, rachis sparsely pubescent, branchlets 1.5-4 cm long: pistils 2.4-4.8 mm long, greenish red with reddish sutures, pubescent all over, rarely glabrous, pubescent in strips or in patches at the base and apex, indumentum of flat, crinkled, refractive trichomes, capsules 5-7 mm long, bronze or greenish bronze with red sutures, generally glabrescent but beak remaining sparsely pubescent; styles 0.8-1.2 mm long, reddish, drying dark purple, sometimes bifid: stigmas about 0.4 mm long; stipes 0.2-0.4 mm long, pubescent; nectaries 1, adaxial, 0.3-0.6 mm long, dark red, equal to or slightly exceeding stipe: bracts ovate, apex obtuse to rounded, 1.2-2.8 mm long, black to dark brown, pubescent on both sides, trichomes 2 times length of bract.

Habitat

Tundra.

Range

Arctic, alpine: Attu Island: St. Lawrence Island; Seward Peninsula; Arctic slope; Brooks Range; southward to Wiseman and Twelvemile Summit; eastward to Richardson Mountains, northern Yukon, and adjacent North-



Salix arctophila Cock. ex Heller. Argus 142-58

west Territories; Asia: eastern Siberia along the northern shores of the Sea of Okhotsk; Kamchatka Peninsula; Commanders Islands; Chukotsk Peninsula (Map 28).

Discussion

Salix chamissonis is wide ranging but infrequent in arctic and alpine tundra. It forms relatively large disjunct populations on Twelvemile Summit and Eagle Summit and is only known to occur elsewhere in central Alaska in the Kokrines Range.


This species is closely related to the European S. myrsinites L., the Eurasian S. saxatilis Turcz. (S. fumosa Turcz.] and the eastern American S. arc*tophila* Cock. All four species have the characteristic pistil pubescence con. sisting of crinkled, refractive trichomes and more or less glandular serrulate leaf margins. S. chamissonis differs from S. myrsinites in having obovate leaves that are glaucous beneath, and shorter petioles. It differs from S. arctophila in its prominently and uniformly glandular serrulate leaf and stip ule margins.

20. SALIX ARCTOPHILA Cock. ex Heller

S. arctophila Cock. ex Heller. Cat. N. Amer. Pl. (ed. 3) 89. 1910.

Description of species

Dwarf shrubs, decumbent and often trailing; branches long, slender and chestnut brown or greenish brown; branchlets long, slender, usually yellow green and glabrous, rarely slightly glaucous. Leaves broadly elliptic or obovate, sometimes narrowly elliptic, the largest mature leaves 1.7-3.7 cm long, 0.7-1.6 cm wide, 1.3-1.8 (4.3) times as long as wide; apex obtuse, round or sometimes acute; base obtuse, acute or cuneate: margins entire with minute glands or minutely glandular serrulate, rarely eglandular; immature leaves glabrous or very sparsely pubescent beneath; the upper side of mature leaves glabrous, glossy and yellow green, the lower side glabrous, plane and glaucous: petioles 3-13 mm long, yellow green; stipules absent or 0.4-4 mm long, glabrous, margins glandular. Aments coetaneous. on erect, leafy, floriferous branchlets. Staminate aments about 2-5 cm long, floriferous branchlets 0.8-2 cm long; stamens 2, filaments 6-7 rnm long, glabrous and purplish: anthers 0.5-0.6 mm long. Pistillate aments 2.1-6 cm long, floriferous branchlets erect, 1.5-5.3 tom long; pistils 3-4 mm long, sparsely and uniformly pubescent with short, flat, crinkled, refractive trichomes, reddish purple, capsules 5-6 mm long, glossy; styles 0.6-1 rnm long, usually entire but sometimes bifid, red in life, drying purple; stigmas 0.2-0.4 mm long, each bifid; stipes 0.8-1.2 mm long, pubescent; nectaries 1, adaxial, 0.5-0.9 mm long,



Map 28 Salix chamissonis. Circles based on Skvortsov, 1966

0.5-0.66 times as long as stipe; bracts broadly oblong, apex rounded. 0.8-1.6 mm long, distinct, usually purplish red or black, pubescent with long straight trichomes.

Habitat

Ι

I


Wet tundra

Range

Arctic: Arctic Ocean Coast from Bullen, Alaska, to the Mackenzie River Delta; eastern Brooks Range; Yukon Territory; Canadian Arctic; Greenland; northern Saskatchewan; Churchill, Manitoba (Map 29).

Discussion

Salix arctophila is an eastern Canadian Arctic species which has been infrequently collected in Alaska and the Yukon. It enters eastern Alaska and extends westward to Bullen on the Arctic Coast and to Jago Lake in the Brooks Range. The citation by Hulten (1943) of a specimen from Nome (Jones 9042) is incorrect and was based on a misidentification. Most North American authors (Raup 1959; Argus 1966) have related this species to S. arctica, and Drury (1962) implied that they are conspecific. However, Skvort-




Map 29 Salix arctophila

•	•	
Characteristics	arctophila	arctica
branchlets	slender. trailing, yellow green and glabrous	usually stout and not conspicuously trailing, brownish, sparsely pubescent
leaf margins	glandular serrulate on the lower half	entire or glandular dotted on the lower quarter
leaf pubescence	glabrous	pubescent, at least beneath, with long. straight trichomes
pistil trichomes	flat, crinkled and refractive	cylindrical. straight or curly. non-refractive
nectary length	0.5-0.66 times stipe	1.5-4 times stipe

Table 9 Comparison table	Salix arctophila and S. arctica
--------------------------	---------------------------------

sov's view (1966) that its relationship is with S. chamissonis and S. myrsinites. not with S. arctica, is the most tenable and S. arctophila could conceivably be treated as a geographical race of s. chamissonis. Saiix arctophila is morphologically similar to S. arctica. and vegetative specimens are particularly difficult to distinguish [Table 9].



t ·

Salix fuscescens Anderss. Argus 5871 (left) and Welsh 8178 (right)

Section 9. Myrtilloides Koehne

21. SALIX FUSCESCENS Anderss.

- S. fuscescens Anderss. Kg. Sv. Vet. Akad. Handl. 6: 97. 1867.
- S. arbutifolia auct. non Pall. 1788.

S. fuscescens var. reducta Ball. Proc. Nat. Acad. Sci. 21: 183. 1935. (Type: Coville & Kearney 20879, US).

Description of species

Low, trailing shrubs spreading from a central caudex; branches yellow brown and rooting, aments arising at right angles; branchlets reddish brown, greenish brown or yellowish brown early in season, glabrous. Leaves obovate to elliptic, the largest mature leaves (1.4) 1.7-2.7 (3.7) cm long, 0.7-2.1 cm wide and (1.4) 1.5-2.3 (2.5) times as long as wide; apex round or obtuse, rarely retuse: base obtuse to round, acute or rarely cuneate; margins entire, glandular crenate or glandular serrulate on lower half, occasionally glandular crenate all around, usually revolute: immature leaves glabrous, the proximal leaves rarely sparsely pubescent with caducous, ferruginous trichomes; the upper side of mature leaves glabrous, glossy and bright green, the veins raised and prominent or sometimes pale green, the lower side glabrous, glaucous or pale green; petioles 2-5.6 (6.4) mm long, pale reddish vellow, stipules absent or minute. Aments coetaneous, on long, leafy, floriferous branchlets. Staminate aments 0.8-1.3 cm long, rachis pubescent, floriferous branchlets 0.3-2.2 cm long; stamens 2, filaments 3.5-4 mm long, glabrous; anthers 0.3-0.4 mm long; nectaries 1, adaxial, 0.6-0.7 mm long, yellowish. Pistillate aments 1.5-6 cm long, sparsely flowered at proximal end, floriferous branchlets 1.0-4.5 cm long; pistils 4.4-5 mm long, long-beaked, dark reddish brown, usually sparsely pubescent with short ferruginous trichomes or densely white sericeous, rarely glabrescent, capsules 5.5-8 mm long, tawny to reddish or greenish and streaked with red, often sparsely pubescent with appressed, ferruginous trichomes, sometimes glabrescent; styles 0.1-0.4 mm long, sometimes bifid; stigmas 0.2-0.4mm long, 4-lobed: stipes 0.8-2.5 mm long, pubescent or glabrescent; nectaries 1, adaxial, 0.4-0.6 mm long, 0.5-0.66 times as long as stipe; bracts oblong, apex rounded, 0.8-1.6 mm long, bicolour, apex dark brown and base tawny becoming uniformly brown, rarely completely tawny, pubescent on both sides with trichomes longer than bract.

Habitat

Trailing in moss in wet tundra including *Eriophorurn-Arctagrostis* tussock tundra, Eriophoronr-Carex meadows, and polygonal tundra; also occurring in dry tundra and in Picea rnariana muskegs.

Range

Arctic, boreal: Throughout Alaska, except the Aleutian Islands and the southeastern coast of Alaska; northern half of Yukon Territory; Northwest Territories from the Mackenzie Delta; southward to northern Mani-



Salix pedicellaris Pursh. Argus 5054C

toba; Asia: eastern Asia from the Lena River to Chukotsk Peninsula; Kamchatka; the region around Okhotsk (Skvortsov 1966, Map 22) (Map 301.

Discussion

Salix fuscescens is characterized by glabrous, obovate leaves, usually narrowed toward the base and with several glandular serrulations on the lower half, glossy above and glaucous beneath; pistillate aments loosely florewed, pistils dark reddish brown and sparsely pubescent with short ferruginous trichomes. This species is related to S. pedicellaris and S. myrtilloides from which it can be distinguished by its pubescent pistils and broader leaves.

The type of the name S. arbutifolia has been shown by Skvortsov (19571 to be the genus Chosenia, not Salix. and the new combination Chosenia arbutifolia (Pall.) Skvortsov was made. Although the type specimen is only vegetative, Skvortsov maintains that the identification of it as Chosenia is unequivocal and I have accepted his opinion. This, however, necessitates replacing the name S. arbutifolia, which has been widely used in the North American literature, with S. fuscescens.

22. SALIX PEDICELLARIS Pursh

S. pedicellaris Pursh. Fl. Am. Sept. 2: 611. 1814.

S. myrtilloides L. (ssp.) S. pedicellaris Anderss. Kg. Sv. Vet. Akad. Handl. 6: **96.** 1867. S. myrtilloides p (var). pedicellaris Anderss. in DC. Prodr. 16 (21: 230. 1868.


S. pedicellaris var. hypoglauca Fern. Rhodora 11: 161. 1909. (Type: Forbes s.n. GH).

S. pedicellaris var. tenuescens Fern. Rhodora 11: 162. 1909. (Type: Fernald s.n. GH).

S. hebecarpa Fern. Rhodora 26: 123. 1924. S. fuscescens var. hebecarpa Fern. Rhodora 9: 224. 1907. (Type: Fernald & Collins 207, GH).

Description of species

Shrubs 2-15 dm tall; branches grey brown, glabrous or glabrescent, epidermis grey and exfoliating: branchlets reddish brown or reddish yellow, minutely puberulent with short erect trichomes, sometimes glabrous; buds glabrous. Leaves coriaceous. narrowly elliptic, narrowly rectangular or narrowly obovate, the largest mature leaves 2.3-5.3 cm long, 0.7-1.3 cm wide and 2.6-4.4 times as long as wide; apex acute to round; base acute to round, sometimes inequilateral: margins entire, often glandular dotted or glandular serrulate **on** lower quarter of blade, sometimes revolute; immature leaves




Map 30 Salix fuscescens. Circles based on Skvortsov. 1966

glabrous, usually green or reddish and translucent: the upper side of mature leaves glabrous, dull, usually glaucescent, and with raised, reticulate venation, the lower side glabrous and glaucous; petioles 3-4-8 mm long, reddish or reddish yellow, glabrous or sometimes puberulent adaxially; stipules are minute glands or glandular lobes about 0.1-1.5 mm long. Aments coetaneous. borne on short, leafy, floriferous branchlets. Staminate aments 0.9-1.5 cm long, floriferous branchlets 3-8 mm long; stamens 2, filaments 3.2-3.6 mm long, glabrous, distinct or connate at base; anthers 0.4-0.6 mm long. Pistillate aments 1.3-3 cm long, often as broad as long, loosely flowered, floriferous branchlets 1.5-3 cm long; pistils 2.4-4.8 mm long, reddish or tawny, glabrous and often glaucous, capsules 5.6-6.4mm long, tawny; styles 0.1-0.2 mm long; stigmas about 0.2 mm long, 2-lobed; stipes 2.1-3.2 mm long, glabrous; nectaries 1, adaxial, 0.2-1 mm long, broad, 0.2-0.5 times as long as stipe; bracts ovate or narrowly oblong, apex rounded, 0.8-1.6 mm long, tawny, sometimes with a reddish tinge, glabrous abaxially, sparsely villous adaxially.

Habitat

Range

Wet Carex-Betula glandulosa-Salix Boreal: Watson Lake, southeastern fens: muskegs. Yukon; adjacent British Columbia:



Map 31 Salix pedicellaris

southern Northwest Territories: southward in the Rocky Mountains to Washington; eastward in the boreal forest to Newfoundland: northern US. from Minnesota to New England (Map 31).

Discussion

Salix pedicellaris is a characteristic low willow of wet fens with erect branches and coriaceous, glabrous leaves which are glaucous on both sides and reticulate above. The aments are loosely flowered: the pistils are usually reddish and glabrous and are borne on long stipes, 2.1-3.2mm long. It is one of two Salix species known to have leaves with a waxy glaucescence on the upper leaf surface. the other being S. purpurea L.

In the Yukon it is known only from Watson Lake where it is locally abundant. There is no evidence that this species occurs in the Pelly River Valley as reported by Porsild (1951). The specimen *(Porsild & Breitung 9776)* on which Porsild's report was based has been re-identified as S. athabascensis.

This species hybridizes with S. athabascensis, which should be seen for discussion. A series of suspected intermediate specimens from Watson Lake



Salix hastata L. Johnson 135 [left) and Viereck 7869 (right)

Characteristics	pedicellaris	rnvrtilloides
habit	erect shrub, 2-15dm tall	subterranean, creeping shrub. 0.3-0.5 dm tall
leaf shape	narrower: narrowly elliptic to narrowly rectangular or narrowly obovate	broader: subcircular to ovate or narrowly elliptic
immature leaves	glabrous	sparsely pubescent

 Table 10 Comparison table: Salix pedicellaris and S. myrtilloides

have been determined as S. pedicellaris > athabascensis. These specimens are characterized by immature leaves which are sparsely sericeous with white and ferruginous trichomes, ovaries sometimes undeveloped but not always so, stipes pubescent and pistils with patchy pubescence. In all other respects they are "typical" S. pedicellaris and are assumed to be backcrosses between S. athabascensis X pedicellaris and *S*. pedicellaris [Map 2].

Salix pedicellaris is closely related to the Eurasian S. myrtilloides L. from which it can be distinguished by the characteristics listed in Table 10.

Section 10. Hastatae Kern.

23. SALIX HASTATA L.

S. hastata L. Sp. Pl. 1017. 1753.

S. farrae Ball. Contr. US. Nat. Herb. 22: 321. 1921. (Type: Farr 558, US). S. hastata var. farrae Hult. Ark. Bot. 11. 7: 42. 1967.

S. farrae var. waipolei Cov. and Ball. Bot. Gaz. 71: 435. 1921. [Type: Walpole *1624*, US). S. walpolei Ball. Madrono *6*: 231. 1942. S. farrae ssp. walpolei att. to Ball by Hult. Fl. Alaska and Yukon 3: 532. 1943.

- S. hastata ssp. S. psiloides Flod. Sv. Vet. Akad. Ark. Bot. 20A: 54. 1926
- S. farrae var. rnicroserrulata Ball, Univ. Calif. Publ. Bot. 17: 410. 1934.

Description of species

Shrubs 2-7 (10) (dm tall in Arctic, 1-3 m tall in interior; branches brown, usually glabrescent but indumentum may persist for 2-3 years; branchlets reddish brown, commonly white villous with short curved trichomes, sometimes sparsely pubescent to glabrescent. Leaves elliptic to obovate, the largest mature leaves 2.5-4-6.8 cm long, 0.1-2-3.2 cm wide and 1.6-2.3-2.6 (3.4) times as long as wide; apex acute to more or less attenuate: base acute or round; margins entire or indistinctly and irregularly glandular serrulate, revolute; the lower side of immature leaves sparsely pubescent with white or white and ferruginous trichomes, pale; the upper side of mature leaves glabrescent and glossy, ferruginous trichomes often persistent on the midrib, the

lower side glabrous or glabrescent, thinly glaucous or pale and non-glaucous; petioles 1.5-4-6 (9) mm long, reddish, pubescent adaxially: stipules 1-4 (6) mm long, ovate to elliptic, margins glandular dotted. Aments coetaneous, on short, leafy, floriferous branchlets. Staminate aments 1.3-2.5 cm long, floriferous branchlets 0.1-3 mm long with small bract-like leaves; stamens 2, filaments 3-4.4 mm long, glabrous: anthers 0.4-0.6 mm long. Pistillate aments 2.5-4-7 cm long, often loosely flowered, floriferous branchlets 5-12 mm long; pistils 2-4 mm long, green and more or less reddish on lower half, glabrous, capsules 3.2-8 mm long, occasionally bifid; stigmas small 0.2-0.3 mm long, 2-4-lobed; stipes 0.4-0.8 (1.2) mm long, sparsely pubescent, nectaries 1, adaxial, 0.3-0.6 mm long, broad at base and tapering toward apex, about 0.5 times as long as stipe; bracts narrowly oblong, apex acute, 1.2-1.8 mm long, light brown or bicolour, sparsely pubescent on both sides with long straight trichomes.


Habitat	Range
Salix thickets along rivers and streams; sandy tundra: Carex-Erio-phorum meadows.	Arctic, montane: Northern Alaska; mountains of central Alaska; Alaska Range; Dawson, Yukon Territory; northwestern Northwest Territories; Eurasia (Map 32).

Discussion

Salix hastata is characterized by branches villous with short, curved trichomes; leaves with ferruginous trichomes on upper surface, especially the upper surface of the immature leaves, non-glaucous beneath becoming pale or sparsely glaucous and with more or less entire to irregularly glandular serrulate margins: and pistils reddish, especially at base, borne on very short stipes.

If is closely related to S. barclayi. and reports of the latter species from arctic Alaska are usually misidentifications of S. hastata. These species may be distinguished as in Table 11. For a comparison with S. novae-angliae, S. myrtillifolia and S. commutata see Table 13.

I agree with Hulten (1967) that S. farrae and S. walpolei should be included within the Eurasian S. hastata. Salix hastata is highly variable; three subspecies are recognized by Rechinger [1964) in Flora Europea and one variety (var. farrae) is recognized in North America (Hulten 1967). The North American taxon S. hastata var. farrae has a disjunct distribution in southeastern British Columbia, in Alberta, Idaho, Montana and Wyoming, and is distinguishable from the northern populations by its sparsely pubescent branchlets and leaves distinctly glaucous beneath. However, the other characteristics cited by Ball (1934) and reiterated by Hulten (1967). such as yellowish branchlets, smaller, narrower leaves, shorter aments, and so on, are of doubtful reliability. I am not convinced the variety is taxonomically useful. Salix hastata in North America requires critical field study.



Map 32 Salix hastata. Circle based on Skvortsov, 1966

Characteristics	hastata	barclayi
leaf glaucescence	non-glaucous or thinly glaucous beneath	glaucous beneath
leaf pubescence	ferruginous trichomes on immature leaves	no ferruginous trichomes
leaf colour	not dryinq dark	often drying dark
petioles	reddish	green
style length	0.2-0.4 mm	0.6-1.6 mm
pistiis	reddish. at least at base	green

Section 11. Cordatae Barr. ex Hook.

24. SALIX RIGIDA Muhl.

S. rigida Muhl. in Muhl. and Willd. Neue Schr. Ges. Nat. Fr. Berlin 4: 236. 1803.

S. cordata (ssp.) rigida Anderss. Kg. Sv. Vet. Akad. Handl. 6: 158. 1867.



Salix rigida Muhl. Argus 6069

S. cordata Muhl. *in* Muhl. and Willd. Neue Schr. Ges. Nat. Fr. Berlin 4: 236. 1803, non Michx. 1803.

S. cordata *y* [var.] rnackenzieana **Hook.** Fl. Bor.-Am. **2**: 149. 1838. [Type: Richardson *s.n.* GH). S. mackenzieana Barr. ex Hook. Fl. Bor.-Am. 2: 149. 1838, pro. syn. *S.* mackenzieana Barr. ex Anderss. Kg. Sv. Vet. Akad. Handl. 6: 160. 1867. (as mackenziana). S. *X* mackenzieana Anderss. *in* DC. Prodr. 16 (2): **252.** 1868. (as S. cordata X rostrafa). S. rigida var. mackenzieana Cronq. *in* Hitchcock. Cronquist. Ownbey and Thompson, Vas. Pl. Pacific NW. 2: 63. 1964.

S. mackenzieana var. macrogemma Ball, *in* Piper and Beattie. Fl. Northwest Coast 116. 1915. *S.* rigida var. macrogemma Cronq. *in* Hitchcock, Cronquist. Ownbey and Thompson, Vas. Pl. Pacific NW. 65. 1964.


Description of species

Shrubs 0.3-3 m tall; branches reddish brown, glabrous and glossy; branchlets reddish brown to yellow green, glabrous or velutinous. Leaves narrowly oblong-obovate, 5-10.5 cm long, 1.2-2 cm wide and 3.7-5-6 times as long as wide: apex gradually to abruptly acuminate; base round to rarely subcordate: margins serrulate: immature leaves reddish, translucent, densely to sparsely pubescent; the upper side of mature leaves glabrescent, the midrib often remaining velutinous, the lower side glaucous and glabrescent: petioles 8-17 mm long, reddish, velutinous adaxially; stipules narrowly elliptic to ovate, 5-9 (20) mm long, margins serrulate; buds velutinous to glabrescent, inner bud scale separating from the outer and often clinging to base of shoot. Aments coetaneous or subprecocious. on short, floriferous branchlets. Staminate aments 1.5-2.5 cm long; floriferous branchlets 2-5 mm long; stamens 2, filaments connate at base, glabrous; anthers 0.5-0.6 mm long. Pistillate aments 3-5 cm long: floriferous branchlets 3-13 mm long; pistils slender, reddish or greenish and glabrous, capsules 4-5 mm long, tawny; styles 0.5-0.75 mm long; stigmas small; stipes 1-2 mm long, glabrous, nectaries 1, adaxial, 0.2-0.5 mm long, ca. 0.25-0.5 times as long as the stipe: bracts narrowly elliptic, apex acute and reflexed in fruit, 1-2 mm long, tawny to dark brown, sparsely villous.

Habitat	Range
Sand bars and mud flats along rivers.	Boreal; infrequent in southern Yukon and adjacent British Columbia: south- ward to Washington, California, and Arizona; eastward to Newfoundland and Virginia (Map 33).

Discussion

Salix rigida is a transcontinental North American species which just barely enters southern Yukon. The northwestern North American populations are sometimes treated as the species S. mackenzieana [Raup 1959) or as S.



Map 33 Salix rigida

rigida var. mackenzieana (Cronquist 19641. The taxon mackenzieana is supposed to be distinguished from S. rigida by its longer stipes (3-4 mm long in fruiting material) and immature leaves glabrous, or nearly *so*. I have not found these characteristics to be consistent or useful in distinguishing between mackenzieana and rigida. and I prefer to recognize them both under the latter name until the entire complex can be studied

the latter name until the entire complex can be studied. Salix rigida is closely related to *S.* monticola, and although it may be distinguished by its narrower leaves and shorter styles (Table 12). there are intergradations in leaf shape in southern Yukon and the two may eventually be combined on the varietal level.

25. SALIX MONTICOLA Bebb

S. monticola Bebb in Coult. Man. Bot. Rocky Mt. Reg. 336. 1885. (Type: Greene s.n. F).

S. cordata var. monticola Kelso. Biol. Leafl. 34: 7. 1946.

S. padifolia Rydb. Bull. Torr. Bot. Club 28: 272. 1901. non Anderss. 1859.

I

Ι

Characteristics	rigida	monticola	barclayi
immature leaves	reddish, translucent	reddish. translucent	green. opaque
leaf shape	narrowly oblong-obovate	elliptic or obovate	elliptic or obovate
leaf I/w	3.7.5-6	1.4-2-2.8	1.6-2.1-2.8
oetioles	reddish	reddish	green
branchlet pubescence	glabrous or velutinous	glabrous or sparsely pubescent	densely to sparsely villous
flowering time	coetaneous or subprecocious	precocious	coetaneous
floriferous branchlet length	0.3-1.3 cm	0-0.5 cm	(0.511-2(3) cm
style length	0.5,-0.75 mm	0.8-1.2 rnm	0.6-1.6mm

Table 12 comparison able: Saiix rigida. S. monticola and S. barclayi

(Type: Rydberg & Vreeland *6389*, NY). S. padophylla Rydb. Bull. Torr. Bot. Club 28: 499. 1901. S. pseudomonticola Ball var. padophylla Ball, J. Wash. Acad. Sci. 28: 450. 1938. S. barclayi var. padophylla Kelso, Biol. Leafl. 34: 8. 1946.


S. pseudomonticola Ball in Standl. Contr. US. Nat. Herb. 22: 321. 1921. [Lectotype: Sanson 233, US]. S. barclayi var. pseudomonticola Kelso, Biol. Leafl. 34: 8. 1946.

Description of species

Shrubs 1-2-4 m tall: branches dark reddish brown to yellow brown, glossy; branchlets yellow green. glabrous or sparsely pubescent to glabrescent and glossy. sometimes sparsely glaucous. Leaves narrowly elliptic, elliptic or obovate, the largest mature leaves 4.1-6.9 (8) cm long, 2.0-3.3 (4) cm wide and 1.4-2-2.8 times as long as wide; apex broad and abruptly acuminate to acute; base obtuse, round to subcordate, often inequilateral; margins glandular crenate-serrulate; immature leaves reddish, translucent and sparsely pubescent, the midrib often remaining reddish; the upper side of mature leaves green and glabrous or glabrescent, the lower side glabrescent and glaucous; petioles 6-12 (20) mm long, usually reddish, glabrous or pubescent: stipules ovate with round apex, 1-5-12 mm long, margins crenate-serrulate or often indistinctly so, glabrous on both sides and glaucous beneath. Aments precocious, usually sessile or on very short floriferous branchlets bearing several bract-like leaves. Staminate aments 2.5-3 cm long, sessile: stamens 2, filaments 2-3.5 mm long. distinct or connate at base, glabrous: anthers 0.4.0.5 mm long, drying purplish. Pistillate aments 4-9 cm long, usually sessile, floriferous branchlets less than 0.5 cm long; pistils about 4.5 mm long, green and glabrous, capsules 5.5-6.5 mm long, tawny; styles 0.8-1.2 mm long; stigmas 0.2-0.3 mm long, 2 slender lobes; stipes 0.9-1.5-2.2 mm long, glabrous: nectaries 1, adaxial, 0.3-0.8 mm long, 0.5-0.66 times as long as stipe; bracts narrowly oblong, apex rounded or attenuate, 1.2-2.4



Salix monticola Bebb. Pistillate specimen. Cody 8056 (left) and vegetative specimen, Argus 5121 (right)



Map 34 Saiix monticola

mm long, dark brown to blackish, sometimes bicolour. sparsely villous on both sides with long straight trichomes.

Habitat

Salix-Carex fens in drainage ways in Picea glauca forests; P. mariana muskegs: Populus balsamifera forests.

Range

Boreal: Central Alaska; eastern Alaska Range; across the southern half of Yukon Territory; Northwest Territories; southward in the cordillera to Colorado and New Mexico; eastward to Saskatchewan and South Dakota (Map 34).

Discussion

Salix monticola is characterized by precocious flowering, sessile aments, reddish immature leaves, petioles and lower midribs, small **rounded** stipules and sparse leaf and stem pubescence. It is a member of the complex including S. rigida and S. *barclayi*. The species may be distinguished on the basis of characteristics in Table 12. It is also related to S. myrtillifolia and S. novae-angliae, which can be distinguished from it by their non-glaucous



Salix barclayi Anderss. Argus 6080 (left) and Argus 6680 [right]

leaves. It may sometimes be confused with S. lanata ssp. richardsonii from which it may be distinguished by its small stipules and very sparse leaf and branchlet pubescence.

Salix monticola is a western North American species reaching its northwestern distributional limit in central Alaska. It varies somewhat in the Rocky Mountains, and two specific names have been based on differences in leaf shape. I am following Cronquist (1964) in combining the broad-leaved S. padophylla with the narrower-leaved S. monticola. The species in Alaska and the Yukon is represented by the broad-leaved variant.


26. SALIX BARCLAYI Anderss

S. barclayi Anderss Ofvers. Vet. Akad. Forh. (Stockh.] 15: **125.** 1858. (Type: Barclay s.n. photo and frag. A).

- S. barclayi f. rotundifolia Anderss. in DC. Prodr. 16(2): 254. 1868
- S. barclayi f. grandifolia Anderss. in DC. Prodr. 16(2): 254. 1868.
- S. barclayi f. angustifolia Anderss. in DC. Prodr. 16(2): 255. 1868.
- S. conjuncta Bebb, Hot. Gaz. 13: 111. 1888. (Type: Parry s.n. F).

Description of species

Shrubs usually 1-3 m tall, but varying from prostrate to 7 dm or up to 5 m tall; branches dark reddish brown or sometimes chestnut brown, glabrous or with indumentum persistent for two years; branchlets yellow green, glossy, densely to sparsely villous with long straggly trichomes, becoming sparsely pubescent or glabrescent, occasionally glabrous. Leaves elliptic or obovate, rarely narrowly elliptic, the largest mature leaves 3.3-7 (9.9) cm long, 1.2-3.5 (4.8) cm wide, 1.6-2.1-2.8 (4) times as long as wide; apex broad, the tip acuminate or acute; base commonly rounded, sometimes subcordate or acute and inequilateral; margins glandular serrulate, occasionally subentire; the upper side of immature leaves sparsely villous, especially along midrib, the lower side glabrous or very sparsely pubescent; the upper side of mature leaves glabrescent but indumentum may persist along midrib, the lower side glabrous and glaucous, leaves green in life, drying dark brown or blackish especially along the venation; petioles 3-6-14 (20) mm long, tawny. villous adaxially; stipules 1.5-5.13 (22) mm long, ovate or narrowly elliptic, the apex round or attenuate, margins glandular dotted or glandular serrulate. the lower half of upper side often glandular dotted, the lower side glabrous and glaucous. Aments coetaneous. on leafy, floriferous branchlets. Staminate aments 2.5-4 cm long, floriferous branchlets 5-11 mm long: stamens 2, filaments 5.6-6.5 mm long, glabrous, distinct: anthers 0.6-0.7 mm long. Pistillate aments (2.5) 4-7 (8) cm long, floriferous branchlets (0.5) 1-2 (3) cm long: pistils about 3.5 mm long, green and glabrous, capsules 5-6.5 mm long: styles 0.6-1.6 mm long; stigmas 0.4-0.6 mm long, 2-lobed; stipes 0.4-



Map 35 Salix barclayi

1.4 mm long, glabrous or pubescent: nectaries 1, adaxial, 0.4-0.8 mm long, about 0.5 times as long as stipe; bracts narrowly oblong, apex acute to attenuate, 1.6-2.8 mm long, light brown, dark brown or bicolour and apex darker, pubescent on both sides with long straight trichomes.

Habitat	Range
Large Salix thickets on glacial mo- raine: lake and river shores: subal- pine and alpine slopes; occasionally in muskegs, fens, Picea glauca-Popu- lus tremoloides, and Picea sitchensis forests.	Boreal: Southern coastal Alaska from the eastern Aleutian Islands to Hyder: Alaska Range; Tanana River; south- ern Yukon and adjacent Northwest Territories: southward in the Rocky Mountains to British Columbia, Washington, and Alberta (Map 35).

Discussion

Salix barclayi is characterized by elliptic to obovate leaves sparsely pubescent above and glabrous and glaucous beneath, often drying brownish, margins glandular serrulate, stipules prominently glandular dotted above: pistils glabrous and nectaries half as long as the stipes. It is related to novae-angliae, S. myrtillifolia and S. commutata from which it may be distinguished by its glaucous leaves (Table 12); to S. hookeriana from which it may be distinguished by a series of characteristics including its prominent stipules and glabrous mature leaves (see S. hookeriana for discussion); to S. monticola, S. rigida [Table 12] and to S. hastata [Table 11], each of which should be referred to for further discussion.

This species forms relatively constant populations in reference to branchlet pubescence, leaf shape, pubescence and serration and to stipule size and shape in southern coastal Alaska, from the Kenai Peninsula southward. At the northwestern end of this range the branchlets tend to be more glabrescent, and further westward to the Aleutian Islands specimens with leaves sparsely pubescent at maturity become more frequent. In the Alaska Range there are specimens with large and more persistent stipules, some with inequilateral, attenuate apices resembling *S.* lanata ssp. richardsonii. These specimens can be distinguished from *S.* lanata ssp. richardsonii by their narrower leaves, more distinctly serrulate leaf margins and by aments borne on leafy, floriferous branchlets [see Table 18].

In northwestern British Columbia, between Alaska and the Yukon, there is a possible introgressive population which deserves some comment. On the south side of Chilkat Pass S. barclayi has the typical coastal stipule and branchlet morphology. The stipules are ovate or narrowly elliptic, round or attenuate at the apex, shorter than the petioles and not persistent

year; the branchlets are glabrous to sparsely villous. However, in the alpine vegetation on Chilkat Pass (between the coastal and the interior drainages on the Haines Highway) there is a population of S. barclayi which approaches S. lanata ssp. richardsonii in some morphological characteristics. The stipules are broader at the base and the apex is inequilaterally attenuate: the stipules are longer than the petioles [Fig. 4). and are often persistent into the second year. The branchlets are more coarsely villous with more persistent pubescence. The specimens can be identified as S. barclayi on the basis of aments borne on distinct, leafy, floriferous branchlets, a characteristic which does not vary in the intermediate population, but S. lanata SSP. richardsonii also occurs in these alpine populations and hybridization and introgression may be an explanation for this unusual variation within S. barclayi.

See S. stolonifera for a discussion of hybridization with S. barclayi.

27. SALIX HOOKERIANA Barr.

S. hookeriana Barr. in Hook. FI. Bor.-Am. 2: 145. 1838.

S. amplifolia Cov. Proc. Wash. Acad. Sci. 2: 282. 1900. (Type: Coville & Kearney 1153, US).

Description of species

Trees or shrubs 0.6-1-5 (8) m tall, rarely prostrate, the largest stems about



Salix hookeriana Barr. Argus 6126

13 cm in diameter: branches thick and very brittle, reddish brown, usually with lanate or villous-lanate indumentum persistent for 2-3 years; branchlets usually densely white villous-lanate and remaining so throughout the year, sometimes becoming sparsely villous; buds densely white villous. Leaves broadly elliptic to elliptic or broadly obovate, the largest mature leaves 3.6-7 (10.31 cm long, 1.9-3.9-6.3 cm wide and 1.5-1.9 (2.1) times as long as wide: apex round, with acute tip or obtuse, often conduplicate when pressed; base round; margins distantly and irregularly glandular crenate especially near the base, often crisped in life, sometimes entire, often more or less revolute; immature leaves densely white villous on both sides; the upper side of mature leaves sparsely pubescent, yellow green and glossy, the lower side sparsely villous to glabrescent except for the midrib which retains long straight trichomes, thinly glaucous; petioles 4-12 mm long, densely white lanate to sparsely villous; stipules usually absent but sometimes present on vigorous shoots, 0.5-1.8 (2.5) mm long. Aments coetaneous or subprecocious, on leafy, floriferous branchlets. Staminate aments 2.5-5.5 cm long, usually very thick, floriferous branchlets 0-0.5-2.3 cm long, densely villous, leaves usually small and bract-like: stamens 2, filaments about 9 mm long, glabrous, distinct or slightly connate at base; anthers (0.51 0.8-1 mm long. Pistillate aments 2.2-8-14 cm long, ovaries at distal end sometimes undeveloped, capsules at proximal end usually reflexed, floriferous branchlets 1-3.5 cm long with normal or bract-like leaves; pistils 3.6-6.4 mm long, green, glabrous or partially or completely lanate, capsules up to 8-10 mm long, tawny; styles 1.1-2.3 mm long, red in life; stigmas 0.5-0.6 mm long; stipes 0.6-1.8 mm long, lanate: nectaries 1, adaxial, 0.6-0.8 mm long, 1-2lobed, about 0.5-0.66 times as long as stipe; bracts broadly oblong, apex rounded, sometimes retuse or acuminate, 2.4-3.6 mm long, brown or blackish, villous on both sides.

Habitat

Range

Stabilized sand dunes: wet Carex meadows near coast; beach ridges; edges of Heracleurn-Angelica meadows; Salix thickets on morainal flats.

Pacific coastal: Yakutat Bay region; Childs Glacier: Middleton Island: **Ko**diak Island; southwestern British *Co*lumbia; Washington; Oregon: California (Map 36).

Discussion

Salix hookeriana is a very distinctive coastal tree or shrub characterized by brittle branches: densely villous-lanate branchlets with long, persistent villous trichomes at the base; leaves pubescent on both sides, although sometimes sparsely so; stipules apparently absent except on vigorous sprout shoots, or, if present, very small; aments often very stout and long, pistils glabrous or pubescent and styles red in life.

This species is related to S. barclayi. but it is not conspecific with it as maintained by Hulten (1967). The two are amply distinct and show no intergradation even within sympatric populations at Yakutat and Tanis Mesa in southern coastal Alaska. Salix hookeriana can be distinguished from S.




Fig. 4 The variation in stipule and petiole length in Salix barciayi. A population from the Three Guardsman Pass, Haines Highway, British Columbia (circles) is generally char-


acterized by having larger stipules than the coastal populations [dots). However, wide variation is revealed in both regions, The scales are logarithmic,

barclayi by its brittle branches, villous-lanate branches and branchlets, leaves pubescent beneath, stipules absent or very small and red styles.

Salix hookeriana was first described from Alaska as S. amplifolia and was, until 1967, known only from the type material. In 1967 I revisited the type region at Yakutat Bay and found this willow to be abundant as a tree on

stabilized coastal sand dunes. It was subsequently recognized and collected near the town site of Yakutat and at Tanis Mesa. Positively identified specimens, originally cited as *S.* barclayi and its hybrids (Thomas 1957), have since been seen from Middleton Island. In addition, more or less equivocal specimens have been seen from Childs Glacier near the Copper River and from Kodiak. This species should be sought in suitable habitats elsewhere in coastal Alaska.

The decision to combine S. amplifolia with S. hookeriana was reached after careful consideration of ample material of both taxa. Each of these taxa is



Map 36 Salix hookeriana. Circle based on a specimen of doubtful identity

highly variable, and the differences which have been used to differentiate between them, such as style length, leaf pubescence and size of the floriferous branchlets, are in themselves highly variable and not diagnostic.

Salix hookeriana has been reported for eastern Siberia by Floderus (1933) who cited a collection from the Anadyr region, and by Nasarov (1936) from Len-Kolymsk [Zhiganska]. Skvortsov (1966) is inclined to doubt the accuracy of these records.

28. SALIX COMMUTATA Bebb

S. commutata Bebb, Bot. Gaz. 13: 110. 1888. [Type: Cusick 826, F).

S. barclayi var. commutata Kelso, Biol. Leafl. 34: 8. 1946.

S. commutata var. denudata Bebb, Bot. Gaz. 13: 111. 1888. [Type: Cusick 1304cF).

S. commutata var. puberula Bebb. Bot. Gaz. 13: 111. 1888.

S. commutata var. sericea Bebb, Bot. Gaz. 13: 111. **1888.** [Type: Howell s.n. F). S. commutata (ssp.] mixta Piper, Contr. US. Nat. Herb. 11: 216. 1906.



Salix commutata Bebb. Argus 6588

Description of species

Low shrubs 0.2-1 (2) m tall; branches dark brown, sometimes remaining pubescent for two years: branchlets densely white lanate to sparsely villous. Leaves elliptic to broadly or narrowly elliptic, the largest mature leaves (2.8) 3.5-5.5 (10) cm long, 1.3-3.4 (4.4) cm wide and (1.5) 1.7-2.6 (3.4) times as long as wide; apex acute, acuminate on vigorous leaves: base round or rarely subcordate; margins glandular serrulate on proximal half and entire on distal half or completely entire or completely glandular serrulate; immature leaves densely villous on both sides: the upper side of mature leaves yellow green, villous with long straggly trichomes, the lower side villouslanate with mixture of long straight and short curly trichomes, green [nonglaucous) and glossy, leaves sometimes becoming sparsely villous on both sides: petioles short, 1.5-7 (10) mm long, villous; stipules half-ovate. (0.8) 1-6 (9) mm long, green, sparsely villous and glandular serrulate. Aments coetaneous, on leafy, floriferous branchlets. Staminate aments 1.5-3.5 cm long, floriferous branchlets 0.6-2 cm long; stamens 2, filaments 5-7 mm long, glabrous, distinct or connate below; anthers 0.4-0.9 mm long. Pistillate aments 3.5-7 cm long, floriferous branchlets 1.2-3.5 cm long; pistils pyriform, 2-4 mm long, usually reddish but sometimes greenish, glabrous, capsules 4.4-6.4 mm long, reddish, greenish or tawny; styles 0.6-1.2 mm long: stigmas about 2 mm long, 2-lobed: stipes 0.3-1.2 mm long, glabrous; nectaries 1, adaxial, 0.3-0.6 mm long, 0.5-0.66 time as long as stipe; bracts narrowly oblong, apex acute, 1.1-2 mm long, tawny, dark brown or bicolour and darker at apex, pubescent with short wavy or long straight trichomes.


Habitat	Range
A pioneer species onglacial moraine and rocky slopes; alpine tundra (up to 5,000 ft]; gravel benches along rivers; Salix thickets in wet fens,	Alpine, boreal: Southern coastal Alas- ka from Unalaska: Aleutian Islands; Kodiak Island; Kenai Peninsula: cen- tral Alaska Range; southward to the northern end of southeastern Alaska: southern Yukon Territory, especially the mountains near the Northwest Territories boundary: adjacent North- west Territories and British Colum- bia; southward in the cordillera to California, Utah, Montana, and Wyo- ming (Map 37).

Discussion

Salix commutata is characteristically a late-flowering species with non-glaucous leaves which have a distinctly straggly pubescence composed of a mixture of curly and straight trichomes. The petioles are short (1.5-7 mm long) and the stipules are often as long as the petioles. The pistils are usually reddish or reddish orange but may grade into yellow green. This species is related to S. novae-angliae, S. myrtillifolia and is similar to S. hastata. These



Salix novae-angliae Anderss. Argus 6935 (left) and Argus 5067 [right)



Map 37 Salix commutata

taxa may be distinguished as in Table 13. Since S. commutata is often sympatric with S. barclayi the two are sometimes confused, but the distinctive non-glaucous leaves and persistent pubescence on both sides of the leaves. as well as the reddish pistils, serve to distinguish S. commutata.

Salix commutata is variable in leaf shape and pubescence, margin dentition and pistil colour. Two varieties have been based on variation in leaf indumentum, var. denudata and var. sericea, but they seem to be well within the normal variational limits for the species. Immature leaves are usually densely villous, but as they unfold, the lower surface near the apex may become glabrescent, and throughout leaf ontogeny the general pubescence progressively diminishes so that old leaves may be almost glabrescent. The leaf margin dentition varies considerably, from entire to glandular serrulate on the lower half only, to entirely serrulate with all intermediate stages possible. Some specimens with serrulate leaf margins were recognized by Hulten (1943) as the hybrid S. commutata X myrtillifolia. In my judgement, there is no justification for using hybridization to explain this variation. I

Ι

I

I

Characteristics	commutata	novae-angliae	myrtillifolia	hastata
leaves beneath	non-glaucous	non-glaucous	non-glaucous	non-glaucous or thinly glaucous
immature leaf pubescence	densely villous with white trichomes	sparsely villous with white or rarely ferruginous trichomes	glabrous	pubescent with white or ferrugi- nous trichomes
mature leaf pubescence	sparsely villous- lanate	glabrescent	glabrous	glabrescent
pistil colour	usually reddish	green	green	partly reddish
leaf margins	serrulate to entire	crenate	crenate to cre- nate-serrulate	entire or irregu- larly serrulate
style length	0.6-1.2 mm	0.5-0.9 mm	0.3-0.5mm	0.2-0.4 mm

Table 13 Comparison table: Salix commutata, S. novae-angliae, S. myrtillifolia and S. hastata

29. SALIX NOVAE-ANGLIAE Anderss


S. novae-angliae Anderss. Kg. Sv. Vet. Akad. Handl. 6: 160. 1867. (Type: Drummond 665, NY).

S. myrsinites L. (ssp.) S. pseudomyrsinites Anderss. Ofvers. Vet. Akad. Forh. (Stockh.) 15: 129. 1858. *S.* novae-angliae (ssp.) S. pseudomyrsinites Anderss. Kg. Sv. Vet. Akad. Handl. 6: 160. 1867. *S.* novae-angliae (var.) pseudomyrsinites Anderss. *in* DC. Prodr. 16 (2): 253. 1868. *S.* myrtillifolia Anderss. var. pseudomyrsinites Ball ex. Hult. Fl. Alaska and Yukon 3: 538. 1943.

S. myrsinites L. (ssp.) S. curtiflora Anderss. Ofvers. Vet. Akad. Forh. (Stockh.) **15:** 130. 1858. S. novae-angliae (ssp.) S. pseudocordata Anderss. Kg. Sv. Vet. Akad. Handl. **6:** 161. 1867. S. novae-angliae (var.) pseudo-cordata Anderss. *in* DC. Prodr. 16 (2): 253. 1868. S. myrtillifolia (ssp.) curtiflora Rose, Contr. U.S. Nat. Herb. 3: 573. 1896. S. pseudocordata Rydb. Fl. Colo. 94. 1906.

Description of species

Erect shrubs 0.6-2-4 m tall; branches greyish brown or dark reddish brown, indumentum may persist for 2-3 years or the branches soon become glabrate, glaucous; branchlets usually densely white villous with long straight trichomes, becoming sparsely pubescent with straight and curved trichomes, sometimes glaucescent. Leaves narrowly elliptic to narrowly obovate, the largest mature leaves 3.2-4.5-6.8 cm long, 1-1.7-2.7 cm wide and 2-2.8-4.8 times as long as wide; apex broadly acute to obtuse or round; base round: margins glandular crenate or glandular crenate-serrulate; immature leaves reddish and villous; the upper side of mature leaves glabrescent, but midrib remaining pubescent with white or sometimes ferruginous trichomes, glossy, the lower side usually glabrescent, rarely sparsely villous, glossy, pale green, non-glaucous. the leaves becoming brownish on drying; petioles



Map 38 Salix novae-angliae

2.5-3.7 mm long, yellow green, pubescent adaxially: stipules semi-ovate 0.5-2-7 mm long, margins glandular and more or less crenate, Aments coetaneous, on leafy, floriferous branchlets. Staminate aments 1.5-2 cm long, floriferous branchlets about 3 mm long; stamens 2, filaments about 2.5-4 mm long, glabrous: anthers 0.4-0.7 mm long. Pistillate aments (1.5) 2.2-3-4.5 cm long, floriferous branchlets 0.5-1-1.8 cm long; pistils 4-5.5 rnm long, green, glabrous, capsules 4.4-6.4 mm long; styles 0.5-0.9 mm long: stigmas 0.2-0.4 mm long; stipes 0.8-1.4 mm long, glabrous: nectaries 1, adaxial, 0.2-0.4 mm long, about 0.25 times as long as stipe; bracts oblong, apex rounded, 0.7-0.9 mm long, bicolour. apex dark brown and tawny below, or uniformly brown, glabrescent or pubescent **on** both sides with long wavy trichomes.

Habitat

Range

Salix thickets on shores of lakes, streams, and rivers with Betula glandulosa-Alnus or *Populus* balsamifera: prairie margins; muskegs. Boreal: Central Alaska; southern half of Yukon Territory and adjacent Northwest Territories; southward in the cordillera to California; eastward to Saskatchewan [Map 38).



```
Salix myrtillifolia Anderss. Argus 373-58
```

Discussion

Salix novae-angliae is characterized by erect shrubs 0.6-2-4 m tall: leaves green on both sides, sometimes pale beneath but non-glaucous. often drying brownish, margins glandular crenate; pistils glabrous, stipes about 1 mm long and about 4 times as long as the nectary.

This species is closely related to S. myrtillifolia and has long been confused with it in Alaska and the Yukon. However, it has been evident to students of western Canadian flora and Alaskan flora that there are two related elements in this area, one a low. spreading shrub (S. myrtillifolia) and the other a tall shrub (S. novae-angliae). In 1943 Hulten recognized the tall shrub as S. myrtillifolia var. pseudomyrsinites and contrasted it with S. pseudocordata with which it is probably synonymous. Hulten's comments on this taxon confused students of the group because he stated that the styles are 1 mm long or longer, whereas they are 0.5-0.9 mm long, and that they have glaucous leaves, whereas they are non-glaucous. In 1968 Hulten stated that var. pseudomyrsinites has "acute. long leaves and longer styles" and that the variety seems to represent hybrid forms. I agree with his morphological differences, but I know of no evidence that suggests that this taxon represents hybrid forms. Raup (1959) also commented on the binary nature of S. myrtillifolia but noted that the taller plants were connected with the shorter plants by a series of transitional forms. My studies have not led to the same conclusion, and I am able to describe a combination of characteristics which can be used to distinguish S. novae-angliae from S. myrtillifolia (Table 14).

The characteristics of plant height and leaf pubescence are usually diagnostic and, when combined with style and stipule length, permit the identification of all specimens. It is hoped that distinguishing these species will result in eco-geographical information that will further improve our understanding of their taxonomy.

There is a serious nomenclatural problem associated with S. novae-angliae and S. myrtillifolia which can only be resolved by a study of the Drummond. Bourgeau, Richardson and Burke material originally studied by Andersson (1858), and by the typification of his taxa. I have seen one specimen, Drummond 665, Rocky Mountains (NY), which was originally determined by Andersson as S. myrsinites L. and was probably a part of the original material on which the inadmissible names S. myrsinites (ssp.) S. pseudomyrsinites or S. myrsinites (ssp.) S. curtiflora were based. These names were later changed to S. novae-angliae [ssp.) S. pseudomyrsinites and S. novae-angliae [ssp.] S. pseudocordata. respectively [Andersson 1867]. The Drummond specimen is typical of what is usually called S. pseudocordata in western Canada, a name which represents, at least in part, Andersson's S. novaeangliae. Until further original material can be studied, it seems best to assume that Andersson's name, S. novae-angliae, circumscribes two recognizable elements: one is S. novae-angliae (S. pseudocordata or S. myrtillifolia var. pseudomyrsinites) and the other is S. myrtillifolia. Until the nomenclatural problems surrounding Andersson's intraspecific names can be resolved and until his original specimens can be restudied, the recognition of S. novaeangliae and S. myrtillifolia as species will emphasize their distinctness and



Saiix pyrifolia Anderss. Pistillate specimen, Argus 7481, 9 VII 1969, Big Country Pond, Newfoundland. GWA (left) and staminate specimen, Argus 6079 (right)

Characteristics	novae-angiiae	myrtillifolia
habit	tall shrubs, 1-4 m tall	low. decumbent shrubs less than 1 m tali
leaf pubescence	juvenile and mature leaves pubescent at least on upper midrib	leaves glabrous
leaf length	3.24.5-6.8 cm	2.5-5 cm
leaf colour	paler beneath	green to pale beneath
stipule length	1-5 mm	minute to 1-2 mm
style length	0.5-0.9 mm	0.3-0.5mm

Table 14 Comparison table: Salix novae-angliae and S. myrtlllifolla

will avoid some of the confusion associated with the names S. pseudocordata and S. myrtillifolia var. pseudomyrsinites.


30. SALIX MYRTILLIFOLIA Anderss

S. myrtillifolia Anderss. Ofvers. Vet. Akad. Forh. (Stockh.) 15: 132. 1858.

S. novae-angliae Anderss. [ssp.) S. myrtillifolia Anderss. Kg. Sv. Vet. Akad. Handl. 6: 162. 1867. *S.* novae-angliae Anderss. *y* (var.) myrtillifolia Anderss. *in* DC. Prodr. 16(2): 253. 1868.

Description of species

Low shrubs 1-9 dm tall, usually decumbent or trailing and rooting along stem; branches greyish brown, glabrescent; branchlets greenish brown to dark reddish brown, glossy, sparsely pubescent with short curved trichomes, sometimes more or less glaucous; buds sparsely pubescent, sometimes glaucous. Leaves narrowly elliptic to narrowly obovate, the largest mature leaves 2-3.3-5.1 cm long, 0.9-1.5-2.2 cm wide and 1.7-2.2-3.6 times as long as wide: apex broad, the sides forming an acute angle but the tip round; base round or cuneate; margins glandular crenate to glandular crenate-serrulate: immature leaves glabrous, sometimes reddish and translucent: the upper side of mature leaves green, glossy and glabrous, the lower side pale green, glossy and glabrous, the leaves sometimes blackening on drying: petioles 1.5-8 mm long, tawny and glabrous: stipules narrowly elliptic, 0.2-1.8 (3) mm long, margins glandular, glabrous. Aments coetaneous, on short, leafy, floriferous branchlets. Staminate aments 1.3-3.5 cm long, floriferous branchlets 2-7 mm long; stamens 2, filaments about 2.5 mm long, glabrous; anthers 0.3-0.5-0.6 mm long. Pistillate aments 1.3-4.2 cm long, floriferous branchlets 3-10 mm long: pistils 3-3.5 mm long, glabrous and green, capsules 4-6 mm long, greenish or tawny: styles 0.3-0.5 mm long: stigmas about 0.2 mm long, 2 horseshoe-shaped lobes; stipes 0.6-1.6 mm long, glabrous: nectaries 1, adaxial, 0.2-0.4 mm long, 0.1-0.5 times as long as stipe: bracts narrowly



Map 39 Salix myrtillifolia

oblong, apex rounded, 0.4-1.1 mm long, dark brown or bicolour, darker brown to black at apex and tawny below, glabrous to sparsely pubescent abaxially. sparely pubescent with long straight or curly trichomes adaxially.

Habitat

Range

Muskegs: fens; wet lake margins; wet river banks: subalpine Picea glauca-Betula papyrifera thickets.

Boreal: Central Alaska; Mackenzie River Delta: southern half of Yukon Territory: eastward across boreal Canada to Newfoundland: south in the Rocky Mountains to British Columbia and Alberta (Map 39).

Discussion

Salix myrtillifolia is characterized by low, decumbent shrubs trailing in moss; leaves green on both sides, often drying brownish: very short styles (0.3-0.5 mm long): and bracts sparsely pubescent and shorter than the capsule bearing stipes. It is closely related to S. novae-angliae. which should be seen for discussion [Table 14].

Hulten (1968) maps three localities, outside the range presented here [Map 39]. which I have not verified: Cape Beaufort, Okpilak River region and Chignik. The first two records are highly suspect and are probably based on misidentifications. The latter record from the Alaska Peninsula may be correct, but I have not seen any specimens of S. myrtillifolia from this region; if the record is correct, it represents a significant range disjunction.

31. SALIX PYRIFOLIA Anderss.

S. pyrifolia Anderss. Kg. Sv. Vet. Akad. Handl. 6: 162. 1867

S. balsamifera Barr. ex Anderss. Ofvers. Vet. Akad. Forh. [Stockh.) 5: 125. 1858.

Description of species

Shrubs 1-3 m tall, branchlets glabrous, shiny, dark reddish brown, rarely greenish, drying black; buds and foliage with a balsam-like fragrance. Leaves narrowly elliptic, narrowly ovate to ovate, the largest mature leaves 3-6 (8.5) cm long, 2-3.5 (4) cm wide, and 1.6-2.5 times as long as wide; apex acute; base cordate to rounded; margins glandular serrulate on immature leaves, becoming coarsely serrate or crenate in age; immature leaves membranaceous and translucent. thinly pubescent or glabrescent, green on both sides or thinly glaucous beneath: mature leaves subcoriaceous, opaque, the lower surface reticulate veined and glaucous; petioles 7-15 mm long, pubescent, sometimes glandular at the distal end; stipules small, caducous. Aments coetaneous, on short, leafy, floriferous branchlets. Staminate aments 2-5 cm long, floriferous branchlets 5-7 mm long; stamens 2, filaments glabrous or pubescent at base Pistillate aments loosely flowered, 2.5-6 (9) cm long, floriferous branchlets 0.5-3cm long; pistils glabrous, capsules 5-9 mm long, spreading or reflexed; styles 0.5-1 mm long: stipes 2.5-4 mm long, nectary 1, adaxial; bracts oblong. 1.5 mm long, tawny and pilose.

Habitat	Range
Muskegs: fens; wet lake and slough margins.	Boreal: Known in Yukon Territory only from Palmer Lake on the west- ern flanks of the Mackenzie Moun- tains; western Northwest Territories; northeastern British Columbia, east- ward across boreal Canada to New- foundland; south to northern New York (Map 40).

Discussion

Salix pyrifolia is characterized by membranaceous and translucent immature leaves, subcoriaceous mature leaves with a reticulate lower surface and often with a cordate base. The buds and foliage have a balsam-like fragrance.

This distinctive species is known in our area only from Palmer Lake in northern Yukon. This record is a considerably northward extension of its



Salix bebbiana Sarg. Cody 8083 (left) and Argus 13-62 (right)

known range. It should be sought elsewhere in the wet forests and fens of the Yukon and northwestern Northwest Territories.

Section 12. Vetrix Dumort.

32. SALIX BEBBIANA Sarg.

S. bebbiana Sarg. Gard. and For. 8: 463. 1895. (Type: Richardson s.n. NY).

S. rostrata Richards. Bot. App. *in* Frankl. Journ. 753. 1823, non Thuill. 1799. S. cinerascens (var) occidentaiis Anderss. Ofvers. Vet. Akad. Forh. (Stockh.) 15: 122. 1858. S. vayans (ssp.) cinerascens (var.) occidentalis Anderss. Proc. Amer. Acad. Arts and Sci. 4: 16. 1858. S. vagans [ssp.) S. rostrata Anderss. Kg. Sv. Vet. Akad. Handl. 6: 87. 1867. S. livida var. occidentalis Gray, Man. Bot. 5th ed. 464. 1867. S. livida (var.) rostrata Dippel. Handb. Laubh. 2: 255. 1892. S. depressa L. ssp. rostrata Hiitonen, Mem. Soc. Faun. Fl. Fenn. 25: 82. 1950.


S. perrostrata Rydb, Bull. N.Y. Bot. Gard. 2: 163. 1901. (Type: Rydberg *1018,* NY). S. rostrata var. perrostrata Fern. Rhodora 16: 177. 1914. S. bebbiana var. perrostrata Schneid. J. Arnold Arb. 2:71. 1920.

S. xerophila Flod. Bot. Not. 1930: 334. 1930.

S. bebbiana var. depilis Raup. Sargentia 6: 159. 1947. (Type: Raup & Soper 9306, A).

Description of species

Shrubs to small trees 0.5-10 m tall; branches divaricate, reddish brown, pubescent to glabrescent; branchlets densely pubescent with straggly trichomes. Leaves elliptic to obovate or narrowly ovate, the largest mature leaves 2.6-6 (7.2) cm long, 1.2 (3) cm wide and (1.8) 2.2-3.5 (3.9) times as long as wide: apex acute to obtuse, often conduplicate when pressed: base round to obtuse, rarely acute; margins entire to crenate, slightly revolute; the upper side of mature leaves pubescent with straight and wavy trichomes, or alabrescent, the lower side sericeous-lanate with short wavy trichomes or glabrescent, glaucous and rugose; petioles 2-9 (12) mm long, pubescent; stipules deciduous, (0.4) 1-5.6 mm long. Aments coetaneous or subprecocious, on short, leafy, floriferous branchlets. Staminate aments 0.6-1.5 cm long, floriferous branchlets 1-3 mm long; stamens 2, filaments about 6 mm long, glabrous and distinct: anthers 0.5-0.8 mm long. Pistillate aments 2.8-5 cm long, floriferous branchlets 3-15 mm long; pistils 5.5-7 mm long, long-beaked, greenish, rarely reddish, sericeous, capsules 5.5-8.5 mm long, glabrescent to sparsely pubescent; styles 0.1-0.4 mm long; stigmas 0.4-0.7 mm long, 2.4-lobed; stipes 2.8-4.8 mm long, pubescent; nectaries 1, adaxial, 0.4-0.5 mm long, about 0.1 times as long as stipe; bracts narrowly oblong, apex acuminate, 1.2-3.2 mm long, tawny, rarely reddish at apex, sparsely pubescent becoming glabrescent.



Map 40 Salix pyrifolia

Habitat


Riverine and upland forests with Picea glauca. Betula papyrifera, Populus trernuloides: wet lowland thickets; Picea rnariana muskegs; prairie margins; dry south-facing slopes; disturbed areas, such as roadsides and burns.

Range

Boreal, temperate: Central Alaska: eastern Alaska Peninsula: Kodiak Island; Kenai Peninsula; absent in Pacific coastal Alaska from Prince William Sound to southeastern Alaska; southern half of Yukon Territory and adjacent Northwest Territories; transcontinental in boreal and temperate Canada: south in the cordillera to Arizona and New Mexico; eastward across northern United States: Eurasia: Kola Peninsula to Chukotsk Peninsula (Map 41).

Discussion

Salix bebbiana is one of the most common willows in the forested part of Alaska and the Yukon. It is characterized by rugose leaves with entire to crenate margins, deciduous stipules, pistils on very long stipes (2.8-4.8 mm



Map 41 Salix bebbiana. Circle based on Skvortsov. 1966, as S. xerophila

long). nectaries about 0.1 times as long as the stipes, and tawny bracts.

There is considerable variation in leaf and branchlet pubescence and in leaf rugosity within S. bebbiana. This variation has provided the basis for the description of a series of progressively more glabrescent taxa, from the pubescent and rugose-leaved var. bebbiana to the glabrescent, plane-leaved var. perrostrata to the almost glabrous var. depiiis. In the material that I have studied from Alaska and the Yukon, about 60 per cent are of the pubescent form and 40 per cent of the glabrescent form, with numerous intermediates. In the opinion of many authors, including Hulten (1943). Raup (1959). and Argus (1964), these variants are not worthy of taxonomic recognition and are considered here to be synonyms of S. bebbiana.

In 1950 Hiitonen decided, without presenting adequate documentation, that S. bebbiana should be regarded as a subspecies of its European relative and proposed the name S. depressa ssp. rostrata. In 1967 Hulten concurred in this judgement, also without providing explanation or justification. The proposal of this combination is unfortunate, for it further compounds a no-menclatural tangle which must be resolved. Linnaeus described S. depressa in 1753 and compared it with S. caprea: in the second edition of Species Plantarum (1763) he modified this view and decided that it was a variety of S. lanata (Skvortsov 1966). According to Enander (1907) the type material

I



Salix scouleriana Barr. Argus 6086 [left) and Argus 6840 (right)

of Linnaeus' S. depressa is a mixture of S. caprea and some hybrid form (Schneider 1917). It was Fries (1832) who used the name S. depressa to refer to the taxon under consideration. However, since he did not see the Linnaean type material, Skvortsov (1966) argues that we have no more reason for accepting Fries' view than that Linnaeus. In 1806 S. starkeana was described by Willdenow. This was followed by the description of two additional, but synonymous, names, S. livida Wahlenberg (1812) and S. vagans Andersson (1858). The name S. starkeana was accepted for the European taxon by Rechinger in Flora Europea (1964) and by Skvortsov in Flora Arctica URSS (1966). In addition, they both recognized a second taxon with a northern European-Asian distribution, S. xerophila, which differs from S. starkeana in that it has more pubescent leaves and branchlets, longer petioles (6-8 mm long) and pubescent filaments (Rechinger 1964). Skvortsov observes that these two taxa are connected by transitional forms, but prefers to treat S. xerophila as a separate species. He notes further that S. xerophila is very closely related, if not identical, to S. bebbiana — an observation with which I am in complete agreement. I have examined material of S. xerophila from Asia (in CAN and US) and I cannot distinguish it from the North American S. bebbiana. | therefore suggest that these names be treated as synonyms. However, this suggestion would not solve the problem of the correct application of S. depressa or of the taxonomic relationship between S. bebbiana and S. starkeana. I am inclined to recognize S. starkeana and S. bebbiana as distinct species in conformity with some recent taxonomic treatments (Rechinger 1964: Skvortsov 1966, 1968).

33. SALIX SCOULERIANA Barr.

S. scouleriana Barr. in Hook. Fl. Bor.-Am. 2: 145. 1838. (Type: Scouler s.n. photo and frag. A).

S. brachystachys var. scouleriana Anderss. *in* DC. Prodr. 16 (2): 224. 1868. S. flavescens var. .scouleriana Bebb. Bot. Gaz. 7: 129. 1882.

S. flavescens Nutt. N. Am. Sylva I :65. 1843, non Host, 1828. S. nuttallii Sarg. Gard. and For. 8: 463. 1895. S. scouleriana var. flavescens Henry, Fl. So. B.C. 98. 1915.

S. stagnalis Nutt. N. Am. Sylva 1: 66: 1842.

S. brachystachys Benth. Pl. Hartw. 336. 1857. *S.* scouleriana var. brachystachys M.E. Jones, Willow Fam. 15. 1908.

S. capreoides Anderss. Ofvers. Vet. Akad. Forh. (Stockh.) 15: 120. 1858. S. flavescens var. capreoides Bebb, Gard. and For. 8: 373. 1895. S. nuttallii var. capreoides Sarg. Gard. and For. 8: 463. 1895.

S. scouleriana var. poikila Schneid. J. Arnold Arb. 2: 12. 1920. *S.* scouleriana f. poikila Schneid. J. Arnold Arb. 3: 76. 1922.

S. scouleriana var. coetana Ball. J. Wash. Acad. Sci. 24: 73. 1934. (Type: Thompson *9297*, A).

S. scouleriana var. thompsoni Ball. J. Wash. Acad. Sci. 24: 75. 1934.

Description of species

Shrubs 2-7 m tall or trees 10-20 m tall and up to 7.2 dm in diameter at base: branches dark reddish brown to yellow brown, glossy, usually remaining pubescent for 2-3 years; branchlets greenish brown to brown, velutinous to villous-lanate. Leaves obovate, elliptic to narrowly elliptic, the largest mature leaves 5-6.5-8 cm long, (1.3) 2-3 cm wide and (2.1) 2.4-3.3 (4.9) times as long as wide; apex acute to round with acute tip, acuminate in narrower leaves; base cuneate: margins usually entire and distantly glandular, to irregularly glandular serrulate or subcrenate, revolute; immature leaves velutinous to villous-lanate; the upper side of mature leaves pubescent, becoming glabrate, dark green and glossy, the lower side sericeous, sometimes sparsely so, with appressed white and/or ferruginous trichomes, sometimessparsely to densely white villous, glaucous: petioles 5-10 mm long, 8-19 mm long on vigorous leaves, tawny and velutinous becoming reddish brown and sparsely pubescent; stipules minute to 0.8-3.5 mm long, 3.2-10 mm long on vigorous shoots, half ovate, glandular serrulate, dark green and glossy above, pubescent beneath. Aments precocious, often on short, leafy or bracteate, floriferous branchlets. Staminate aments 1.5-4 cm long, floriferous branchlets 0-3-7 mm long: stamens 2, filaments 5-6 mm long. glabrous to very sparsely pubescent at base; anthers 0.5-1 mm long. Pistillate aments 1.5-5 cm long, floriferous branchlets 0.2-2.5-15 mm long; pistils 4-8.5 mm long, grey green, densely sericeous, capsules 4.5-11 mm long, beak long and slender, tawny, sericeous, coma surrounding seeds often rusty coloured; styles 0.2-0.5 mm long; stigmas 0.6-1.2 mm long, 2-lobed, about 2 times as long as style; stipes 0.8-2 mm long, sericeous; nectaries 1, adaxial, 0.2-0.7 mm long, 0.33-0.5 times as long as stipe; bracts narrowly elliptic, apex acuminate, 2-4.5 mm long, dark brown to black, sometimes bicolour. villous on both sides with long straight trichomes about 2 times as long as bract.


Habitat

Range

Dry Pinus contorta and Picea mariana forests; muskegs; mature woods at edges of rivers and lakes; Salix thickets: meadows; disturbed areas. Boreal: Central Alaska: Kenai Peninsula; southeastern Alaska; Yukon Territory; southward to British Columbia, California, and New Mexico; eastward in the boreal forest to Manitoba and South Dakota (Map 42).

Discussion

Salix scouleriana is a precocious flowering species characterized by velutinous branchlets, usually obovate leaves with appressed, white and ferruginous trichomes or densely white villous beneath; pistils long-beaked and stigmas about 2 times as long as the styles.



Map 42 Salix scouleriana

This species is part of a complex including the eastern North American S. discolor Muhl. and S. humilis Marsh., the Eurasian S. caprea L. and the European S. coaetanea Flod. It is possible that, as Cronquist (1964) states, "Monographic study may show these [S. discolor and S. caprea] to be geographic phases of a single species. . . "However, I would urge the requisite "monographic study" he made before any new combinations are proposed. A disjunction exists in western Alaska and eastern Siberia between the ranges of S. caprea and S. scouleriana, so that evidence of intergradation will not he readily available and the taxa have different chromosome numbers; S. caprea is 2n = 38 (Blackburn and Heslop-Harrison 1924) and S. scouleriana is 2n = 76 (Suda and Argus 1968) or 2n = ca. 114 (Taylor and Mulligan 1968).

The pubescence on the underside of mature leaves is *of* two types. The most common type consists of glossy, sericeous pubescence composed of appressed white and ferruginous trichomes. The ferruginous trichomes are very conspicuous and give the leaves their characteristic "rusty" appearance. It has been observed that some ferruginous trichomes are glandular and that a reddish drop may form at their base, or that several trichomes may be matted together. Not all ferruginous trichomes are glandular and this observation requires further study. The second type consists of densely villous pubescence composed of curly, white trichomes and is the basis of the name var.



Salix planifolia Pursh ssp. planifolia. Flowering pistillate specimen. Calder 24404 (left) and fruiting pistillate specimen. Argus 5052 (right)

Characteristics	scouleriana	sitchensis
	glaucous beneath	non-glaucous beneath
branchlets	tenacious and more sparsely pubescent	brittle and densely sericeous
stipule length	0.8-3.5(10) mm	minute to 0.4-1.5 mm
stamen number	2	1
style length	0.2-0.5 mm	0.5-0.8 mm
stigma length	0.6-12 mm	0.1-0.2 mm

 Table 15 Comparison table: Salix scouleriana and S. sitchensis

poikila. This type **of** pubescence commonly occurs on leaves of sprout shoots or on shoots borne on this year's branchlets, and both pubescence types may occur on the same plant. Leaves with the densely white villous pubescence resemble S. sitchensis, and confusion may occur if only vegetative material is available. The two species may be distinguished as in Table 15.

Section 13. Arbuscella Ser. ex Dubv

34a. SALIX PLANIFOLIA Pursh ssp. PLANIFOLIA

S. planifolia Pursh. Fl. Am. Sept. 2: 611. 1814.

S. phylicifolia L ssp. planifolia Hiitonen, Mem. Soc. Faun. Fl. Fenn. 25: 82. 1950.

S. chlorophylla Anderss. Kg. Sv. Vet. Akad. Handl. 6: 138. 1867. (possibly S. discolor, at least in part).

S. monica Bebb. *in* S. Wats. Bot. Calif. 2: 90. 1879. (Type: Bolander *s.n.* F). S. planifolia var. monica Jeps. Man. Fl. Pl. Calif. 265. 1923. S. chlorophylla var. monica Flod. Sv. Vet. Akad. Ark. Bot. 29A: 33. 1939.

S. nelsonii Ball, Bot. Gaz. 40: 379. 1905. (as nelsoni). (Type: Nelson 7580, NY). S. chlorophylla var. nelsonii Flod. Sv. Vet. Akad. Ark. Bot. 29A: 34. 1939. S. planifolia var. nelsonii Ball ex E. C. Smith, Amer. Midl. Nat. 27: 246. 1942.

S. pennata Ball, Bot. Gaz. 60: 45. 1915. (Type: Suksdorf **15**, US). S. phylicifolia var. pennata Cronquist, in Hitchcock, Cronquist, Ownbey and Thompson, Vas. Pl. Pacific NW. 2: 63. 1964.

Description of species

Shrubs 1-4 m tall; branches dark brown to reddish brown, glabrescent, sometimes glaucous, epidermis exfoliating; branchlets brownish to greenish brown, glossy, glabrous or densely villous to sparsely pubescent, sometimes glaucescent. Leaves elliptic to narrowly elliptic, the largest mature leaves 3.5-4.9

(6.5) cm long, 0.9-1.5 (2.2) cm wide and 3-4.7 times as long as wide; apex acute; base acute: margins subentire to glandular crenate, revolute especially near base; immature leaves reddish, sparsely pubescent or densely sericeous with white or white and ferruginous trichomes, non-glaucous at first but becoming progressively glaucous beneath from the apex; the upper side of mature leaves glabrescent, highly glossy and with impressed venation, the lower side sparsely pubescent with white or white and ferruginous trichomes, glaucous: petioles 3-7 (13) mm long. reddish or yellow; stipules narrowly elliptic, 0.8-2.8 mm long, margins glandular, glabrous. Aments precocious, sessile on branches or with 2-3 brown or greenish bracts at base. Staminate aments 1.5-3 (5) cm long: stamens 2, filaments about 7-8 mm long, glabrous; anthers 0.5-0.6mm long. Pistillate aments 1.5-6 cm long; pistils 2-2.8 mm long, tawny, densely sericeous with white and/or ferruginous trichomes, capsules (3.2) 5.5-6 mm long, tawny or greenish, sparsely sericeous: styles 0.6-1.8 mm long; stigmas 0.4-0.5 (0.8) mm long, 2-4 linear lobes; stipes 0.5-0.6 mm long, pubescent; nectaries 1, adaxial, 0.5-0.6 mm long, equal to or up to 3 times as long as stipe; bracts oblong, apex acute to rounded, 1.2-2 mm long, black to dark brown, pubescent on both sides with long straight trichomes about 2 times the length of the bract or rarely with shorter, curly trichomes.

Habitat


Common in Salix thickets and in Carex fens at edges of streams and lakes; Picea mariana muskegs; openings in P. glauca forests: arctic tundra in eastern Canada.

Range

Boreal, Arctic: Southern Yukon Territory, adjacent Northwest Territories and British Columbia: eastward through the boreal forest and the southern Canadian Arctic to Newfoundland; southward in eastern British Columbia to Alberta, California, and New Mexico: eastward to northeastern United States (Map 43).

Discussion

Hulten's report (1968, Map 47) of Salix planifolia ssp. planifolia (as *S.* phylicifolia ssp. planifolia) from Alaska and the Mackenzie Delta region conflicts with the maps presented here. The Alaska records may be based on misidentified material of ssp. pulchra. However, it is possible that ssp. planifolia occurs in southeastern Alaska, between the Chugach Mountains and the Alaska Range, and should be sought there. I have seen extensive collections of S. planifolia from the Mackenzie Delta region and they are all referable to ssp. pulchra.



Map 43 Salix planifolia ssp. planifolia

- S. planifolia ssp.pulchra (Cham.) Argus, Can. J. Bot. 47: 798. 1969
- S. pulchra Cham. Linnaea 6: 543. 1831.
- S. phylicoides Anderss. Ofvers. Vet. Akad. Forh. (Stockh.) 15: 123. 1858.
- S. fulcrata Anderss, p subglauca Anderss. in DC. Prod. 16(2): 244. 1868.
- S. phylicifolia var. subglauca Boivin, Natur. can. 93: 437. 1966.
- S. pulchra var. looffiae Ball. Madrono 6: 228. 1942. (Type: Looff 1791, US).
- S. pulchra var. palmeri Ball, Madrono 6: 229. 1942. (Type: Palmer 121, US).

S. parallelinervis Flod. Sv. Vet. Akad. Ark. Bot. 20A: **35.** 1939. *S.* pulchra ssp. parallelinervis A. Skvortsov Bull. Mosk. Obshch. **Isp.** Pri. Biol. 66: 31. 1961.

S. pulchra ssp. kalarica A. Skvortsov Bull. Mosk. Obshch. Isp. Pri. Biol. 66: 31. 1961. (probably = ssp. pulchra).

³⁴b. SALIX PLANIFOLIA ssp. PULCHRA (Cham.) Argus var. PULCHRA



Salix planifolia Pursh ssp. pulchra (Cham.) Argus var. pulchra. Pegau 94-68 (left) and Suda 248-66 (right)

L

Description of subspecies

Low shrubs prostrate to 0.1-1.8-3 m tall; branches glossy: branchlets rarely glaucescent; buds sometimes large and beaked. Leaves sometimes marcescent, commonly rhombic but often narrowly elliptic, elliptic or sometimes obovate, the largest mature leaves (2.2) 3.2-6 (7.5) cm long, (0.8) 1-2.3 (2.6) cm wide and (1.7) 2-3.6 (4.7) times as long as wide; apex acute to obtuse, sometimes acuminate; base acute to cuneate: margins entire or subentire sometimes glandular or glandular crenate: immature leaves glabrous or sparsely pubescent with white or ferruginous trichomes especially on midrib and toward margins: the upper side of mature leaves dark green and glabrous, the lower side glabrous: petioles 2.8-8-10 (15) mm long, glabrous or sparsely pubescent adaxially; stipules linear (2.4) 3.6-14 (32) mm long, equalling or exceeding petiole, distantly glandular serrulate, glabrous, glaucous abaxially. often persistent for 2-4 years. Anthers 0.4-0.6-0.8 mm long. Pistillate aments 1.2-2.5 cm long in flower, 2.5-8 cm long in fruit, floriferous branchlets absent but rachis sometimes elongated and bracteate with several dark brown or, rarely, green bracts: stipes 0.2-0.8 mm long: nectaries 0.4-1.2 mm long, yellow or reddish, 2-3 times as long as stipe.

Habitat

Common throughout arctic and alpine tundra; open Picea mariana-lichen woodlands; Salix-Betula thickets on stream and lake margins; open Picea glauca-Betula glanduiosa woodlands. Range

Arctic, subarctic, alpine: General throughout Alaska; uncommon in Yukon Territory and the Tanana River lowlands; absent from Aleutian Islands and southern coastal Alaska from Prince William Sound eastward; Asia: widespread from Novaya Zemlya to Chukotsk Peninsula (Map 44).

34c. SALIX PLANIFOLIA ssp. PULCHRA var. YUKONENSIS (Schneid.) Argus


S. planifolia ssp. pulchra var. yukonensis [Schneid.) Argus, Can. J. Bot. 47: 800. 1969.

S. pulchra var. yukonensis Schneid. J. Arnold Arb. 1: 72. 1919. (Type: Eastwood 373, A).

S. anadyrensis Flod. Sv. Vet. Akad. Ark. Bot. 25A: 9. 1933. S. pulchra var. anadyrensis A. Skvortsov. Bull. Mosk. Obshch. Isp. Pri. Biol. 66: 30. 1961.

Description of variety

Differs from var. pulchra in shrubs 0.6-1.8-3 (4.5) m tall: branches glabrescent **or** with patches of villous indumentum, sometimes with persistent pubescence on 3-year-old stems; branchlets light brown, densely white grey



Map 44 Salix planifolia ssp. pulchra var. pulchra. Circles based on Skvortsov, 1966, as S. pulchra


villous to sparsely pubescent, indumentum of white or sometimes white and ferruginous trichomes. Mature leaves usually pubescent on midrib with white or ferruginous trichomes; petioles persistently villous-tomentose with white and ferruginous trichomes; stipules glabrous or pilose.

Habitat	Range
Salix thickets at edges of lakes and streams; Picea mariana muskegs: margins of Carex fens; Betula papyri- fera-Alnus crispa woods; shrub-heath alpine tundra.	Boreal, alpine: Yukon, Kuskokwim and Tanana Rivers and their tributaries; Umiat; northern Yukon to Anderson River, Northwest Territories; southern Yukon and adjacent British Columbia; Asia: (as var. anadyrensis) middle Indigirka River: middle and lower Kolmia. Anadyr, and Penzhina Rivers (Skvortsov 1961) (Map 45).

Discussion

In North America Salix planifolia consists of two races, a transcontinental ssp. planifoiia and a northwestern ssp. pulchra. The races overlap and inter-

I



Map 45 Salix planifolia ssp. pulchra var. yukonensis

grade in southern Yukon and western Northwest Territories. These races are related to the European S. phylicifolia and to S. bicolor, which is restricted to the mountains of Europe from central Germany to northern Spain and Bulgaria. but is absent from the Alps (Rechinger 1964). The areas of ssp. pulchra and S. phylicifolia overlap in northern Russian between the Yenisei and Pechora Rivers (Skvortsov 1966. Maps 30 and 31). Within the Asian S. pulchra Skvortsov (1961) recognized two subspecies, ssp. parallelinervis and ssp. kalarica and one variety, var. anadyrensis. I have seen specimens of the variety that were determined by Skvortsov and I consider them to be equivalent to var. yukonensis. The ssp. parallelinervis. which is characterized by smaller stipules, the presence of a short floriferous branchlet and lateral veins of leaves paralleling the margin, seems to me to be confluent with ssp. pulchra and, at the most, deserving of varietal status; however, no new combination is proposed here. Similarly, ssp. kalarica. which occurs between the Stanovhighlands and Dshugdshuria and is characterized by large leaves which are pilose beneath, small stipules and yellow shoots, could be assigned varietal status. I have not seen specimens of this taxon and therefore no new combination is proposed.

The relationship between the North American S. planifolia and the European S. phylicifolia requires detailed consideration. There are three facets to the question: the first is the uncritical proposal of new taxa; the second is the failure to recognize the relationship between S. planifolia and S. pulchra; the third is a consideration of differences between S. planifolia and S. phylicifolia.

In 1950 Hiitonen proposed the new combination S. phylicifolia ssp. planifolia. giving as an explanation Heribert-Nilsson's observation that S. phylicifolia consisted of a number of diverse forms, some of which diverge more from S. phylicifolia than does the North American S. planifolia, and then concluding that the North American taxon must therefore be a subspecies. Unfortunately, this decision to form a new combination was not based on a thorough study of the problem, and once a new name is in the literature, it assumes an importance of its own and may be accepted by later authors who assume that the combination was the result of careful study. Cronquist (19641 and Hulten (1967 and 1968) have accepted the Hiitonen name, and others, including Boivin (1967) and Breitung (1957). came to this conclusion independently. However, no one has presented evidence in support of his opinion. The willingness to accept these taxa as conspecific was probably aided by Raup's citation (1959) of two specimens reputedly representing S. phylicifolia, one from Pine Creek, Yukon, and a second from Aniak. Alaska. I have restudied the first specimen (Raup & Raup 11785. ALA 20026) and it is simply S glauca; the second specimen was not available at the Gray Herbarium and I cannot comment on it. As far as I can determine, there are no authentic specimens which support the occurrence of S. phylicifolia in North America.

In the European literature S. phylicifolia and S. pulchra are generally considered to be distinct species, distinguishable mainly on the basis of the very prominent, linear stipules of S. pulchra. Rechinger (1964) separated the two on the basis of habit and habitat with S. pulchra included with, "low shrubs of Arctic or high mountains; catkins terminal or sub-terminal" and S. phylicifolia included with, "trees and shrubs usually of lower latitudes or lower altitudes; catkins lateral". Furthermore, he includes S. pulchra with S. arctica in subgenus Salix and S. phylicifolia in subgenus Caprisalix. a separation which is clearly incorrect and which has tended to obscure the relationship which evidently does exist. Skvortsov (1961) does comment that within the area of overlap between S. phylicifolia and S. pulchra intermediate types do occur, but he was able to distinguish the two on the basis of stipule size and did not see fit to combine the two taxa. However. he did include them in the same section (Arbuscella Duby).

In North America the morphological extremes of ssp. planifolia and ssp. pulchra may be distinguished on the basis *of* characteristics included in Table 16. In southern Yukon and western Northwest Territories there are intermediates which cannot be assigned to one taxon or the other, and when stipule length is compared with petiole length in a large number of specimens, the overlap and intergradation are graphically evident [Fig. 5]. While the generalization holds that the absolute and relative stipule lengths are diagnostic. there are also many exceptions. On the Haines Highway in northwestern British Columbia. in the region between the Three Guardsmen Pass and the Chilkat Pass, there is a series of intergrading populations of ssp. planifolia and ssp. pulchra in which considerable variation in stipule size and




Fig. 5 **A** comparison **of** stipule and petiole length variation in Salix planifofla ssp. planifolia lcirciesl, ssp. pulchra var. pulchra [dots] and ssp. pulchra var. yukonensis (diamonds). In these taxa there is no correlation between stipule length and petiole length.

Generally. ssp. planifolia and ssp. pulchra var. pulchra can be distinguished on the basis of stipule length. but there is some overlap which is further accentuated by var. yukonensis. which may have stipules 2-3 mm long. The scales are logarithmic.

presence is manifest. There are "typical" ssp. pulchra with large, linear stipules (Argus & Chunys 6786, 6761), others with one large, linear stipule per leaf or none (68191, others without stipules in 1967 but with old, persistent stipules from 1966 (6792), and yet others that are exstipulate (6790, 6771). The latter specimens are indistinguishable from ssp. planifolia except that the immature leaves are not as prominently pubescent as is usually the case in this taxon. Such diversity strongly suggests a hybrid swarm, which is further evidence of the closeness of the relationship between these taxa.

The patterns produced by a paper chromatographic analysis of crude leaf extracts (largely phenolic compounds) are very similar, and both taxa have




Fig. 6 A representative chromatographic pattern produced by paper chromatography of **crude** methanolic-HCI leaf extracts in Salix planifolia **ssp.** planifolia and ssp. pulchra. Colour code — (Uitraviolet light: Ultraviolet light after fuming with **NH4**) — (1) blue: blue. (2) moderately absorbing: yellow. (3) intensely absorbing: intensely absorbing, (4) faintly absorbing: pink, (5) faintly absorbing: moderately absorbing. (6) pink: pink, (7) moderately absorbing: absent.

the very prominent absorbing spot near the centre (Fig. 6). Also, the chromosome number is the same for both taxa, 2n = 76 (Suda and Argus 1968, 1969; Love and Love 1964). The report by Love (1954) of 2n = 152 for Salix *planifolia* ssp. *planifolia* is not included here because it conflicts with later reports (including numerous unpublished counts by Suda) and because the voucher specimen is unavailable for verification of the identification.

Thus far I have demonstrated that ssp. *planifolia* and ssp. pulchra are so closely related that they intergrade within the area of overlap and may be regarded as races of the same species. The next question is, what is the relationship of these taxa to S. phylicifolia. In the first place it is significant that European taxonomists have long regarded these two taxa as distinct and that some would even place them into different subgenera (Rechinger 1964).

Characteristics	ssp. planifoiia	ssp. pulchra
stipules	narrowly elliptic, 0.8.2.8 mm long, shorter than the petioles	linear, 12.4) 3-6-14 (32) mm long, generally equalling or exceeding the petioles
immature leaves	sparsely to densely sericeous	sparsely pubescent or glabrous

Table 16 Comparison table: Saiix planifolia ssp. planifolia and ssp. pulchra

Table 17 Comparison table: Salix planifolia ssp. pianifolia, ssp. pulchra and S. phylicifolia

Characteristics	ssp. planifolia	ssp. pulchra	phylicifolia
floriferous branchlets	absent or the rachis may be elongated and bare or with 2-3 green bracts	absent or the rachis may be elongated and bare or with 2-3 green bracts	6-20 mm long. leafy
leaf margins	subentire to ,glandular crenate	entire to subentire, rarely glandular or glandular crenate	glandular serrulate
stipule length	0.8-2.8 mm	(2.4) 3.6-14 (32) mm	absent to minute, up to 3 mm long
petiole length	3.7 (13) mm	2.8-8-10 (15) mm	6-15 rnm

Secondly, the chromosome number of S. phylicifolia is 2n = 114 (Federova-Sarkissova 1946; Hakansson 1933; Heribert-Nilsson 1935) and 2n = 88 (Blackburn and Heslop-Harrison 1924; Wilkinson 1944). This is in contrast to 2n = 76 for ssp. planifolia and ssp. pulchra. Finally, morphologically these taxa may be distinguished on the basis of a number of characteristics [Table 17]. Admittedly, these characteristics are variable and exceptions are not unknown. However, since there are some characteristics which can serve to distinguish these taxa, and since there is a difference in chromosome number, there does seem to be ample reason for considering them as two species, at least until the group can be studied monographically.

Salix planifolia ssp. pulchra var. yukonensis can be distinguished from var. pulchra on the basis of a number of characteristics which were previously outlined, the most important of which is the densely white grey villous to sparsely pubescent branchlets. Similar variation in branchlet pubescence occurs in ssp. planifolia. but it lacks the geographical integrity of var. yukonensis and has therefore not been recognized taxonomically. To my knowledge there is no evidence that var. yukonensis is a hybrid or is influenced by hybridization. as suggested by Hulten (1968).

There are several varieties which have been based on differences in leaf shape, including var. looffiae and var. palmeri. However, in the light of the wide variation in leaf shape, often the product of the environment, these varieties do not deserve taxonomic recognition.



Salix arbusculoides Anderss. (A) Pistillate specimen, Argus 4753. (B) Vegetative specimen, Viereck 8054, (C) Staminate specimen, Viereck 7892. (D) Leaf, Viereck 8054

35. SALIX ARBUSCULOIDES Anderss

- S. arbusculoides Anderss. Kg. Sv. Vet. Akad. Handl. 6: 147. 1867.
- S. arbusculoides var. glabra Anderss. Kg. Sv. Vet. Akad. Handl. 6: 148. 1867.

S. humillima Anderss. in DC. Prodr. 16 (2): 248. 1868.

Description of species

Shrubs 1-4 m tall or trees 5-6 m tall, basal diameter up to 2.8 dm; branches slender, reddish brown, glossy, sometimes thinly glaucous, epidermis exfoliating: branchlets sparsely velutinous. indumentum of short erect or sometimes curly trichomes. Leaves narrowly ovate to very narrowly ovate or elliptic, the largest mature leaves (3.8) 6-7 (7.8) cm long, (0.7) 1-1.5 (1.8) cm wide and 3-6.5 times as long as wide; apex acute to narrowly acute or obtuse: base acute; margins glandular serrulate, sometimes distantly so; the upper side of mature leaves glossy and glabrous, the lower side sericeous with short, white or rarely ferruginous trichomes appressed and oriented toward apex, rarely glabrescent: petioles (3) 5-8 (11) mm long, reddish or yellowish; stip ules 0.9-2.4 mm long, margins revolute, glandular, a white secretion often accumulating and drying at the base. Aments coetaneous or subprecocious, subsessile or on short, floriferous branchlets, Staminate aments 1.8-2.5 cm long, floriferous branchlets about 2 mm long and bearing several bract-like leaves; stamens 2, filaments about 3-4.8 mm long, glabrous, distinct; anthers about 0.5 mm long. Pistillate aments 2-7.5 cm long, loosely flowered with gaps between the "whorls" or densely flowered, floriferous branchlets 0-5 mm long: pistils 3-4.5 mm long, sericeous, capsules 4-5 mm long, sparsely sericeous with white and ferruginous trichomes; styles 0.3-0.5 mm long; stigmas 0.2-0.4 mm long, 4-lobed: stipes 0.6-0.9 mm long, velutinous; nectaries 1, adaxial, 0.6-0.8 mm long, rod-like, equal to or slightly exceeding stipe; bracts oblong. apex obtuse or rounded, 0.8-1.2 mm long, pubescent on both sides with curly or long straight trichomes.

Habitat	Range
glauca-Betula forests: muskegs; Salix	Boreal: Common throughout central Alaska, Yukon Territory and adjacent Northwest Territories: not reaching the Pacific Coast; extending east- ward throughout the boreal forest to Hudson Bay; southward in the eastern Rocky Mountains to north- eastern British Columbia and Alberta (Map 46).



Salix lanata L ssp. richardsonii IHook.) A. Skvortsov. (A) Flowering specimen, Little 18248. (B) Argus 5192. (C) Argus 616

Discussion

Salix arbusculoides is a common forest species characterized by narrowly elliptic leaves, distinctly glandular serrulate on the margins, glabrous above and sericeous beneath with short, straight, white or ferruginous trichomes oriented toward the apex. Occasional specimens have glabrescent or glabrous leaves and have been named var. glabra Anderss., but the taxonomic significance of this variation is doubtful. The styles are very short and the nectaries equal or slightly exceed the short stipes.

The Siberian Salix boganidensis Trautvetter (1847) seems to be closely related to S. arbusculoides, and further study may show that they are conspecific.

Section 14. Lanatae Koehne


36. SALIX LANATA L. ssp. RICHARDSONII [Hook.) A. Skv.

S. lanata L. ssp. richardsonii [Hook.) A. Skvortsov, in Tolm. Fl. Arct. URSS 5: 103. 1966.

S. richardsonii Hook. Fl. Bor.-Am. 2: 147. 1838.

Description of subspecies

Shrubs 0.6-3 (7) m tall; branches reddish brown, glossy, pubescent with persistent, greyish, coarse, spreading or matted indumentum; branchlets densely white lanate. Leaves elliptic, narrowly ovate to broadly obovate, the largest mature leaves (3) 3.8-6.8 (8) cm long, (1.1) 1.5-4 (7.3) cm wide and 1.1-2-2.8 times as long as wide; apex acute; base obtuse or acute to rounded, rarely inequilateral; margins entire or subentire to glandular serrulate or irregular crenate; immature leaves sometimes pubescent with ferruginous trichomes; the upper side of mature leaves glabrous or sparsely villous, the lower side glabrous or sparsely villous, glaucous, sometimes pale green; petioles 5-18 mm long, more or less lanate. yellow, sometimes purplish; stipules 6-17 (25) mm long, linear to ovate, base broad and sometimes irregularly lobed, margins glandular serrulate or prominently and irregularly toothed, apex inequilaterally attenuate, usually persistent for several years. Aments precocious, sessile on branches of previous year. Staminate aments 2.5-4.5 cm long; stamens 2, filaments 8-8.5 mm long, glabrous; anthers 0.6-0.7 mm long; nectaries 1, adaxial, 1-1.2 mm long. Pistillate aments 4.5-9.5 cm long, rachis densely white lanate at base: pistils 2.5-3.6 mm long, green and glabrous, capsules 4.5-7.2 mm long; styles 1.2-1.6 (3.2) mm long; stigmas 2-4-lobed, 0.4-1.2 mm long; stipes 0.2-0.5 mm long, pubescent; nectaries 1, adaxial, 0.4-0.8 mm long, 2-3 times as long as stipe; bracts narrowly obovate, apex acute or obtuse, 2-2.6 mm long, dark brown or rarely blackish, pubescent both sides with long, wavy, white or rarely yellow trichomes 2 times as long as bract.



Map 46 Salix arbusculoides

Habitat

Salix thickets on alluvial gravels or sands; thickets including Picea rnariana and Betula glandulosa on mountain slopes: wet Carex aquatilis meadows.


Range

Arctic, alpine: Throughout Alaska and Yukon Territory; absent from the Aleutian Islands and the Pacific coastal region; rare near the Arctic Coast of Alaska; southward to northern British Columbia; eastward across the Northwest Territories to Hudson Bay and Baffin Island (Map 47).

Discussion

Salix lanata ssp. richardsonii is characterized by persistent stipules which are broad at the base and have an inequilateral. attenuate apex, precocious aments, glabrous pistils and nectaries 2-3 times as long as the stipes. This taxon is similar morphologically to S. barclayi and S. planifolia ssp. pulchra from which it may be distinguished by the characteristics in Table 18.

The possibility of hybridization with S. barclayi has been discussed under that species. Hybridization with S. alaxensis var. alaxensis has been suggest. ed as an explanation for the densely pubescent capsules on a specimen from Cape Thompson (Belson 87).



Map 47 Saiix lanata ssp. richardsonii. Circles based on Skvortsov. 1966

Salix lanata ssp. richardsonii is the western North American-eastern Asian race of the Eurasian S. lanata. It is distinguished from ssp. lanata by its glabrous to glabrescent, smaller leaves and generally by aments with a whitish rather than yellowish pubescence. There is some variation in these characteristics even within North American material, and plants with distinctly pubescent mature leaves have been seen from Meade River (Argus 8 Chunys 5265). Kotzebue (Argus & Chunys 5972) and the lower Yukon River (Rouse 37). Specimens with yellowish bract pubescence have been seen from the Sheenjek River (Kessel S4). Kiana (Clark, 4 June 1937). Kennecott (Argus B3). Eureka Roadhouse (Anderson 8448) and Mile 132, Canol Road, Yukon Territory [Porsild & Beitung 9460]. Skvortsov (1966) regards these taxa as races because they intergrade in the region between the Lena and Enisey Rivers. They are evidently closely related, and it does seem to be appropriate to treat them as races of a single species. The eastern Canadian Arctic S. calcicola had also been reduced to a subspecies of S. lanata (Hulten 1967), thus organizing this circumpolar complex into three races. Hulten (1967). in making the latter combination, simply states by way of an explanation. "S. lanata, S. richardsonii and S. calcicola together form a circumpolar area of closely related taxa best regarded as races of one species." I am in agreement with these decisions, for they coincide with my impressions of these taxa.



Salix barrattiana Hook. Argus 6920 (branch) and Argus 644 (ament)

Characteristics	ianata ssp. richardsonii	barciayi	planifolia ssp. pulchra
stipules	persistent for several years	non-persistent	often persistent for 2-4 years
stipule shape	linear to ovate, broadat base, apex inequilateral	ovate to narrowly elliptic	linear, apex equilateral
flowering time	precocious	coetaneous	precocious
floriferous branchlets	none	present	none
bracts	dark brown to blackish	light brown to dark brown or bicolour	dark brown to blackish
immature leaf oubescence	white or ferruginous trichomes	only white trichomes	white or ferrugi- nous trichomes
nectary length	2-3 times stipe	0.5 times stipe	2-3 times stipe
stipe length	0.2~0.5mm	0.4-1.4 mm	0.2-0.8mm
leaf shape	elliptic, narrowly ovate or broadly obovate	elliptic, obovate or rarely narrowly elliptic	rhombic to narrowly elliptic, elliptic or obovate
pistils	glabrous	glabrous	densely white sericeous
bract pubescence	white or yellow trichomes	white trichomes	white trichomes
leaf base	obtuse. acute to rounded	rounded. rarely sub- cordate or acute	acute to cuneate
-			

Table 18 Comparison table: Salix lanata ssp. richardsonii, S. barclayi and S. planifoiia ssp. pulchra

37. SALIX BARRATTIANA Hook

- S. barrattiana Hook. Fl. Bor.-Am. 2: 146. 1838. (Type: Drummond 650. NY).
- S. barrattiana a (var.) latifolia Anderss. in DC. Prod. 16 (21: 274. 1868
- S. barrattiana β (var.) angustifolia Anderss. in DC. Prod. 16 (2): 274. 1868.
- S. albertana Rowlee, Bull. Torr. Bot. Club 34: 157. 1907.
- S. barrattiana var. marcescens Raup. Sargentia 6: 157. 1947.

Description of species

Low, often depressed, alpine shrubs, 0.3-1 m tall, forming mats up to 3-4 m in diameter; branches gnarled, reddish brown, glossy and pubescent; branchlets with short internodes, coarsely villous, buds oily. Leaves elliptic to obovate or narrowly obovate, the largest mature leaves 3.7-7.5-9.5 cm long, 1-1.6-2.9 cm wide, 2.2-4.2(5) times as long as wide: apex acute: base acute or obtuse; margins entire or glandular to very finely glandular serrulate;



Salix candida Flugge ex Willd. Argus 4868

the upper side of mature leaves sparsely pubescent and glossy, the lower side white or grey sericeous-lanate, the leaves crowded on the short branchlets; petioles 4-10-15 mm long; stipules broadly ovate, about 5 mm long, margins glandular and oily. Aments precocious, sessile on branches of previous year. Staminate aments 3.5 cm long; stamens 2, filaments 5-6 mm long, glabrous: anthers 0.4-0.6 mm long. Pistillate aments 4.5-11 cm long; pistils 2.5-3 mm long, densely grey white sericeous, capsules **4.5-6** mm long, sparsely sericeous; styles 0.6-1.6 mm long; stigmas 0.2-0.3 mm long, 4-lobed; stipes 0.2-0.6 mm long, sparsely pubescent to glabrous: nectaries 1, adaxial, 0.5-1.2 mm long, longer than stipe: bracts narrowly oblong, apex acute to rounded, 2.8-3 mm long, black to dark brown, pubescent with long straight trichomes which exceed bract by about 3 mm.

Habitat	Range
	Alpine, Arctic: Eastern Brooks Range; Alaska Range; mountains of south- ern Yukon and adjacent Northwest Territories; southward to southwest- ern Alberta, British Columbia, and northwestern Montana (Map 48).

Discussion

Salix barrattiana is a distinctive alpine species characterized by forming low thickets of grey, erect stems, leaves grey, sericeous-lanate which are crowded on branchlets with short internodes and with conspicuously oily buds and stipules. The latter characteristic, which was first described by Porsild (19511, is very prominent although the nature of the oily substance has yet to be determined.

This species is apparently related to S. lanata ssp.richardsonii from which it is readily distinguished by its oily buds and stipules, densely grey white sericeous pistils and more pubescent leaves.

Section 15. Villosae Rouy


38. SALIX CANDIDA Flugge ex Willd.

- S. candida Flugge ex Willd. Sp. Pl. 4: 708. 1806.
- S. candidula Nieuwl. Amer. Midl. Nat. 3: 225. 1914

S. candida var. denudata Anderss. *in* **DC.** Prodr. 16 (2): 278. 1868. S. candida f. denudata Rouleau, Natur. can. 71: 266. 1944.

Description of species

Shrubs 0.3-3 m tall; branches dark brown, glabrescent; branchlets densely lanate to floccose, rarely sparsely pubescent. Leaves narrowly elliptic to narrowly ovate, the largest mature leaves 5-8 cm long, 0.8-1.8 cm wide and



Map 48 Salix barrattiana


3.3-6.8 times as long as broad; apex acute; base acute; margins subentire, often distantly glandular, revolute; the upper side of mature leaves floccose to glabrescent. drying dark green or brown, the veins impressed, the lower side densely dull white lanate and floccose. the midrib prominent and yellow-ish; petioles 3-9 mm long, light brown and pubescent; stipules narrowly ovate, 2-3 rnm long, lanate. Aments coetaneous. on short, leafy, floriferous branchlets. Staminate aments 1-1.5 cm long, subsessile, floriferous branchlets 3-4 mm long: stamens 2, filaments 4-5 mm long, glabrous, distinct or slightly connate at base; anthers 0.5-0.6 mm long. Pistillate aments 2.2-3 (5) cm long, floriferous branchlets 2-7 mm long: pistils 4-6 mm long, densely dull white lanate, capsules glabrescent or sparsely lanate; styles 0.3-1 mm long, red in life; stigmas about 0.2-0.3 mm long; stipes 0.1-1.2 rnm long, lanate: nectaries 1, adaxial, red in life, 0.4-1 mm long, 0.5-0.75-1 times as long as stipe; bracts narrowly oblong, apex rounded, 1.2-1.5 mm long, pale to dark brown, pubescent on both sides.

Habitat

Range

Occasional in wet, usually alkaline, habitats including: Carex-Betula glan-

Boreal: East central Alaska; Fort Yukon; Tanana River southeast of



Map 49 Salix candida

dulosa fens: Larix laricina fens; Betula glandulosa-Salix thickets at edges of ponds and on river terraces. Fairbanks, Alaska; Mayo, Whitehorse, Watson Lake, Yukon Territory: southward and eastward through the boreal forest and northern prairies of Canada and northern United States (Map 49).

Discussion

Salix candida is characterized by narrowly elliptic leaves, densely dull lanate beneath and dark green or brownish above with dull white floccose pubescence, and densely lanate branchlets and pistils.

This species reaches the northwestern end of its range in central Alaska where its occurrence is sporadic.

It is related to S. alaxensis, which it sometimes resembles morphologically (see that species), and to the eastern Siberian and central Asian species S. krylovii Wolf with which it may be conspecific.



Saiix alaxensis (Anderss.] Cov. [A] Variety *alaxensis,* Argus 5580. (B) Variety longistylis [Rydb.) Schneid., Argus 6495

39a. SALIX ALAXENSIS (Anderss.) Cov. var. ALAXENSIS

S. alaxensis (Anderss.] Cov. Proc. Wash. Acad. Sci. 2: 280. 1900.


S. speciosa Hook. and Arn. *in* Hook. Fl. Bor.-Am. 2: 145. 1838, non Host. 1828. (Type: Richardson **80** & *81*, GH). S. speciosa (var.) alaxensis Anderss. in DC. Prodr. 16 (2): **275.** 1868.

S. alaxensis var. obovalifolia Ball, J. Wash. Acad. Sci. 28: 443. 1938. (Type: *Dutilly 445*, US).

Description of species

Shrubs 0.3-4 m tall; branches dark brown to chestnut brown with more or less persistent grey villous-lanate indumentum: branchlets densely white or yellowish villous-lanate with long straight and short curly trichomes; buds villous. Leaves narrowly ovate to oblong or obovate to narrowly obovate, the largest mature leaves 5-10.8 cm long, 1.5-3.5 cm wide and 2.1-3.8 times as long as wide; apex acute: base narrowly cuneate; margins revolute, entire, sometimes glandular and undulating: the upper side of mature leaves bright green sometimes drying brownish, floccose to glabrescent, the lower side densely white lanate petioles (3) 5-15 (20) mm long, yellowish, tomentose or glabrescent, in about 33 per cent the petiole base is inflated around the bud: stipules 4-15 (20) mm long, linear, pubescent as the leaves, glandular. Aments precocious or subprecocious, sessile on branches of previous year. Staminate aments 3-3.5 cm long; stamens 2, filaments about 7 mm long, glabrous, distinct or connate; anthers 0.6-0.9 mm long. Pistillate aments 6-15 cm long; pistils about 1.5 mm long, green, sparsely pubescent, capsules about 4-5 mm long, tawny and glabrescent: styles 1.3-2.8 mm long; stigmas 0.5-1.8 mm long; stipes 0-0.3-0.4 mm long, lanate to sparsely pubescent: nectaries 1, adaxial, 0.6-1 mm long, 1-1.33-2 times as long as stipe; bracts ovate, apex acute or obtuse, 1.5-2.5 mrn long, dark brown to black, villous on both sides with long straight trichomes about 2 times as long as the bract.

Habitat	Range
Gravel bars and terraces of rivers, streams, and lakes; alpine meadows.	Arctic, alpine and boreal: Throughout Alaska; absent in most of the Aleutian Islands. some Bering Sea islands, and in southeastern Alaska south of Gla- cier Bay; throughout Yukon Territory; British Columbia: eastward across the Canadian Arctic; south in the Rocky Mountains to Jasper National Park; Asia: Yenisei River: eastward to the Chukotsk Peninsula; southward to Lake Baikal (Map 50).



1ap 50 Salix alaxensis var. alaxensis. Circles based on Skvortsov, 1966, as S. alaxensis

39b. SALIX ALAXENSIS var. LONG/STYL/S (Rydb.) Schneid.

S. alaxensis var. longistylis (Rydb.) Schneid. J. Arnold Arb. 1: 225. 1919.


S. longistylis Rydb. Bull. N.Y. Bot. Gard. 2: 163. 1901. S. alaxensis f. longistylis Boivin, Natur. can. 93: 436. 1966. S. alaxensis ssp. longistylis Hult. Ark. Bot. 11. 7: 37. 1967.

Description of variety

Differs from var. alaxensis in tall shrubs or trees 2-10 m tall, basal diameter about 3 dm: branchlets and branches glaucous, sometimes sparsely pubescent but soon glabrate: buds often small and the petiole base non-inflated; bract apex sometimes obtuse.

Habitat	Range

Pioneer vegetation on river alluvi- Boreal, Pacific coastal, alpine and um and glacial moraines; immature Arctic: Central Alaska; southern forests; subalpine thickets; alpine Brooks Range; eastern Alaska Penin-



Map 51 Salix alaxensis var. longistylis

tundra; uncommon in arctic Salix thickets.

sula; Kenai Peninsula; Kodiak Island; mainland southeastern Alaska; Yukon Territory; eastward to Hudson Bay; south in Rocky Mountains to northern British Columbia; Asian distribution uncertain (Map 51).

Discussion

Salix alaxensis is characterized by narrowly ovate to obovate leaves, bright green above and densely white lanate beneath; the branchlets are densely villous-lanate (var. alaxensis) or sparsely pubescent and glaucous (var. longistylis). The flowering is precocious and the aments are large and bear sparsely pubescent pistils with styles up to 2.8 mm long. This species is related to *S*. candida from which it is distinguished by its larger stipules (4-20 mm long), long styles [1.3-2.8 mm long) and very short stipes (0-0.4 mm long).

The two varieties of S. alaxensis in Alaska and the Yukon, var. alaxensis and var. longistylis, have been variously treated taxonomically. In **1951** Porsild argued for specific status for both taxa, stating that they were distinct ecologically as well as morphologically; Hulten **(1967)** treated them as alti-



Saiix drurnrnondiana Barr. Argus 6924

tudinal subspecies: Raup (1959) and others preferred to maintain them as varieties: Boivin (1966) reduced var. longistylis to a forma; and in 1966 Skvortsov treated them as one species and stated that the characteristics which distinguish var. longistylis occur at random in Asian populations.

Salix alaxensis var. longistylis may be distinguished from var. alaxensis by a series of characteristics listed above which, although useful in distinguishing the varieties, are highly variable in themselves and may be variously recombined with var alaxensis characteristics. Branchlet pubescence and glaucescence are most important diagnostically, but at the same time are highly variable. Within a population at College, Alaska, all degrees of pubescence from densely villous to completely glabrous were observed. Similarly, variation in branchlet pubescence was noted in specimens from Old John Lake, Sheenjek River and Mount McKinley National Park. However, it is not simply branchlet pubescence that is characteristic of the taxa, but also the conspicuous glaucescence on the branchlets of var. longistylis. It has been assumed that this glaucescence does not occur in var. alaxensis, but this is difficult to affirm because of the densely villous pubescence covering the branchlets. Specimens of var. alaxensis from Ogotoruk Creek, Cape Beaufort, Seward Peninsula, Old John Lake and the Little Delta River that have had the pubescence partly worn off the stems reveal a glaucescence just as conspicuous as in var. longistylis. If both taxa have glaucous branchlets, then the difference is simply a matter of degree of pubescence, which has already been shown to be highly variable.

Enlarged winter buds and inflated petiole bases are also characteristic of var. alaxensis. These characteristics were the primary bases for the recognition of var. obovalifolia. which is treated here as a synonym of var. alaxensis. Although inflated petiole bases and large buds are common in var. alaxensis, and infrequently encountered in var. longistylis, they do occur in the latter variety. I have collected specimens of var. longistylis with inflated petiole bases at College, Alaska. and Peterson Creek, British Columbia, and I have seen other specimens with this characteristic from the Matanuska Valley.

A series of specimens of S. alaxensis collected by C. Rouse at Egavik on Norton Sound (ALA) show gradations from densely yellowish villous branchlets, large winter buds and inflated petioles (no. 16) to sparsely pubescent, glaucous branchlets, large buds and inflated petioles (no. 18), to sparsely pubescent, glaucous branchlets, small buds and uninflated petioles (no. 191. Specimens such as nos. 16 and 18 have been determined as S. alaxensis var. alaxensis > longistylis to indicate their intermediate character (Map 3).

One of the major arguments for recognizing these taxa is their partial geographical and ecological separation. Var. alaxensis occurs in the Arctic and at somewhat higher elevations in the mountains than does var. longistylis; the latter taxon is more frequent throughout the boreal forest and does not extend into the Arctic. While I am unable to accept Skvortsov's view (1966) that the taxa are completely confluent, I also cannot accept them as distinct species. Since they are more or less confluent in some areas, and since the characteristics that distinguish them are variable and often recombined in intermediate specimens, they are best treated as varieties.

40. SALIX DRUMMONDIANA Barr

S. drummondiana Barr. *in* **Hook. Fl.** Bor.-Am. 2: 144. 1838. (Type: Drummond 672, photo and frag. A).

S. bella Piper, Bull. Torr. Bot. Club 27: 399. 1900. S. drummondiana var. bella Ball, Amer. Midl. Nat. 45: 743. 1951.

S. subcoerulea Piper, Bull. Torr. Bot. Club 27: 400. 1900. (Type: Cusick 1302, US]. S. drummondiana var. subcoerulea Ball, Amer. Midl. Nat. 45: 744. 1951.

S. pachnophora Rydb. Bull. Torr. Bot. Club 31: 403. 1904

S. pellita auct. non Anderss.

Description of species


Shrubs 1-4 m tall; branches dark reddish brown, glabrous or glabrescent, glaucous, glossy and brittle: branchlets brownish green to reddish brown, glabrous or rarely sparsely pubescent, glaucous. Leaves elliptic, elliptic-obovate to narrowly elliptic-obovate, the largest mature leaves 4.2-8.5 cm long, 1.1-2.6 cm wide and 3.2-6.2 times as long as wide: apex acute; base acute: margins entire, distantly glandular dotted or glandular crenate, revolute; immature leaves densely white sericeous; the upper side of mature leaves dark green, sparsely pubescent with white or, rarely, ferruginous trichomes, semi-glossy, the lower side densely to sparsely sericeous with white or white and ferruginous trichomes, pale non-glaucous; midrib yellow and prominent; petioles 2-12 mm long, yellow to reddish: stipules narrowly elliptic (0.21 1.2-3.2 (7.2) mrn long, pubescent abaxially or entirely glabrous, margins glandular, deciduous. Aments precocious, sessile on branches and bearing from one to several dark brown bracts at base. Staminate aments 2-2.7 cm long; stamens 2, filaments about 6 mm long, glabrous, distinct or connate at base: anthers about 0.4-0.6 mm long: nectaries 1, adaxial, 0.4-0.6 mm long. Pistillate aments 2.5-8 cm long, rachis pubescent; pistils about 2.4 mm long, densely sericeous, capsules 2-5.6 mm long, greenish tawny and sericeous; styles (0.4) 0.7-1.3 mm long; stigmas 2, horseshoe-shaped or 4 linear lobes, 0.3-0.4 mm long; stipes 0.6-1.4 mm long, pubescent: nectaries 2, adaxial and abaxial, 0.6-0.8 mm long, 0.5-0.7 (1-2) times as long as stipe: bracts ovate, apex acute, 1.2-2 mm long, brown to dark brown, pubescent on both sides with long straight trichomes 2 times as long as bract.

Habitat

I

Range

Salix thickets along streams: river margins; subalpine Salix thickets. Montane, boreal: Southeastern Yukon: southward in the cordillera to California and Nevada; eastward to north central Alberta and Montana (Map 52).



Map 52 Salix drummondiana

Discussion

Salix drummondiana is a minor component of the willow flora of Alaska and the Yukon, entering that area only in southeastern Yukon. However, it is important in that it may be related to *S.* alaxensis — it shows some signs of intergradation with *S.* alaxensis var. longistylis in the Watson Lake area. The two taxa may be distinguished as in Table 19.

Salix drummondiana is a member of a North American complex including the eastern S. pellita Anderss. and the northwestern S. alaxensis. Salix pellita is sometimes treated as synonymous with S. drummondiana, but because of its distinctive leaf morphology (resembling S. viminalis L.), I am inclined to recognize it as a distinct species although the two do appear to intergrade in central Canada. Cronquist (1964) indicated that S. pellita was apomictic, apparently because of the absence of staminate flowering specimens. I have seen staminate flowering specimens from Saskatchewan and I am confident that they occur elsewhere. but because of the precocious flowering of this species, they are either not frequently collected or not recognized when they are. This complex requires further study before any taxonomic revision can be made.

Characteristics	drummondiana	alaxensis var. longistylis
leaves	sericeous beneath although sometimes +/-lanate	villous lanate beneath
style length	(0.4) 0.7-1.3 mm	1.3-2.8 mm
stigma length	0.3-0.4mm	0.5-1.8 mm
stipe length	0.6-1.4 mm	0-0.3-0. 4 nm
pistillate nectaries	2	1

Table 10	Comparison tables	Salix drummondiana and S.	alaxancia var langistulia
Table 19	Comparison table. 3	Salix ulullillollulalla allu S.	alaxensis val. longistylis

The identity of the type material of *S*. drummondiana has been a persistent source of confusion (Raup 1934, 1959; Ball 1951) which can now be resolved. Of the original specimens studied by Barratt. I have seen a photograph and fragments from the sheet at Kew (Drummond 672, Rocky Mountains, A) and two sheets at the New York Botanical Garden [one sheet Drummond. H. **B**. and T. No. 2 and a second sheet simply labelled "Salix drummondiana, FI. Bor. Am."). The material included on these sheets is heterogeneous, containing flowering branches, an immature fruiting branch, and a mature vegetative branch. Unfortunately the type at the Barratt Herbarium at Weslyan University, Middletown. Conn.. which was cited by Raup (1934) as annotated by Barratt himself, could not be relocated. But all the material does have a consistency about it that suggests that all the specimens were obtained from the same three plants.

The assumption that the three types of branches belong to the same species was tacitly made by Barratt (Hooker **1838**). and accepted by Schneider (1919c) and Raup (1934, 1959). However, this assumption is false; Barratt's description is a composite one. The description of leaves is based on the mature vegetative branch, and that of flowers and aments is based on the flowering branches and the immature fruiting branch. Raup (1934, 1959) was seriously misled by this assumption of taxonomic homogeneity of the material when he concluded that the leaves belonged to S. alaxensis var. longistylis and that the small aments and pistils were "in a state of arrested or partial development", and indicated hybridity. If we study the three elements of the original material without assuming that they are the same taxon, it is evident that the flowering branches represent S. arbusculoides, that the immature fruiting branch (on the Kew sheet only) represents S. drummondiana. and that the mature branch represents either *S.* alaxensis var. longistylis or S. drummondiana.

There are seven flowering branches on the three sheets that I have seen. The branches are dark reddish brown, glossy and have a trace of glaucescence. The unfolding leaves are narrowly elliptic, glabrous above and sericeous beneath, the margins are glandular serrulate with about 6 gland-tipped serrulations per mm, and the stipules are narrowly elliptic and glandular. The coetaneous aments are 1.2-1.7 cm long, and subsessile with 2-3 green bracts; the pistils are 1.5 mm long, on stipes 0.4 mm long, and both are sericeous with shiny, straight trichomes: the styles and stigmas are ca. 0.2 mm long. This material can be positively identified as S. arbusculoides. The glandular serrulations on the leaf margins are very diagnostic, even in immature material, and although leaves of S. alaxensis and S. drummondiana are sometimes toothed, the serrulations are never as uniform or as numerous as in S. arbusculoides. The subsessile aments, the short styles and stigmas and the short, but evident, stipes as well as the coetaneous flowering, are characteristic of S. arbusculoides and serve to distinguish it from S. alaxensis and S. drummondiana.

There is one mature vegetative branch on the Kew specimen and a fragment of a branch bearing 2 leaves on one of the specimens at NY. The branch is dark brown, glaucous, bearing narrowly obovate leaves 6.7 x 2.8 cm and 6.5 X 2.6 cm, with obtuse apices, acute bases and petioles 7-9 mm long, glabrous above and densely lanate beneath, the midrib yellowish and glabrous. The identity of this material is not unequivocal, and it could represent either *S*. alaxensis var. longistylis or S. drummondiana. As Raup (1934) has noted, these taxa are difficult to distinguish vegetatively, and although S. alaxensis var. longistylis has leaves densely lanate beneath (curly trichomes) and S. drummondiana usually has leaves sericeous beneath [straight, silky trichomes], there are many exceptions. For example, specimens with intermediate pubescence are known from Watson Lake, Y.T. (Argus 5017), and the taxon called S. bella Piper (= S. drummondiana) is characterized by lanate leaves. It must be concluded that positive identification of this material cannot be made with our present knowledge.

There is one immature fruiting branch, the centre branch on the Kew specimen. I have been able to examine only a young shoot and an ament of this specimen at A. The leaves are variously elliptic, densely white sericeous beneath, sparsely pubescent above with margins entire and glandular dotted. The aments are sessile, ca. 2.5 cm long: the pistils are densely sericeous, 3.2-4 mm long, with styles ca. 0.6 mm long: the stipes are ca. 1.2 mm long, and the nectaries are about one third the length of the stipe. This branch compares favourably with what is usually named S. drummondiana [S. subcoerulea) in the Rocky Mountains.

Since the original material consists of three discordant elements, the name must be rejected, "unless it is possible to select one of these elements as a satisfactory type" [Article 70, Lanjouw. et al.. 1966). The protologue is based on all of the elements and does not provide a clear basis for the selection of a lectotype. However, in order to preserve current usage (Recommendation 7B, Lanjouw. et al.. 19661, the centre branch on the Kew specimen is selected as the lectotype. The flowering branches are redetermined as S. arbusculoides and the mature vegetative branch as S. alaxensis var. longistylis or S. drummondiana (if the latter, then a syntype).



Saiix sitchensis Sanson. Vegetative specimen, Argus 6672 (left) and pistillate specimen. Argus 6651 [right]

Section 16. Sitchenses Bebb

41. SALIX SITCHENSIS Sanson

S. sitchensis Sanson, *in* Bong. Mem. Acad. St. Petersb. 6. 2: 162. 1832. (Type: Lyall *s.n.* photo and frag. A).

S. coulteri Anderss. Ofvers. Vet. Akad. Forh. [Stockh.) 15: 119. 1858. S. sitchensis f. coulteri Jeps. Fl. Calif. 1: 342. 1909. S. sitchensis var. coulteri Jeps. Man. Fl. Pl. Calif. 265. 1923.

- S. sitchensis var. congesta Anderss. in DC. Prodr. 16 (2): 233. 1868,
- S. sitchensis var. denudata Anderss. in DC. Prodr. 16 (2): 233. 1868,


Description of species

Shrubs 0.5-3.8 m tall, sometimes prostrate or decumbent: branches dark brown becoming greyish, indumentum usually persistent for 2 years; branchlets densely sericeous or velutinous becoming sparsely pubescent, brittle. Leaves narrowly elliptic, narrowly obovate or obovate, the largest leaves (3.1) 4.5-8.5 (12) cm long, (1.3) 1.9-3.2 (4.8) cm wide and (2.1) 2.4-3 (3.5) times as long as wide; apex round with an obtuse or sometimes acuminate tip, sometimes acute, often conduplicate when pressed; base cuneate; margins distantly and inconspicuously glandular serrulate or irregularly glandular crenate, c:rispate in some vigorous leaves, revolute; the upper side of mature leaves sparsely sericeous or villous becoming glabrate, bright green and dull, the lower side densely to sparsely sericeous with matted straight trichomes appearing satiny, epidermis glossy, more vigorous leaves may be sericeous-lanate; petioles (3) 4-10 (16) mm long, yellowish, velutinous becoming sparsely so; stipules half ovate, minute to 0.4-1.5 mm long, larger on vigorous shoots, pubescent as the leaves. Aments coetaneous. rarely subprecocious, on leafy, floriferous branchlets. Staminate aments 2.2-3 cm long, floriferous branchlets 0.5-1 cm long, persistent after ament drops: stamens 1, filaments 4.4-5.2 mm long, glabrous: anthers 0.6-0.7 mm long. Pistillate aments (1.5) 3-6.5 (9.5) cm long, floriferous branchlets 1-2 cm long; pistils tesr-shaped. 2.4-3.6 mm long, densely white sericeous, capsules 3.6-5.6 mm long, tawny green to yellowish, sericeous or sparsely so; styles 0.5-0.8 mm long: stigmas 0.1-0.2 mm long; stipes 0.8-1.4 mm long. densely sericeous; nectaries 1, adaxial, 0.5-0.8 mm long, equal to or 0.5 times as long as stipe; bracts narrowly oblong to obovate, apex rounded, 1.5-2.4 mm long, brown, usually bicolour and darker toward apex, villous on both sides.

Habitat

Range

Gravel bars of rivers; glacial moraines; Salix and Alnus thickets: shrubby openings in forests. Pacific coastal, montane: Coastal southern Alaska, from Kodiak Island to southeastern Alaska and adjacent



Map 53 Salix sitchensis

British Columbia; southward to Washington and California (Map 53).

Discussion

Salix sitchensis is characterized by usually obovate leaves, satiny pubescent beneath, with revolute vernation: slender pistillate aments with densely sericeous pistils and staminate flowers with one stamen each. It may be confused with vegetative specimens of the densely pubescent form of *S*. scouleriana (see that species for discussion].

In southeastern Alaska Salix sitchensis is a pioneer species on glacial moraine and gravel bars. In these habitats it may be a prostrate shrub spreading as much as 7 m in diameter. It remains a component of later successional stages, finally becoming the dominant species in mature Salix-Alnus thickets. It then declines in importance as the forest becomes closed, but may remain on gravelly stream margins and in disturbed openings within the forest. It is one *of* the most conspicuous willows in coastal Alaska. but is restricted to coastal habitats and is unable to cross divides such as the Three Guardsman Pass, British Columbia (3,500 ft), north of Haines, Alaska. I know of no case of its occurrence north or east of the coastal mountains.

Key to Codes

PROVINCE / STATE

- 1 ALBERTA; CANADA 2 ARITISH COLUMBIA; CANADA 3 MANITORA; CANADA 7 NORTHWEST TERR; CANADA 11 SASKATCHEWAN; CANADA 12 YUKON TERRITORY; CANADA 14 ALASKA; U.S.A.

QUADRANGLES

- ALBERTA+ CANADA
 - 1 1 BISTCHO LAKE GHAD
 - 13 3 WHITESAND RIVER QUAD 4 PEACE POINT QUAD

 - 1
 4
 PERCE POINT QUAL

 1
 5
 FITZGEPALD QUAD

 1
 9
 LAKE CLAIRE QUAL

 1
 10
 FURT CHIPE_YAN GUAD

 1
 20
 MATERNATS QUAD

 1
 20
 MATERNATS QUAD

 1
 22
 WINAGAMI QUAD

 1
 24
 PELICAN QUAD

 1
 24
 PELICAN QUAD

 1
 29
 TAWATINAW QUAD

 1
 34
 EOSON NUAD

 - EDSON NUAD 1 34
 - 1 36
 - CANCE RIVER QUAD ROCKY MOUNTAIN HOUSE QUAD GOLDEN QUAD
 - 1 38
 - 1 44 OYEN GUAD 1 46 FERNIE QUAD

BRITISH COLUMBIA+ CANADA

- 1 YAKUTAT QUAD
- 2 1 TAKUTAT QUAU 2 2 TATSHENSHIAI RIVER QUAU 2 4 ATLIN QUAU 2 5 JENNINGS RIVER QUAU 2 7 RABBIT RIVEN QUAU 2 7 RABBIT RIVEN QUAU 2 13 DEASE LAKE QUAD 2 14 CRY LAKE QUAD 2 14 CRY LAKE QUAD 2 15 TUCHODI LAKES QUAD 2 16 TUCHODI LAKES QUAD 2 17 FORT NELSON QUAD 2 20 TELEGRAPH CREEK QUAD 2 22 TOODDGGONE RIVER QUAD 2 24 TRUTCH QUAD 2 26 ISKUT RIVER QUAD

- 2 26 ISKUT RIVER QUAD 2 30 HALFWAY RIVER QUAD 2 31 CHARLIE LAKE QUAD
- 2 33 HAZELTON QUAD 2 35 PINE PASS QUAD 2 39 TERRACE QUAU

- 2 59 JERRACE QUAU 2 40 SMITHENS QUAD 2 41 FORT FRASER QUAU 2 44 GRAHAM ISLAND QUAD 2 45 HECATE STRAIT NUAD 2 45 ODUGLAS CHANNEL QUAD 2 49 PRINCE GEDRGE QUAD 2 51 HOUNT ROBESON QUAD 2 52 MORESRY ISLAND QUAD 3 55 ANNEEL LASE DUAD

- 52 MORESBY ISLAND QUAD 55 ANAMEIM LAKE QUAD 2
- 2 56 QUESNEL QUAD 2 62 MOUNT WADDINGTON QUAD
- 64 BONAPANTE LAKE QUAD 65 SEYMOUR ARM QUAD 72 ASHCROFT QUAD 74 LARDEAU QUAD
- 2
- 2 79
- 2 79 HOPE QUAD 2 80 PENTICTON QUAD

MANITOBA+ CANADA

- 3 52 BRANDON QUAD
- SASKATCHEWANA CANADA
 - 11 1 TAZIN LAKE QUAN
 - 11 4 PHELPS LAKE QUAD 11 5 WILLIAM RIVER QUAD 11 22 WATERHEN RIVER QUAD

 - 11 28 SHELLBROOK QUAD 11 29 PRINCE ALBERT QUAD 11 34 MELFORT QUAD

 - 11 35 HUDSON BAY QUAD

NORTHWEST TERR., CANADA CAPE DALHOUSIE QUAD 7117 MACKENZIE DELTA QUAD STANTON QUAD FRANKLIN BAY QUAD CAMBRIDGE BAY QUAD 7133 7134 7135 7140 AKLAVIK QUAD CROSSLEY LAKES QUAD BELL RIVER QUAD 7152 7153 7170 7173 7181 TRAVATI, LANT LAKE QUAD COPPERMINE QUAD 7188 OGDEN HAY WUAU FORT GOOD HOPE QUAD 7206 7214 SOLAN RIVER QUAD NURMAN WELLS GHAD 7241 7243 7245 LEITH PENINSULA WUAD 7254 7274 PELLY LAKE QUAD MOUNT EDUNI QUAD CARCAJOU CANYON GUAD 7275 7276 7283 LAC DE GRAS QUAD AYLMER LAKE QUAD HEALEY LAKE QUAD 7284 7285 7290 7297 SCHULTZ LAKE QUAD 7306 7307 NIDDERY LAKE QUAD SEK+I MOUNTAIN QUAD 7308 WHIGLEY LANE GUAD DAHADINNI RIVER GUAD MARIAN RIVER GUAD 7309 7313 7315 CARP LAKE GUAD MACKAY LAKE GUAD 7329 BEAR COVE QUAD NAHANNI QUAD GLACIER LAKE QUAD ROOT RIVER QUAD 7338 7339 7340 CAMSELE BEND GHAD BULMER LAKE GHAD YELLOWKNIFE GHAD 7341 7342 7345 7345 7347 7348 HEARNE LAKE QUAD SNOWDRIFT JUAD FORT RELIANCE QUAD LYNX LAKE QUAD REAVERMILL LAKE QUAD FLAT RIVER QUAD 7349 7350 7367 7367 7368 7369 7370 7371 7372 7373 FLAI KIVEN GUAD VIRGINIA FALLS QUAD SIBBESTON LAKE QUAD FORT SIMPSUN GUAD MILLS LAKE QUAD FALAISF LAKE QUAD FORT RESOLUTION QUAD FORT RESOLUTION QUAD 7374 7374 FORT RESOLUTION QUAD 7375 TAETSON LAKE QHAD 7376 MONACHO LAKE QHAD 7384 FORT LIARD QUAD 7391 TATHLINA LAKE QHAD 7392 RUFFALO LAKE QHAD 7394 FORT SWITH WUAD 7395 HILL ISLANG LAKE QUAD 7396 AHITAU LAKE QUAD 7397 WHOLDATA LAKE QUAD 7402 HYDE LAKE QUAD 7402 HYDE LAKE QUAD

YUKON TERRITORY, CANADA

12 1 DEMARCATION POINT QUAD 12 2 HERSCHEL ISLAND QUAD 12 3 DAVIDSON MTS. QUAD 12 3 DAVIDSON MTS. QUAD 12 4 BLOW RIVER QUAD 12 5 OLD CROW GUAD 12 6 BELL RIVER QUAD 12 6 BELL RIVER QUAD 12 7 PORCUPINE RIVER QUAD 12 4 EAGLE RIVER QUAD 12 9 TRAIL RIVER QUAD 12 11 MARTIN HOUSE GUAD 12 12 HART RIVER QUAD 12 13 WIND RIVER QUAD 12 14 SNAKE RIVER QUAD 13 15 SNAKE RIVER QUAD 13 15 SNAKE RIVER QUAD 12 15 DAWSON GUAD 12 15 DAWSON GUAD 12 16 LARSEN CREEK GUAD 12 17 NASH CREEK GUAD

12 18 12 19	NADALSEN BANER ANAR
12 20	
12 21	MCQUESTEN QUAD
12 22	
12 23	LANSING QUAD
12 24	
12 25	SEKWI MOUNTAIN QUAD
12 27	CARMACKS QUAD
15 59	GLENLYON QUAD
12 29	TAY RIVER WUAD
12 30	SHELDON LAKE GUAD
12 31	KLUANE LAKE QUAD
12 33	AISHIHIK LAKE QUAD Laberge Quau Quiet Lake Quad
12 34	
12 35	CARENGE GUAD
12 33	QUIET LAKE QUAD
12 36	FINLAYSON LAKE QUAD
12 37	FRANCES LAKE QUAD
12 38	FLAT RIVER QUAD
12 39	
12 40	DEZADEASH QUAD WHITEHORSE QUAD
12 41	WHITEHNRSE GUAN
12 42	TESLIN QUAL
12 43	WOLF LAKE GUAD
12 44	WATSON LAKE QUAD
12 45	
12 46	
	LA BICHE RIVER QUAD
12 47	FORT LIARD QUAD
LASKA	U-5-A.
14001	DINON ENTRANCE OF AD
14002	DIXON ENTRANCE DUAD. PRINCE RUPERT QUAD.
	PRINCE ROPERT QUAD.
14003	KETCHIKAN WUAD.
14004	CRAIG QUAD.
14085	PORT ALEXANDER QUAD.
14006	PETERSAURG QUAN.
14007	BRADFIFLD CANAL QUAD.
14008	SUMDUM OUAD.
14009	SITKA QUAD.
14010	
	MT.FAIRWEATHER QUAD.
14011	JUNEAU QUAD.
14012	TAKU RIVER QUAD. ATTU QUAD.
14013	ATTU QUAD.
14014	KISKA QUAD.
14015	RAT ISLANDS
14016	GARELOI ISLAND
14017	ADAK QUAD.
14018	ATKA DUAD
14019	SEGUAN QUANA
14020	SEGUAM QUAD. Amukta Quad.
14021	SAMALGA ISLAND QUAD.
14022	UMNAK QUAD.
	UMALASKA QUAD.
	UMALASKA GUAD.
14023	
14023 14024	UNIMAK QUAD.
14023 14024 14025	UNIMAK QUAD. FALSE PASS QUAN.
14023 14024 14025 14025	UNIMAK QUAD. FALSE PASS QUAN.
14023 14024 14025 14026 14027	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLANN QUAD. STEPOVAK BAY QUAD.
14023 14024 14025 14025	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLANN QUAD. STEPOVAK BAY QUAD.
14023 14024 14025 14026 14027 14028	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. PORT MOLLER QUAD.
14023 14024 14025 14026 14027 14028 14028	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. PORT MOLLER QUAD.
14023 14024 14025 14026 14027 14028 14028 14029 14020	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. PORT MOLLER QUAD.
14023 14024 14025 14026 14027 14028 14028 14029 14030	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. PORT MOLLER QUAD.
14023 14024 14025 14026 14027 14028 14029 14030 14031 14032	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLANN QUAD. STEPOVAK BAY QHAD. PORT MOLLER QUAD. COLU BAY QUAD. CHIGNIK QUAD. SUTWIK ISLANU QUAD. TRINITY ISLANDS WHAD.
14023 14024 14025 14026 14027 14028 14028 14029 14030 14031 14032 14033	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLAND QUAD. STEPOVAK BAY QIAD. PORT MOLER QUAD. COLU RAY QUAD. CHIGNIK QUAD. SUTWIK ISLAND QUAD. TRINITY ISLANDS WUAD. KAGUYAK QUAD.
14023 14024 14025 14026 14028 14028 14029 14030 14030 14032 14032 14033	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLAND QUAD. STEPOVAK BAY QIAD. PORT MOLER QUAD. COLU RAY QUAD. CHIGNIK QUAD. SUTWIK ISLAND QUAD. TRINITY ISLANDS WUAD. KAGUYAK QUAD.
14023 14024 14025 14026 14028 14028 14029 14030 14030 14031 14032 14033 14034	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLAND QUAD. STEPOVAK BAY QIAD. PORT MOLER QUAD. COLU BAY QUAD. CHIGNIK QUAD. SUTWIK ISLAND QUAD. TRINITY ISLANDS WUAD. KAQUYAK QUAD. KODIAK QUAD.
14023 14024 14025 14027 14028 14028 14028 14030 14031 14031 14032 14033 14033	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLAND QUAD. STEPOVAK BAY QIAD. PORT MOLER QUAD. COLU BAY QUAD. CHIGNIK QUAD. SUTWIK ISLAND QUAD. TRINITY ISLANDS WUAD. KAQUYAK QUAD. KODIAK QUAD.
14023 14024 14025 14026 14028 14028 14029 14030 14030 14031 14032 14033 14034	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CHIGNIK QUAD. SUTWIK ISLANOS QUAD. KAGUYAK QUAD. KODIAK QUAD. KARLUK QUAD. BRISTOL BAY QUAD.
14023 14024 14025 14026 14027 14028 14029 14031 14032 14033 14033 14034 14035 14034 14035 14036	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CHIGNIK QUAD. SUTWIK ISLAND QUAD. TRINITY ISLANDS QUAD. KAGUYAK QUAD. KARLUK QUAD. KARLUK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD.
14023 14024 14025 14026 14027 14028 14029 14031 14032 14033 14033 14034 14035 14034 14035 14036	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CHIGNIK QUAD. SUTWIK ISLAND QUAD. TRINITY ISLANDS QUAD. KAGUYAK QUAD. KARLUK QUAD. KARLUK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD.
14023 14024 14025 14026 14028 14029 14029 14031 14032 14033 14034 14035 14035 14036 14036 14038	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CHIGNIK QUAD. SUTWIK ISLAND QUAD. TRINITY ISLANDS QUAD. KAGUYAK QUAD. KARLUK QUAD. KARLUK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD.
14023 14024 14025 14026 14027 14028 14029 14031 14032 14033 14033 14034 14035 14034 14035 14036	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLAND QUAD. STEPOVAK BAY QIAD. PORT MOLLER QUAD. COLU BAY QUAD. CHIGNIK QUAD. SUTWIK ISLAND QUAD. KODIAK QUAD. KODIAK QUAD. KARLUK QUAN. WARLAK QUAD. BRISTOL BAY QUAD. PRIBILOF ISLANDS QUAD. HAGEMEISTER ISLAND QUAD. HAGEMEISTER ISLAND QUAD.
14023 14024 14025 14026 14027 14028 14029 14030 14032 14033 14035 14035 14035 14036 14038 14038 14039 14040	UNIMAK QUAU. FALSE PASS QUAN. SIMEONOF ISLAMM QUAD. STEPOVAK BAY QHAD. PORT MOLER QUAD. COLU BAY QUAD. COLU BAY QUAD. CHIGNIK QUAD. SUTWIK ISLAMU QUAD. KODIAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. PRIBILOF ISLAMD QUAD. HAGEMEISTER ISLAMD QUAD. NUSHAGAK BAY QHAD.
14023 14024 14026 14026 14027 14028 14029 14030 14031 14032 14033 14034 14035 14035 14035 14037 14038 14040 14040	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLAMD QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CHIGNIK QUAD. SUTWIK ISLANOS QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. PRIBILOF ISLAMDS QUAD. HAGEMEISTER ISLAND QUAD. NUSHAGAK BAY QUAD. NUSHAGAK BAY QUAD. NAKNEK QUAD.
14023 14025 14026 14026 14027 14029 14030 14030 14031 14035 14035 14036 14036 14036 14036 14036 14040 14041 14042	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLAND QUAD. STEPOVAK BAY QIAD. PORT MOLER QUAD. COLU BAY QUAD. CHIGNIK QUAD. SUTWIK ISLAND QUAD. KODIAK QUAD. KODIAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL FISLAND QUAD. HAGEMEISTER ISLAND QUAD. MUSHAGAK BAY QUAD. NAKNEK QUAD. AFOONAK QUAD.
14023 14024 14025 14026 14028 14029 14030 14031 14032 14031 14035 14035 14035 14035 14037 14039 14040 14040 14044	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. NUSHAGAK BAY QUAD. NAKNEK QUAD. MI. KATMAI QUAD. AFOOMAK QUAD. ATLIN QUAD.
14023 14024 14025 14026 14026 14028 14029 14031 14032 14033 14033 14035 14035 14035 14036 14039 14039 14041 14044	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLAND QUAD. STEPOVAK BAY QIAD. PORT MOLLER QUAD. COLU BAY QUAD. CUIGNIK QUAD. SUTWIK ISLAND QUAD. KODIAK QUAD. KODIAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL SAMS QUAD. MAGKEK EIYER ISLAND QUAD. NUSHAGAK BAY QUAD. AFOGNAK QUAD. AFOGNAK QUAD. SKAGWAY QUAU.
14023 14024 14025 14026 14028 14020 14028 14030 14031 14032 14035 14036 14036 14036 14036 14039 14040 14040 14044 140445	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU RAY QUAD. COLU RAY QUAD. COLU RAY QUAD. CHIGNIK QUAD. SUTWIK ISLAND QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. PRIBILOF ISLANDS QUAD. MAGEMEISTER ISLAND QUAD. MAGEMEISTER ISLAND QUAD. NAKNEK QUAD. AFOMAK QUAD. AFOMAK QUAD. AFOMAK QUAD. AFUN QUAD. SKAGWAY QUAD. SKAGWAY QUAD.
14023 14024 14027 14026 14027 14028 14028 14029 14031 14033 14033 14033 14035 14035 14035 14036 14036 14040 14044 14045 14046	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CUIGNIK QUAD. SUTWIK ISLANDS WUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. MUSHAGAK BAY QUAD. ATLIN GUAD. SKABWAY QUAD. ATLIN GUAD. SKABWAY QUAD. YAKUTAT QUAD. SKABWAY QUAD.
14023 14024 14025 14027 14026 14028 14030 14031 14032 14033 14035 14035 14035 14036 14037 14038 14038 14038 14038 14042 14044 140445 140445	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QIAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CHIGNIK QUAD. CHIGNIK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. MUSHAGAK BAY QUAD. MISHAGAK QUAD. AFOUNAK QUAD. AFOUNAK QUAD. AFOUNAK QUAD. AFOUNAK QUAD. ATLIN GUAD. SKAGWAY QUAD. YAKUTAT QUAD. MIDDLEYON ISLAND QUAD.
14023 14024 14027 14026 14027 14028 14028 14029 14031 14033 14033 14033 14035 14035 14035 14036 14036 14040 14044 14045 14046	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CUIGNIK QUAD. SUTWIK ISLANDS WUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. MUSHAGAK BAY QUAD. ATLIN GUAD. SKABWAY QUAD. ATLIN GUAD. SKABWAY QUAD. YAKUTAT QUAD. SKABWAY QUAD.
14023 14024 14025 14027 14026 14028 14030 14031 14032 14033 14035 14035 14035 14036 14037 14038 14038 14038 14038 14042 14044 140445 140445	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QIAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CHIGNIK QUAD. CHIGNIK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. MUSHAGAK BAY QUAD. MISHAGAK QUAD. AFOUNAK QUAD. AFOUNAK QUAD. AFOUNAK QUAD. AFOUNAK QUAD. ATLIN GUAD. SKAGWAY QUAD. YAKUTAT QUAD. MIDDLEYON ISLAND QUAD.
14023 14024 14025 14027 14028 14028 14030 14030 14033 14033 14035 14035 14035 14036 14035 14038 14039 14041 14044 14044 14044 14044 14044	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CHIGNIK QUAD. SUTBIK ISLANOS QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. PRIBILOF ISLANDS QUAD. MUSHAGAK BAY QUAD. AFOBMAK QUAD. AFOBMAK QUAD. AFOBMAK QUAD. AFOBMAK QUAD. SKAGWAY QUAD. SKAGWAY QUAD. ICY BAY QUAD. MIDDLETOM ISLAND QUAD. MIDDLETOM ISLAND QUAD.
14023 14024 14025 14026 14026 14028 14028 14031 14033 14033 14033 14034 14035 14036 14036 14038 14038 14038 14041 14044 14045 14045 14045	UNIMAK QUAU. FALSE PASS QUAN. SIMEONOF ISLANN QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. SUTWIK ISLANU QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. HAGEMEISTER ISLAND QUAD. MISA KATAI QUAD. ATLIN GUAD. SKAGWAY QUAU. YAKUYAT QUAD. BRISTOL DN ISLAND QUAD. BLIING SOUND QUAD. BLING SOUND QUAD. BLING SOUND QUAD. BLIANNA QUAU.
14023 14024 14027 14026 14027 14028 14028 14029 14031 14033 14033 14033 14033 14035 14035 14036 14040 14044 14044 140445 140445 140445 14045	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CHIGNIK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. AGEMEISTER ISLAND QUAD. ALS AGAYAK QUAD. ATLIN GUAD. SKABWAY QUAD. TATLIN GUAD. SKABWAY QUAD. MIDDLETON ISLAND QUAD. BLIING SOUND QUAD. SELDDVIA QUAD. SLIDNGAM QUAD.
14023 14024 14025 14027 14026 14028 14030 14031 14032 14033 14033 14033 14035 14035 14035 14037 14038 14038 14038 14039 14042 14044 140445 140445 140445 140445 140445 14055	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QIAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CUBAIK QUAD. SUTWIK ISLAND QUAD. KUTWIK ISLAND QUAD. KODIAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL FISLAND QUAD. MISHAGAK BAY QUAD. AFCOMAK QUAD. AFCOMAK QUAD. AFCOMAK QUAD. AFCOMAK QUAD. ATLIN GUAD. SKAGWAY QUAU. YAKUTAT QUAD. ICY BAY QUAD. BLIDICTON ISLAND QUAD. BLIDICTON ISLAND QUAD. BLIDIA QUAD. ILIAMAA QUAU. DILLINGHAM QUAD.
14023 14024 14027 14027 14028 14028 14030 14030 14033 14033 14035 14035 14035 14036 14037 14038 14049 14044 14044 14044 14044 14044 14045 14045 14055 14055 14055 14055 14055	UNIMAK QUAD. FALSE PASS QUAN. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. SUTWIK ISLANOS QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. PRIBILOF ISLANOS QUAD. MUSHAGAK BAY QUAD. AFOSMAK QUAD. AFLIN GUAD. SKAGWAY QUAU. AFLIN GUAD. SKAGWAY QUAU. YAKUTAT QUAD. SKAGWAY QUAU. YAKUTAT QUAD. SELDOYTA QUAD. BUTNG SOUND QUAD. HIDALETON ISLAND QUAD. MIDDLETON ISLAND QUAD. SELDOYTA QUAD. SELDOYTA QUAD. JLLIAMAA QUAD. GOODNEWS QUAD. GOODNEWS QUAD.
14023 14024 14025 14026 14027 14028 14028 14029 14031 14032 14033 14033 14035 14035 14036 14036 14041 14044 14045 140445 140445 14045 14051 14051 14055 14055	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QIAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CUBAIX QUAD. SUTWIK ISLAND QUAD. KUTWIK ISLAND QUAD. KODIAK QUAD. KODIAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. MISHGAK BAY QUAD. AFCOMAK QUAD. AFCOMAK QUAD. AFCOMAK QUAD. AFCOMAK QUAD. ATLIN GUAD. SKAGWAY QUAD. ICY BAY QUAD. ILIAMAA QUAD. DILLINGHAM QUAD. GOODNEWS QUAD. KUSKAKIM BAY QUAD. CAPE MFNDENHALL QUAD.
14023 14024 14026 14027 14028 14028 14030 14030 14030 14033 14033 14033 14035 14035 14036 14037 14038 14042 14042 14044 14044 14045 14044 14045 14055 14055	UNIMAK QUAD. FALSE PASS QUAD. STEPOVAK BAY QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. SUTBIK ISLANOS QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. PRIBILOF ISLANDS QUAD. MUSHAGAK BAY QUAD. AFOGMAK QUAD. AFOGMAK QUAD. AFOGMAK QUAD. SKAGWAY QUAD. ICY BAY QUAD. ICY BAY QUAD. ICY BAY QUAD. ICY BAY QUAD. ICY BAY QUAD. ICY BAY QUAD. SELDOVTA QUAD. ILIAMA QUAD. SELDOVTA QUAD. GOODNEWS QUAD. KUSKOKWIM BAY QUAD. CAPE MFNDENHALL QUAD. CAPE MFNDENHALL QUAD.
14023 14024 14027 14026 14027 14028 14028 14029 14031 14033 14033 14033 14033 14034 14035 14036 14036 14045 14044 14044 14044 14044 14045 14045 14055 14055	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CUBMIK QUAD. SUTWIK ISLAND QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. PRIBLOF ISLANDS QUAD. MUSHAGAK BAY QUAD. AFOONAK QUAD. AFOONAK QUAD. ATLIN GUAD. SKABWAY QUAD. ATLIN GUAD. SKABWAY QUAD. MIDDLETON ISLAND QUAD. MIDDLETON ISLAND QUAD. MIDDLETON ISLAND QUAD. RLTING SOUND QUAD. MIDDLETON ISLAND QUAD. SELDDVTA QUAD. GOODNEWS QUAD. ST. MATTHEW QUAD. ST. MATTHEW QUAD.
14023 14024 14025 14027 14028 14028 14030 14031 14031 14032 14033 14033 14033 14033 14035 14037 14038 14037 14038 14037 14038 14037 14038 14051 14044 14044 14044 14044 14044 14045 14055 14055 14055	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CHIGNIK QUAD. CHIGNIK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. HISHAGAK BAY QUAD. HISHAGAK QUAD. NISHAGAK QUAD. AFOUNAK QUAD. AFOUNAK QUAD. AFOUNAK QUAD. AFOUNAK QUAD. AFOUNAK QUAD. SKAGWAY QUAD. YAKUTAI QUAD. SKAGWAY QUAD. ILI MNA QUAD. ILI MNA QUAD. ILI MNA QUAD. ILI MNA QUAD. SLEDDYA QUAD. SILDIYA QUAD. SILDIYA QUAD. ST. MATTHEW QUAD. ST. MATTHEW QUAD. ST. MATTHEW QUAD. MIDLE QUAD.
14023 14024 14027 14026 14027 14028 14030 14030 14033 14033 14033 14035 14035 14035 14036 14037 14038 14042 14044 14044 14044 14044 14045 14050 14050 14055 14055 14055 14055 14055	UNIMAK QUAU. FALSE PASS QUAN. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. SUTWIK ISLANOS QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. PRIBILOF ISLANOS QUAD. MUSHAGAK BAY QUAD. AFGMAK QUAD. AFLIN GUAD. AFLIN GUAD. SKABWAY QUAU. YAKUTAT GUAD. AFLING GUAD. MIDDLETON ISLAND QUAD. HLING SOUND QUAD. HLING GUAD. SELDOYTA QUAD. SELDOYTA QUAD. GOODNEWS QUAD. AGUDA. GOODNEWS QUAD. CAPE MFNDENHALL WUAD. ST. MATTHEW QUAD. ST. MATTHEW QUAD. BETHEL QUAD.
14023 14024 14025 14027 14028 14028 14030 14031 14031 14032 14033 14033 14033 14033 14035 14037 14038 14037 14038 14037 14038 14037 14038 14051 14044 14044 14044 14044 14044 14045 14055 14055 14055	UNIMAK QUAD. FALSE PASS QUAD. SIMEONOF ISLAND QUAD. STEPOVAK BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. COLU BAY QUAD. CHIGNIK QUAD. CHIGNIK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. KAGUYAK QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. BRISTOL BAY QUAD. MUSHAGAK BAY QUAD. AFOUNAK QUAD. AFOUNAK QUAD. AFOUNAK QUAD. AFOUNAK QUAD. SKAGWAY QUAD. YAKUTAT QUAD. SKAGWAY QUAD. YAKUTAT QUAD. ILIMMA QUAD. ILIMMA QUAD. ILIMMA QUAD. SLEDDYA QUAD. ILIMMA QUAD. SUAD. KUSKOKWIM GAY QUAD. ST. MATTHEW QUAD. ST. MATTHEW QUAD. MUAD. ST. MATTHEW QUAD. MUAD. MUAD. ST. MATTHEW QUAD. ST. MATTHEW QUAD. MINNAK ISLAND QUAD. BAIND TNET QUAD.

14061 LAKE CLARK QUAD. KENAL QUAD. SEWARD QUAD. RERING GLACIER WUAD. HENING GLACIER WUAD MT. ST. ELIAS QUAD. MCCARTHY QUAD. VALDEZ WUAD. ANCHORAGE QUAD. TYONEK QUAD. TYONEK QUAD: LIME HILLS QUAD. SLEETMIJTE QUAD. RUSSIAN MISSION QUAD. HOOPER BAY QUAD. BLACK QUAD. KWIGUK QUAN. HOLY CROSS QUAN. HOLY CRUSS GUAN. INITAROD QUAD. MCGRATH QUAD. TALKEETNA GUAD. TALKEETNA MTS. QUAD. TALKEETIAA MIS. QUAD. GULKANA QUAD. TANACRISS QUAD. MOUNT HAYES QUAD. HEALY QUAD. MOUNT MCKINLEY QUAD. 14087 14088 MEDERA QUAD. OPHIR GUAD. UNALAKLEET QUAD. ST. MICHAEL QUAD. ST. LAWRENCE QUAD. NOME QUAD. SQLOMON QUAD. NORTON BAY QUAD. NULATO GUAD. RUBY GUAD. Kantishna River Guad. Fairbanks guad. Big Delta guad. EAGLE GUAD. CHARLEY RIVER QUAD. CIRCLE QUAD. LIVENGOOD QUAD. TANANA QUAD. NELUZITNA QUAD. KATEEL RIVER QUAD. CANDLE QUAD. RENDELEDEN QUAD. 1410H 14109 HENDELFUEN GUAD. TELLER QUAD. SHISHMAREF GUAD. KOTZERHE GUAD. SELAWIK QUAD. SHUNGNAK OUAD. HUGHES QUAD. HIGHES QUAD. BETTLES QUAD. BEAVER QUAD. FORT YUKON QUAD. BLACK RIVER QUAD. COLEEN QUAD. CHRISTIAN WUAD. CHANDALAR WUAD. WISEMAN QUAD. SURVEY PASS QUAD. AMBLER RIVER QUAD. BAIND NTS. QUAD. NOATAK QUAD. NOATAK QUAD. POINT HOPE QUAD. OE LONG MTS. QUAD. MUSHEGUR MTS. QUAD. HOWARD PASS QUAD. KILLIK RIVER DIAU. 14130 CHANDLER LAKE QUAD. PHILIP SMITH MTS. QUAD. ARCTIC QUAD. TABLE MOUNTAIN QUAD. 141.34 TABLE MOUNTAIN QUAD. DEMARCATION POINT QUAD. MT. MICHELSON QUAD. Sagavanirktok Quad. Umiat Guad. Ikpikpik Riven Quad. Lookout Rider Quad. UTUKOK River Quad. POINT 1,47 QUAD. MAINWRIGHT QUAD. WAINWRIGHT QUAD. MEADE AIVEN QUAD. TESHEKPUK QUAU. Marrison bay Quad. Brechey Point Quad. Flaxman Island Quad. Barter Island Quad. 14147
14148
14149

r -

L

Key to Codes

SPECIES

122 1	ALAXENSIS VAR. ALAXENSIS
122 2	ALAXENCIS VAR. LONGISTYLIS
39	ARBUSCOLOTOES
45	ARCTICA
50	ARCTOPHILA
71	ATHAHASCENSIS
3 87	BABYLONICA
90	BARCLAYI BARRATTIANA
- 4	BEBDIANA
101 1	
101 4	BRACHYCARPA SSP. BRACHYCARPA
	BRACHYCARPA SSP. NIPHOCLADA
5	CANDIDA
32	COMMUTATA
89 119	CHAMISSONIS
	ORUMMONDIANA
46 49 5	FUSCESCENS
	GLAUCA VAR. VILLOSA
49 2	GLAUCA VAR, ACHTIFOLIA
49 1	GLAUCA VAR. GLAUCA
41 57	HASTATA
	HOOKERTANA
12 103 3	INTERIOR LANATA SSP. RICHARDSONII
66	LASIANDRA
73	MACCALLIÂNA
77 78	MONTICOLA
98	MYRTILLIFOLIA NOVAE-ANGLIAE
80	
83 1	NUMMULARIA Ovalifolia var, ovalifolia
8. 2	
83 4	
-	OVALIFOLIA VAR. CYCLOPHYLLA
83 J 15	OVALIFOLIA VAR. GLACIALIS
15	PEDICELLARIS
92	PENTANORA PHLEBOPHYLLA
28 3 3	
	PLANIFOLIA SSP. PULCHRA VAR. PULCHRA
28 1	PLANIFOLIA SSP. PLANIFOLIA
28 3 2	
96 19	POLARIS PYRIFOLIA
102 1	RETICULATA SSP. RETICULATA
102 2	RETICULATA SSP. GLABELLICARPA
020	RIGIDA
105 1	
105 2	ROTUNDIFOLIA SSP. ROTUNDIFOLIA Rotundifolia SSP. doogéana
105 2	SCOULFRIÂNA
113	SETCHFLLIANA
116	SITCHENSIS
36	SPHENOPHYLLA
118	STOLONTFERA
-10	STORALLEUK

HYBRIDS

122	1	ALAXENGIS VAR. ALAXENSIS X 103 LANATA
122	2	ALAXENSIS VAR. LONGISTYLIS X 122 ALAXENSIS
45		AHCTICA X 87 RARCLAYI
45		ARCTICA X 49 GLAUCA
45		ARCTICA X 83 OVALIFOLIA
45		ARCTICA X 118 STOLONIFERA
71		ATHABASCENSIS X 15 PEDICELLARIS
87		BARCLAYI X 103 LANATA
87		BARCLAYI X 32 COMMUTATA
87		HARCLAYI X 118 STOLONIFERA
101	4	RRACHYCARPA SSP. NIPHOCLADA X 49 GLAUCA
15		PEDICELLARIS X 71 ATHABASCENSIS
92		PHLEBOPHYLLA X 105 ROTUNDIFOLIA
28	3	PLANIFOLIA SSP. PULCHRA X 109 SCOULERIANA
105	1	ROTUNDIFOLIA SSP. ROTUNDIFOLIA X 92 PHLEBOPHYLLA

HERBARIA

А	ARNOLD ARBORETUM, CAMBRIDGE, MASS,
ALA	UNIVERSITY OF ALASKA, COLLEGE, ALASKA
BRY	BRIGHAM YOUNG UNIVERSITY, PROVO, UTAH
CAN	NATIONAL HERBARIUM OF CANADA, OTTAWA
CS	COLORADO STATE UNIVERSITY, FORT COLLINS, COLO.
DAO	CANADA DEPARTMENT OF AGRICULTURE. OTTAWA
FSLC	U.S. FOREST SERVICE, COLLEGE, ALASKA
GH	GRAY HERBARIUM, CAMBRIDGE, MASS.
GWA	PERSONAL HERBARIUM. GEORGE W. ARGUS, AT OTF
ISC	IOWA STATE UNIVERSITY, AMES. IOWA
LAV	PERSONAL HERBARIUM, L. A. VIERECK, AT ALA
MICH	UNIVERSITY OF MICHIGAN, ANN ARBOR, MICH.
MIN	UNIVERSITY OF MINNESOTA, MINNEAPOLIS, MINN.
NA	U.S. NATIONAL ARBORETUM, WASHINGTON, D.C.
NY	NEW YORK BOTANICAL GARDEN, NEW YORK
OTF	CANADIAN FORESTRY SERVICE, OTTAWA
RM	ROCKY MOUNTAIN HERBARIUM. LARAMIE. WYO.
SASK	UNIVERSITY OF SASKATCHEWAN, SASKATOON, SASK.
US	U.S. NATIONAL MUSEUM, WASHINGTON, D.C.
uwo	UNIVERSITY OF WESTERN ONTARIO. LONDON. ONT.
WIS	UNIVERSITY OF WISCONSIN, MADISON, WIS.
WTU	UNIVERSITY OF WASHINGTON, SEATTLE. WASH.

i.

Specimens Cited

TAXON	SPC S V	HYB PROV	QUAD	LAT	LONG	LOCALITY	54	ATE.		Col	.LI	ECTOR NAME	CÔL NO	HERB	1 + NO
3	BABYL	ONICA													
1873	3	14	6	5648	13258	PETERSBURG	19	4	967	6	۷	ARGUS	6839	GW	l .
4	95838	ANA				PETERSBURG QUATRE FOUR R SLAVE RIVER WETASKIWIN HT GLAVE AT IT ALA HWY MI 590 DEASE L VILLAG SUMMIT PASS TETSA RIVER MACDONALD CR SIKANNI R BEATTON RIVER BEATTON RIVER MORMAL LAKE MONTAIN RED MOJNTAIN RED									
1873	4	1	з	5854	11135	QUATRE FOUR R	06	06	927	н	м	RAUP	542		18676
1873 1873	4	1	5 38	5908 5258	11128	SLAVE RIVER WFTASKIWIN	12	06	927	н	š	RAUP	539	ALA	14476
1873	4	2	2	5935	13629	HT GLAVE AT T	14	7	967	G	÷	ARGUS	4006	- ALA GWA	14825
1873 1873	4	2	14	5959 5822	12750	DEASE L VILLAG	28	06 B	968	SK	L	WELSH RIGBY	7435 268	GWA	1151
1873 1873	4	2	16	5839	12419	SUMMIT PASS	22	06	943	н	۲	RAUP	10758	ALA	19827
1873	4	2	16	5847	12458	MACDONALD CR	25	06	968	ŝ	Ľ	VELSH	7323	GWA GWA	
1873 1873	4	2	24	5714	12243	SIKANNI R Beatton River	20 13	06	943	H	ų	RAUP	101A1 10064		19830
1873 1873	4	2	24	5705	12235	BEATTON RIVER	12	06	943	H	u u	RAUP	10042	ALA	19833
1873	4	2	24	5705	12235	BEATTON RIVER	13	06	943	Ĥ	Ŵ	RAUP	10036	ALA ALA	19834
1873 1873	4	2	24	5659	12211	BEATTON RIVER	16 A	06	943	H	4	RAUP	10099	ALA	19831
1873 1873	4	2	049	5320	12245	PRINCE GEORGE.	Ž	6	967	G	¥.	ARGUS	6078	GWA	
1873	4	7	153	6833	12829	ANDERSON RIVER	10	6 07	967	G	H	ARGUS	6072 5.N.	GWA	
1873 1873		7	17 24 1	6745 6517	13601	HORNE L. NORMAN WELLS	5 22	7	962	3	Ą	CALDER	34003	540	
1873	4	7	339	6205	12735	RED NOUNTAIN	28	06	939	Ĥ	ų	RAUP	9306	ALA	14861
1673 1673		7	339 339	6205	12735	RED MOUNTAIN RED MOUNTAIN	21	06 06	939	н	м. Н	RAUP	9223	ALA	14855
1673 1673	4	7	339	6205	12735	RED MOUNTAIN	28	06	939	Ĥ	м	RAUP	9306	GVA	14005
1873	4	ź	370	6152	12123	FORT SIMPSON	09	06	970 955	G	J	CODY	12508 A126	GWA Ala	24337
1873 1873		;	370 370	6152 6152	12122	FT. SIMPSON FORT SIMPSON	7	6 66	955 930	M I	J.	CODY	8083	SWA	10008
1873 1673	4 4	,7	394	6000	11153	FORT SMITH	23	06	927	н	ų	RAUP	538	ALA	14425
1873	4	12	15	5207 6404	13925	DAWSON	24	5	962 932	G	Ψ.	ARGUS BEAUCHAMP	13/62	GWA Ala	505
1873 1873	4	12	15 26	6412	14021	SIXTY MI ROAD	26	06	966	5	L	VELSH	5596	GWA	
1673	4	12	27	6205	13618	CARMACKS	21	08	941	Ľ	J	COLE	213	150	256211
1673 1873	4	12	35	6122	13843	LOWER LAKE	08 15	07	944 944	H A	F	RAUP PORSILD	12360	ALA	19825
1873 1873	4	12	40 40	6047 6046	13735	PINE CREEK	17	06	944	н		RAUP	11782	ALA	19826
1873	4	12	40	6046	13730	ALSEK RIVER	26	06	944	8	v	RAUP	11963	GWA	19835
1873 1873	4	12	41 41	6043 6043	13503	WHITEHORSE	31	07	944	JI	P	ANDERSON	9604	150	256205
1873 1873	4 4	12	41	6043	13503	WHITEHORSE			932			BEAUCHANP	129	ALA	510
1873	4	12	41	6043	13502	WHITEHORSE	01	06	932 944	Α .	F	PORSILD	9154	ALA ISC	506 256171
1873	*	12	41	6043 6039	13503	WHITEHORSE MILES CANYON	13	06	958 05 e		M 1	STIELL		3WA	
1873	4	12	41	6033	13417	ALA HWY MI 882	24	06	966	ŝ	Ĺ	WELSH	5500	6 MA	
1673 1873	4	12	42 4	6022 6005	13351	ALA HWY MI 793	13 24	08 06	943 966	H S		RAUP NF1 SH	11265	ALA	19828
1873 1673	4	12	43	6005 5007	13040	RANCHERIA RANCHERIA R	21	06	94A	Ĵ	Ē.	ANDERSON	10452	TSC	256184
1673	4	12	44	6007	12843	WATSON LAKE	22	06	946	J		ANDERSON	9925	ISC	255187
1873	4	12 12 12 12 12 12 12 12 12 12 12 12	44 1	6003	12840	WATSON LAKE	07	06 06	956 956	61	F.	ARGUS	270 271	ALA	4823 4822
1673 1673	4	12	44	6003	12840	WATSON LAKE	07	06	956	G	H	ARGUS	270	GWA	
1673	4	12	44	6003	12840	WATSON LAKE	24	06 06	956 966	G	H	ARGUS	271 5021	GWA	
1873 1873	4	12	44 1	6003 6003	12840	WATSON LAKE	24 07	06 06	966 956	G		ARGUS ARGUS	5018	GWA	
1873 1673	4	12	44 (6013 5748	12840	WATSON LAKE	24	06	966	Ŷ,		SUDA	11366	GWA	
1873	4	14	41	5842	15640	KING SALMON	23	07	965	v	2	HARMS	5132 4450	ALA	32563
1873 1873		14 14	42 9	5845 5845	15537 15537	COVILLE LAKE	08 - 08	07 07	954 954	¥ I G	•	CAHALANE SCHALLER	5.N.	TSC ALA	219362 2978
1873 1873	4	14	42 50	5841	15515	GROSVENOR LAKE	22	07	954	Ģ.		SCHALLER	5.N.	ALA	2981
1873	4		50 9	5940	15127 15132	HOMER	12	00	707	L (n –	ATEMECK	18416 8267	GHA GWA	
1873 1873	4	14 14	62 (6055	14939 15116	HOPE	07	06	941	JF	2	ANDERSON	6645	15C	256203
1873	4	14	62 (6009	15130	STERHWY MI 125	12	06	951 967	ι,		KLEIN Viereck	448 8257	ISC SWA	256168
1873 1873	4	14 14	63 6	5029	14920	MOOSE PASS COOPER'S LANDG	01	06	941	JF		ANDERSON	6473 6932	TSC	256177
1873 1873	4	14	63 (5029	14950	COOPER'S LANDG	19	06	941	J	•	ANDERSON	6855	ISC	256188
1873	4	14	67 6	5126	14256	MCCARTHY	60	06	961	ΕL	-	SHARPLES LITTLE: JR,	16379	ISC GWA	256191
1873	4	14	67 t	513 0	14300	KENNICOTT GL	06 (06	957	Lł		VIERECK	208	ALA	6406

TAXON	SPC S V НУВ	₽R0¥	QUAD	LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	COL ND HERR + ND
1673 1673 1673	4 4	14 14 14	67 68 68	ь131 6153	14426 14602	KENNICOTT GL Chitina St Anne Lake	67 07	957 L & VIERECK 935 J P Anderson 961 E L Little, Jr.	2208 GWA 2013 TSC 256198 18363 GWA
1873 1873		14 14	68 68	6149	14512	RICH HWY MB7 RICH HWY M90	01 08	967 L A VIERECK 967 L A VIERECK	8450 SWA 8454 SWA
1873 1873		14	68 69	6132	14914	MATANUSKA	04 07	967 L A VIERECK 931 J P ANDERSON	8459 G#A 796 ALA 27349
1673 1673	4) 4)	14 14	69 69			MATANUSKA MATANUSKA		931 J P ANDERSON 931 J P ANDERSON	897 ALA 27351 897 TSC 258201
1673 1673	4	14 14	69 69			EKLUTNA EKLUTNA		941 J P ANDERSON 941 J P ANDERSON	6957 TSC 256189 6958 TSC 256174
1675 1873	4	14 14	69 69			SHEEP MT Chickaloon	15 07	948 J P ANDERSON 948 J P ANDERSON	10673 TSC 256183 10571 TSC 256170
1873 1873	4	14 14	69 69	b132	14914	MATANUSKA Matanuska vy	04 07	931 J P ANDERSON 940 L J PALMER	796 TSC 256199 134 ALA 5169
1873 1873	4	14	69 69	6140	14900	MATANUSKA VY MATANUSKA VY		940 L J PALMER 940 L J PALMER	101 ALA 5166 160 MLA 5160
1673	4	14	69 69	ь113	14954	ANCHORAGE		965 S L WELSH	4141 150 246123
1673 1673		14	70 70	6145	15003	WILLOW	28 06	941 J P ANDERSON	7008 TSC 256173
1673		14	70	6145	15003	WILLOW	28 06	941 J P ANDERSON 941 J P ANDERSON	7010 ISC 256202 7009 75C 256204
1873	4	14	70 73	6130	15934	SKWENTNA ANIAK	28 6	961 E L LITTLE, JR. 949 W H DRURY	18433 SWA 1705 CAN
1873 1873	4	14	73	6137	15930 15930	ANIAK	18 6	949 W H DRURY 949 W H DRURY	1424 CAN 1461 CAN
1873 1873	4	14	79 79	6259	15604	TAKOTNA TAKOTNA	26 07	941 J P ANDERSON 941 J P ANDERSON	7414 ALA 509 7412 TSC 256193
1873 1873	4	14 14	79 79	6259 6259	15604 15604	TAKOTNA TAKOTNA BIG DIVER	26 D7 27 D6	941 J P ANDERSON 940 E SCAMMAN	7414 TSC 256192 1827 G#A
1873	4	14 14	80 80	6229 6232	15503 15337	TAKOTNA BIG RIVER Farewell L. Farewell L. Farewell L.	21 7 7 8	950 W H DRURY 949 W H DRURY	4768 CAN 2557 CAN
1873 1873	4	14	80 80	6233 6233	15337	FAREWELL L.	28	949 # H DRURY	2284 CAN 2345 CAN
1873	4	14	80 80	0431	12220	MCGRATH MCGRATH	7 6	940 E SCAMMAN 950 M H DRURY 949 M H DRURY 949 M H DRURY 949 M H DRURY 950 M H DRURY 949 M H DRURY 949 M H DRURY 949 M H DRURY	3618 CAN 1356 CAN
1673		14	80 80	6257	15536	MCGRATH	13 6	949 W H DRURY 948 R L LATDEN	1370 CAN 14 TSC 256101
1873 1873	4	14	81 81	6220	15006	TALKEETNA Kahiltna gl	11 08	941 J P ANDERSON 956 L A VIERECK	7720 TSC 256178
1873	4	14	81	ь228	15115	KAHILTNA GL	27 06	956 L * VIERECK	1050 GWA
1873	4	14	83 83	6216	14523	GAKONA GULKANA	19 06	944 J P ANDERSON 957 G P ARGUS	A505 TSC 256207 1042 ALA 8402
1873 1873	4	14	83 83	6218	14518	GULKANA GAKONA	19 06 28 06	966 S t WELSH	1042 GWA 5654 9WA
1673	4	14 14	84 85	ċ301	14148	NORTHWAY JC	06 07	G V GASSER 945 J P ANDERSON	5.N. ALA 24997 10105 75C 256186
1873	4	14	85 85	ь320	14236	TANACROSS FORTY VI HOUSE	24 06		8792 JSC 256206 1863 ALA 25682
1873 1873	4	14 14	85 85	ь327	14228	FORTY WI HOUSE	21 06	963 J NAVA	3963 ALA 25897 106 ALA 23968
1873 1873	4	14 14	85 85	6337	14355	TOK JUNCTION Jan Lake	05 07	9 7 L & SPETZMAN 957 L & SPETZMAN	879 ALA 6872 267 ALA 6873
1673 1673	4	14 14	86 85			CONNELY DOME CONNELY DOME		957 G ¥ ARGUS 957 G ¥ ARGUS	1056 ALA 6720 1056 SWA
1673 1673	4	14 14	80 86			DONNELY DOME George Lake		957 G ₩ ARGUS 964 V L HARMS	1043 GWA 3175 Ala 32611
1673 1873	4	14 14	85 85			GEORGE LAKE George lake	10 08	964 V L HARMS 964 V L HARMS	3164 ALA 32605 3162 ALA 32610
1873	4	14	86 87	6355	14452	UPPER TANANA R MCKINLEY NAT P	23 07	966 L / VIERECK 954 G / FROHNE	7738 FSLC 54202 ALA 21926
1873	4	14	87 87	6343	14856	MCKINLEY NAT P	20 06	960 A MURIE	10 SWA 4 SWA
1873 1875	4	14	87 87	b344	14855	MCKINLEY NAT P MCKINLEY NAT P	21 08	954 A MURIE	7 GWA 9 GWA
1873	4	14	87 87	b344	14855	MCKINLEY NAT P	30 06	939 A NELSON	3547 ALA 508 3587 TSC 256190
1573 1873	4	14	87 87	o344	14855	MCKINLEY NAT P	30 06	959 E H RENZEL	1A TSC 228343 15 TSC 228344
1873	4	14	89 90	6315		NIXON MINES	49	949 # 9 DRURY 949 # 9 DRURY	3356 CAN
1873	4	14 14	98	6445	15530	RUBY	03 07	931 C H ROUSE	53 ALA 25442
1673	4	14	98 98	6445	15530 15530	RUBY	03 07	931 C H ROUSE 931 C H ROUSE	53 ALA 25461 53 ALA 2012
1673	4	14	98 98	6445	15530 15530	RUBY		931 C H ROUSE	54 ALA 25469 54 ALA 2013
1673 1673	4	14	96 98	6445	15530 15530	RUBY .	03 07	931 C H ROUSE 931 C H ROUSE	51 MLA 25466 51 MLA 2014
1673	4	14	100	645U	14740	FAIRBANKS FAIRBANKS	10 05	940 J P ANDERSON 940 J P ANDERSON	6078 TSC 256196 6079 TSC 256195
1673 1673	4	14	100 100	6452	14752	SMITH LAKE Smith Lake	04 08	956 G ¥ ARGUS 956 G ¥ ARGUS	725 ALA 4569 281 ALA 4565
1673 1673	4	14 14	100 100			GOLDSTREAM CR Collega	15 06	957 G V ARGUS 957 G V ARGUS	1024 ALA 6741 1107 ALA 6721
1873	4	14 14	100	6453	14750	COLLEGE FAIRBANKS	09 06 04 08	957 G W ARGUS	1004 ALA 6731 725 3WA
1673 1673	4	14 14	100	ь454	14751	GOLDSTREAM CR	15 06 14 07	957 G ¥ ARGUS	1024 S#A 1107 GWA
1873 1875	4	14 14	100	6450	14730	FAIRBANKS FAIRBANKS	09 08		767 SWA 984 SWA
1873	4	14	100			COLLEGE		957 G W ARGUS	1004 384

1473 14 100 0+53 1751 CALLFOR 14 0.0 0+53 1751 CALLFOR 16 0+56 0-717 7-44 1273 14 100 0+55 1770 CALLFOR 16 0-756 0-717 7-44 3102 1273 14 100 0+55 1770 CALLFOR 16 0-756 0-7577 0-757 0-7577	TAXON	SPC S V HYS	PR0V	ንበሃጋ	LAT	LONG	LOCALITY	DATE	COLL.5	CTOR NAME	00L NO HERR + NO
12/3 14 100 0+52 17/30 COLLEGE 10 0.0 0+10 11/30		ь									
1273 14 100 0050 1775 COLLEGE 05 56 50 100 114 100<											4 ALA 3102
inp3 in inp3 in inp3 inp											
1473 16.1 16.7 5275 721 57 96.9 1 14.8 200 1473 14 16.9 16.75 16.75 16.75 16.75 16.75 16.75 16.75 16.75 16.75 17.95 16.75 17.95 16.75 17.95 17			14		6455 6452	14755	COLLEGE	05 05			
1p.73 4 10 10 0.90 9.90 A JOHESDIN 40.00 1473 14 10.00 0.952 11.70 0.11 0.973 1.00 0.921 1.10 0.952 1.10 0.973 1.10 0.973 1.10 0.973 1.10 0.973 1.10 0.973 1.10 0.973 1.10 0.973 1.10 0.973 1.10 0.973 1.10 0.973 1.10 0.973 1.10 0.973 1.10 0.973 1.10 0.974 1.10 0.970 1.10 0.10 0.970 1.10 0.974 1.10 0.970 1.10 0.970 1.10 0.970 1.10 0.970 1.10 0.970 1.10 1.10 0.970 1.10 0.970 1.10 0.970 1.10 0.970 1.10 0.970 1.10 0.970 1.10 0.970 1.10 0.970 1.10 0.970 1.10 0.970 1.10 0.970 1.10 0.970	1873		14	10)	6451	14751	ESTER		964 V L	HARM5	29949 MLA 32521
1p-3 1 10 0.0 pesso 1770 10 10 0.0 0.0 1770 10 10 0.0 1770 10 10 0.0 1770 10 10 10 1770 10 10 10 1770 10 10 10 1770 10 10 10 1770 11 10 <t< td=""><td></td><td>•</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>		•									
1273 u 10 10.0 0.450 17.0 6.931 1 1.0 </td <td></td>											
1975 4 10 0.5 0.77 4.14 10.5 0.75 1.7 0.4 1.7 0.4 1.5 0.4 1.5 0.4 1.5 0.4 1.5 1.4 0.5 0.5 0.5 1.7 0.4 0.4 0.5 0.5 0.5 1.7 0.4 0.5 </td <td></td> <td></td> <td>14</td> <td>10)</td> <td>6450</td> <td>14740</td> <td>FAIRBANKS</td> <td>17 06</td> <td>933 L J</td> <td>PALMER</td> <td>200 ALA 32133</td>			14	10)	6450	14740	FAIRBANKS	17 06	933 L J	PALMER	200 ALA 32133
1475 • 1 10 0 0 0 7 0 7 1 7 4 1 0 0 0 7 1 <th1< th=""> 1 1 1</th1<>					6450	14740	FAIRBANKS	17 06	933 L J	PALMER	
1g73 4 10 0 0550 1476 FALSBANKS 06 933 L PALWER 175 FALSBANKS 06 933 L PALWER 175 FALS 5533 1473 4 100 0450 1470 FALSBANKS 06 033 L PALWER 177 FALS 5533 1473 4 14 00 0450 1470 FALSBANKS 06 033 L PALWER 177 FALS 5533 1473 4 14 00 0450 1470 FALSBANKS 20 06 027 L PALWER 176 FALS 5537 1473 4 14 100 0450 1470 FALSBANKS 20 06 033 L PALWER 176 FALS 5537 1473 4 14 100 0450 1470 FALSBANKS 20 07 031 L PALWER 176			14	T0)	ь450	14740	FAIRBANKS	06	937 L J	PALMER	161 ALA 5232
1673 1673 16 100 0+50 1274 FAIRBANKS 05 933 L 0<											
1473 4 10 0 050 1474 0 0.50 1474 0 0.50 1474 0 0.50 1474 0 0.50 1474 0 0.50 1474 0.60 0.50 1474 1.00 0.50 1474 0.60 0.50 1474 0.60 0.50 1474 0.60 0.50 1474 0.60 0.50 1474 0.60 0.50 1474 0.60 0.50 1474 0.60 0.50 1474 0.60 0.50 1474 0.60 0.50 1474 0.60 0.50 1474 0.60 0.50 1474 0.60 0.50 1474 0.60 0.50 1474 0.60 0.50 1474 0.60 0					6450 6450	14740	FAIRBANKS	06	933 L J	PALMER	
10.73 4 14 10.0 450 17.0 6.35 1.0 PALMER 10.7 4.4 3540 10.73 4 11.00 450 17.00 FAILERS 17.0 FAILES 17.0 FAILES TAILES	1873	-			o45U	14740	FAIRBANKS	06	933 L J	PALMER	
1a73 4 14 100 eVS1 177 06 351 1 PALMER 200 ALA 3550 1a73 4 11 100 eVS1 170 0.53 1 PALMER 200 ALA 3515 1a73 4 100 eVS1 1470 PALMER 1700 ALA 3575 1a73 4 100 eVS1 1470 PALMER 1700 ALA 5757 1a73 14 100 eVS1 1470 PALMER 270 ALA 5757 1a73 14 100 eVS1 1470 PALMER 270 ALA 5757 1a73 14 100 eVS1 1470 PALMERS 20 07 311 1 141.4 5727 1a73 14 100 eVS1 1470 FALRSAVS 20 07 311.4 1ALVER 146.3 5731.4 1a73 14 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>06</td><td>935 L J 935 L J</td><td></td><td></td></t<>								06	935 L J 935 L J		
1653 1				10)	6450	14740	FAIRBANKS	17 06	933 L J	PALMER	209 ALA 5250
1n73 4 14 100 6450 1740 FALMES 20 0.6 27 1 PALMES 1760 64.4 5792 1n73 4 11 100 6450 1740 FALMES 20 0.6 27 1 PALMES 1760 64.4 5597 1n73 4 1100 6450 1740 FALMES 20 0.7 331 1 PALMES 176 ALA 5597 1n73 4 14 100 6450 1740 FALMES 20 0.7 331 1 PALMES 166 ALA 5007 1n73 14 100 650 1740 FALMES 20 0.7 331 1 PALMES 167		-						17 06	933 L J		
1p.73 4 14 100 eVS0 1740 FAIBBANKS 20 06 227 1 PALMER 106 LA System 1073 4 11 100 eVS0 1740 FAIBBANKS 20 033 L PALMER 107 ALA System 1073 4 100 eVS0 1740 FAIBBANKS 20 07 331 L PALMER 197 ALA System 1073 14 100 eVS0 1470 FAIBBANKS 20 07 331 L PALMER 148 ALA System 1073 14 100 eVS0 1470 FAIBBANKS 20 07 331 L PALMER 148 ALA System 148								20 06	927 L J	PALMER	1790 ALA 5792
1873 14 100 0450 1740 FAIGNAVES 20 07 311 1 18 ALA 5937 1873 14 100 0450 1740 FAIGNAVES 06 331 1 PALVER 18 ALA 5937 1873 14 100 0450 1740 FAIGNAVES 06 331 1 PALVER 18 ALA 5937 1873 14 100 0450 1740 FAIGNAVES 06 331 1 PALVER 18 ALA 5937 1873 14 100 0450 1740 FAIGNAVES 06 331 1 PALVER 177 FALA 5938 1873 14 100 0450 1740 FAIGNAVES 06 931 1 PALVER 177 FALA 5938 1873 14 100 0450 1740 FAIGNAVES 06 931 1 PALVER 177 </td <td>1073</td> <td>4</td> <td>14</td> <td>10 J</td> <td>6450</td> <td>14740</td> <td>FAIRBANKS</td> <td>20 06</td> <td>927 L J</td> <td>PALMER</td> <td></td>	1073	4	14	10 J	6450	14740	FAIRBANKS	20 06	927 L J	PALMER	
1473 14 100 0400 14700 FALENSKY 20 07 701 15 FALENSKY 16 17 16		4 4						20 07	931 L J	PALMER	
1473 14 100 0400 14700 FALENSKY 20 07 701 15 FALENSKY 16 17 16			14	100	o450	14740	FAIRBANKS	06	933 L J	PALMER	167 ALA 5237
1073 14 10.0 0450 19740 FAIRBANKS 06 0735.1 JPALVER 186 ALA 5735 1073 14 100 0450 19740 FAIRBANKS 06 0735.1 JPALVER 176 ALA 5735 1073 14 100 0450 19740 FAIRBANKS 06 0735.1 JPALVER 176 ALA 5735 1473 14 100 0450 19740 FAIRBANKS 06 0735.1 JPALVER 177 ALA 5735 1473 14 100 0450 14740 FAIRBANKS 06 935.1 JPALVER 177 ALA 5748 1673 14 100 0450 14740 FAIRBANKS 06 935.1 JPALVER 177 ALA 5748 1673 14 100 0450 14740 FAIRBANKS 06 935.1 JPALVER 177 ALA 5751 1673 14 100 0450 14740 FAIRBANKS 06 935.1 JPALVER		4									
1a 73 14 10 0450 14740 FA138AVKS 06 0935 L PALUE3 148 148 1474 FA188AVKS 06 0935 L PALUE3 148 148 1474 FA188AVKS 06 0935 L PALUE3 148 148 149			14	10,	6450	14740	FAIRBANKS	06	933 L J	PALMER	149 ALA 5229
16/5 14 100 0450 12400 FAIRBANKS 06 935 1 PALYER 100 ALA 5735 1873 14 100 0450 1470 FAIRBANKS 06 935 1 PALYER 157 ALA 5735 1873 14 100 0450 1470 FAIRBANKS 06 935 1 PALYER 177 ALA 5735 1873 14 100 0450 1470 FAIRBANKS 06 935 1 PALYER 176 ALA 5746 1873 14 100 0450 14706 FAIRBANKS 06 935 1 PALYER 176 ALA 5247 1873 14 100 0450 14706 FAIRBANKS 06 935 1 PALYER 277 ALA 5247 1873 14 100 0450 14706 FAIRBANKS 06 935 1 PALYER								06	933 L J 933 L J	PALMER	
1873 4 14 100 0450 14706 FALEBANKS 06 933 L PALVER 1777 ALA 5731 1873 4 140 00 0450 14706 FALEBANKS 06 933 L PALVER 1777 ALA 5731 1873 14 100 0450 14706 FALEBANKS 06 933 L PALVER 273 FLA 5748 1873 14 100 0450 14740 FALEBANKS 06 933 L PALVER 273 FLA 5749 1873 14 100 0450 14740 FALEBANKS 06 933 L PALVER 277 FLA 57541 1873 14 100 0450 14740 FALEBANKS 06 933 L PALVER 277 FLA 575 1873 14 100 0450 14740 FALEBANKS 06 935 S 571114 776 FLA 141 100 141010 141010 1410								06	933 L J	PALMER	100 ALA 5242
10/13 10/10 0.05 10/10 0.05 10/10 0.05 10/10 0.05 10/10 0.05 10/10 <th10 10<="" th=""> <th10 10<="" th=""> <th10 10<="" <="" td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>165 ALA 5235</td></th10></th10></th10>											165 ALA 5235
1473 14 100 6450 14700 FALEBAVKS 06 933 L JPALVER 271 LLA 5263 1673 14 100 6450 14700 FALEBAVKS 06 933 L JPALVER 271 LLA 5244 1673 14 100 6450 14700 FALEBAVKS 06 933 L PALVER 271 LLA 5244 1673 14 100 0450 14700 FALEBAVKS 06 933 L PALVER 277 LLA 5244 1673 14 100 0450 14700 FALEBAVKS 06 933 L PALVER 277 ALA 2575 1673 14 100 0450 14700 FALEBAVKS 06 935 5 5 THTH 2 ALA 107 14 100 0447 10745 14 107 14 100 0452 14722 01744 14 107 14 107 14 1074 14 107 1								20 06	927 L J	PALMER	1707 ALA 5184
1 1 100 0	1873							06	933 L J	PALMER	
1673 14 100 0450 1740 FAIRdAVKS 06 033 L. / PALWER 201 1AA 5247 1073 14 100 0450 1740 FAIRdAVKS 06 033 L. / PALWER 201 ALA 5247 1073 14 100 0450 1740 FAIRBAVKS 06 033 L. / PALWER 207 FAL 5241 1673 14 100 0450 1740 FAIRBAVKS 210 05 933 L. / PALWER 2017 FAL 5241 1673 14 100 0450 1740 FAIRBAVKS 210 06 955 5 5417H 9 ALA 10710 1673 14 100 0450 14740 FAIRBAVKS 20 06 055 5 5417H 9 ALA 10710 FAL 10711 FAL 10731 14100 <								06	931 L J	PALMER	213 FLA 5248
1173 14 100 0+50 1970 FAIRBANKS 06 931 1 PALMER 276 ALA 5251 1573 14 100 0+50 1970 FAIRBANKS 06 931 1 PALMER 177 ALA 5251 1573 14 100 0+50 1970 FAIRBANKS 06 931 1 PALMER 177 ALA 28176 1673 14 100 0+53 14710 FAIRBANKS 01 955 5 SUTTH 9 ALA 28176 1673 14 100 0+50 1770 FAIRBANKS 01 955 5 SUTTH 9 ALA 28176 1673 14 100 0+50 1772 NUN VERPEAR 20 07 953 L VIERECK 701 7512 212 1410 1510 1510 171 7512 211 173 1411 100 100<	1873				6450	14740	FAIRBANKS	06	933 L 1	PALMER	195 ALA 5244
1 a73 4 14 100 0 b50 1 a740 FAIRBANKS 06 331 L PALWER 277 ALA 5751 1 b73 14 100 0 b51 1 a746 FAIRBANKS 21 0 7 633 L 1 PALWER 177 ALA 1 b73 14 100 0 b51 1 a740 CLLEGE 0 60 695 5 S SUTH 9 ALA 28176 1 b73 14 100 0 447 1 a745 CALEBE 0 60 695 5 S SUTH 9 ALA 10736 1 b73 14 100 0 447 1 a745 CLLEGE 0 67 65 S SUTH 9 ALA 10734 1 b73 14 100 0 452 14752 UNIV EXP FARM 29 07 65 L VIERECX 7011 FSLC 241 1 b73 14 100 0 452 14752 UNIV EXP FARM 20 7963								06	933 L J	PALMER	
1673 14 100 0451 14716 21 07 963 5 5 1171 2 41.A 1074 1873 14 100 0497 14745 COLLEGE 05 06 955 5 5 1171 9 ALA 1074 1873 14 100 0497 14745 COLLEGE 06 06 955 5 5 5 1171 9 ALA 1074 1873 14 100 0497 14752 COLLFRE 23 07 963 L VIFRECX 7610 FSLC 271 1873 14 100 0495 14752 UNIV EXP FARM 29 07 963 L VIFRECX 7004 FSLC 471 FSLC 471 106 964 L VIFRECX 7004 FSLC 471 167 117 FSLC 471 107 6 964 A805 5173 54A 11873 116 101 101 101 101 101 117 117	1073	4	14	100	545 0	14740	FAIRBANKS	06	933 L J	PALMER	207 ALA 5251
1473 14 100 0431 14751 COLLEGE 05 06 955 5 5 9411 2 4LA 10736 1473 14 100 0497 14750 COLLEGE 06 955 5 5 9411 9 4LA 10749 1473 14 100 04951 14752 COLLEGE 23 07 965 L VIERECX 7014 F5LC 27 1473 14 100 04951 14752 UNIV EXP FARM 29 07 965 L VIERECX 7001 F5LC 27 1473 14 100 04951 14752 UNIV EXP FARM 29 07 965 L VIERECX 7001 F5LC 43 1473 14 101 04951 14750 UNIV EXP FARM 29 07 965 L VIERECX 7001 F5LC 43 1473 14 101 04951 1450 UPERC CIENAR 25 595 L <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>SCHUCK</td> <td></td>										SCHUCK	
1473 14 100 6450 14740 FAIRBANKS 07 06 955 5 5 711 5 ALA 10747 1473 14 100 6452 14752 UNIV EXP FARM 29 07 963 L VIFRECK 7004 FSLC 47 1473 14 100 6452 14752 UNIV EXP FARM 29 07 963 L VIFRECK 7004 FSLC 43 1673 14 100 6452 14752 UNIV EXP FARM 29 07 963 L VIERECK 7001 FSLC 43 1673 14 100 6452 14752 UNIV EXP FARM 106 66 V ARGUS 5103 54 5103 54 5103 54 5103 54 5103 54 5103 54 5103 56 56 54 54 54 56 56 56 56 56 56 56 56 56 56 56 56 57 56 56 56 <t< td=""><td></td><td></td><td>14</td><td>100</td><td>ь453</td><td>14751</td><td>COLLEGE</td><td>05 06</td><td>955 5 *</td><td>SMITH</td><td>2 ALA 10736</td></t<>			14	100	ь453	14751	COLLEGE	05 06	955 5 *	SMITH	2 ALA 10736
1473 14 100 0447 14745 COLLFGE 23 07 964 A VIERECK 7010 FSLC 27 1473 14 100 6452 14752 UNIV EXP FARM 29 07 963 L VIERECK 7001 FSLC 43 1873 14 100 6452 14752 UNIV EXP FARM 29 07 963 L VIERECK 7001 FSLC 43 1873 14 100 6452 14752 UNIV EXP FARM 20 7965 C ARGUS 5103 544 1873 14 101 6450 HEW RIVER 06 07 965 C ARGUS 5103 544 1873 14 101 6450 HEWST 100 656 V ARGUS 5104 1307 1407 140 1405 1400 6540 1401 100 656 141 107 144 104 5540 141 100 1741 140 144 140 <t< td=""><td></td><td></td><td></td><td></td><td>6447 6450</td><td>14745</td><td>COLLEGE FAIRBANKS</td><td>05 06</td><td>955 5 6</td><td>SMITH</td><td></td></t<>					6447 6450	14745	COLLEGE FAIRBANKS	05 06	955 5 6	SMITH	
11/73 14 100 6452 14752 UNIV EXP FARM 20 07 055 L A VIERECK 7001 75LC 11/73 14 100 0452 14752 UNIV EXP FARM 20 07 065 L A VIERECK 7101 75LC 43 11/73 14 101 0456 14640 CHEVA RIVER 06 07 966 L A VIERECK 7711 75LC 281 11/73 14 101 0456 14640 CHEVA RIVER 06 07 966 L A VIERECK 7745 344 11/73 14 101 0456 14640 CHEVA RIVER 06 07 966 L A VIERECK 7745 344 11/73 14 101 0456 14430 CENTRAL 15 06 951 J L RUCKLEY ALA 5040 11/73 14 104 6521 14430 CENTRAL 15 06 951 J L RUCKLEY ALA 5040 11/73 14 104 6522 14513 MILLER 107 940 5 14430 CENTRAL 15 06 951 J L RUCKLEY		4			0447	14745	COLLEGE	23 07	964 L M	VIERECK	7510 FSLC 273
1673 4 100 0452 14752 UNIV EAP FARM 29 07 964 L & VIERECK 7072 75LC 443 1673 4 14 101 0456 14640 CHENA RIVER 06 07 966 CA ARGUS 51.03 54A 1873 4 14 101 0456 14640 CHENA RIVER 06 07 966 CA ARGUS 51.01 54A 1873 4 14 101 0456 14650 CHENA RIVER 06 07 966 CA ARGUS 51.01 S4A 1873 4 14 101 0456 14657 UPPER CHENA R 25 05 965 L A VIERECK 7545 34A 1873 14 104 0555 14430 CENTRAL 15 06 951 J L BUCKLEY ALA 5041 1673 14 104 0553 14430 CENTRAL 15 06 951 J L BUCKLEY ALA 2681 1673 14 104 0532 1633 MLLER MULER 7044 ALA 3869 1673 14					6452	14752	UNIV EXP FARM				7004 FSLC 47
1075 4 101 0456 10400 CHENARIVER 06 07 96.6 0 ARGUS 5173 544 1073 4 10 0456 14551 BIG 06 07 96.6 0 ARGUS 5170 544 1073 4 14 101 0456 14551 BIG 06 06 06 1 11712, JR. 18206 544 1073 4 14 101 0456 14657 UPPER CHENAR 25 05 065 1 VIERECK 7544 544 1473 14 104 0545 14430 CENTRAL 15 06 951 1 DUCKLEY 8LA 5041 1673 14 104 0532 1430 CENTRAL 15 06 951 1 DUCKLEY 8LA 26417 1673 14 104 0532 1430 EUKEY 14 2644 A 879 1673 14 105 0532 1433 LIVENGODD		-			6452	14752	UNIV EKP. FARM	29 07	963 L A	VIERECK	7002 "SLC 43
1073 4 14 101 0456 14600 CHENA RIVER 05 07 966 G & ARGUS 510 54A 1073 4 14 101 0451 816 0ELTA 01 06 965 L & VIERECK 7545 544 1073 4 14 101 0455 1450 UPPER CHENA R 25 05 965 L & VIERECK 7545 544 1073 4 14 104 0545 14430 CENTRAL 15 06 951 J BUCKLEY ALA 5041 1073 14 104 6545 14430 CENTRAL 15 06 951 J BUCKLEY ALA 5041 1073 14 104 6552 14533 MILLER HOUSE 12 07 940 SCAMAN 2044 ALA 3869 1073 14 105 6503 14726 CLEATY SUMUT 16 07 944 J ANDERSON 2744 ALA 3869 1073 14											
1073 4 14 101 0410 14551 BIG DELTA 01 06 901 E L LITTLF, JR. 1276 SWA 1073 4 14 101 0456 14657 UPPER CHENA R 25 05 965 L VIERECX 7544 SWA 1473 4 104 0545 14430 CENTRAL 15 06 951 J BUCKLEY ALA 5041 1473 14 104 6545 14430 CENTRAL 15 06 951 J BUCKLEY ALA 5041 1473 14 104 6552 1453 MILLER HOUSE 12 07 940 E SCAMMAN 2044 ALA 26817 1873 14 104 6522 1453 MILLER HOUSE 12 07 940 E 320 944 12 AVERSON 2744 TC 258197 1873 14 105 6532 14833 LIVENGODO 08 954 S <smith< td=""> 2775 ALA</smith<>											
1473 14 101 6455 14430 CENTRAL 15 06 951 J RUERECK 7544 MA 1473 14 104 6545 14430 CENTRAL 15 06 951 J RUCKLEY ALA 5041 1473 14 104 6545 14430 CENTRAL 15 06 951 J RUCKLEY ALA 5041 1473 14 104 6532 14513 MILLER HOUSE 207 940 E SCAMMAN 2044 ALA 3669 1873 14 104 6523 14513 MILLER HOUSE 207 940 E SCAMMAN 2044 ALA 3669 1873 14 105 6532 14354 SILERMY DO.2 206 957 S S S 7744 ALA 3669 1873 14 105 6532 14333 LIVENGODD 08 7944 J <anderson< td=""> 2864 755 S S 755 S 15626261<td>1873</td><td>4</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></anderson<>	1873	4									
1473 14 104 5545 14430 CENTRAL 15 16 951 J HOCKLEY ALA 5040 1473 14 104 6545 14430 CENTRAL 15 06 951 J HOCKLEY ALA 5041 1473 14 104 6545 14430 CENTRAL 15 06 951 J HOCKLEY ALA 5041 1873 14 104 6532 14513 MILLER HOUSE 12 07 940 E SCAMMAN 2044 4LA 26817 1873 14 104 6523 14533 MILLER 4005 10 7040 E SCAMMAN 2044 4LA 3869 1873 14 105 6532 14833 LIVENGODD 08 07 944 J AMDERSON A071 TSC 256197 1873 14 105 6532 1433 LIVENGODD 17 06 954 S SMITH 2375 ALA 10735											7544 SWA
1473 14 104 6545 14430 CENTRAL 15 15 10 NUCKLEY 14 2044 ALA 8399 1873 14 104 6532 14513 MILLER HOUSE 207 940 5CAMMAN 2044 ALA 8399 1873 14 104 6523 14513 MILLER HOUSE 12 07 940 5CAMMAN 2044 ALA 8399 1873 14 104 6523 14554 STEEHWY MT 90 25 655 STETLER 27044 ALA 3869 1873 14 105 6532 14835 LIVENGODD 08 07 944 J<		4			6545	14430	CENTRAL				
1673 14 104 6532 14513 MILLER HOUSE 12 07 940 E SCAMMAN P044 4LA 8399 1873 14 104 6532 14513 MILLER HOUSE 12 07 940 E SCAMMAN P044 GA 1873 14 104 6532 14554 STELHWY MI 07 940 E SCAMMAN P044 GA 1873 14 105 6532 14833 LIVENGODD 08 07 944 J ANDERSON A07 ISC 256209 1873 14 105 6532 14833 LIVENGODD 17 06 954 S SMITH P375 AA 10755 1873 14 106 6500 15038 MANLEY 107 SMITH 2375 7MA 1873 14 106 6501 15038 MANLEY 107 957 SMITH		•									
1873 14 104 6523 14554 STEEHWY MT 90. 25 06 957 5 SHETLER PINAF ALA 3869 1873 14 105 6503 14726 CLEARY SUMMIT 16 07 935 J ANDERSON A971 TCC 256197 1873 14 105 6532 14833 LIVENGODD 08 07 944 J ANDERSON A971 TCC 256197 1873 14 105 6532 14833 LIVENGODD 17 06 954 5 S WITH 2375 AA 1873 14 105 6532 14833 LIVENGODD 17 06 954 5 S WITH 2375 AA 1873 14 106 6500 15038 MANLEY HOT SPR 25 06 965 5 WTH 7874 C46329 1873 14 106 6500 15038 MANLEY HOT SPR 25 06 961 5 WTLSH 4378 TCC 246329 1873 14 120 6644 14334 BLACK RIVER 06 07 957 5 SHETLER 3764 AA 3961 1873 14 120 6644 14334 BLACK RIVER 06 07 957 5 SHETLER	1873		14	104	o532	14513	MILLER HOUSE	12 07	940 E	SCAMMAN	2044 ALA 8399
103 10 0503 10726 CLEARY SUMMIT 16 07 935 07 ANDERSON 9764 7C 2 55197 1073 14 105 0532 14833 LIVENGODD 08 07 944 J ANDERSON A971 15C 255208 1h73 14 105 0532 14833 LIVENGODD 08 07 944 J ANDERSON A970 15C 255208 1h73 14 105 0532 14833 LIVENGODD 17 06 954 5 6 SMITH 2375 AA 1873 14 105 0532 14333 LIVENGODD 17 06 954 5 6 SMITH 2375 AA 1873 14 106 0500 15038 MANLEY HOT SPR 05 07 944 J P ANDERSON 7061 15C 256176 1873 14 106 6500 15038 MANLEY HOT SPR 05 06 965 1 WELSH 4388 T6C 246329 1873 14 120 0644 14334 BLACK RIVER 07 957 5 SHETLER 3854F ALA 3903 1873 14 120 <t< td=""><td></td><td></td><td></td><td></td><td>6532 6523</td><td>14513</td><td>STEEHWY MI 90.</td><td></td><td></td><td></td><td></td></t<>					6532 6523	14513	STEEHWY MI 90.				
1n73 14 105 6532 14033 LIVENGODD 08 07 944 J ANDERSON A071 15C 255208 1h73 14 105 6532 14033 LIVENGODD 08 07 944 J ANDERSON A071 15C 255208 1h73 14 105 6532 14033 LIVENGODD 17 06 954 5 SMITH 2375 ALA 10735 1b73 14 106 6500 15038 MANLEY HOT SPR 25 07 941 J ANDERSON 7nA1 TSC 255208 1b73 14 106 6500 15038 MANLEY HOT SPR 25 07 951 E LITTLE, N 137 4388 76 24632 167 1474 444 434 4405 4434 4405 147 4407 474 474 434 4407 757 5 547LER 1874 ALA 3905 1473 14 120 6644 14334 <t< td=""><td></td><td></td><td>14</td><td>105</td><td>6503</td><td>14726</td><td>CLEARY SUMMIT</td><td>16 07</td><td>935 J P</td><td>ANDERSON</td><td>2364 150 256197</td></t<>			14	105	6503	14726	CLEARY SUMMIT	16 07	935 J P	ANDERSON	2364 150 256197
1h73 14 105 0532 14333 LIVENG000 17 06 954 5 6 941 9375 ALA 10735 1b73 14 105 0532 14033 LIVENG000 17 06 954 5 6 941 9 757 ALA 10735 1b73 14 106 6500 15038 MANLEY HOT 5PR 05 07 91 J<											8970 ISC 256208
1673 u 14 105 0532 14633 LIVENGODD 17 06 954 5 C SMITH 2375 CMA 1873 14 106 6500 15038 MANLEY HOT SPR 05 07 94 J J ANDERSON 766 15 C SMITH 2375 CMA 1873 14 106 6500 15038 MANLEY HOT SPR 25 06 965 S I WELSH 4388 TSC 246329 1873 14 120 6644 14334 BLACK RIVER 06 07 957 S SHETLER 3864F ALA 3905 1873 14 120 6644 14334 BLACK RIVER 06 07 957 S SHETLER 3864F ALA 3903 1873 14 120 6644 14334 BLACK RIVER 07 957 S SHETLER 3164F ALA 3901 1873 14 120 0644<			14	105	o532	14833	LIVENGOOD	17 06	954 5 6	SMITH	2375 ALA 10735
1b73 14 100 6500 15038 MARLEY HOT SPR 25 06 966 5 1 WELSH 4388 162 1b73 14 119 6634 14516 FORT YUKON 24 05 961 E LITTE, JR. 18214 9MA 1b73 14 120 6644 14334 BLACK RIVER 04 07 957 5 SHETLER 3864 ALA 3905 1b73 14 120 6644 14334 BLACK RIVER 05 07 957 5 SHETLER 3874 ALA 3905 1h73 14 120 6644 14334 BLACK RIVER 06 07 957 5 SHETLER 3874 ALA 3933 1h73 14 120 6644 14334 BLACK RIVER 06 07 957 5 SHETLER 3874 ALA 3933 1h73 14 120 6644 14334 BLACK RIVER 07 957 5 SHETLER 3874 ALA 3933 1h73 14 121 0710	1873	í.			0532	14833	LIVENGODD	17 06	954 5 6	ANDERSON	
1673 14 119 6634 14516 FORT YUKON 24 05 961 E1 LITTLE, JR. 18214 7MA 1473 14 120 6644 14334 BLACK RIVER 04 07 957 5 SHETLER 3876 ALA 3905 1473 14 120 6644 14334 BLACK RIVER 06 07 957 5 SHETLER 3876 ALA 3905 1473 14 120 6644 14334 BLACK RIVER 06 07 957 5 SHETLER 31647 ALA 3903 1673 14 120 6644 14334 BLACK RIVER 06 07 957 5 SHETLER 31647 ALA 3913 1673 14 120 6644 14334 BLACK RIVER 06 07 957 5 SHETLER 31647 ALA 3913 1673 14 121 6710 14155 HOWLINS D06 RK 12 <td></td> <td></td> <td></td> <td></td> <td>6500</td> <td>15038</td> <td>MANLEY HOT SPR</td> <td>25 06</td> <td>965 5 1</td> <td>WELSH</td> <td>4388 TSC 246329</td>					6500	15038	MANLEY HOT SPR	25 06	965 5 1	WELSH	4388 TSC 246329
14 120 6644 14334 BLACK RIVER 06 07 957 5 SHETLER 3874 34870 1473 14 120 6644 14334 BLACK RIVER 05 07 957 5 SHETLER 3874 ALA 3905 1473 14 120 6644 14334 BLACK RIVER 07 957 5 SHETLER 3164F ALA 3933 1673 14 120 6644 14334 BLACK RIVER 06 07 957 5 SHETLER 3164F ALA 3933 1673 14 120 6644 14334 BLACK RIVER 14 07 957 5 SHETLER 3874 ALA 3903 1673 14 120 6644 14334 BLACK RIVER 10 07 957 5 SHETLER 3874 ALA 3903 1673 14 121 6710 14155 HowLING 006 RK 12 08 951 1 BUCKLEY ALA 5075	1873										
1A73 14 120 6644 14334 BLACK RIVER 00 07 957 5 SHETLER %164F ALA 3870 1H73 4 14 120 6644 14334 BLACK RIVER 0P 07 957 5 SHETLER %164F ALA 3933 1673 4 14 120 6644 14334 BLACK RIVER 06 07 957 5 SHETLER %854F ALA 3903 1673 4 14 120 6644 144334 BLACK RIVER 16 07 957 5 SHETLER %854F ALA 3904 1673 14 121 0710 14155 HOWLING D06 RK 12 08 951 J BUCKLEY ALA 5037 1873 14 121 0710 14155 HOWLING D06 RK 12 08 951 J BUCKLEY ALA 5037 1873 4 14 121 6710 14155 HOWLING D06 <td></td> <td></td> <td></td> <td></td> <td>0644</td> <td>14334</td> <td>BLACK RIVER</td> <td>06 07</td> <td>957 5</td> <td>SHETLER</td> <td>382AF ALA 3905</td>					0644	14334	BLACK RIVER	06 07	957 5	SHETLER	382AF ALA 3905
1675 4 14 120 6644 14334 BLACK RIVER 06 07 957 5 SHETLER 385AF ALA 3908 1473 4 14 120 6644 14334 BLACK RIVER 14 07 957 5 SHETLER 385AF ALA 3908 1473 4 14 120 0644 14334 BLACK RIVER 14 07 957 5 SHETLER 385AF ALA 3908 1473 14 121 0710 14155 HOWLING D06 RK 12 08 951 J BUCKLEY ALA 5037 1873 14 121 0710 14155 HOWLING D06 RK 12 08 951 J BUCKLEY ALA 5037 1873 4 14 121 6710 14155 HOWLING D06 RK 26 07 957 J BUCKLEY S.W. ALA 5095 1873 14 121	1873		14	120	6644	14334	BLACK RIVER				
1473 4 14 120 6644 14334 BLACK RIVER 14 07 957 S S 5 5 4 14 120 6644 14334 BLACK RIVER 14 07 957 S S 5 5 5 5 5 7 14 121 0710 14155 HOWLING DOG RK 120 951 1 BUCKLEY ALA 5035 1873 14 121 0710 14155 HOWLING DOG RK 1208 951 1 BUCKLEY ALA 26759 1873 14 121 6710 14155 HOWLING DOG RK 1208 951 1 BUCKLEY ALA 26759 1873 14 121 6710 14155 HOWLING DOG RK 1208 951 1 BUCKLEY S.N. ALA 26759 1873 14 121 6710 14155 HOWLING DOG RK 2207 957 J BUCKLEY S.N. ALA 5075 1873 14 121 6716 14185								06 07	957 5		385AF ALA 3908
1873 14 121 6710 14155 HOWLING DOG RK 12 DA DUCKLEY ALA 5031 1873 14 121 6710 14155 HOWLING DOG RK 12 DA DUCKLEY ALA 5031 1873 14 121 6710 14155 HOWLING DOG RK 12 DA 951 J HUCKLEY ALA 26759 1873 4 14 121 6710 14155 HOWLING DOG RK 12 DA 951 J HUCKLEY S.N. ALA 26759 1873 4 14 121 6710 14136 PORCUPINE R 22 07 957 J BUCKLEY 27.8 ALA 5079 1673 14 121 6710 14138 PORCUPINE R 10 08 961 F DEAN ALA 5027 1673 14 121	1873	4	14	120	0644	14334	BLACK RIVER	14 07	957 S		
1873 14 121 6710 14155 HOWLING DOG RK 12 08 951 J.1 RUCKLEY ALA 26759 1873 4 14 121 6710 14155 HOWLING DOG RK 12 08 951 J.1 RUCKLEY S.N. ALA 26759 1873 4 14 121 6711 14155 HOWLING DOG RK 26 07 957 J. BUCKLEY S.N. ALA 5027 1873 14 121 6709 14140 PORCUPINE R 22 07 957 J. BUCKLEY 27.2 ALA 5027 1873 14 121 6710 14138 PORCUPINE R 120 957 J. BUCKLEY 138 4LA 5079 1873 14 121 6716 14138 PORCUPINE R 10 08 961 F DEAN 5.4.4 42093 1873 14 121 6716 14138 PORCUPINE R					6710 6710	14155) HOWLING DOG RK) HOWLING DOG RK	12 08 12 08	951 J L	BUCKLEY	
1875 4 14 121 6711 14155 HOWLING DOG RK 26 07 957 J BUCKLEY 202 ALA 5095 1673 14 121 6709 14140 PORCUPINE R 20 957 J BUCKLEY 138 ALA 5079 1873 14 121 6716 14138 PORCUPINE R 16 06 954 J BUCKLEY 138 ALA 5027 1873 14 121 5716 14138 PORCUPINE R 10 08 961 F DEAN 5.N. ALA 24043 1873 14 121 6716 14138 PORCUPINE R 120 08 961 F DEAN 145413 424093 1873 14 121 6716 14138 PORCUPINE R 120 861 F DEAN 4LA 24093 1873 14 121 6702 14235 PORCUPINE R 18 08 961 F DEAN 4LA 24093	1873	-	14	121	6710	14155	HOWLING DOG RK	12 08	951 J L	RUCKLEY	ALA 26759
1673 14 121 6709 14140 PORCUPINE R 22 07 957 J R BUCKLEY 138 4La 5079 1873 14 121 6710 14138 PORCUPINE R 108 957 J R ALA 5027 1873 14 121 6710 14138 PORCUPINE R 10 08 961 F DEAN 5.44 5027 1873 14 121 6710 14138 PORCUPINE R 12 08 961 F DEAN 5.44 24043 1873 14 121 6716 14138 PORCUPINE R 12 08 961 F DEAN 1424943 1873 14 121 6716 14138 PORCUPINE R 108 961 F DEAN 1424943 1873 14 121 6716 1438 PORCUPINE R 16 08 961 F DEAN 144											
1673 14 121 5716 14138 PORCUPINE R 10 08 961 F DEAN S.N. ALA 24043 1673 14 121 6709 14140 PORCUPINE R 12 08 961 F DEAN 105413 ALA 24093 1673 14 121 6716 14138 PORCUPINE R 10 06 961 F DEAN ALA 24093 1673 14 121 6716 14138 PORCUPINE R 10 06 961 F DEAN ALA 24093 1673 14 121 6702 14235 PORCUPINE R 16 08 961 F DEAN ALA 21522 1673 14 121 5702 14235 PORCUPINE R 16 08 961 F DEAN ALA 21522	1673		14	121	6709	14140) PORCUPINE R	22 07	957 J.C	BUCKLEY	138 ALA 5079
10/3 14 121 6709 14140 PORCUPIVE R 12 0.961 F C DEAN 105413 4LA 24093 1873 14 121 6716 14138 PORCUPIVE R 10 00.961 F C DEAN 105413 4LA 24093 1873 14 121 6716 14236 PORCUPIVE R 16 08 961 F C DEAN 14.24093 1873 14 121 6702 14235 PORCUPINE R 16 08 961 F C DEAN 4LA 21522	1873				6716 6716	14138	PORCUPINE R				
1873 14 121 5702 14235 PORCUPINE R 18 08 961 F C DEAN ALA 21522	1873		14	151	6709	14140	PORCUPINE R	12 08	961 F C	DEAN	105413 ALA 24095
					6716 6702	14135	DORCUPINE R	10 08	961 F C	DEAN	
					6702	14235	PORCUPINE R	18 08	961 F *	DEAN	

Ĺ

1

TAXON	SPC 5 V HTB	PROV	uluan;	LAT	LÔNG	LOCALITY	DATE	COLL	ECTOR NAME	00L NO	4589 + NO
1673 1873	4	14 14	121 124			SMALL LAKE WISEMAN	31 07 10 07	957 S	SHETLER Brockman	922AF	ALA 4191 ALA 28480
1673 1673	4	14 14	124 126	6725	15007	FISEMAN ONION PORTAGE	14 06 31 07	962 R	BROCKMAN	161	ALA 28484 ALA 34721
5	CANDIDA										
1873	5	2	7			LIARD HOT SPR		956 G ¥		267	4LA 4763
1873 1873 1873	5 5	2 7 11	7 367 29	6125	12636	LIARO HOT SPS S. NAHANNI R. Emma lake	37		WELSH SCOTTER Argue	7401 12753 4868	GWA GWA GWA
1873	5	12 12	4 22	6815		OLD CROW FLATS	11 7 01 07	970 S L	WELSH PORSILD	10478	987 91685 CAN 312744
1873	5 5	12	34 40	6105	13516	DAWSON RD MACKINIOSH		960 J A	CALDER SCHOFIELD	25077 8310	ALA 17425 CAN 269643
1873	5	12 14	44			WATSON LAKE	03 08	943 H	RAUP PORSILD	11009 9147	CAN 280494
1873 1873	5 5	14 14	9 9	6043	13503	WHITEHORSE WHITEHORSE	28 07 28 07	944 A =	PORSILD PORSILD	10663 10663	GH CAN
1873 1873	5	14 14	9 84	6253	14133	WHITEHƏRSE DEAƏMAN LAKE	02 06 07 07	944 A T 968 S L	PORSILD WELSH	9147 7981	CAN Swa
1873 1873	5	14 14	100	6433	14703	SALCHA SLOUGH SALCHA SLOUSH	21 06 21 06	922 D	MURIE MURIE		US 1119998 US 1119979
1873 1673 1873	5	14 14 14	101	ь400	14530	CLEARWATER R CLEARWATER R	06 08	956 G ¥ 956 G ¥	ARGUS	794 797	5WA 3WA
1873	5 5 5	14	101 101 101	6400	14530	CLEARWATER R Clearwater R Clearwater R	06 08	956 G W 956 G W 956 G W	ARGUS	826 795 794	3WA Ala 4756 Ala 4593
1873	5	14 14	101	6400	14530	CLEARWATER R	21 08	956 G ¥ 956 G ¥	ARGUS	826 826	ALA 4593 ALA 4621 ALA 22457
1873 1873	5 5	14 14	104	6449	14403	CIRCLE GEORGE LAKE	10 08	963 L 961 L	SPETZMAN	4970 4631	CAN 299615 CAN 299616
1873	5	14	119			FORT YUKON	03 08	963 J	TRENT	- AA	ALA 25740
15	INTERIOR			5040							
1673 1675 1675	12 12 12	1	5 10 20	5854	11135	SLAVE R OTR FOURCHES R FOR7 MCMURRAY	07 06	927 H M 927 H M 939 H M	RAUP	563 564 9043	ALA 14488 ALA 14487 ALA 16405
1673 1673	12	1 2	22	5504	11717	VALLEYVIEW COAL R	03 06	956 G W	ARGUS RAUP RAUP	261	ALA 4698 ALA 19513
1873 1873	12	2	24 24	5714	12243	SIKANNI R SIKANNI R	20 06	943 H M 943 H M		10160	ALA 19518 ALA 19617
1673 1873	12 12	777	153 173	6728	13053	ANDERSON RIVER THUNDER RIVER	05 07 16 07	965 G ¥ 947 A F	SCOTTER PORSILD	6908 16745	SWA SWA
1673	12	777	241	6251	12123	NORMAN WELLS	11 06	953 ¥ J 939 H Y	RAUS	7492	ALA 16404
1873 1873 1873	12 12 12	7777	342 368 370	o132	12520	FORT SIMPSON S. NAHANNI R FT. SIMPSON	28 6	939 H 4 970 G ¥	SCOTTER	9070	
1873	12	77	370 370	6152	12122	FT. SIMPSON FORT SIMPSON	20 6	955 H J 955 H J		8157 8273 8391	
1673 1873	12 12	7	388 15	6005	12347	LIARD RIVER DAWSON	21 07	961 H J 914 A	CODY EASTHOOD	11492 465	GWA CAN 45511
1873 1873	12 12	12	15 15	6404	13925	DAWSON DAWSON	06 06 01 06	914 A	EASTWOOD EASTWOOD	145 131	CAN 45505 CAN 45509
1673 1673	12 12	12 12	15 15	6404	1.5925	DAUSON	06 06	914 A	EASTWOOD EASTWOOD	342	CAN 45506 CAN 45507
1673 1875	12 12	12 12	15 21	6322	13642	OAWSDN Stevart r	04 06	916 M n 960 J A	MALTE CALDER	24909	CAN 122155 Ala 17427
1873	12 12	12	41 44	6003	12855	CARCROSS UPPER LIARO R	25 06	966 G ¥	SPETZMAN ARGUS	4541 5032	CAN GWA
1673	12 12	12	44	ь003	12855	UPPER LIARD R UPPER LIARD R	25 06	966 G H 966 G H	ARGUS	5038 5037	SWA SWA
1673 1673 1873	12 12 12	12 12 14	44 44 85	6005	12835	WATSON LAKE WATSON LAKE TANACROSS	03 08	943 H M 943 H M		10970	SFA ALA 19519
1873 1873	12 12	14 14	86 99	6353	14451	TANANA R BEARPAN MT	27 07	965 L A	VIERECK	501 7781 7335	CAN FSLC FSLC 304
1875 1873	12		100	6451	14743	FAIRBANKS	10 09	956 G W 956 G W	ARGUS	887 433	SWA SWA
1673 1873	12 12	14 14	100	6452	14750	COLLEGE	05 07	957 6 ¥ 956 G ¥	ARGUS	1090	GWA GWA
1673 1873	12 12	14 14	100 100	6451 6451	14743 14743	FAIRBANKS FAIRBANKS	10 09		ARGUS	887 887	ALA 4824 ALA 4758
1673 1873	12	14	100	6451	14743	FAIRBANKS FAIRBANKS	10 09 22 07	956 G ¥ 956 G ¥	ARGUS ARGUS	887 473	ALA 22460 ALA 4517
1873 1873	12 12	14	100	6452	14750	FAIRBANKS COLLEGE	05 07	956 G W 957 G W	ARGUS	433	ALA 22491 ALA 6715
1873	12	14	100	6430	14905	NENANA NENANA	19 06	941 L J 965 V L	HARMS	5.N. 3722 247	ISC 256691 ALA 32585 ALA 29849
1673 1673 1673	12 12 12	14 14 14	100 100			NENANA SAM CHARLEY IS NENANA			SCHNUCK VIERECK VIERECK	8037 7658	GWA GWA
1673 1673	12	14 14	100	6439	14825	WHISKEY IS CIRCLE	15 06	965 L A	VIERECK	7642 25P1	F5LC 15C 256690
1673 1673	12	14 14	104 104	6550	14404	CIRCLE YUKON R	10 08	963 L A	SPETZMAN	4969	CAN FSLC
1873	12	14				RAMPART	17 08		DEAN	78	ALA 19084

TAXON	SPC S V HYB	PROV	QUAD	LAT	LONG	LOCALITY	DA	TE	c	OLL	ECTOR NAME	COL NO HERB + NO
1873 1673 1673 1673 1673 1673 1673 1673 16	12 12 12 12 12 12 12 12 12 12 12 12 12 1	1444444444444444444444444444444444444	105 119 121 121 121 121 121 121 121 121 121	6634 6644 6711 6711 6704 8711 8711 8711 8711 8704 8704	14516 14431 14155 14155 14230 14155 14155 14155 14155 14230 14230	TANANA FORT YJKON PORCUPINE R PORCUPINE R PORCUPINE R PORCUPINE R PORCUPINE R PORCUPINE R PORCUPINE R PORCUPINE R PORCUPINE R	16 12 27 28 12 27 26 28 26 28	05 06 07 07 07 07 07 07	961 926 951 957 957 957 957 957 957 957		PALWER LITTLE, J?. MURIE AUCKLEY AUCKLEY BUCKLEY AUCKLEY AUCKLEY BUCKLEY BUCKLEY BUCKLEY	1242 ALA 2035 18450 GWA 3 ALA 535 5.N. GWA 214 GWA 5.N. ALA 5029 204 ALA 5096 204 ALA 5096 211 ALA 5076 211 ALA 5076 211 ALA 5076 113A ALA 5090
15	PEDICELL	AR15 7	A				-				LARSEN	5 5
1673 1673 1673 1673 1673 1673 1673 1673	15 15 15 15 15 15 15 15 15 15	7 7 11 12 12 12 12	345 363 383 354 444 444 444	6112 6055 5237 5237 6003 6003 6003 6003	12346 12330 10356 10356 12840 12840 12840 12840	YELLOWKNIFE Yohin Lake Blue Bill Cr McKague Watson Creek Watson Lake Watson Lake Watson Lake Watson Lake Watson Lake	03 28 28 25 25 25 25	7 05 05 05 06 06	961 938 938 966 966	GWAAGGGG	SCOTTER I SCOTTER I CODY I BREITUNG I BREITUNG I ARGUS ARGUS ARGUS ARGUS RAUP	5.N. G#A 12651 4#A 11960 5WA 5.N. CAN 49130 5.N. FAN 49132 50%C 5WA 50%C 5WA 50%G 6WA 50%G 6WA 50%G 7 9WA 110%6 CAN 280860
16	PENTANDA	1										
1873	16	14	ŝ	5648	13258	PETERSBURG.	19	4	967	6 •	ARGUS	6837 SWA
10	PYRIFOLI	A										
1873 1873	19 19	1 2	27 17	5830	12245	VALLEYVIEW PROPHET R	21 21	б	966	G	ARGUS	260 SWA 4967 GWA
1673	19 19	2	15	4720	5256	PRINCE GEORGE. BIG COUNTRY PD		7	969	G	ARGUS	6079 SWA 7481 SWA
1673 1873	19 19	777	315 34)			GORDON LAKE Yellowknife		8			LARSEN	1248 DAO 36306 GWA
1673	19	7	345 345	6227	11421	YELLOWKNIFE Yellowknife	21 17		961	JW	THIERET	7990 GWA 6703 GWA
1673	19	777	340	P550	11308	HEARNE LAKE	21 18	6	961	G	SCOTTER	967 DA0 36304 939 DA0 36305
1873	19 19	7	340 340	à220	11308	HEARNE LAKE	21	6	961	G 4	SCOTTER	964 DAQ 36303
1873 1673	19	777	372	p110	11153	FT PROVIDENCE Rutledge R.	13 10	8	966	Μ.	FHIERET	6616 GWA 16121 DAG 36310
1873	19	77	375			W RUTLEDGE LA Porter Lake	27	77	962 966	5.	/ SCOTTER / CODY	3043 DAO 36309 15541 DAU 36312
1673	19	7	383 383	6007	12348	LIARD RIVER	23 3	7	961	W .	CODY CODY	11626 DAG 36309 1193 DAG 36307
1873	19 19	7 12	395	6006	10623	SCOTT LAKE PALMER LAKE	14 29	8	966	ω.	CALDER	16255 DAD 35311 26099 DAD 36302
1873 1873	19	12	÷			PALMER LAKE	29	6	960	Ĵ	CALDER	26099 WTU205384
20	RIGIDA											
1073 1873	20 20	2	777			COAL RIVER LIARD R					A CALDER	25282 SWA 11510 ALA 20057
1873	20	2	2+	5714	12243	SIKANNI R	02	07	943	н '	RAUP	10408 ALA 20058
1873 1875	20	2	24 35	5530	12245	SIKANNI R PINE RIVER.	7	6	967	GI	ARGUS	10158 ALA 20056 6069 SWA
1873 1873	20 20	27	49 241	6517	12651	PRINCE GEORGE. NORMAN WELLS	27	5	967 953	G 1	ARGUS 1 CODY	6973 GWA 7625 DAD
1873	20 20	777	363 383	6005	12542	FLAT RIVER Fort Liard	30 21				V SCOTTER J CODY	12541 SWA 11493 SWA
1873	20	12 12	29	6201	13230	PELLY RIVER WHITEHORSE	25	05	944	Α '	PORSILD	9886 CAN 47607 10662 CAN 47605
1873	20	12	41	6043	13503	WHITEHORSE	01	06	944	Â	PORSILO	9155 CAN 47606 5036 SWA
1873 1873	20 20	12	44	6003 6003	12855	WHITEHORSE UPPER LIARD R UPPER LIARD R	25	06	966	6	ARGU5	5029 CWA
58 J	PLANIFO	LIA 55	. ₽• ₽L	ANIFO	LIA							
1673 1673	28 1 28 1	1	10	5854 5941	11154	OTR FOURCHES R Chilkat Pass.	06 13	06 7	927 967	H Y G 1	A RAUP	515 ALA 14489 6916 GWA
1673	28 1	2	2	5941	13632	CHILKAT PASS. CHILKAT PASS. CHILKAT PASS. CHILKAT PASS. HAINES RD M68 HAINES RD M68	13	7	967	6	ARGUS	6818 6WA 6817 5WA
1873	28 1 28 1	ź	2	5941	13627	HAINES RD M68	06	07	956	Ţ	TAYLOR	888 DAO 32745
1873 1873		2	2 4	5936 5955	13627	MORLEY LAKE	17	07	956	J	CALDER	24461 SWA
1873 1873	28 1	2 2		5958 5958	13206	MORLEY LAKE MORLEY LAKE MORLEY LAKE MORLEY LAKE SWAN LAKE CASSIAR RD M16 CASSIAR RD M16	17	05 05	960 960	J	CALDER	24463 GWA 24463 DAO 32775
1473 1873	28 1	2 2	5	5958 5953	13206	MORLEY LAKE Swan Lake	17 31	05 05	960 960	კ კ	CALDER CALDER	24461 040 32766 24841 040 19073
1873	28 1	22	6	5951	12908	CASSIAR RD M16	30	05	960 960	J	CALDER CALDER	2N033 CHA
1873 1873	28 1 28 1	2	14	5822	12955	CASSIAR RD MIG DEASE L VILLAG	13	°В	960	ĸ	RIGBY	271 OTF 1149

\$

TAXON	SPC	S V НТВ	PROV	OUAD	LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	COF NO 44	198 + NO
1873	28		02	16			SUMMIT PASS		943 H " RAUP		LA 20040
1673	28		02	17			STEAMBOAT		960 J A CALDER		NA .
1875 1873	28 28		02 02	17			STEAMBOAT Steamboat		960 J A CALDER 960 J A CALDER		SWA Swa
1873	28		02	17			STEAMBOAT		960 J A CALDER	24361 1	°₩A
1873	28		u2	17	5848	12332	STEAMBOAT	0A 05	960 J A CALDER	24362	40 32778
1873	28		02	17			STEAMBOAT		960 J A CALDER		040 32769
1873 1873	28 28	-	02 02	17			STEAMBOAT Steamboat		960 J A CALDER 960 J A CALDER		040 32768 040 32777
1673	28		02	24			BEATTON RIVER		943 H Y RAUP		LA 22023
1473	28		02	24	5705	12235	BEATTON RIVER	10 06	943 H " RAUP	10027 /	LA 20036
1673	28		02	24			BEATTON RIVER	10 06	943 H Y RAUP		LA 20029
1873 1873	28 28		02 02	24 24			BEATTON RIVER BEATTON RIVER		943 H V RAUP 943 H V RAUP		LA 20035
1873	28		02	24			BEATTON RIVER	10 06	943 H " RAUP		LA 20030
1873	28		02	31	5643	12133	BLUEBERRY	26 05	96n J A CALDER	24654	AD 32773
1873	28		02	79			CATHEDRAL L		956 J A CALDER		140 19320 140 32623
1673	28 28		U7 U7	241 241	6517	12651	NORMAN WELLS	17 07	957 W J CODY 953 W J CODY	7128 -	140 32623 140 32583
1673	28		07	275	6432	12635	STERILE LAKE	23 07	967 N M SIMMONS	154 *	140 32592
1673	58		07	275	6431	12634	STERILE LAKE		967 N M SIMMONS	39 7	140 32591
1873 1873	28 28	1	07 07	313 316			MUNN LAKE Indain MT L	05 08	966 W J CODY 966 W J CODY		0 32580 0 32578
1673	28		07	338	6300	12902	O GRADY LAKE	25 07	967 W J CODY		40 32663
1873	28	1	07	538	6222	12842	SELAYN MTS	09 08	967 H J CODY	17871	AO 32574
1H73 1B73		1	07 07	339 339			BRINTNELL LAKE		939 H ♥ RAUP H ♥ RAUP		LA 14843
1873		1	07	345			BRINTNELL LAKE YELLOWKNIFE		949 W J CODY		LA 14843
1673	28	i	07	345	6227	11422	YELLOWKNIFE	02 07	949 H J CODY	2357	40 32626
1873	25		07	345	6227	11422	YELLOWKNIFE	23 06	949 W J CODY	2218	DAD 32594
1673 1673	28 28		07 07	345 345	6227	11422	YELLOWKNIFE Yellowknife		949 ¥ (1 CODY		140 32625 140 32582
1873	28		υ7	345			YELLOWKNIFE	28 06	949 W J CODY 949 W J CODY		40 32630
1673	28	1	07	345	6227	11422	YELLOWKNIFE	18 06	949 W J CODY	2168	40 32628
1673		1	07 U7	345 345	6227	11422	YELLOWKNIFE Yellowknife		949 R 9 HALL	2 7	140 32629
1873		1	07	345			YELLOWKNIFE		961 J W THIERET 961 J W THIERET	6661A (AD 32600
1673	28		07	346			HEARNE LAKE		961 G W SCOTTER		10 32404
1473	28		07	349			LYNX LAKE	23 07	966 W J CODY		140 32576
1873	2B 28	1	07	350 368	6218 6108	10425	MANTIC LAKE 5. Nahanni r.	26 07	966 W J CODY 970 G W SCOTTER	1544A9 1 12679 0	
1873		î	υ 7	369			TROUT RIVER	30 06	961 W J CONY		AD 32620
1873	28	ī	07	370	6147	12043	FORT SIMPSON	07 05	955 W J COpY	9100 -	AD 32617
1873	28		07	370			FORT SIMPSON	13 06	955 W 🕔 CODY		A0 32613
1873 1873	28 28		07 07	370 370			FORT SIMPSON Fort Simpson	07 06	955 W J CODY 961 W J CODY		AD 32612
1673	28		07	370			FORT SIMPSON	13 05	955 W J CODY	8196 7	NO 32619
1875	28	1	U7	370	6152	12122	FORT SIMPSON	15 06	955 W J CODY	R244 -	AD 32614
1873 1873		1	07 07	370 370			FORT SIMPSON		955 W J CODY		A0 32616
1873	28		07	370			FORT SIMPSON Fort Simpson		955 W J CODY 955 W J CODY		040 32615 040 32618
1873	28		07	371			HORN & DELTA		956 C 7 BIRD		AD 32593
1873	28		7	371			TROUT RIVER	30 6	961 W J CODY		A0 3262
L873 1873	28 28		07 07	373 374			LONG ISLAND Rocher River		951 W H LEWIS 965 W J CODY		AD 32590
1873		i	07	374			MCCONNELL IS		965 W J CODY		40 32599
675		1	47	374			SLAVE RIVER	16 06	927 H M RAUP		LA 14606
1673		1	07 107	375 375			N GAGNON LAKE E RUTLEDGE L		962 G W SCOTTER 962 G W SCOTTER		A0 32602
1873	28		07	376	6131	10866	PORTER LAKE	27 07	966 W J CODY		140 32577
1873	28	1	07	376	6131	10806	PORTER LAKE	27 07	965 W J COnY	15501 5	AD 32579
LB73 1873		1 1	07 07	388 391			FORT LIARD KAKISA RIVER		961 # J CODY 950 J # THIERET		AD 32606
1873		1	07	391			KAKISA RIVER		959 J W THIERET 959 J W THIERET		AD 32607
1873	28	1	07	391	o058	11720	KAKISA RIVER	15 06	959 J ₩ THIERET	4540	A0 32609
1873		1	07	391			KAKISA RIVER		959 J W THIERET		A0 32610
1673 1873		1	0,7 0,7	391 392			KAKISA LAKE HAY RIVER		959 J # THIERET 951 W H LEWIS		AD 32608
1873	28	1	07	392	6051	11542	HAY RIVER	03 06	951 H LEWIS	224 7	40 32587
1873		1	07	392			HAY RIVER	03 06	951 W H LEWIS	225 5	AD 32568
1873 1873	28 28	1	07	ゴ92 ゴ94			HAY RIVER Et smith		951 W H LEWTS 965 W J CODY	1	A0 32586
1673	28		07				FT SMITH		965 W J CODY		AD 32594
1873	28	1	07	594	ь002	11238	FT SMITH	05 06	950 W J CODY	3711 -	AO 32584
1873 1873	28 28		07 U7	394 394	6000	11153	ET SMITH		950 H J CODY		A0 32575 A0 32596
1873	28			395			LADY GREY L SCOTT LAKE	14 DA	965 W J CODY 966 W J CODY		AD 32581
1673	28	1	07	595	5 00b	10623	SCOTT LAKE	14 08	966 W J CODY	16259	140 26492
1873	28		07	396	6047	10738	SPEARFISH LAKE	30 07	966 N J CODY		10 26490
1873	28 28		07 07	397 402	6100 6050		SMALL TREE L MCCONNELL R	25 07	961 J C MAINI 964 K L MACINNES	409 ° 25 L	140 32605 Jugo
1873	28	1	07	402	ь050	9425	MCCONNELL R	03 07	964 K L MACINNES	24 (
1873	26		07	402	6050	9425	MCCONNELL R	06	964 K L MACINNES	133 U	h C
1873	28 28		U7 U7	402 402	6050 6050	9425	MCCONNELL R MCCONNELL R		964 K L MACINNES 967 K L MACINNES	17 L 506 L	
1473	28			402	D050		MCCONNELL R		967 K L MACINVES	604 1	
1873	\$8	1	12	32	6115	13844	ALA HWY M1073	07 08	948 H M RAUP	13992	LA 20025
1873	28 28		12 12	32 32			KLUANE LAKE Burwash		944 H V RAUP 949 H V RAUP		LA 20031
1873	28	1	12	34	6137	13553	CONGLOMERATE M	14 05	960 J A CALDER		WA 20024
1673	58	1	12	34	6137	13553	CONGLOMERATE M	14 05	960 J 4 CALDER	24404	AD 32757

TAXON SPC 5 V HYB	PROV QUA	D LAT LONG	LOCALITY	DATE COLLECTOR NAME	COL NO HERB + NO
1873 28 1 1873 26 1 1873 28 1 1873 <	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6047 13735 6047 13735 6047 13735 6047 13735 6047 13735 6047 13735 6010 13442 6010 1342 6010 1342 6010 1353 6010 13035 6003 13253 6003 12840 6003 12852 6003 12852	CARCROSS CARCROSS CARCROSS WHITEHORSE WHITEHORSE	30 U6 966 G W ARGUS 02 06 948 H W RAUP 02 06 944 H W RAUP 17 06 944 H W RAUP 17 06 944 H W RAUP 17 05 957 W S CANFIELD 16 05 960 J A CALDER 02 06 960 J A CALDER 02 06 960 J A CALDER 16 05 960 J A CALDER 10 8 949 J W GILLETT 11 06 949 J W GILLETT 10 66 949 J W GILLETT 10 66 949 J A GALDER 20 06 944 A E PORSILD 17 05 960 J A CALDER 20 06 944 A E PORSILD 17 05 960 J A CALDER 20 06 944 A E PORSILD 17 05 960 J A CALDER 20 06 946 G W ARGUS 20 06 966 G W ARGUS 25	5084 GWA 13026 ALA 19913 13034 ALA 19914 11802 ALA 20039 11802 GWA 7587 CAN 269642 24448 GWA 24930 TAO 32759 24448 DAO 32759 24448 DAO 32759 24448 DAO 32759 24448 DAO 32759 3527 DAO 32761 3527 DAO 32763 137 DAO 32763 137 DAO 32765 2148 TSC 25625 24465 TAO 32760 10397 TSC 25625 24465 TAO 32750 10397 TSC 25625 24465 GWA 5052 GWA 5052 GWA 11040 ALA 20038 11040 ALA 20038
28 3 2 PLANIFOL	IA SSP. P	ULCHRA VAR.	YUKONENSIS		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5941 13632 5941 13632 5941 13632 5935 13625 6931 13348 6931 13348 6931 13348 6931 12812 69421 12812 69421 12812 6442 13406 6941 12812 6442 13406 6941 13344 6852 13205 6813 13500 6813 13500 6842 13406 6842 13406 6842 13406 6842 13406 6842 13406 6842 13406 6842 13406 6842 13406 6842 13406 6842 13406 6842 13406 6842 13406 6842 13406 6842 13406 6842 13406	ANDERSON R INICHOLSON PEN ANDERSON R ANDERSON R ANDERSON R REINDEER STAT REINDEER STAT ESKIMO LAKES ESKIMO LAKES ESKIMO LAKES ESKIMO LAKES ESKIMO LAKES ESKIMO LAKES AKLAVIK REINDEER STAT REINDEER STAT REINDEER STAT REINDEER STAT REINDEER STAT REINDEER STAT REINDEER STAT REINDEER STAT CANDE LAKE INUVIK COPPERMINE COMPERMINE COMPERMINE COMPERMINE COMPERMINE COMPERMINE COMPERMINE COMPERMINE COMPERMINE COMPERMINE COMPERMINE COMPERMINE COMPERMINE COMPERMINE CANDE LAKE DAMSON DAMSON DAMSON DAMSON DAMSON DAMSON DAMSON DAMSON DAMSON DAMSON SIXTYMI RD M219 CANDL RD M259 LAKE LABERGE ALA HWY M1028 INUVINI RD M219 CANDL RD M259 CANDL R	10 07 957 W J CODY 28 07 957 W J CODY 15 06 962 T W BARRY 28 05 963 J A PARMELEE 11 07 965 G W SCOTTER G W SCOTTER 27 06 957 W J CODY 12 06 957 W J CODY 13 07 963 W J CODY 14 06 957 W J CODY 15 07 957 W J CODY 16 07 957 W J CODY 18 07 957 W J CODY 19 05 957 W J CODY 10 05 957 W J CODY 12 06 957 W J CODY 12 06 957 W J CODY 13 05 957 W J CODY 14 05 957 W J CODY 15 05 957 W J CODY 15 05 957 W J CODY 16 05 964 J A LARSEN 18 07 934 A F PORSILD 29 6 970 S L WELSH 30 07 951 W T FINDLAY 23 06 914 A FASTWOOD 25 06 914 A EASTWOOD 25 06 914 A F PORSILD 22 07 954 W F RIGHY 10 06 944 W FRINC 24 06 966 S L WELSH 28 08 944 A F PORSILD 29 08 944 A F PORSILD 22 09 943 H W RUPY 11 7 949 W H DRUPY 11 7 949 W H DRUPY 12 07 954 B ACKENSON 24 06 956 J NAVA 25 06 914 A EASTWOOD 25 06 914 A EASTWOOD 25 06 914 A F PORSILD 22 09 944 H W RAUP 15 07 944 J P ANDERSON 15 07 944 J P ANDERSON 16 07 944 L J PALWER 10 08 964 V L HARWS 10 07 941 L J PALWER 10 07 941 L J PALWER	6A19 5WA 6A19 5WA 5341 7A0 32635 341 7A0 32637 6928 5WA 6928 5WA 6928 5WA 6928 5WA 6928 5WA 6928 5WA 6928 5WA 6928 5WA 6928 5WA 571 1A0 32641 10126 7A0 32631 10126 7A0 32631 10126 7A0 32631 10126 7A0 32631 10126 7A0 32631 10126 7A0 32631 9651 7A0 32635 9652 7A0 32685 9672 5WA 6976 5WA 668 6WA 373 US 802177 373 A 668 6WA 668 6WA 373 US 802177 373 A 11386 CAN 49581 11384 15C 256436 5122 526436 5291 5WA 6395 11242 ALA 20032 11242 ALA 2035 11242 ALA 2035 11243 5LA 32657 629 1152 256436 60 5LC 3505 6084 1552 256456

i

TAXON	SPC	5 V	H18	PROV	QUAD	LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO HERB + NO
1873		3 2		14	100					957 6 ¥ ARBUS	1108 ALA 6715
1873 1873		32		14 14	100 100			SMITH L Smith L		956 6 ¥ ARGUS 956 6 ¥ ARGUS	301 ALA 4759 301 ALA 22459
1673	28	3 2		14	100	6453	14750	COLLEGE	09 06	957 6 ¥ AROUS	1007 ALA 6727
1673 1873		32			100 100	6453	14750	COLLEGE Goldstream CR	09 06	957 G W ARGUS 966 G W Argus	1006 ALA 6725 5090 GWA
1873		3 2			100	648 9	14755	ACE LAKE	10 04	054 6 H 496110	102 044
1873		3 2			100 100	6453	14750	COLLEGE	09 06	956 G W ARGUS 957 G W ARGUS 957 G W ARGUS	1006 BWA
1673 1873	28 28	32			100	6452	14752	SMITH L	14 06	956 6 W ARGUS	1108 GWA 301 GWA
1873	28	3 2	2	14	100	6452	14752	SMITH L	14 06	956 G W ARGUS	320 GVA
1873 1873		32		14 14	100 100	6453	14750	COLLEGE	09 06	957 G W ARBUS	1007 BWA 5106 GWA
1873	28	3 2	2	14	100	6452	14750	COLLEGE	02 06	965 V L HARMS	3416 ALA 32588
1873 1873		32			100 100	6452	14750	COLLEGE College	27 05	965 V L HARMS GAS V L HARMS	3377 ALA 32659 3376 ALA 32658
1673	28	3 2		14	100	6452	14752	SMITH L	26 05	965 V L HARNS	3346 ALA 32652
1873 1873		32		14 14	100 100	6452	14750	COLLEGE FAIRBANKS	03 06	965 V L.HARMS 933 I J PAINED	3444 ALA 32633 194 ALA 5265
1673	28	3 2	2	14	100	6451	14743	FAIRBANKS	06	933 L J PALNER	191 ALA 5264
1873 1873		32			100 100	6451	14743	FAIRBANKS	06	933 L J PALMER	155 ALA 5266 177 ALA 5268
1873	28	3 2	2	14	100	6451	14743	FAIRBANKS	20 07	931 L J PALMER	14 ALA 5972
1873 1873		32		14 14	100 100	6452 6448	14752	SMITH L CHENA	05 06	956 5 6 SMITH 956 5 6 SMITH	1 ALA 10741 4 ALA 10744
1873		3 2		14	100	6450	14710	FAIRBANKS	06 07	966 Y SUDA	17766 GWA
1873 1873		32			100 100	6451	14658	CHENA R	19 09	935 6 # ARGUS 957 6 # ARGUS 956 6 # ARGUS 957 6 # ARGUS 957 6 # ARGUS 957 6 # ARGUS 957 6 # ARGUS 956 # ARGUS 957 965 # HARMS 965 965 # HARMS 965 933 L J PALMER 951 J PALMER 933 955 S S S 956 S S SUDA 966 L VIERECK 964 964 L VIERECK 964	A126A GWA
1873		3 2			100	6448	14744	FAIRBANKS	19 05	965 L A VIERECK	8056 FSLC 7535 FSLC
1873		3 2			100	6447	14745	CHENA PUMP RD	17 04	964 L A VIERECK	7149 -5LC
1873 1873		32		14 14	100 100	0447	14143	CHEMA FUMP RD	17 04	964 L A VIERECK	7511 FSLC 7147 FSLC 283
1673		3 2		14	101	6454	14625	CHENA RIVER	06 07	966 G W AR6US	5102 GWA
1873 1873		32		14 14	101 101			CHENA RIVER Chena River	06 07	966 G W ARGUS 966 G W ARGUS	5097 GWA 5099 SWA
1673	28	3 2	Ł	14	101	6454	14625	CHENA RIVER	06 07	966 6 W ARGUS 966 6 W ARGUS	5096 GWA
1873 1673		32			101 102			CHENA RIVER Chicken	05 07 06 08	966 B W ARGUS 951 E SCAMMAN	5008 GWA 6299 8WA
1673	28	3 2	2	14	104	6531	14513	STEES HEY M115	13 06	945 E SCAMMAN	3495 GWA
1873 1675		32			104 104	6523	14554	STEESE HWY M92 EAGLE CR CAMP	22 06	945 E SCAMMAN 957 S A SHETLER 965 J M TRENT 965 L A VIERECK 965 V L HARMS 965 V L HARMS 964 V L HARMS 964 V L HARMS	195AF ALA 3789 666 ALA 32693
1675	28	3 2	2		104	6559	14411	CIRCLE	12 07	965 L A VIERECK	7726 FSLC
1673 1673		32			105 105	6512	14605	FOX	19 08	965 V L HARNS 965 V L HARNS	4985 ALA 32589 3407 ALA 32587
1873	28	3 2	t		105	6502	14740	FOX	05 06	964 V L HARMS	2634 ALA 32623
1873 1673		32			105	6502	14740	FOX	02 06	964 V L HARMS 964 V L HARMS 949 M T COOK	2636 ALA 32622 2633 ALA 32568
1675		3 2		14	119	6654	14516	FT YUKON			5.N. 15C 256418
1873 1873		32			120 120			FISH HOOK CR Fish hook Cr	04 07	957 S & SHETLER 957 S & SHETLER	329AF ALA - 3880 383AF ALA - 3906
1673		3 2		14	120	6644	14334	FISH HOOK CR	11 07	957 S & SHETLER	AROAF ALA 3966
1673		32		14	121	6723	14350	SMALL LAKE Small Lake	03 08	957 S & SHETLER 957 S & SHETLER	794AF ALA 4169 881AF ALA 4216
1873		3 2		14	141	6922	15210	UMIAT	23 05	964 L & VIERECK	7505 G#A
1873 1873		32		14 14	141 149		15210		23 05	964 L A VIEREČK 947 R F BLAČK	7176 SWA 5.N. 150 256428
2H 3	3 F	PL AN	11F0L	IA SSI	P• PU	LCHRA	VAR.	PULCHRA			
1673		3.3		02	2			THREE GUARDSHE	14 7	967 G H ARGUS	6761 GWA
1873 1673		33		υ2 02	2			THREE GUARDSME THREE GUARDSME	14 7	967 G ¥ ARGUS 967 G ¥ ARGUS	6756 GWA 6754 GWA
1873	58	3 3	5	U2	2	5935	13629	THREE GUARDSME	14 7	967 G W ARGUS	6771 SWA
1873 1873		33		02 02	2		13629	MT GLAVE	14 7	967 G W ARGUS 967 G W Argus	6786 GWA 6790 GWA
1673	28	3 3	b	02	2	5935	13629	MT GLAVE	14 7	967 6 ¥ ARGUS	6792 SWA
1673 1873		33		02 02	2	5936 5936	13627	HAINES RD MI60 HAINES RD MI60	05 07	956 T M TAYLOR 956 T M TAYLOR	1174 NAO 32746 1174 NAO 32749
1673	28	3.3	5	02	2	5935	13627	THREEGUARDSMAN	04 08	967 L A VIERECK	8535 GWA
1673 1673		33		02 02	4			ATLIN LAKE Surprise lake	12 07	954 J D AITKEN 960 J A CALDER	21 340 32771 25195 940 32743
1873	28	33	5	υ2	6	5917	12951	CASSIAR	17 06	956 T 4 TATLOR	363 040 32750
1873 1673		3 2		U2 02	6 6			CASSIAR Cassiar		956 T M TATLOR 956 T M TAYLOR	363 940 32744 931 940 32748
1873	28	3 3	1	02	7	5956	12734	ALA HWY M5B1	18 06	960 J A CALDER	25643 DAD 32772
1873 1673		33		02 02	17 17			ALA HWY M258 Ala hwy M258		960 J A CALDER 960 J A CALDER	24535 G¥A 24535 G¥A 32767
1873	26	3 3	1	02	24	5705	12235	BEATTON RIVER	10 06	943 H M RAUP	10019 ALA 20027
1673 1673	28 28	33	5	02 02	24 24	5705	12235	BEATTON RIVER BEATTON RIVER	10 06	943 H M RAUP 43 H M RAUP	10020 ALA 20028 10018 ALA 20037
1673	28	3 3	5	02	30	5659	12312	ALA HWY M128	26 05	960 J A CALDER	24648 GFA
1673 1873		3 3		U2 02	30 30			ALA HWY M128 Ala hwy M128		960 J A CALDER 960 J A CALDER	24650 040 32774 24648 040 32776
1673	28	3 3	5	07	117	7013	12940	CAPE DALHOUSIE	31 07	963 W J CODY	13143 DAD 32688
1873 1673		33		U7 07	133 133			SUMMER ISLAND Richards Is		963 W J CODY 957 W J CODY	13029 040 32683 9966 040 32669
1873	28	3 3	5	07	133	6931	13348	RICHARDS IS	10 07	957 W . CODY	9986 040 32670
1673 1873		33		07 07	133			RICHARDS IS Mack R E BR	22 07	957 W J CODY 957 W J CODY	10152 NAD 32667 9664 DAD 32668
1873	28	3 3	5	07	133			RICHARDS IS		966 G V SCOTTER	10118 GWA

TAXON	SPC S V HYB	PROV	UU40	LAT	LONG	LOCALITY	DAT	E CO	LLEC	TOR NAME	COL NO	HERB	+ NO
1673	28 3 3	07	135			TUKTOYAKTUK	13 0	8 965 G	¥ S	COTTER	6996	GWA	
1873 1873	28 3 3 28 3 3	07 07	135 134			TUKTOYAKTUK MCKINLEY BAY		8 965 G			6996 10928	DAD DAD	32644 32671
1873	28 3 3	07	134	ь925	12816	ANDERSON R	13 0	7 965 G	¥ 51	COTTER	6931	DAC	32643
1873 1873	28 3 3 28 3 3	07 07	134 152			ANDERSON R Eskimo lake	23 0	7 965 G	9 S0	COTTER	6956 10518	DAD	32641 32654
1673	28 3 3	07	152	6813	13554	CANCE LAKE	16 0	17 963 W	JC	ODY	12807	DAD	32639
1673 1673	28 3 3 28 3 3	07 07	152 152			CANGE LAKE Cange Lake		17 963 W			12813	040 040	32638
1873	28 3 3	07	152	6813	13554	CANOE LAKE		17 963 W			12818 12974	CAD	32687 32640
1873 1873	28 3 3	07 07	152			REINDEER STN	27 0	6 957 W	JC	0DY	9691	DAD	5712
1873	28 3 3 28 3 3	07	152 152	6842	13408	REINDEER STN REINDEER STN	12 0	6 957 W	J CI	001 001	9570 9590	DAO	32672 5725
1873 1873	28 3 3 28 3 3	07 07	152 152	6842	13408	REINDEER STN REINDEER STN	10 0	6 957 W	J C(0pY	9577	DAO	5742
1873	28 3 3	07	15.2	6842	13408	REINDEER STN		16 957 W			10025 9567	DAD DAD	32673 32674
1873 1873	28 3 3 28 3 3	07 07	152 152			REINDEER STN		6 964 J			7024	GWA	
1873	26 3 3	07	152			INUVIK CANDE LAKE		16 964 J			7026 7028	GWA GWA	
1873 1873	28 3 3 28 3 3	07 07	$152 \\ 152$			REINDEER STN REINDEER STN				COTTER	6973	GWA	
1873	28 3 3	07	15.5			HYNDMAN LAKE				COTTER Cotter	6968 10102	GWA GWA	
1873 1873	28 3 3 28 3 3	07 07	181 181			COPPERMINE COPPERMINE		6 951 W			42	7AD	32632
1873	28 3 3	07	181			COPPERVINE				INDLAY INDLAY	37	DAD	32631 32633
1673 1873	28 3 3 28 3 3	07 07	181 218			COPPERMINE BATHURST INLET	28 0			INDLAY	46	DAD	32634
1873	28 3 3	07	28.5			MATTHEWS LAKE		17 949 J 16 953 J		OODRUFF HILLCOTT	899 35	DAD DAD	32645 32647
1873 1873	28 3 3	07 07	28.1	6405	11115	MATTHEWS LAKE	30 0	6 953 J	- C P	HILLCOTT	39	DAO	32649
1873	28 3 3 28 3 3	07	28. 28.			MATTHEWS LAKE Matthews lake	21 0	6 953 J		HILLCOTT	37 14	DAD	32646 32651
1875	28 3 3	07 07	28.5	6405	11115	MATTHEWS LAKE	30 0	6 953 J	G CH	HILLCOTT	36	DAO	32652
1873 1873	28 3 3 28 3 3	07	283 283			MATTHEWS LAKE Matthews lake				HILLCOTT	4 38	DAD	32653 32648
1#73	28 3 3	07	284	6445	10810	MUSKOX LAKE	07 0	8 953 J	G C)	HILLCOIT	169	DAO	32589
1873 1873	28 3 3 28 3 3	07 07	284 285	6405 6404	10830	ATLMER LAKE Thanakoie nar		8 965 J 8 965 J			8245 5.N.	SWA SWA	
1873	28 3 3	07	305	p310	13008	MACHILLAN PASS	31 0	8 944 A	F P(ORSILD	11229	*SC	256439
1873 1873	28 3 3 28 3 3	07 07	307 338			JUNE LAKE Flat river		18 967 W			17314 17823	DAD	32657 32658
1873	26 3 3	07	338	6202	12810	FLAT RIVER	08 0	8 967 ¥	J C	Y Ū Č	17736	DAO	32659
1873 1873	28 3 3 28 3 3	07 07	338 338			O GRADY LAKE O GRADY LAKE		7 967 W			16859 16478	0AC 0AC	32662 32664
1873 1873	28 3 3 28 3 3	07	338			FLAT RIVER	08 0	8 967 K	₩ SF	PICER	1698	DAO	32656
1873	28 3 3	07 07	339 339			LTL DAL LAKE Brintnell L		8 967 W			17653	DAO ALA	32655 14763
1873	28 3 3	07	339	6205	12735	BRINTNELL L	21 0	6 939 H	₩ R/	AUP	92 30	ALA	14764
1673 1673	28 3 3 28 3 3	07 07	36 T	6142	12710	HOLE IN WALL L HOLE IN WALL L	10 0	8 967 W	U CO W SP	PIČER	1793A 1799	DAO	32660 32666
1673	28 3 3	12	4	6856	13712	SHINGLE POINT	15 0	7 963 J	A PI	ARMELEE	2791	DAD	32756
1673 1873	28 3 3 28 3 3	12 12	4			TROUT LAKE SAM LAKE	1 30	7 970 S 6 970 S	1 10	ELSH	10121	BRY OTF	91146 1193
1873	28 3 3	12	4			BABBAGE CREEK	3	7 970 S	L ME	ELSH	10195		1196
1873 1873	28 3 3 28 3 3	12 12	4 5			BLDW RIVER Old crow MT		8 964 P		DUNGHAN DUNGHAN	5383 500	CAN CAN	
1873	28 3 3	12	15	6458	13825	OGILVIE MT	27 0	6 966 R	T PO	ORSILD	17	CAN.	
1873 1873	28 3 3 28 3 3	12 12	15			SIXTYNL RD 412 BARLOW	25 0	6 966 5 6 960 J	AC	ELSH Alder	5580 25058	Gera Gera	
1873	28 3 3	12	22	6357	13510	KEND HILL	06 0	8 949 J	- G1	ILLETT	4395	DAD	32751
1873 1873	28 3 3 28 3 3	12 12	30 35	6140	13045	CANOL RD M245 Canal RD M105	21 0	8 944 A	FPO	ORSILD	11418 9333	CAN	
1873	28 3 3	12	40	6047	13735	BEAR CREEK	18 0	6 944 H	9 R/	AUP	11868	GWA	
1873 1873	28 3 3 28 3 3	12 12	40 43	6005	13035	BEAR CREEK Rancherta	15 0	6944 H 8966 G	¥ RA	RGUS	11808 6021	ALA Gwa	20041
1673	28 3 3	12	43	6005	13035	RANCHERIA		8 966 G	₩ A ^c	RGUS	6021	GWA	407
1873 1873	28 3 3 28 3 3	14 14	29 32	5657	15410	BELKOFSKY AKHIOK	25 0	933 0 5 940 E			1191	ALA US 2	29368 441271
1673	26 3 3 28 3 3	14 14	34 34	5735	15400	UYAK BAY	26 0	5 938 J	P AP	NDERSON	3131	TSC	256468
1873 1873	28 3 3	14	35	5732	15359	SHEEP ISLAND LARSON BAY	U	6 963 R 933 O		ÖRDON EIST	2747 5.N.	WIS Ala	29395
1873 1873	28 3 3 28 3 3	14 14	35 36	5705	15425	OLGA BAY		5 938 H	H LC	DOFF	320	GHA	
1873	28 3 3	14	38			UGASHIK St george is		7 967 D 8 945 J	O A O	TREUBEL	5.N. 5.N.	ALA TSC	34727 256504
1873 1873	28 3 3	14 14	34	5834	16146	CAPE PEIRCE	2	7 970 L	01	ÍĊK –	235	G¥A	-
1873	28 3 3 28 3 3	14	39 39			CAPE PEIRCE HAGEMEISTER IS		6 970 L 6 966 R	P	ICK Egau	#12	GNA GWA	
1873	28 3 3	14 14	39	5840	16102	HAGEMEISTER IS	55 0	6 966 R	P	EGAU	12	ALA	32702
1873 1873	28 3 3 28 3 3	14	4). 4)			CONTACT CREEK KVICHAK BAY		9 954 V 6 951 E		AHALANE JLLER	30 589		219360 229500
LB73	28 3 3	14	41	5844	15747	KVICHAK BAY	05 0	6 951 E	H ML	ULLER	500	ISC	224495
1873 1873	28 3 3 28 3 3	14 14	41 41	5844	15747	KVICHAK BAY Kvichak bay		6 951 E	нΜц	JLLER JLLER	592 593		224497 224496
1873	2633	14	41	5842	15640	NAKNEK	25 0	6 949 H	M R	4U≏	5	ISC	219353
1673 1673	28 3 3 28 3 3	14 14	41 41	5841	15639	NAKNEK King Salmon		7 949 K 7 952 W		CHOFIELD	76 2011	TSC GWA	219351
1873	28 3 3	14	4).	5843	15701	NAKNEK	03 0	7 952 ¥	R 50	CHOFIELD	1942	ALA	17432
1873 1673	28 3 3 28 3 3	14 14	42 43			DUMPLING MT TR Port vita		5 967 C	JES	STABROOK Terdam	127	ALA TSC	39694 256432
1873	28 3 3	14 14	43 50	5805	15305	IRON CREEK	15 1	0 945 W	J E1	YERDAM	4056	TSC.	256431
1873 1873	28 3 3 28 3 3	14	51/ 51/			ANCHOR POINT Igiugtg		6 967 L 7 965 V			8265 4364	GWA Ala	32560

TAXON SPC 5	V HYB PROV	QUAN LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO HERB + NO
1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3	3	57 6023 57 6015 57 6015 62 6033 62 6033 63 6029 63 6029 68 6108 68 6148 69 6135	16611 16614 16614 15116 15140 14922 14922 14544 14512 14930	MEKORYUK RIVER MEKORYUK KENAI NINILCHIK MODSE PASS MODSE PASS THOMPSON PASS RICH H#Y M90 PALMER	17 07 22 07 17 06 31 05 13 06 01 06 17 06 05 07 01 08 05 08	965 R PEGAU 949 D L SPEYCER 951 J A CALDER 967 L A VIERECK 941 J P ANDERSON 941 J P ANDERSON 967 L A VIERECK 947 DUTILLY	3947 ISC 255907 S.N. ALA 32287 MJ7 GWA 8 ISC 256417 5004 GWA 8256 GWA 6815 ISC 256446 6815 ISC 256447 1891 ISC 256454 9453 GWA 24963 240 32754
1673 28 3 1673 26 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 26 3 1673 26 3 1673 26 3 1673 26 3 1673 26 3 1673 26 3	3 14 3 14 3 14 3 14 3 14 3 14 3 14 3 14	69 6115	14920	CHUGACH MTS CHUGACH MTS CHUGACH MTS CHUGACH MTS Matanuska vy Matanuska vy Matanuska vy Matanuska vy FT Richaroson GLENN HWY M134 FT Richardson	11 07	948 E LEPAGE 948 E LEPAGE 948 E LEPAGE 940 L J PALMER 940 L J PALWER 965 S L WELSH 965 S L WELSH 965 S L WELSH 955 M H DRURY	23446 740 32755 23446 ISC 23446 ISC 256470 23462 ISC 256469 395 ALA 5961 121 ALA 5168 395 ALA 5962 394 ALA 5960 121 US 2441270 4590 ALA 29907 4462 TSC 246047 4590 ISC 246931
1473 28 3 1473 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3	3	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15433 15717 15930 15937 15927 15937 15930 15939 15930 16021	HEAD OF BIG R. SLEITHUT ANIAK REGION ANIAK REGION ANIAK REGION ANIAK REGION ANIAK REGION ANIAK REGION KALSKOG R	3 7 11 7 18 6 28 6 20 6 28 6 18 6 18 6 18 6 18 6 18 06	950 W H DRURY 949 W H DRURY 944 W H DRURY 944 W H DRURY 946 W H URURY	3977 CAN 3954 CAN 3911 CAN 1938 CAN 1663 CAN 1677 CAN 1643 CAN 1643 CAN 1643 CAN 1643 CAN 1645 CAN 1695 CAN 2600 ALA 2020
1673 28 3 1673 28 3 1873 26 3 1873 26 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1673 28 3 1673 28 3	$ 3 14 \\ 3 14$	79 6259 79 6259 80 6247 80 6257 81 6219 81 6229 81 6240 81 6240 81 6225	15604 15604 15544 15536 15006 15128 15230 15230 15125 15125	KOKECHIK BAY TAKOTNA MCGRATH MCGRATH Talkeetna Chelatna Lake Kuskokwim R Kuskokwim R Chelatna Lake Chelatna Lake	27 07 27 07 22 7 13 6 11 08 14 06 01 08 29 07 21 06 21 06 21 06	960 N F JONES 941 J P ANDERSON 941 J P ANDERSON 949 W H DRURY 949 W H ORURY 949 J P ANDERSON 961 E L LITTLE- JR. 961 L A VIERECK 961 L A VIERECK 956 L A VIERECK 956 L A VIERECK	50 ALA 24422 7645 ALA 545 7445 ISC 256449 2172 CAN 1366 CAN 7711 ISC 256448 18425 GWA 5234 GWA 5178 GWA 1021 GWA 1026 GWA 1026 GWA 1024 ALA 3497
1673 26 3 1673 28 3	$ 3 14 \\ 3 14$	81 6225 81 6240 81 6240 83 6225 83 6225 83 6226 85 6322 86 6315 86 6315 86 6347	15125 15230 15230 14451 14542 14232 14540 14540 14545 14545 14430	CHELATWA LAKE CHELATWA LAKE KUSKOKNIM R KUSKOKNIM R TOKSLA HWY MO GLENNALLEN MCCALLUM CR MCCALLUM CR MCCALLUM CR RAINBOM MT GEORGE LAKE ALA HWY MI3BO	21 06 01 08 29 07 24 06 10 06	956 L A VIERECK 961 L A VIERECK 961 L A VIERECK 961 L A VIERECK 961 L A VIERECK 967 L A VIERECK 963 J NAVA 957 G W ARGUS 957 G W ARGUS 957 G W ARGUS 965 V L HARMS 964 W L HARMS	1021 ALA 11612 1036 ALA 11615 5234 FSLC 5178 FSLC 7113 TSC 256007 A211 GWA 96 ALA 23953 1034 GWA 1034 ALA 6732 5570 ALA 32612 3165 ALA 30033
1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1873 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3	3	87 b344 87 6344 87 6344 87 b355 88 b335 88 6325 88 6325 88 6325 88 b332 88 b332 88 b332	14855 14855 14855 14725 14935 15058 15030 15030 15058 14935 15030	HCKINLEY PARK HCKINLEY PARK HCKINLET PARK DRY CR IGLOD CREEK KANTISHNA HULDROW GL KANTISHNA IGLOD CREEK MULDROW GL	30 06 30 06 23 06 28 07 25 07 27 07 27 07 25 07 25 07 25 07 28 07 27 07	939 A NELSON 939 A NELSON 940 L J PALMER 962 L * VIERECK 956 G # Argus 956 G # Argus	1588 ALA 544 3588 T5C 256451 422 ALA 555 5700 SWA 672 SWA 652 SWA 666 GWA 665 SWA 655 SWA 652 ALA 4559 692 ALA 4592 666 ALA 4592
1673 28 3 1673 28 3	3	88 6325 88 6325 88 6325 88 6325 88 6327 88 6327 88 6327 89 6327 89 6310 90 6310	15050 15035 15035 15035 15045 15045 15045 15532 15532 15537 15631	MULDROW SL Wonder Lake McKinley R McKinley R McKinley R McKinley R McKinley R McKinley R Takonta R. Nixon Fork Dphir Dphir	27 06 21 07 20 06 22 06 20 06 05 07 20 06 23 8 10 6 26 06 26 06	956 G ¥ ARGUS 958 L A VIERECK 958 L & VIERECK 958 L & VIERECK 958 L & VIERECK 958 L & VIERECK 958 L A VIERECK 958 L & VIERECK 950 ¥ H DRURY 950 ¥ H DRURY 940 E SCAWMAN 940 E SCAWMAN	10-8 944 3039 644 3063 644 3063 644 3064 944 3156 344 4662 644 3624 644 1830 444 8393
1873 28 3 1873 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3 1673 26 3 1673 28 3 1673 28 3 1673 28 3 1673 28 3	3 14 3 14 3 14 3 14 3 14 3 14 3 14 3 14 3 14 3 14 3 14	91 6352 92 6329 92 6335 92 6335 92 6335 92 6302 92 6302	16047 16202 16230 16333 16333 16333	UNALAKLEET UNALAKLEET ST VICHAEL STUART ISLAND STUART ISLAND KOTLIK KOTLIK KOTLIK KOTLIK	12 06 19 06 29 07 29 07 07 07 07 07 07 07	939 J P ANDERSON 938 J P ANDERSON 938 J P ANDERSON 931 C H ROUSE 931 C H ROUSE	32679 TSC 256435 3267 TSC 256456 3447 TSC 256436 22 ALA 2035 22 ALA 25497 35 ALA 25497 34 ALA 25429 34 ALA 25429 34 ALA 22049 34 ALA 2040

TAXON	SPC 5 V НҮВ	PRÖV	⊎UAD	LAT	LÓNG	LOCALITY	D#	TE	COLL	ECTOR NAME	COL NO H	+ERA	+ ND
1673	28 3 3	14	92			PASTOLIK			931 C H		26	ALA	2056
1673 1673	2833 2833	14 14	92 92			PASTOLIK Pastolik			931 C H		26	ALA	25446
1873	26 3 3	14	92	6259	16318	PASTOLIK	19	07		ROUSE	29 29	ALA ALA	2053 25448
1873 1873	28 3 3 28 3 3	14 14	82 83			GANBELL SAVOONGA	09	60	938 J P	ANDERSON	3219	tsc	256464
1873	26 3 3	14	95			ST LAWRENCE IS	27	UБ	933 0 #	ANDERSON GEIST	36°4 5.N.	15C	256463 29392
1673	28 3 3	14	93	6330	17030	ST LAWRENCE IS			933 0 ¥	GEIST	5.N.	ALA	29393
1873 1873	28 3 3 28 3 3	14 14	93 93	6330	17045	ST LAWRENCE IS			933 0 %	GEIST	5.N. 5.N.	ALA	29735 29391
1873	26 3 3	14	93	ь330	17030	ST LAWRENCE IS ST LAWRENCE IS	17	06	933 0 4	GEIST	5.N.	ALA	29739
1873 1673	2833 2833	14 14	93 93	6320	17136	BOXER BAY Boxer Bay	12	08	933 0 W 933 0 W	GEIST	010	ALA ALA	29425 29422
1873	26 3 3	14	93	6334	17053	KANGEE CAMP			933 O ¥	GEIST	S.N.	ALA	29389
1873 1873	28 3 3 28 3 3	14 14	94 94		16530 16530					ANDERSON	3241		256465
1873	26 3 3	14	94	6435	16530	NONE	16	06	964 C 966 R	HELLER PEGAU	1053 ¥6	ALA GWA	27072
1873 1873	2833 2833	14 14	94 94	6434	16533	NOME Nome Nome Golovin Golovin Egavik			968 R 966 R	PEGAU	9468	GWA	
1673	28 3 3	14	95	6433	16302	GOLOVIN	17	06	938 J P	PEGAU ANDERSON	¥6 3425	ALA TSC	32706 256467
1673	28 3 3	14	95	6433	16302	GOLOVIN	04		724 6 7	er i Mia Tudi P	1004	۸LA	2032
1873 1873	2833 2833	14 14	96 96	6402	16055	EGAVIK			931 C 4 931 C H	ROUSE	13	ALA ALA	25431 2064
1873	28 3 3 28 3 3	14 14	96	6402	16055	EGAVIK	11	08	931 C H	ROUSE	15	ALA	25427
1873 1873	28 3 3	14	96 96			EGAVIK Egavik			931 C H 931 C H		15 15	ALA ALA	2061 25444
1473	28 3 3	14	96			EGAVIK	11	08	931 C H	ROUSE	15	TSC	256445
1873 1873	28 3 3 28 3 3	14	100 101			FAIRBANKS Donnelly Dome	17	06	933 L J 965 V L	PALMER HARMS	210 3546	ALA ALA	5982 32637
1873	28 3 3	14	101	6345	14554	DONNELLY DOME	02	07	964 V L	HARNS	2866	ALA	32602
1873 1873	2833	14 14	$101 \\ 101$	6345	14554	DONNELLY DONE Donnelly dome	08	06	965 V L	PALMER HARNS HARNS HARNS HARNS JOHNSON HARNS KLEIN	3538 2840	ALA	32649 32644
1873	28 3 3	14	101	6345	14554	DONNELLY DONE	02	07	964 V L	HARMS	2862	ALA	32603
1873 1873	2833 2833	14	$101 \\ 104$			INDIAN CREEK EAGLE SUMMIT	29	06	956 A ¥	JOHNSON	46 3858	ALA	7064 32653
1873	28 3 3	14	104	6547	14656	VICTORIA MT	26	06	953 0	KLEIN	5+N+	ALA	23092
1873 1873	2833	14 14	104			MILLER HOUSE MILLER HOUSE			940 E 945 E	SCAMMAN SCAMMAN	2046 3495	GWA GWA	
1873	28 3 3	14	104	6525	14556	STEES HWY MB9				SHETLER	214AF		380 n
1873 1873	28 3 3 28 3 3	14 14	$\frac{104}{104}$			STEES HWY MB9				SHETLER	161AF	ALA	3774
1673	28 3 3	14	104	6523	14557	TWELVE MILE CR TWELVEMI SUMIT	19	06	957 5 6	SHETLER	87AF 120AF		3735 3758
1873 1873	28 3 3 28 3 3	1 1 4	104 104	ь522	14556	TWELVE MILE CR	16	06	957 5 6	SHETLER	5945	ALA	3715
1873	26 3 3	14	104	6527	14526	EAGLE CREEK EAGLE CREEK WICKERSHAM DOW WICKERSHAM DOW WICKERSHAM DOW DONVELLY DOWE IMURUK LAKE	17	06	965 J N 965 J N	TRENT	466 5265	ALA ALA	32695 30668
1673	28 3 3	14	105	6512	14805	WICKERSHAM DOM	1B	80	964 V L	HAR4S	3676B	ALA	33341
1873 1873	2833 2833	14 14	105	6512	14805	WICKERSHAM DOW	17	00	965 V L	HARMS	3473C 3663	ALA	32627 32582
1873	28 3 3	14	105	6512	14805	WICKERSHAM DOM	04	06	965 V L	HARMS	3473A	ALA	32628
1873 1873	28 3 3 28 3 3	14 14	108 110	6448	14545	IMURUK LAKE	25	07	967 L ^ 947 J c	VIERECK	4329 73	GWA	256433
1873	28 3 3	14	110	6536	16313	INURUK LAKE	01	07	947 J S	SIFH	7	TSC	256434
1873 1873	2833 2833	14	121 121			WALES Teller	19 24	08 06	938 J 9	ANDERSON ANDERSON	4936 3575		256459 256456
1873	28 3 3	14	111	6516	16622	TELLED	23	04	010 1 0	ANDERCON	3523A	TSC	256462
1873 1873	28 3 3 28 3 3	14 14	111			KING ISLAND IMURUK BASIN				HARBD PEGAU	S.N. 27468	ALA GWA	24826
1873	28 3 3	14	113	6654	16235	KOTZEBUE	12	08	938 J P	ANDERSON	4708		256457
1873 1873	28 3 3 28 3 3	14 14	113	6655	16231	KOTZEBJE	11	08	966 G ¥ 966 S L	ARGUS	5977 5736	GWA	
1873	28 3 3	14	114	0658	16026	KIANA			0 0	CLARK	5+N+	ALA	10190
1873	28 3 3	14 14	114	6616	16120	ELEPHANT POINT ELEPHANT POINT	18	09	931 C H	ROUSE	3	۸LA	2069
1673 1873	28 3 3 28 3 3	14	114 114	6616	16120	ELEPHANT POINT	1 B	09	931 C H	ROUSE	2	ALA ALA	25424
1873 1873	2633 2833	14	114 114	6616	16120	ELEPHANT POINT ELEPHANT POINT	18	09	931 C H	ROUSE	1	ALA	25423
1873	28 3 3	14	114	6616	16120	ELEPHANT POINT	18	09	931 C H	ROUSE	5	ALA ALA	2071 25422
1873 1873	28 3 3 28 3 3	14 14	114 114	6616	16120	ELEPHANT POINT ELEPHANT POINT	1 B	09	931 C H	ROUSE	5	ALA ALA	2070 2073
1673	28 3 3	14	114			ELEPHANT POINT					4	ALA	25436
1873	28 3 3	14	114	6616	16120	ELEPHANT POINT	18	09	931 C 4	ROUSE	<u>4</u>	ALA	25425
1873 1873	28 3 3 28 3 3	14 14	114 114			ELEPHANT POINT ELEPHANT POINT					777	ALA ALA	25428 2067
1873	28 3 3	14	114	6616	16120	ELEPHANT POINT	18	09	931 C 4	ROUSE	6	ALA	2068
1673 1873	28 3 3 28 3 3	14 14	114 114	6617	16153	CHORIS PEN Choris pen			931 C H 931 C H		9	ALA	2066 25432
1873	28 3 5	14	114	6617	16153	CHORIS PEN	15	09	931 C H	ROUSE	9	ALA	2065
1873 1873	28 3 3 28 3 3	14 14	120 121			BIG LAKE Porcupine r			957 S A 957 J L	BUCKLEY	337AF 203	ALA GWA	3882
1873	28 3 3	14	121	6710	14210	PORCUPINE R	25	07	957 J L	RUCKLEY	203	ALA	
1673 1673	2833 2633	14 14	125 126			EASTER CREEK Isiak lake			965 V 960 P C	STAENDER LENT	62 14	ALA ALA	
1673	28 3 3	14	128	6744	16432	KIVÁLINA	10	08	938 J P	ANDERSON	4626	150	256460
1873 1873	2833 2833	14 14	128 128			KIVALINA KIVALINA			960 A 960 A	BUCKNELL BUCKNELL	15 10	ALA ALA	26559 26591
1873	28 3 3	14	128	6744	16432	KIVALINA KIVALINA	20	06	960 A	BUCKNELL	10	ALA	26557
1873 1873	2833 2833	14 14	128 128			KIVALINA	20	06	960 A 960 A	BUCKNELL BUCKNELL	13	ALA	26575 26593
1873	28 3 3	14 14	128	6744	16432	KIVALINA KIVALINA	20	06	960 A	BUCKNELL	11	ALA	26558
1673 1873	2833 2833	14	128 128			KIVALINA KIVALINA	20	06	960 A 960 A	BUCKNELL BUCKNELL	11	ALA	26592 26574

TAXON	SPC S V HYB	PROV	GUAD	LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO HERB + NO
1873 1873 1873	28 3 3 28 3 3 28 3 3	14 14 14	128 128 128	6744 6744	16432 16432	KIVALINA KIVALINA KIVALINA POINT HOPE	20 06 20 06	960 A BUCKNELL 960 A BUCKNELL 960 A BUCKNELL 938 J P Anderson	14 4LA 26574 9 4LA 26588 15 4LA 26590 45779 75C 256461
1673 1873 1873	28 3 3 26 3 3 26 3 3	14 14 14	129 129 129	6853	16545	CAPE LISBURNE	07 08	938 J P ANDERSON 966 6 W ARGUS	4500 TSC 256441
1873	26 3 3 28 3 3	14 14	129 129	6806 6806	16545 16545	OGOTORUK CREEK OGOTORUK CREEK	11 08 16 07	966 6 ¥ ARGUS 959 A ¥ JOHNSON 959 A ¥ JOHNSON 959 A ¥ JOHNSON 959 A ¥ JOHNSON 959 A ¥ JOHNSON A ¥ JOHNSON	5946 GWA 400 GWA
1873 1873	28 3 3 28 3 3	14 14	129 129	6806 6806	16545 16545	OGOTORUK CREEK	17 06	959 A ¥ JOHNSON 959 A ¥ JOHNSON	4 G#A 726 G#A
1873	26 3 3 26 3 3	14 14 14	129 129 129	6806 6806	16545	OGOTORUK CREEK	20 06	959 A W JOHNSON 959 A W JOHNSON A W JOHNSON	44 RHA 188 GHA 438 RHA
1875 1873 1873	28 3 3 28 3 3 28 3 3	14 14 14	129	6806	16545	OGOTORUK CREEK	27 06	A P JOHNSON	149 GWA
1873	28 3 3 28 3 3	14 14	129 129	6806 6806	16545	OGOTORJK CREEK	27 06	A W JOHNSON A W JOHNSON 959 A W JOHNSON	720 GWA 721 GWA
1873	28 3 3 28 3 3	14	129	6806 6806	16545 16545	OGOTORUK CREEK	17 06	959 A ¥ JOHNSON 959 A ¥ JOHNSON	4 ALA 9186 726 ALA 9171
1873 1873	28 3 3 28 3 3	14 14	129 129	6806 6806	16545 16545	OGOTORUK CREEK	20 06	959 A # JOHNSON 959 A # JOHNSON 960 L A VIERECK 963 J A FLOCK 963 J A FLOCK 965 J A FLOCK 966 G # ARGUS 949 G # FROHNE 949 E LEPAGE 966 Y SUDA	44 ALA 9185 400 ALA 9168
1673 1673	28 3 3 28 3 3	14	129 134	6842 6805	16615	CAPE DYER ULO LAKE	23 07	960 L A VIERECK 963 J & FLOCK	4260 ALA 13226 40 ALA 21742 19 ALA 21719
1873 1873 1873	28 3 3 28 3 3 28 3 3	14 14 14	134 134 138	6805	15030	ULO LAKE Muyagadak PT	02 07	963 J & FLOCK	19 ALA 21719 19 ALA 21721 5909 GWA
1873	28 3 3 28 3 3	14 14	141	6923	15210	UMIAT	12 07	949 G M FROHNE 944 E LEPAGE	49180 ALA 21805 23678 DAD 32752
1873 1873	28 3 3 28 3 3	14	141	6923 6923	15210	UMIAT	27 07	966 Y SUDA 966 Y SUDA	24866 GWA 27566 GWA
1873	28 3 3 28 3 3	14	141	6923 6923	15210 15210	UMIAT UMIAT UMIAT UMIAT UMIAT UMIAT UMIAT	27 07 28 07	966 Y SUDA 966 Y SUDA 966 Y SUDA 966 Y SUDA 966 Y SUDA 966 Y SUDA 966 F SUDA 966 F SUDA 959 0 ¥ GEIST	24366 SWA 26066 SWA
1873 1873	28 3 3 28 3 3	14 14	141 142	6923 6952	15210 15350	UMIAT Ikpikpjk r	28 07 04 09	966 Y SUDA 947 R F BLACK	25966 GWA 5.N. TSC 256420
1873 1873	28 3 3 28 3 3	14	142 142						
1873	28 3 3 28 3 3	14 14 14	142 142 142	6939	15450	IKPIKPUK RIVER	09 07	959 D ¥ GEIST 959 D ¥ GEIST 959 D ¥ GEIST	S.N. ALA 28952 S.N. ALA 27985 8 ALA 29310
1873 1873 1873	2833 2833 2833	14	144	694B	16050	UTUKOK R	30 08	947 R F BLACK	S.N. 15C 256443
1873	28 3 3 28 3 3	14	145 145	6902	16350	CAPE BEAUFORT	24 07	955 5 SHUSHAN 966 6 ¥ ARGUS 966 6 ¥ ARGUS	5468 GHA 5560 GHA
1873	28 3 3 28 3 3	14	145 145	6902 6902	16350 16350	CAPE BEAUFORT	25 07	966 G W ARGUS 966 G W ARGUS	5559 GWA 5393 GWA
1873 1873	28 3 3 28 3 3	14 14	145 145	6902 6902	16350 16350	CAPE BEAUFORT CAPE BEAUFORT	25 07 25 07	966 G W ARGUS	5556 SWA 5579 SWA
1873	28 3 3 28 3 3	14	146	7038	16002 16121	WAINWRIGHT Nevat Pt	04 08	980 J # ANDERSON 948 J * ANDERSON 948 J * IRVING 948 J * IRVING 946 G * ARGUS 966 G * ARGUS 966 G # ARGUS 966 G # ARGUS 966 G # ARGUS 966 G # ARGUS 966 O # GEISI 947 R * BLACK 960 O # GEISI 960 O # GEISI	4357 ISC 256442 5.N. 4LA 3109
1873 1873 1873	2833 2833 2833	14 14 14	146 147 147	7015	15730	MEADE RIVER PO	16 07	948 W V IRVING 966 6 V ARGUS	5.N. ALA 310A 5278 SWA 5279 SWA
1873	28 3 3 28 3 3	14 14	147	7030	15730	MEADE RIVER PO	14 07	966 G # ARGUS	57F 15C 256421
1873	28 3 3 28 3 3	14	147	7028 7028	15725	MEADE RIVER PO	07 08	960 0 ¥ GEIST 960 0 ¥ GEIST	S.N. ALA 29035 S.N. ALA 28951
1873 1873	28 3 3 28 3 3	14 14	148	7059	15434	CAPE SIMPSON	30 06	946 R F BLACK	S.N. TSC 256423
1673 1873	28 3 3 28 3 3	14 14	151 151	7010 7010	14650 14650	BULLEN BULLEN	03 08	966 G W ARGUS 966 G W ARGUS 951 F S BARKALDW	5721 SWA 5720 GWA
1873	28 3 3 28 3 3	14	152 152	7005	14335 14335	BARTER ISLAND BARTER ISLAND	07 06	966 G ¥ ARGUS 966 G ¥ ARGUS	5852 GWA 5865 GWA
1673	28 3 3 26 3 3	14 14 14	152 152			BARTER ISLAND	26 06	956 G W ANGUS 951 F S BARKALOW 938 J P ANDERSON 966 G W ARGUS	5864 8#A P17 TSC 256427 4299 ISC 256440
1873 1873 1873	2833 2833 2833	14	153 153 153	7120	15640		12 07	966 6 ¥ ARGUS	5175 SWA 5162 GWA
1673	26 3 3 26 3 3	14	153 153	7120	15640	BARROW	11 07	966 6 ¥ ARGUS	5165 GWA 5187 GWA
1873 1873	26 3 3 26 3 3	14	153 153	7120 7120	15640 15640	BARROW	13 07	966 G # ARGUS 966 G # ARGUS	5186 GWA 5161 GWA
1873 1873	28 3 3 28 3 3	14 14	153 153	7120	15640	BARROW BARROW	11 07 11 07	966 G W ARGUS 966 G W ARGUS 966 G W ARGUS	5164 SWA 5163A SWA
1873 1873	26 3 3 26 3 3	14	153 153	7120	15640	BARROW BARROW	11 07	966 6 ¥ ARGUS	5176 GVA 5163 GVA
1873	26 3 3 2	14	153	7114	15656	POINT BARROW Barrow Barrow	10 08	946 R F BLACK	5.N. TSC 256429 5.N. TSC 256424 42F TSC 256422
1873 1873 1873	28 3 3 28 3 3 28 3 3	14 14 14	153 153 153	7120	15640	BARROW	20 07	947 R F BLACK 950 R F BLACK 960 0 ¥ GEIST	15 TSC 256425 5.N. ALA 28099
1873	28 3 3 28 3 3	14 14	153 153	7030	15600	POINT BARROW	08	947 P F SCHOLANDER 959 S & SHETLER	5.N. ISC 256426 3139 ALA 17453
1673 1673	28 3 3 28 3 3	14 14	153 153	7117	15648	BARROW BARROW BARROW	20 06	950 J H THOMAS 950 J H THOMAS	2012 ALA 6548 2022 ALA 6549
1873 1873	28 3 3 28 3 3	14	153 153	7116	15640	BARROW	02 07	950 J H THOMAS 950 J H THOMAS	2014 TSC 224853 2022 TSC 224825
1873	28 3 3 28 3 3	14	153 153	7120	15640	BARROW BARROW	07 08	950 J H THOMAS	2012 TSC 224852 58 TSC 256430
1873 1873 1873	28 3 3 28 3 3 28 3 3	14 14 14	153 153 153	7114	15656	BARROW Barrow Barrow	13 07	7 952 6 H WARD 7 952 6 H WARD 7 952 6 H WARD	1119 ALA 6565 1118 ISC 224912 1119 ISC 224876
		• •							

TAXON	SPC 5 V HY	B PROV 9	HJAD LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO HERB + NO
1873	28 3 3		.53 7116	15640	BARROW	04 07	952 G H WARD	1094 ISC 224877
1673 1673	28 3 3 28 3 3	14 1	53 7119 53 7120	15640 15640	BARROW Barrow Point Barrow	26 06 07 07	952 G H WARD 966 S L WELSH	1081 ISC 224824 5701 GWA
1873	28 3 3	14 1	.53 7117	15647	BARROW	12 07	952 G H WARD 966 S L WELSH 950 I L WIGGINS	12428 150 224823
32	COMMUTA	TA						
1673 1873	32 32	2 2	2 5935 2 5935	13630 13630	INSPECTOR CREE INSPECTOR CREE	12 7 12 7	967 G ¥ ÅRGUS 967 G ¥ ÅRGUS	6698 GWA 6730 GWA 6714 GWA 6714 GWA 6714 GWA 6714 GWA 8753 GWA 8753 GWA 10668 ALA 19851 11630 GWA 7668 GWA 7668 GWA 7668 GWA 7668 GWA 7668 GWA 7668 GWA 7669 GWA 7669 GWA 9505 GWA
1673 1873	32 32	2	2 5935 2 5941	13629 13632	THREE GUARDSME NADAHINI RIVER	14 7 13 7	967 G W ARGUS 967 G W ARGUS	6774 GWA 6811 GWA
1873 1873	32 32	2	2 5941	13632	NADAHINI RIVER HAINES RD M70	13 7	967 G W ARGUS 967 L & VIERECK	6806 58A 8553 644
1873 1873	32 32	2	4 5910 16 5831	13358	LLEWELLYN GL	15 07	914 A EASTWOOD	664 A 10668 ALA 19851
1873 1873	32	5	24 5723 24 5723	12248	BUCKINGHORSE R	03 09	943 H N RAUP	11630 GWA 11630 ALA 19852
1873 1873	32 32	2	65 5130 65 5150	11830	REVELSTOKE	08 06	953 J A CALDER	4869 SWA
1873	32 32		138 6257 138 6202	12858	OGRADY L.	27 7	967 W I CODY	16730 DA0
1873	32	73	38 6202	12810	FLAT RIVER	8 8	967 W J CODY	17773 940 58175
1873 1873	32 32	73	139 6241 139 6205	12735	BRINTNELL LAKE	10 8 03 08	957 H U COOT 939 H Y RAUP	17999 9AD 58178 9692 4LA 14821
1873 1873	32 32	7 3	39 6205 39 6205	12735 12735	BRINTNELL LAKE	18 07 18 07	939 H M RAUP	9505 ALA 19809 9501 GWA
1873 1873	32 32	73	39 6205 39 6205	12735	BRINTNELL LAKE	18 07	939 H V RAUP 939 H V RAUP	9503 GWA 9499 GWA
1873 1873	32 32	7 3	039 6205 039 6205	12735 12735	BRINTNELL LAKE	18 07 18 07	939 H M RAUP 939 H M RAUP	9505 GWA 9501 ALA 14802
1873 1873	32 32		39 5205 30 6257	12735	BRINTNELL LAKE	16 07 31 07	939 H M RAUP 960 J A CALDER	9499 ALA 14807 27718 US 2349263
1873 1873	32 32	12	50 6240 50 6238	13112	CANOL RD M234 CANOL RD M222	10 08	944 A F PORSILO 944 A F PORSILD	11673 ISC 256386 11673 GH
1873 1873	32 32		50 6300 35 6130	13025	CANOL RD 4268	28 08 15 07	944 A F PORSILD	11343 GH 10559 TSC 256387
1873 1873	32 32		35 6130 10 5838	13302	CANOL RD 495	15 07	944 A F PORSILO	10559 GH 751 TEC 256388
1873	32	14	LD 5859 LO 5857	13606	MUIR INLET, GL	01 7	967 G W ARGUS	6510 GVA
1873 1873	32	14	Lo 5858 Lo 5859	13606	MUIR INLET, GL	29 6	967 G W ARGUS	6441 GWA
1873	32	14	10 5855	13603	MUIR INLET + GL	28 6	967 G W ARGUS	6384 GWA
1873 1873	32 32	14 14	10 5855 10 5855	13603	MUIR INLET, GL	28 6	967 G W ARGUS	6362 GWA
1873 1873	32 32	14	L0 5855 L0 5855	13603	MUIR INLET, GL	28 6	967 G W ARGUS 967 G W ARGUS	6358 G#A 6361 G#A
1873 1873	32 32	14 14	Lo 5855 Lo 5855	13603	MUIR INLET, GL MUIR INLET, GL	28 6 28 6	967 G W ARGUS 967 G W ARGUS	6370 GWA 6369 GWA
1873	32 32	14	LO 5855 LO 5855	13603 13603	MUIR INLET, GL MUIR INLET, GL	28 6 28 6	967 G ¥ AROUS 967 G ¥ AROUS	6368 GWA 6365 GWA
1873 1873	32 32	14 14	LU 5855 L1 5825	13603 13540	MUIR INLET: GL GUSTAVUS:	28 6 04 07	967 G ¥ ARGUS 967 G ¥ ARGUS	6382 GHA 6575 GHA
1873 1873	32 32	14 14	11 5825 11 5825	13540 13540	GUSTAVUS. GUSTAVUS.	04 07	967 G W ÅRGUS 967 G W ÅRGUS	6572 GWA 6574 GWA
1873 1873	32 32	14 14	11 5825 11 5825	13540 13540	GUSTAVUS. GUSTAVUS.	04 07	967 G ¥ ARGUS 967 G ¥ ÁRGUS	6588 GHA 6592 GHA
1873	32 32	14 14	11 5825	13540	GUSTAVUS.	04 07	967 G W ARGUS	6591 GWA 6589 GWA
1873 1873	32 32	14 14	L1 5825	13540	GUSTAVUS+	04 07	967 G # ARGUS	6578 GWA
1873 1873	32	14 14	L1 5839 23 5335	13413	TAKU B NUNATAK	10 08	966 R BESCHEL	15482 GVA
1873 1873	32 32	14 14	34 5738 42 5819	15220	ISTHMUS PT	18 06	949 E LEPAGE	25030 CAN 1680 US 373564
1873 1873	32 32	14	45 5928	13605	MOSQUITO LAKE	45 7	967 6 ¥ ARGUS 967 6 ¥ ARGUS	27718 US 2349263 11673 TSC 256386 11673 TSC 256386 11343 GH 10559 TSC 256387 10559 GH 753 TSC 256387 6510 GWA 6535 GWA 6441 GWA 6466 GWA 6368 GWA 6575 GWA 6572 GWA 6578 GWA 6579 GWA 6579 GWA 6579 GWA 6579 GWA 6570 GWA 6581 GWA 6581 GWA 6581 GWA 6581 GWA 6585 GWA 6585 GWA 6587 GWA 6586 GWA 6581 GWA 6586 GWA 6586 GWA 6586 GWA 6586 GWA 6586 GWA 6586 GWA 6586 GWA 6586 GWA 6586 GWA 6688 GWA 6676 GWA
1873	32	14	+5 5928	13602	MOSQUITO LAKE.	11 7	967 G ¥ ARGUS	6676 GWA 19 F 742232
1873	32 32	14	45 5937	13508	WHITE PASS	23 07	914 A EASTWOOD	912 A
1873 1873	32 32	14	46 5932	13940	FLOWER NT YAKUTAT.	23 6	909 E W SCHEUBER 967 G W AROUS	6345 GWA
1873	32 32	14	46 5933	13930	YAKUTAT. SITUK RIVER.	23 6	967 G ¥ ARGUS 967 G ¥ ARGUS	6341 GWA 6348 GWA
1873 1873	32 32	14 14	46 5915	13830	YAKUTAT. TANIS LAKE	21 6	967 G ¥ ARGUS 967 G ¥ ARGUS	6746 GWA 6768 GWA
1873 1873	32 32	14	46 5915	13630	TANIS LAKE TANIS LAKE	19 6	967 G W ARBUS 967 G W ARBUS	6236 GWA 6245 GWA
1673 1673	32 32	14 14	46 5915 46 5915	13830 13830	TANIS LAKE Tanis lake	19 6 19 6	967 G M ARGUS 967 G M ARGUS	6241 GWA 6234 GWA
1873 1873	32 32	14	46 5915	13830	TANIS LAKE TANIS LAKE	19 6	967 G W ARGUS	6239 GWA 6246 GWA
1873 1873	32 32	14 14	46 5915	13830	TANIS LAKE TANIS LAKE	19 6	967 G # ARGUS 967 G # ARGUS	6235 GWA 6270 gwa
1873 1873	32 32	14 14	46 5952	13945	YAKUTAT BAY. YAKUTAT BAY.	14 6	967 G # ARGUS 967 G # ARGUS	6114 GWA 6109 GWA
1873 1873	32 32	14 14	46 5952	13945	YAKUTAT BAY.	14 6	967 6 W ARGUS 967 6 W ARGUS	6128 GWA 6129 GWA
1873 1873	32 32	14 14	46 5952	13945	TAKUTAT BAY	14 6	967 6 ¥ ARGUS 967 6 ¥ ARGUS	6141 GWA 6147 GWA
						. 0		

TAXON	SPC	5 V H¥8	B PROV	QUAD	LAT	LONG	LOCALITY	DAT	E COLLS	CTOR NAME	COL NO HERB + NO
1873 1873 1873 1873 1873 1873 1873 1873	322 322 322 322 322 322 322 322 322 322		14 14 14 14 14 14 14 14 14 14 14 14 14 1	44444444444444444444444444444444444444	5952 5952 5952 5952 5952 5952 5924 5924	13945 13945 13945 13945 13945 13945 13945 13945 13945 13945 13905 13900 13900 13900 13900 13900 14903 14544 14547 14547 14547 14547 145425 145425 15115 15115 15115 15015 15025		$\begin{array}{c} 1 \\ 1 \\ 4 \\ 1 \\ 1 \\ 6 \\ 1 \\ 6 \\ 1 \\ 1 \\ 6 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0$	6 965 L L A A A 6 965 L L A A A 6 6 965 L L A A A 6 965 L L A A A 6 965 L L A A A 956 L L B 957 L L A A 956 L L B 957 L L A A 957 L L A A 957 L L A A 957 L L A A 957 L L A A 955 L L A 955 L L A 955 L L A 955 L A A A 955 L A A A 955 L A A A 955 L A A A A 955 L A A A A A A A A A A A A A A A A A A	ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS VIERECK VIERECK VIERECK VIERECK SETCHELL SETCHELL SETCHELL SETCHELL SETCHELL SPETZMAN VIERECK VIERECK	6150 GWA 6149 GWA 6160 GWA 6180 GWA 6180 GWA 6185 GWA 6185 GWA 6184 GWA 7604 GWA 7605 GWA 7605 GWA 7605 FSLC 333 7605 FSLC 329 613 F 755140 1887 ISC 256389 21654 CAW 8448 GWA 8478
36	s	PHENOP	HYLLA								
1873 1673 1673 1673 1873 1873 1873	36 36 36 36 36 36 36		7 14 14 14 14 14	117 94 94 111 138 152	6445 6430 6546 6950	16620 16620 16525 16855 14220	CAPE DALHOUSIE FEATHER RIVER FEATHER RIVER NOME LTL DIDOMEDE IS NUVAGAPAK PT BARTER ISLAND	10 0 10 0 14 0 14 0 09 0	08 966 R 08 966 R 07 966 5 L	PEGAU PEGAU WELSH PORSILD Argus	13179 DAO 32715 W1 GWA W1 ALA 32708 5947 SWA 1676A CAN 46440 5912 GWA 5848 GWA
39	A	RBUSCU	LOIDES								
1673 1773 1673 1775 1775 1775 1775 1775 1775 1775 1775 1775	39 39 39 39 39 39 39 39 39 39 39 39 39 3		1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	152 152 241 3039 342 342 342 29 5 15	5440 0 5310 0 5340 0 5440 0 5449 5 5495 5 540 0 5440 0 5440 0 540 0 5	111136 112610 12507 12507 12417 12507 12425 12238 12238 12238 12238 12238 12350 13500 13500 13500 13500 12630 12630 12735 12715 12123 12123 12123 12123 12123 12123 12123 12123 12123 12155 12715 12123 12515 13515 13555 125555 1255555 125555 125555 1255555 1255555 1255555 1255555555	SLAVE RIVER WATERWATS WHITEMJD CREEK LIARD HOT SPR PETERSEN CREEK RACING RIVER SUMMIT PASS BEATTON RIVER BEATTON RIVER BEATTON RIVER BEATTON RIVER MODERSON RIVER ANDERSON RIVER ANDERSON RIVER MACKENZIE DELT INUVIK MACKENZIE DELT INUVIK MACKENZIE DELT INUVIK MACKENZIE DELT INUVIK DAL L- BRINTNELL L BRINTNELL MACKENSIM FORT SIMPSON FORT SIMPSON FORT SIMPSON CONNEL R CANDLE LAKE BIRCHBARK CR RAMPART HOUSE DAWSON	$\begin{array}{c} 31 \\ 22 \\ 22 \\ 22 \\ 22 \\ 22 \\ 22 \\ 22 \\$	15 939 H 15 956 G W 16 966 G W W 18 966 G W W 108 966 G W W 106 943 H W W 107 965 M J J 107 965 M J J 106 937 N J L 106 939 H W J 106 939 H K L 106 939 H K L 106 939 H K L 107 965 G W <t< td=""><td>RAUP RAUP ARGUS ARGUS CALDER RAUP RAUP RAUP RAUP RAUP SCOTTER CODY CODY CODY CODY CODY CODY CODY CODY</td><td>50 ALA 14478 9040 ALA 14838 9027 ALA 14838 9027 ALA 14838 9027 GWA 4971 GWA 24674 ALA 17430 10511 ALA 20046 10014 ALA 20046 10014 ALA 20046 10014 ALA 20046 10074 ALA 20050 10073 ALA 20050 10073 ALA 20050 10073 ALA 20050 10073 ALA 20050 10073 ALA 20050 10075 ALA 20050 10015 DTF 1215 9564 DA0 17566 DA0 17566 DA0 17566 ALA 14846 9317 ALA 14840 9317 ALA 14840 9307 ALA 148400 9307 ALA 14840 9307 ALA 14840 9307 ALA 14840 9307 AL</td></t<>	RAUP RAUP ARGUS ARGUS CALDER RAUP RAUP RAUP RAUP RAUP SCOTTER CODY CODY CODY CODY CODY CODY CODY CODY	50 ALA 14478 9040 ALA 14838 9027 ALA 14838 9027 ALA 14838 9027 GWA 4971 GWA 24674 ALA 17430 10511 ALA 20046 10014 ALA 20046 10014 ALA 20046 10014 ALA 20046 10074 ALA 20050 10073 ALA 20050 10073 ALA 20050 10073 ALA 20050 10073 ALA 20050 10073 ALA 20050 10075 ALA 20050 10015 DTF 1215 9564 DA0 17566 DA0 17566 DA0 17566 ALA 14846 9317 ALA 14840 9317 ALA 14840 9307 ALA 148400 9307 ALA 14840 9307 ALA 14840 9307 ALA 14840 9307 AL
1873 1873 1873 1873 1873 1873 1873 1873	39 39 39 39 39 39 39 39 39 39		12 12 12 12 12 12 12 12 12 12 12	32 32 32 32	6335 6158 6110 6122 6122 6122 6123 6146 6103	13554 14033 13845 13845 13903 13903 13903 13831 13837 13831	DAWSON MAYO WHITE R KLUANE LAKE KLUANE LAKE Burwash Burwash Kluane Lake Pyarmiganmeart Kluane Lake Conglowerate M	05 (21 (30 (13 (02 (15 (02 (07 944 H 4	ANDERSON ANDERSON ARGUS ARGUS Râup Râup Râup Râup Râup Râup Râup	2849 ISC 255938 9717 ISC 255940 9314 ISC 255864 5087 944 5086 344 12451 ALA 20049 13318 ALA 20054 12098 ALA 20052 13651 ALA 20059 12098 AWA

TAXON	SPC S	v н¥в	PROV	QUAD	LAT	LONG	LOCALITY	DAT	Е	COĻLE	CTOR NAME	COL NO H	1299	+ ND
1873	39		12	35			CANOL RD M95	14 0	6 944	A F	PORSILD	10361	TSC	255937
1873	39		12	39 39			KLUANE L			нч		12471 12471	ALA	20047
1873 1873	39 39		12 12	40	6045	13615	KLUANE L Mendenhall R			. H 4	ARGUS	5078	GWA GWA	
1873	39		12	4 U	6045	13615	MENDENHALL R	30 0	6 966	i G ₩	ARGUS	5076	¢WA	
1873 1873	39 39		12 12	40 40	6045	13615	MENDENHALL R PINE CREEK	23 0	6 966	Н М	ARGUS RAUP	5079 11859	GWA Ala	20045
1873	39		12	40	6047	13735	PINE CREEK	23 0	6 944	н <u>ч</u>	RAUP	11859	SWA	
1873 1873	39 39		12 12	41 42			CARCROSS LTL ATLIN L				GILLETT RAUP	3797 11388	ISC ALA	255939 20053
1873	39		12	42	6022	13351	LTL ATLIN L	19 0	8 943	SHIM.	RAUP	11388	GWA	20000
1673	39 39		12 12	42 44	6006 6007	13231	ALA HWY M793 Watson lake	24 0	6 966	55 L.	WELSH ARGUS ARGUS	5474 268	GWA GWA	
1873	39		12	44	6003	12855	UPPER LIARD R	25 ů	6 966	Ś Ġ ₩	ARGUS		SWA.	
1873 1873	39 39		14 14	41 63	5844	15701	SALMON CREEK MOOSE PASS	28 0	8 948	3 E	ARGUS Lepage Anderson Little, Jr.	24118		255943 255792
1873	39		14	67			MCCARTHY	08 0	6 961	ĒL	LITTLE, JR.	18375	SWA	()) , , .
1873	39		14	68 60			COPPER CENTER TONSINA	00 0	0 401		LITTLE, JR. SPETZMAN	18384 2151	GWA TAN	
1873 1873	39 39		14 14	68 69			SHEEP MT				ANDERSON	10745		255860
1873	39		14	69	6150	14731	SHEEP MT BIG RIVER		7 948		ANDERSON DRURY	10672 4322		255941
1873 1873	39 39		14 14	71 73			RUSSIAN MISS.	2	7 949	, н	DRURY	1738		
1873	39		14	73		15930	ANIAK	18	6 949	W H	DRURY	1506		
1673 1873	39 39		14 14	73 73		15927 15932	ANIAK	17	6 944	2 W H	DRURY	156B 1#29		
1873	39		14	73	6135	15932	ANIAK	17	6 949	W H	DRURY ORURY ORURY ORURY DRURY MILLER MILLER CHAPMAN ANDERSON	1430	CAN	
1873 1873	39 39		14 14	73			ANIAK RIVER Kalskag	20 25 0	6 949 15 93	9 H H	MILLER	1581 2610	TSC	255944
1873	39		14	73			KALSKAG	25 0	15 933	5 4 9	MILLER	2610	ALA.	2855
1873 1873	39 39		14 14	78 79	6239	15604	ANVIK Takôtna	13 0	16 924 17 941	i J P	ANDERSON	43 7413	NY TSC	255867
1675	39		14	79	6259	15604	TAKOTNA	26 0	7 941	່ງຄ	ANDERSON	7413	ALA	491
1873 1873	39 39		14 14	80 80	6257 6257	15536	KALSKAG ANVIK TAKOTNA TAKOTNA MCGRATH MCGRATH MCGRATH BIG RIVER FAREWELL L+ KUSKOKAM R.	13	6 949		DRURY	1355 3614		
1673	39		14	80	6257	15536	MCGRATH	7	6 950	и н	DRURY DRURY DRURY DRURY DRURY	3619	CAN	
1873	39		14 14	80	6257	15536	MCGRATH	7	6 950 7 950) H H	DRURY	3620 4388		
1873 1873	39 39		14	80 80	6233	15452	FAREWELL L+	20	8 949) # P	DRURY	2289		
1873	39		14 14	80								2139 18446	CAN GWA	
1673 1673	39 39		14	60 63			MCGRATH Gakona				ANDERSON	A507	150	255861
1873	39		14	83			GAKONA	18 (6 944	i J P	ANDERSON	8506		255862
1673 1673	39 39		14 14	83 83			GAKONA GAKONA				ARGUS ARGUS	1043 1043	GWA Ala	8403
1873	39		14	83	6216	14522	GULKANA R BR Ala hwy M1222					A208	GWA	
1673 1873	39 39		14 14	84 85	6238	14102	ALA HWY M1222 Tanacross	27 0	15 96))7 941	1 L L 4 J P	ANDERSON	1A223 8791	GWA 15C	255863
1873	39		14	85	6320	14236	TETLIN JOT	01 0	7 963	5 M	BARTHOLOMEW	7063	ALA	25908
1873 1873	39 39		14 14	85 85	6322	14232	TETLIN JCT Robertson R		06 963		NAVA SPETZMAN	95 905	ALA Ala	23945 6844
1873	39		14	85	6318	14338	TANANA R	09 (7 95	7 L A	SPETZMAN	470	ALA	6843
1873 1873	39 39		14	66 86	6356	14655	DONNELY DOME W FK LTL DELTA	03.0	06 941	1.1.1	ARGUS PALMER	1062	GWA ISC	255869
1873	59		14	86	6356	14655	W FK LTL DELTA	. (16 941	ĽIJ	PALMER	497		5629
1673 1673	39 39		14	86 87	6356	14655 14858	W FK LTL DELTA	03 ()6 94) 17 010		ANDERSON	553 5708	ALA	5158 255870
1673	39		14	87	6351	14858	HEALY	22 (7 939	9 J P	ANDERSON	5708	1SC	255870
1873 1873	39 39		14 14	67 67			TEKLANIKA R Savage r		07 956 06 926		ARGUS Nexia	614 2015	SWA Ala	10201
1873	39		14	87	6355	14930	5AVAGE R	18 0	6 926	8 Y	MEXIA	2016	ALA	10202
1673	39		14 14	67	6338	14934	IGLOD CR CAMP IGLOD CR CAMP		17 939 17 939		NELSON NELSON	3766 3766	ISC ALA	255945 492
1873 1873	39 39		14	87 87	6355	14725	DRY CREEK	09 0	17 96	2 L P	VIERECK	5881	SWA	170
1873	39		14 14	87	6355	14725	DRY CREEK	25 (16 96:	2 L A	VIERECK WELSH	5719 4855	G⊯A TSC	247207
1873 1873	39 39		14	86 89			TOKLAT R BR Nixon Fork	12	6 95	р и н	DRURY	3726	CAN	24.60,
1873	39		14 14	90 94	6310	15631	OPHIR	26 (06 941	DE	SCAMMAN GASSER	1831	GWA Ala	25007
1873 1873	39 39		14	94	6430	16530 16530	NOME		06 95		HELLER	1157	ALA	24322
1873	39		14	97	6445	15857	GALENA	18 (06 96:	1 E L	LITTLE, JR.		GWA	
1873 1873	39 39		14 14	97 97	6445 6420	15657	GALENA Kaltag				LITTLE, JR. ROUSE	18508 43	GWA Ala	25460
1873	39		14	97	6420	15643	KALTAG	04 (07 93:	1 C H	ROUSE	43 50	ALA Ala	2076
1873 1873	39 39		14 14	98 98		15530 15530					ROUSE	47	ALA	
1873	39		14	98	6445	15530	RUBY	03 (07 93:	1 С н	ROUSE	47	ALA	25426
1873 1873	39 39		14 14	98 98	6445 6445	15530 15530	RUBY				ROUSE	50 50	ALA ALA	
1673	39		14	100	6450	14743	FAIRBANKS	10 (05 94	0 J P	ANDERSON	6080	JSC	255869
1873 1873	39 39		14 14	100 100			FAIRBANK5 Chena pump rd				ANDERSON Argus	6087 411	JSC GWA	25586A
1873	39		14	100	6453	14752	SMITH LAKE	13 (06 95	6 G ¥	ARGUS	288	GWA	
1873 1873	39 39		14 14	190 100			UNIV EXP FARM Smith Lake	22 1	vo 95: 06 95:	5 G ¥ 6 S ¥	ARGUS ARGUS	332 430	GWA GWA	
1873	39		14	100	6453	14752	SMITH LAKE	13 (D6 95	66¥	ARGUS	288	ALA	4522
1873 1873	39 39		14 14	100 100	6453	14752	UNIV EXP FARM Smith Lake				ARGUS ARGUS	332 430	ALA	4524 4512
1873	39		14	100	6453	14751	SMITH LAKE	22 (D6 95	664	ARGUS	430	ALA	224 B B
1873 1873	39 39		14	100		14740	FOX Fairbanks	02 (UB 96 06 93	ዛላጊ የርሀ	HARMS PALMER	2631 179	ALA	32624 5257

TAXO	N SPC S V H	ITB PROV	OUAD LA	T LONG	LOCALITY	DATE	COLLECTOR NAWF	COL NO HERE + NO
1873 1873	39		100 645	0 14743	FAIRBANKS		933 L J PALMER	151 ALA 32136
1673	39 39	14 14			FAIRBANKS FAIRBANKS	06 20 07	933 L J PALMER	147 ALA 5260
1873	39	14	100 645	0 14743	FAIRBANKS		L J PALMER	4LA 5170 1789 ALA 5910
1873	39 39		100 645	0 14743	FAIRBANKS	20 06	927 L J PALMER 933 L J PALMER	1789 ALA 5185
1873	39	14	100 645	0 14743	FAIRBANKS	06	933 L J PALMER	149 ALA 5227 151 ALA 5228
1873 1873	39 39		100 645	14743	FAIRBANKS Fairbanks	06	933 L J PALMER	170 ALA 5267
1873	38	14	100 645	0 14743	FAIRBANKS	06	933 L J PALMER 933 L J PALMER	195 ALA 5261 181 ALA 5258
1873 1673	39 39		100 645	D 14743	FAIRBANKS	06	933 L J PALMER	152 ALA 5254
1873	39		100 645	0 14743	FAIRBANKS	20 06	933 L J PALMER 927 L J PALMER	184 ALA 5259 1786 ALA 5186
1673 1673	39 39		100 645	0 14743	FAIRBANKS	20 06	927 L J PALMER	1786 ALA 5921
1873	39		100 645	J 14743 J 14743	FAIRBANKS FAIRBANKS	20 07	933 L J PALMER	205 ALA 5981 17 ALA 5978
1673 1873	39 39		100 6450) 14743	FAIRBANKS	06	933 L J PALMER	158 ALA 5256
1873	39	14	100 6450	14743	FAIRBANKS	06	933 L J PALMER	156 ALA 5255 208 ALA 5252
1873 1873	39 39	14	100 6450) 14743	FAIRBANKS	06	L J PALMER	199 ALA 5262
1873	39		100 6450	14743	FAIRBANKS FAIRBANKS	21 07	797 TL PEWE	196 ISC 255935
1873 1873	39	14	100 6452	14752	SMITH LAKE	05 06	955 S @ SHITH	11 ALA 26179 10745 ALA 7 ALA 10746
1673	39 59	14			CHENA RIVER Univ Exp Farm	07 06	955 S & SMITH	7 ALA 10746
1673	39	14	100 6452	2 14752	LINTY FYO JACK	29 07	933 L J PALWER 933 L J PALWER 927 L J PALWER 927 L J PALWER 933 L J PALWER 935 S G SMITH 955 S G SMITH 965 L A VIERECK 966 L A VIERECK	7168 FSLC 271 7003 FSLC 44
1873 1873	39 39	14	100 6448	14744	VAN HORN ROAD	26 05	966 L A VIERECK	7891 GWA
1673	39	14	100 6448	14744	VAN HORN ROAD	21 07	966 LA VIERECK	7892 GWA 8034 GWA
1673 1673	39 39	14	100 6446	14744	VAN HORN ROAD College	21 07	966 L A VIERECK	R055 GWA
1873	39	14	101 6454	14625	CHENA RIVER	0b 07	96b 6 ¥ ARGUS	8298 B#A 5093 6#A
1873 1873	39 39		101 6412	14555	BIG DELTA UPPER CHENA R	21 05	951 W J CODY	4841 SWA
1873	39	14	101 6457	14657	UPPER CHENA R	25 05	965 L VIERECK	7209 FSLC 314 7543 FSLC
1673 1673	39 39		101 6457	14657	UPPER CHENA R	23 05	965 LA VIERECK	7541 FSLC
1873	39	14	102 6410	14146	UPPER CHENA R Franklin Franklin	14 07	941 JP ANDERSON	7282 ISC 255866 7282 ALA 494
1673	39 39		103 6515	14245	CHARLEY RIVER CENTRAL	on da	961 LA VIERECK	7465 FSLC 285
1873	39	14		14448	CENTRAL	20 05	963 L A VIERECK 966 L A VIERECK 966 L A VIERECK 966 L A VIERECK 967 L A VIERECK 967 L A VIERECK 965 L A VIERECK 964 L A VIERECK 965 L A VIERECK 961 L A VIERECK 961 L C VIERECK 961 E L LITTLE, JR. 949 E CANMAN	2766 ALA 32601 18262 GWA
1873 1873	39 39		104 6531 104 6531	14513	MILLER HOUSE	12 07	961 E L LITTLE, JR. 949 E SCAMMAN 966 J M TRENT 965 L A VIERECK 944 J P ANDERSON 944 J P ANDERSON 954 J P ANDERSON 957 G W ARGUS 957 G W ARGUS 955 V L HARMS 968 W L HARMS 968 V L HARMS 969 T JOHNSON 961 E L LITTLE, JR. 961 E L LITTLE, JR.	5161 GWA
1873	39	14	104 6527	14526	EAGLE CR CAMP	12 06	945 E SCAMMAN 966 J M TRENT	3495 ALA 8395 866 ALA 32690
1873 1873	39 39		104 6558 105 6531	14407	CIRCLE	11 07	965 L A VIERECK	7723 FSLC
1873	39	14	105 6531	14833	LIVENGOOD	05 07 0B 07	944 JP ANDERSON 944 JP ANDERSON	8972 ISC 255942 8972 GWA
1873 1873	39 39		105 6507 105 6507	14747	CHATANIKA R	03 08	957 6 W ARGUS	1153 GWA
1873	39	14	105 6506	14745	CHATANIKA R BR	05 ON 04 06	957 65 ¥ ARGUS 955 ¥ L HARMS	1153 ALA 6793 3461 ALA 32632
1873 1873	39 39		105 6502 105 6527	14740	ENGINEER CREEK	02 06	964 W L HARMS	2639 ALA 32648
1873	39	14	105 6550	14750	LIVENGOOD	30 07	965 W L MARMS 959 T P OSFARRFLL	4649 ALA 32595 32 ALA 9632
1873 1873	39 39		105 6531 113 6655	14833	LIVENBOOD	19 06	940 E SCAMMAN	1716 GWA
1873	39	14	117 6654	15141	BETTLES	11 08	906 16 W ARGUS	5976 G¥A B 15C 255936
1873 1873	39 39		119 6634 119 6634	14516	FORT YUKON	16 06	961 E L LITTLE, JR.	18451 GWA
1873	39	14 .	120 6644	14334	BLACK RIVER	2Y 05 0N 07	951 EL LITILE: JR. 957 S & SHETLER	18215 GWA 386AF ALA 3909
1873 1873	39 39		TET 0173	14140	PORCUPINE R	20 07	961 EL LITTLE, JR. 957 IS & SHETLER 957 JL BUCKLEY 957 JL BUCKLEY 957 JL BUCKLEY 961 FT DEAN 961 FT DEAN	118 ALA 5098
1873	39	14	121 6715	14140	PORCUPINE R RAMPART	19 07	957 JE BUCKLEY	1138 ALA 5092 181 ALA 5116
1873 1873	39 39		121 6708 121 6716	14208	PORCUPINE R	16 08	961 F T DEAN	ALA 24095
1473	39	14	121 6723	14350	SMALL LAKE	25 07	961 # 0 DEAN 957 5 3 SHETLER	ALA 24094 672AF 4LA 4095
1873 1873	39 39		121 6723	14350	SMALL LAKE	26 07	957 5 3 SHETLER 957 5 5 SHETLER 957 5 5 SHETLER	715AF ALA 4120
1673	39	14	121 6723	14350	SMALL LAKE	27 07	957 15 SHETLER 957 15 SHETLER 957 15 SHETLER 937 15 SCAMMAN	697AF ALA 4105 695AF ALA 4104
1873 1873	39 39		124 6725	15006	WISEMAN Kanayut Cr	02 <u>on</u>	937 E SCAMMAN 949 L SPETZMAN	900 GWA
1873	39		136 6BQ4	14503	OLD JOHN LAKE	15 08	949 LL & SPETZMAN 957 S > SHETLER	2720 DAO 32753 Af161 gwa
1873	39 59		137 6622	14355	SHEENJEK R Sheenjek R	23 06	956 B KESSEL	566A ALA 5043
1873	39	14 1	137 6822	14355	SHEENJEK R	15 06 15 06		522 ALA 3547 522 ALA
1873 1873	39 39		137 6822	14355	SHEENJEK R SHEENJEK R	15 06	956 E KESSEL	521 ALA 5044
1673	39	14 1	141 6920	15210	UHIAT	15 06	956 DE KLSSEL 951 J L BUCKLEY	521 ALA 22873 Swa
1873 1873	39 39		L41 6920 L41 6920	15210 15210	UMIAT UMIAT	22 06	951 J L BUCKLET	ALA 5033
1873	39	14 1	141 6922	15208	UMIAT	27 Ob	951 J L BUCKLET 953 5 4 SMITH	ALA 26814 1848 ALA 10653
1873 1873	39 39			15210 15210		27 07	966 Y SUDA	29166 GWA
1873	39	14 1	41 6923	15210	UMIAT	27 07 28 07	966 W SUDA	24266 GWA 26366 GWA
1873 1873	39 39			15210 15210		29 07	966 W SUDA	27866 GWA
1673	39	14 1	41 6922	15210	UHIAT	28 07 03 06	961 SE WEST	26266 GWA 7179 GWA
1873	39	14 1	6922	15210	UMIAT	12 08	964 16 WEST	7507 SWA

TAXON	SPC S V HYB	PRÖV	QUAD	LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO HERB + NO
41	HASTATA								
1873	41	7		6920	13350	MACKENZIE DELT	14 8	951 A A LINDSEY	705 CAN 215919
1873 1873	41 41	7	134 152			ATKINSON PT Mackenzie delt	21 07 17 8	951 A A LINDSEY 966 G W SCOTTER 951 A A LINDSEY	10109 SWA 720 CAN 215920
1673 1673	41	777	15.5	6812	13115	HYNDMAN L	07 07	951 A A LINDSEY 966 G W SCOTTER 970 S L WELSH 970 J K RI5BY 940 J K RI5BY	10102 GWA
1873	4 <u>1</u> 41	12	15.5 2	6922	13932	ANDERSON R Firth River	1 7	970 S L WELSH	10163A OTF 1190
1673 1673	41 41	12 12	.5			FIRTH RIVER Timber CR.	12 7	970 S L WELSH	10567 OTF 1212
1873	41	12	4	6857	13632	BABBASE R.	13 7	970 S L WELSH	10109 ART 91159 10629 BRY 91476
1873 1873	41 41	12 12	4	6827 6838	13845	OOG CREEK Babbage River	67	970 S L WELSH	10275 OTF 1207 10404 OTF 1189
1873	41	12	ż	6734	13832	OLD CROW R.	18 6	970 J K RIGBY	2 BRY 92301
1873 1873	41 41	12 14	15 71			DAWSON HEAD OF BIG R.	15 06	949 J A CALDER 950 H H DRURY	2 BRY 92301 3056 ISC 256394 3968 CAN
1873	41	14	86	6324	14543	CASTNER GL	25 07	970 J K RIGBY 949 J A CALDER 950 W H DRURY 967 L A VIERECK 956 G W ARGUS 956 G W ARGUS 956 G W ARGUS 956 G W ARGUS 959 A MURIE 959 A MURIE 959 A MURIE	A347 GWA
1673 1673	41 41	14 14	86 87			RAINBON MT Cantwell	05 08	965 L A VIERECK 956 G W ARGUS	7869 6WA 596 GWA
1873	41	14	87	6344	14655	MCKINLEY PARK	29 07	956 6 W ARGUS	697 GWA
1873 1873	41 41	14 14	67 67			MCKINLET PARK Teklanika R	29 07	956 6 W ANGUS 959 A MURIE	697 ALA 4903 5.n. gwa
1873 1873	41 41	14 14	87 87			TEKLANIKA R TEKLANIKA R	07 06	960 A MURIE	5 GWA 6 GWA
1873	41	14	87	6339	14932		20 06	960 A MURIE	9 GWA
1873 1873	41 41	14 14	87 87			SABLE PASS WINDT CREEK	14.06	960 A HURIE 953 A HURIE 960 A MURIE	11 GWA 6 GWA
1873	41	14	87	6325	14900	CANTWELL	18 08	939 A NELSON	4215 ALA 517
1873 1873	41 41	14 14	87 87			MCKINLEY PARK Cantwell	30 06 18 08	939 A NELSON 939 A NELSON	3595 ALA 516 4215 ISC 256398
1873	41	14	87						3595 TSC 256401
1873	41 41	14 14	87 87	6335	14728	DRY CREEK	27 07	962 L A VIERECK	5732 GWA 7410 F5LC 295
1873	41	14	68	6330	15004	TOKLAT R	27 07	956 G W ARGUS	682 GWA
1873 1873	41 41	14 14	68 65	6330 6330	15004	TOKLAT R TOKLAT R	27 07	956 G ¥ ARGUS	684 5¥A 682 ala 4904
1873	41	14 14	88	6330	15004	TOKLAT R	27 07	956 6 W ARGUS	684 ALA 22497 684 ALA 4750
1873 1873	41 41	14	88 68	6325	15050	WONDER LAKE	04 08	958 L A VIERECK	684 ALA 4750 3269 GWA
1873 1873	41 41	14 14	94 94	6434	16533	NOME	02 07	939 A MELSON 962 L & VIERECK 964 L A VIERECK 956 G W ARGUS 956 G W ARGUS 956 G W ARGUS 956 G W ARGUS 956 G W ARGUS 958 L A VIERECK 948 R PEGAU 949 E SCAMMAN 931 C H ROUSE 931 C H ROUSE	19968 GWA 5358 GH
1873	41	14	97	6420	15643	KALTAG	04 07	931 C M ROUSE	45 ALA 25465
1873 1873	41 41	14 14	97 101	6420	15843	KALTAG GOODPASTER R	04 07	931 C H ROUSE 956 A M JOHNSON	45 PLA 2017 46 ALA 7064
1873	41	14	102	6410	14136	FRANKLIN	13 07	956 A # JOHNSON 956 A # JOHNSON 951 J P ANDERSON 957 5 6 SHETLER 966 J N TRENT 964 L A VIERECK 953 0 GJAEREYOLL 968 D FEAH	7221 ALA 536
1873 1873	41 41	14 14	104 104	6522 6527	14555	EAGLE CR CAMP	17 06	957 5 6 SHETLER 966 J N TRENT	82AF ALA 3730 766 ALA 32692
1873	41	14	104	6520	14550	STEES HWT MOO	25 07	964 L A VIERECK	7353 FSLC 309
1873 1873	41 41	14 14	105	6511	14739	DUCK CREEK	17 07	968 R PESAU 969 R F PEGAU	802 CAN 30568 GWA
1873 1873	41 41	14 14	$\frac{111}{111}$	6545	16510	SALMON L ROAD	4 6	969 R F PEGAU	4669 GWA 1594 US 378703
1873	41	14	111	6512	16645	PORT CLARENCE	30 07	969 R PEGAU 961 F WALPOLE 901 F WALPOLE 901 W C MENDENHALL	1624 US 378736
1873 1873	41 41	14 14	116 118	6600	15326	HELPMEJACK CR Dall River	25 07	901 W C MENDENHALL 901 W C MENDEHALL 957 J. I. BUCKLEY	US 377286 US 377367
1873	41	14	121	6715	14140			JAI & C DOGNECI	
1873 1873	41 41	14	121			RAPID R Rapid R	20 07	957 J L BUCKLET 957 J L BUCKLEY	169 ALA 169 ALA 26776
1873	41	14	124	6725	15007	WISEMAN	31 07	939 J P ANDERSON	5815 ALA 27503
1873 1873	41 41	14	124 124			WISEMAN WISEMAN		939 J ¤ ANDERSON 949 L H JORDAL	5815 ISC 256400 1796 ISC 256399
1873 1873	41 41	14 14	128 129	ь756	16222	NOATAK R	08 07	961 R JOHNSON	135 GWA 5961 GWA
1873	41	14	129	6806	16545	OGOTORJK CREEK	11 08	966 S ¥ ARSUS 966 G ¥ ARGUS 966 G ¥ ARGUS 959 S G SHETLER 969 R F PEGAU 969 R F PEGAU	5962 GWA
1873 1873	41 41	14 14	129 130	6806 6855	16545 16430	DGOTORJK CREEK PITMEGEA RIVER	11 08	966 6 ¥ ARGUS 959 5 6 Shftler	5963 GWA 3296 GH
1873	41	14	131	6855	16110	DRIFTWDOD CR	29 6	969 R F PEGAU	15969 GWA
1873 1873	41	14 14	$\frac{131}{133}$	6855	16110	DRIFTVODD CR Kurupa River	29 6	969 R F PEGAU 952 A Hodgdon	15869 BWA 8278 64
1873	41	14	134	6817	15125	ANAKTUVUK PASS	08 07	949 L A SPETZMAN	1767 US 2032478
1873 1873	4 <u>1</u> 41	14 14	137 137			SHEENJEK R SHEENJEK R	15 06	1956 B KESSEL 956 B KESSEL	520 GWA 5169E ALA 3679
1673	41	14	137	6822	14355	SHEENJEK R FIRTH RIVER	15 06	956 B KESSEL	520 ALA 5854
1873 1873	4 <u>1</u> 41	14	137 137	6836	14356	SHEENJEK R		956 G P SCHALLER	143 W15
1873 1873	41 41	14 14	138 138	6926	14347	JAGO RIVER Sadlerochit R		957 J F CANTLON 948 L A SPETZMAN	57712 G4 1034 US 2032217
1873	41	14	139	6920	14500	LAKE PETERS	19 07	959 S & SHETLER	64
1873 1873	41 41	14	139 141	6920 6930	14500	LAKE PETERS COLVILLE RIVER	19 07 25 07	959 S & SHETLER 951 K CHAMBERS	3351 CAN 193 GH
1873	41	14	141	6930	15130	COLVILLE RIVER	23 07	951 K CHAMBERS	202 US 2312148
1873 1873	41 41	14 14	141 142	6902	15210	UMIAT Colville River	27 07 10 08		24566 GWA 8798 64
1873	41	14	145 145	6902	16350	CAPE BEAUFORT	24 07	966 G ¥ ARGUS	5553 GWA 5408 GWA
1873 1873	41 41	14	145	6902	16350	CAPE BEAUFORT	25 07	966 G W ARGUS	5609 GWA
1873 1873	41 41	14 14	145 147			CAPE BEAUFORT Meade River	24 07	966 G W ARGUS 966 G W ARGUS	5552 GWA 5199 GWA
1873	41	14	147			MEADE RIVER		966 G W ARGUS	5258 GWA

I

TAXON	SPC 5 4 HYB	PROV	QUAD	LAT	LONG	LOCALITY	D	ATE		co	LLI	ECTOR NAME	COL NO	HERS + NO
1873	41	14	147	7030	15730	MEADE RIVER		~ 7		_				
1873	41	14	147	7030	15730	MEADE RIVER	15	07	700		3	ARGUS	5254	GWA
1873	41	14	147	7030	15730	MEADE RIVER	15	07	966	ě	÷.	AROUS	5256	GWA GWA
1673	41	14	147	6953	15708	MEADE RIVER	22	07	960	Ō	Ŵ	GEIST	S.N.	ALA 27726
1873	41	14	147	7003	15715	MEADE RIVER MEADE RIVER MEADE RIVER MEADE RIVER MEADE RIVER	23	08	956	I		WIGGINS	13935	US 2264189
45	ARCTICA					INSPECTOR CREE THREE GUARDSME THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE INSPECTOR CREE INSPECTOR CREE SUMMIT PASS SUMMIT PASS SUM								
1873	+5	02	001		. 14 10			_		_				
1873	45		002	5935	13620	THREE GUARDENE	12	7	9b7	6	X	ARGUS	6718	GWA
1873	45		002	5935	13629	THREE GUARDSHE	1.	7	961		5	ARGUS	6763	GWA
1873	45	02	002	5935	13629	THREE GUARDSME	14	7	967	Ğ	÷.	ARGUS	6765	GWA
1873	45	02	002	5935	13629	MT GLAVE	14	7	967	6	¥	ARGUS	6785	GWA
1873 1873	45 45	02 02	002	5935	13629	MT GLAVE	14	7	9b1	6	۲	ARGUS	6791	GWA
1873	45	02	002	5935	13629	AT GLAVE	14	- 7	Pb7		5	ARGUS	6779	GWA
1873	45	02	002	5935	13629	MT GLAVE	14	7	967	ě	÷.	ARGUS	6767	GWA
1873	45	02	002	5935	13630	INSPECTOR CREE	12	7	967	ß	W	ARGUS	6709	GWA
1873 1673	45 45	02 02	002	5935	13630	INSPECTOR CREE	12	7	967	6	M	ARGUS	6713	GWA
1673	45	02	002	5935	13630	INSPECTOR CREE	12	7	907		5	ARGUS	6717	GWA
1873	45	02	002	5935	13630	INSPECTOR CREE	12	ź	967	š	÷.	ARGUS	6723	GWA
1873	45	02 02 02	002	5935	13630	INSPECTOR CREE	12	7	987	G	W	ARGUS	6728	GWA
1873 1673	45 45	02	002	5935	13630	INSPECTOR CREE	12	7	967	6	×	ARGUS	6719	GWA
1673	45	02	002	5935	13630	INSPECTOR CREE	12	- 4	967	6	5	ARBUS	6721	GWA
1673	45	02 02	2	5935	13627	THREEGJARDSHAN	ôŦ	οá	- 387	Ľ	Ā	VIERECK	8530	GWA
1673	45	02	2	5935	13627	THREEGUARDSHAN	04	80	967	Ē	A	VIERECK	8536	SWA
1673	45	02	2	5935	13627	THREEGUARDSMAN	04	08	-967	L	A	VIERECK	8532	6 WA
1873 1873	45 45	02	2 12	5935	13628	HAINES RD MS6	04	80	967	Ľ	A	VIERECK	8524	GWA
1873	45	02	16	5838	12442	NT ST GFORGE	06	07	960	ŭ		CALOFR	26578	5 M A
1873	45	02 02 02 02 02	16	5631	12434	SUNMIT PASS	11	Õ7	943	Ĥ.	¥.	RAUP	10477	ALA 19468
187 3 1873	45	02	16	5831	12434	SUMMIT PASS	11	07	943	н	•	RAUP	10476	ALA 19516
1873	45	02 9±	16 60	5831	12434	SUMMIT PASS	15	07	9Y3	ų.	ž.,	RAUP	10585	ALA 19571
1873	45	02	33	5500	12700	SKEENA CROSS	28	06	954	3	ĭ	CALDER	18140	7SC 85492
1873	45	02	39	5400	12800	MT THORNHILL	21	07	954	J		CALDER	13312	GWA
1873 1873	45 45	02 07	40 133	5400	12700	SMITHERS	13	07	954	J	٨	CALDER	12923	GWA
1873	45	07	133	6933	13346	RICHARDS IS	20	07	965	6	2	SCOTTER	10104	GWA
1673	45	07	133	6927	13302	TUKTOTAKTUK	08	08	965	ā	Ξ.	SCOTTER	4983	GWA
1873	45	07	134	6940	12827	ANDERSON RIVER	17	07	965	Ğ	Ŵ	SCOTTER	6938	GWA
1873 1873			134 140	6949	12859	MICHOLSON IS	18	07	965	G	¥	SCOTTER	6940	GWA
1873			274	6445	12928	CAMURIDGE BAY	12	60	959	5	۳.	THOMSON		VIS
1873	45	07	274	6447	12937	HOUNTAIN RIVER	17	07	963	Ē		KVALE	220	DAD 32713 DAD 32712
1873			297	6408	8317	CORAL HARBOR	16	Õ7	948	Ū.	J	CODY	1343	ISC 255813
1873 1873	45 45		297 308	6408	6317	CORAL HARBOR	05	07	948	1	J	CODY	1086	ISC 255814
1873		07	308	6346	12719	RINGSTONE CR	02	07	963	Ē		JOHNSON	134	DA0 32709 DA0 32710
1873	45	07	308	6338	12707	N REDSTONE R	28	06	963	È		JOHNSON	104	040 32711
1873			335	6345	6832	FROBISHER BAT	03	07	948	н	۸.	SENN	3720	150 255927
1673 1673	45 45	07 07	335 338	6345	6832	FROBISHER BAY	25	06	948	Н.	A .	SENN	3562	TSC 255815
1873	14 K	07	334	4987	12030	O GRADY LAKE	29	97	967	5	1	CODY	16977	DAU 32703
1873	45	07	330	6257	12858	O GRADY LAKE	27	07	967	۲.	Ĵ	CODY	16736	DA0 32704
1873 1873	45 45	07 07	339 539	6205	12735	BRINTNELL L	26	06	939	н	ų.	RAUP	9242	ALA 16409
1873	45	07	339	6205	12735	BRININELL L	20	06 0≰	939	Н		RAUP	9279	4LA 16415
1873	45	07	339	6205	12735	BRINTNELL L	05	07	939	H	ų	RAUP	9241	ALA 16410 4LA 16399
1873		07	339	6205	12735	BRINTNELL L	05	07	939	н	¥	RAUP	9410A	ALA 16398
1873 1673			339 339	6205	12735	BRINTNELL L				н	4	RAUP	9760	ALA 16411
1673		07	339	6205	12735	BRINTNELL	26	U7 04	939	H			9504	ALA 16414
1873	45	7	368	6127	12405	S. NAHANNI R.	2	7	970	G		SCOTTER	12634	ALA 16416 GWA
1673			402	6050	9425	MCCONNELL R	03	08	965	ĸ	1	MACINNES	225	040
1673 1673			402 402	6050 40F0	9425	MCCONNELL R	25	06	964	K	L	MACINNES	13	UWO
1673	45		402	6050	9420	MCCONNELL R	27	06	964	K I	Ŀ	MACINNES	18	UNO
1873	45		402	6050	9425	ACCONNELL R	21	07.	967	Â.	ι	MACINNES	601	
1673	45	12	2	6902	13943	BRITISH MTS.	25	6	970	Ĵ	K I	RIGBY	73	BRY 92366
1873	45 45	12	4	6826	13840	SAM LAKE BLOW RIVER	30	6	970	S	L	WELSH	10074	OTF 1208
1873 1873	45	12	15	6+13	14006	SIXTY WILE RD.	15	08	949	51		CALDER		DAD 32728
1873	45	12	e 1	0320	13/31	BARLOW	05	06	960	J	A (CALDER		GWA SEVES
1873 1873	45 45	12 12				KEND HILL	06	08	949	3	• (GILLETT	4349	040 32729
1873	45	12		6203	12859	MT SHELDON Upper Hyland L	0.1	08	944	31	E 8 /	PDRSILD		TSC 255830
1873	45	12	31	6203	12859	UPPER HYLAND L	03	0B	960	J	A (CALDER		GWA GWA
1873	45	12	32	6103	13831	KLUANE LAKE	24	07	944	JI	D /	ANDERSON	9413	150 255922
1673 1673	45 45	12 12				KLUANE LAKE	02	07	944	нι	M	RAUP	12188	ALA 19517
1873	45	12		6149	13835							RAUP RAUP		ALA 19472
1673	45	12	32	6149	13835	PTARMIGAN HRT	15	07	946	нч	w ș	RAUP		ALA 19572 Ala 19479
1673	45	12	32	6103 .	13831	KLUANE LAKE	02	07	944	нι	u ș	RAUP	12185	SWA
1673 1673	45 45	12 12	35 35	6132	13302	ROSE RIVER	15	07	944	A !	5	PORSILD	10562	TSC 255929
1873	45	12		6155	13238	ROSE RIVER Lower Lapie R	15	07	944 944	2		PORSILD		ISC 255820 ISC 255928
1873	45	12	39	6055	13843							HURRAT		9#A

TAXÓN	SPC S V HI	'B PROV	QUAN	LAT	LONG	LOCALITY		DATE	E	COLLE	CTOR NAME	COL NO HERB + NO
1873	45	12				SLIMS RIVER					MURRAY	828 SWA 407 GWA
1873 1673	45 45	12 12	39 39			SLIMS RIVER	2	24 01	6 963	7 D F	MURRAY Murray	777 GWA
1873	45	12	39	6057	13825	SLIMS RIVER	ĩ	18 0	7 944	ų μ v	MURRAY RAUP RAUP Gillett Anderson Arderson	12584 ALA 19570
1873	45	12	39	6057	13825	SLIMS RIVER MT MCINTYRE RANCHERJA MUIR INLET, MUIR INLET,	1	16 0	7 944	4 H M	RAUP	12584 GWA 3426 DAO 32731
1873 1873	45 45	12 12	41 43	6005	13040	MT MCINTYRE RANCHERIA	2	23 01	6 949 6 946	A J P	ANDERSON	3426 DAO 32731 10482 ISC 256281
1873	45	14	010	5854	13603	MUIR INLET	GL 2	29	6 967	7 G ¥	ARGUS	6394 GWA
1873	45	14	010	5854	13603	MUIR INLET	GL 2	27 01	6 961	7 G ¥	ARGUS	6357 SWA
1873 1873	45 45	14 14	010 010	5854	13603	MUIR INLET	GL 2	29 (6 967	7 G W 7 G W	ARGUS	6394 GWA 6523 SWA
1873	45	14	010	5859	13606	MUIR INLET	GL C	1	7 96	7 G ¥	ARGUS	6522 GWA
1873	45	14	010	5859	13606	MUIR INLET	GL (01	7 96	764	ARGUS	6521 GWA
1873 1873	45 45	14 14	010 010	5859	13606	MUIR INLETA	GIO	01 n1	7 961	76¥ 76¥	ARGUS Argus	6487 GWA 6480 GWA
1673	45	14	010	5858	13606	MUIR INLET	GL	29	6 96	7 G W	ARGUS	6449 GWA
1873	45	14	010	5858	13606	MUIR INLET	GL	29	6 963	7 G ¥	ARGUS	6442 GWA 6484 GWA
1873	45 45	14 14	016 010	5859	13606	MUIR INLET	GL (01	7 96	7 G W	ARGUS	6466 GWA
1873 1873	45	1	010	5858	13606	MUIR INLET	GL 2	29	6 96	7 G ¥	ARGUS	6465 GWA
1873	45	1	010	5858	13606	MUIR INLET	GL 2	29	6 96	7 G ¥	ARGUS	6446 GWA
1873 1873	45 45	14 14	016 010	5858	13606	MULR INCET	61 2	29 .	6 96	764 764	ARGUS	6451 SWA 6459 GWA
1873	45	14	010	585B	13606	MUIR INLET	GL	29	6 96	769	ARGUS	6458 GWA
1873	45	14	010	5859	13606	MUIR INLET	GL (01	7 96	76 ₩	ARGUS	6513 GWA
1873	45	14 14	01C 01C	5859	13606	MUIR INLET	GL (01	7 96	7 G ¥	ARGUS	6505 GWA 6515 GWA
1873 1873	45 45	14	010	5859	13606	MUIR INLET	GL (01	7 96	7 G ¥	ARGUS	6514 GWA
1873	45	14	010	5859	13606	MUIR INLET	GL (01	7 96	76¥	ARGUS	6530 GWA
1873	45	14	010	5857	13603	MUIR INLET	GL	02	7 96	7 G ¥	ARGUS	6556 GWA
1873 1873	45 45	14 14	016 016	5857	13603	MUIR INLET	GL	02	7 96	7 G ¥	ARGUS	6557 GWA 6558 GWA 6555 GWA
1873	46	14	010	5857	13603	MUIR INLET	GL (02	7 96	7 G ¥	ARGUS	6555 GWA
1873	45	14	010	5857	13603	MUIR INLET	GL (50	7 96	763	ARGUS	6554 GWA 6432 GWA
1873 1873	45	14 14	010 010	5857	13602	MUTR INLET	GL	29	6 96	764	ARGUS	6426 GWA
1873	45	14	010	5857	13602	MUIR INLET	GL	29	6 96	764	ARGUS	6425 GWA 6423 GWA
1873	45	14	010	5857	13602	MUIR INLET	GL ;	29	6 96	76¥	ARGUS	6423 GWA
1873 1873	45 45	14 14	010 010	5857	13602	MUIR INLET	GL	29	6 96	7 G W	ARGUS	6422 GWA 6420 GWA
1873	45	14	010	5857	13602	MUIR INLET.	GL	29	6 96	7 G ¥	ARGUS	6419 SWA 6379 SWA 6378 SWA 6376 GWA 6360 GWA
1873	45	14	010	5855	13603	MUIR INLET	GL	28	6 96	768	ARGUS	6379 GWA
1873 1873	45 45	14 14	01() 01()	5855	13603	MUIR INLET	GL	26	6 96	764	ARGUS	6360 GWA
1873	45	14	016	5855	13603	MUIR INLET+	GL	28	6 96	7 G ¥	ARGUS	6381 GWA
1873	45	14	010	5855	13603	MUIR INLET	GL 1	26	6 96	7 G ¥	ARGUS	6373 GWA
1873 1873	45 45	14 14	010 010	5855	13603	MUIR INLEIF	GL 1	20 28	6 96	768	ARGUS	6372 SWA 6380 GWA
1873	45	14	010	5855	13603	MUIR INLET.	GL	28	6 96	7 6 H	ARGUS	63830 GWA
1873	45	14	11	5832	13555	BEARDSLEE I	S i	28 0	7 92	8 J P	ANDERSON	728 150 256483
1873 1873	45 45	14 14	1). 11	5617	13555	MT ROBERTS	5	26 0	16 92 17 92	5 J P	ANDERSON	727 ISC 255807 24242 ISC 255934
1873	45	14	11	5830	13415	JUNEAU ICE	FD :	27 0	7 95	2 6 W	ARGUS	93 ALA 4737
1873	45	14 14	11	5830	13415	JUNEAU ICE	FD : FD :	27 0	17 95 17 06	268	ARGUS	90 GWA 91 GWA
1873 1873	45 45	14	11 011	5818	13423	NT ROBERTS	TR	69 U	7 96	764	ARGUS	6635 GWA
1873	45	14	011	5826	13435	MENDENHALL	GLA	10	7 96	7 6 W	ARGUS	6661 GWA
1873	45	14	01	5826	13435	MENDENHALL	GLA	10	7 96	764	ARGUS	6655 GWA 6634 GWA
1673 1873	45 45	14	011 011	5818	13423	MT ROBERTS	TR	09	7 96	7 5 4	ARGUS	6640 SWA
1873	45	14	11	5B37	13418	SHOEHORN MT		05 0	8 96	6 R F	BESCHEL	15442 GWA
1873	45	14	1.	5839	13413	TAKU B-NUNA	TAK	06 0	08 96	6 R E	BESCHEL	15469 GWA 154838 GWA
1873 1873	45 45	14 14	11 11	5853	13420	GILKET GL	185	70 0	18 95	ia C	HEUSSER	1 GVA
1873	45	14	11	5853	13420	GILKEY GL		22 0	95	a c	HEUSSER	2 GWA
1873	45	14	11	5853	13420	DEARDSTEE I MT ROBERTS JUNEAU ICE I JUNEAU ICE I MT ROBERTS MENDENHALL MT ROBERTS SHOEMORN MT TAKU B-MUNA GILKET GL GILKET GL GILKET GL GILKET GL MT ROBERTS	PT	22 0	08 95	6 C	HEUSSER	3 GWA 2014 ALA 10206
1873 1873	45 45	14 14	11	5817	13424	INSPIRATION MT ROBERTS	1	06 0	18 96		MEXIA VIERECK Anderson Beale Salamun	8672 GWA
1873	45	14	15	- 3430	1/213	EALLO ISLAMU		09 0	99 94	15 J P	ANDERSON	543 150 255826
1873	45	14	13	5255	17255	EATTU ISLAND Ralexaî poîn	-	23 0)7 94 18 08	1 F	BEALE	5.N. ISC 256494 A47 WIS
1873 1873	45 45	14 14	1.5	3647	1,210	ATTU ISLAND				15 G H		377 150 255796
1673	45	14	1.5	5255	17255	#ATTU ISLAND		23 0	06 94	+5 G ¥	SOULE	12 1SC 255801
1673	45	14	1.5			FATTU ISLAND			09 94 08 94		SOULE SOULE	539 ISC 255824 375 ISC 255912
1873 1873	45 45	14	1.5	5255	17255	₽ATTU ISLAND #ATTU ISLAND			08 94	15 G W	SOULE	282 ISC 255798
1873	45	14	15	5255	17255	₩ATTU ISLAND	l I	28 0	06 94	⊧5 G ₩	SOULE	61 ISC255803
1873	45 45	14 14	14			FLITTLE KISK Famchitka is			D6 93 D6 93		STEENIS	4563 WIS ISC255916
1873 1873	45	14	15			ANCHITKA IS			08 96	57 🖌 4		2362 CS
1873	45	14	15	5132	17900	#AMCHITKA IS		27 0	07 96	57 ¥ M	KLEIN	2264 CS
1873	45 NK	14	15			MAMCHITKA 15 Mamputtka 15		27 0	07 96 07 96	57 H M	KLEIN KLEIN	2263 GWA 2264 GWA
1873 1873	45 45	14 14	15 15	51.32	17900	FAMCHITKA IS Famchitka Is		27 0				2263 CS
1873	45	14	17	5145	1764	ADAK ISLAND	•	- c	07 95	50 T P	BANK	4267 ALA 6700
1873	45 N.F.	14 14	17			ADAK ISLAND		22 0	08 95 NK 96		BANK GLASSBURG	4271 ALA 8715 5.N. ISC 255911
1873 1873	45 45	14	17			i ADAK ISLAND i Adak Island		25 (56 V L	HARMS	5252 ALA 32642
1873	45	14	18	5212	17406	I ATKA ISLAND	•		08 94	19 T P	BANK	1228 ALA 6705
1873	45 45	14 14	18 19			: ATKA ISLAND) ATKA ISLAND		14 -		475 45 C L	ÓLIVER Yörk	31 ISC 255914 45-436 ISC 255793
1873		14	10	3401	1,430	ATTA IBLAND	•		-0 -74			

TAXŪ	N SPC S V H	(YB PROV GU	AD LAT	LONG LOCALITY	DATE COLLECTOR NAME	COL NO HERB + NO
1873	45	14 2	1 5259 1	6855 ANANIULIAK IS	25 06 962 R GORDON	¥IS
1873	45	14 2	1 5255 1	6903 ANANIULIAK IS	15 07 962 N JOHNSON	244 WIS
1873 1873	45 45	14 2 14 2		6902 ANANIULIAK IS 6903 ANANIULIAK IS	06 07 962 M JOHNSON	261 WIS
1873	45	14 2	1 5245 1	6858 NIKOLSKI	05 07 962 M JOHNSON 12 07 962 M JOHNSON	239 WIS 386 WIS
1873	45 45	14 2	5240 1	6858 NIKOLSKI 6858 NIKOLSKI	10 08 962 M JOHNSON	984 WIS
1673	45	14 2		6858 NIKOLSKI	13 08 962 M JOHNSON 04 08 962 M JOHNSON	1113 WIS 877 WIS
1873	45	14 2	2 5310 10	6842 MT RECHESHNOT	18 07 962 M JOHNSON	635 ¥15
1673 1873	45 45	14 2.		6650 UNALASKA 6650 UNALASKA	30 05 938 J P ANDERSON 23 07 938 J P ANDERSON	3168 ISC 256453 4214 ISC 255910
1873	45	14 2	5 5335 1	6650 UNALASKA	23 07 938 J P ANDERSON	4215 JSC 255915
1873	45	14 2		6650 UNALASKA 6632 UNALASKA	21 08 943 F BEALS 04 07 941 L J COLE	5.N. 15C 255799 5.N. 15C 255922
1873	45	14 23	5 5335 10	6650 UNALASKA	04 07 941 L J COLE	5.N. TSC 255922 5.N. WIS
1873	45 45	14 23	5335 1	6650 UNALASKI 6650 UMNAK IS	20 05 932 W J EYERDAM 20 08 926 W B MILLER	770 TSC 255979
1873	45	14 2	5459 10	6228 COLD BAY	20 DB 926 W B MILLER H WILLIAMS	1693 ALA 2036 2982 GWA
1873 1873	45 45	14 2:		5228 COLD BAY 5312 KODIAK IS	M WILLIAMS	2973 GHA
1873	45	14 3		5300 PILLAR MT	01 08 950 W K CLARK 14 06 962 M JOHNSON	75C 256481 67 WIS
1873 1873	45 45	14 34	5712 1	5332 THREESAINTS BY	05 08 963 B H NYBAKKEN	1035 GWA
1873	45	14 34	5710 17	5413 KODIAK REFUGIU 7015 SY PAUL IS	18 06 962 M JOHNSON 18 07 938 J P ANDERSON	100 WIS 4060 ISC 255825
1873	45	14 38	5710 11	7015 ST PAUL IS	08 07 941 L J COLE	S.N. WIS
1875	45 45	14 38 14 38		7015 ST PAUL IS 7016 ST PAUL IS	08 07 941 L J COLE 08 07 941 L J COLE	5.N. WIS 5.N. WIS
1873	45	14 39	5834 16	5146 CAPE PEIRCE	11 7 970 L DICK	267 GWA
1873 1873	45 45	14 39		5146 CAPE PEIRCE	13 7 970 L DICK	108 GWA 297 GWA
1873	45	14 42	5846 1	5556 IDAVAIN L	2 7 970 L DICK 29 08 954 V H CAHALANE	27 ISC 219361
1873 1873	45 45	14 42		548 DUMPLING MT	17 06 965 F M CHAUVIN	KWN5 4LA 34951
1873	45	14 42		551 DUMPLING MT 5509 BROKEN MT	28 06 966 C ESTABROOK 06 08 954 6 P SCHALLER	53 ALA 32682 ALA 2983
1873	45 45	14 42	5835 15	551 DUMPLING MT	01 08 954 G P SCHALLER	ALA 2982
1873	45	14 43		5305 RASPBERRY IS 5304 Raspberry IS	15 06 945 W J EYERDAM 25 08 946 W J EYERDAM	3716 TSC 255917 5229 TSC 255834
1873 1873	45	14 93	5804 15	5304 RASPBERRY IS	25 08 946 W J EYERDAM	5218 TSC 255835
1873	45 45	14 43		304 RASPBERRY IS	25 08 946 W J EYERDAM 25 08 946 W J EYERDAM	5205 ISC 255832 5205 ISC 256482
1873	45	14 43	5804 15	304 RASPBERRY IS	25 OB 946 W J EYERDAN	5220 ISC 255833
1873 1873	45 45	14 43 14 45		304 RASPBERRY IS 519 Skagway	25 08 946 W J EYERDAM 23 07 934 J P ANDERSON	5229 TSC 255827
1673	45	14 45	5927 13	519 SKAGWAY	23 07 934 J P ANDERSON 20 08 919 J P ANDERSON	1639A ISC 255809 740 ISC 85493
1673	45 45	14 45 14 46		8830 TANIS LAKE.	22 6 967 6 ¥ ARGUS	6330 GWA
1873	45	14 46	5915 13	830 TANIS LAKE. 830 TANIS LAKE.	22 6 967 6 ¥ ARGUS 22 6 967 6 ¥ ARGUS	6301 GWA 6331 GWA
1873 1873	45 45	14 46	5915 13	1830 TANIS LAKE. 1830 TANIS LAKE.	22 6 967 G W ARGUS	6295 GWA
1873	45	14 46		1830 AZIMUTH PEAK.	22 6 967 6 ¥ ARGUS 20 6 967 6 ¥ ARGUS	6294 GWA 6264 GWA
1873 1873	45 45	14 46		830 AZIMUTH PEAK.	20 6 967 G W ARGUS	6265 GWA
1873	45	14 46	5915 13	830 TANIS LAKE. 830 TANIS LAKE.	22 6 967 6 ¥ ARGUS 22 6 967 6 ¥ ARGUS	6794 GWA 6795 GWA
1873 1873	45 45	14 5 <u>1</u> 14 51	5940 15	500 161U616	21 07 965 V L HARMS	4320 ALA 32559
1873	45	14 51 14 52	5945 15	510 ILIAMMA L 1841 LAKE KULIK	19 07 965 V L HARMS 14 07 950 K A RAUP	4220 ALA 32593 439 ISC 219357
1873 1873	45 45	14 56	6024 17	235 ST MATTHEW IS	08 07 966 V L HARMS	5457 ALA 32671
1873	45	14 56 14 56	6024 17	238 ST MATTHEW IS 238 ST MATTHEW IS	04 07 966 V L HARMS 12 07 966 V L HARMS	5452 ALA 32670 5539 ALA 32672
1873	45	14 56	6024 17	238 ST MATTHEW IS	02 07 966 V L HARNS	5381 ALA 32666
1873 1873	45 46	14 56	6024 17 6025 17	238 ST MATTHEW IS 238 ST MATTHEW IS	02 07 966 V L HARMS 02 07 966 V L HARMS	5385 ALA 32667
1873	45	14 56	6024 17	238 ST MATTHEW IS	14 07 966 V L HARMS	5391 ALA 32669 5577 ALA 32676
1873 1873	45 45	14 56 14 56		238 ST MATTHEW IS 238 ST MATTHEW IS	18 07 966 V L HARMS	5632 ALA 32681
1873	45	14 56	6024 17	238 ST MATTHEW IS	01 07 966 V L HARMS	5379 ALA 32665
1873 1873	45 45	14 56 14 56		238 ST MATTHEW IS 238 ST MATTHEW IS	V L HARMS	5576 ALA 32675
1873	45	14 56	6024 17	238 ST MATTHEW IS	18 07 966 V L HARMS 18 07 966 V L HARMS	5635 ALA 32680 5644 ALA 32679
1673 1673	45 45	14 56 14 56	6024 17 6025 17	238 ST MATTHEW IS	18 07 966 V L HARMS	5649 ALA 32678
1673	45	14 56		235 ST MATTHEW IS	18 07 966 V L HARMS 08 07 966 V L HARMS	5649 ALA 32678 5457 GWA
1873 1873	45 45	14 56	6024 17	238 ST MATTHEW IS	04 07 966 V L HARMS	5452 G#A
1873	45	14 56			14 07 966 V L HARMS 18 07 966 V L HARMS	5579 B¥A 5635 G¥A
1873	45	14 56	6024 17	238 ST MATTHEW IS	18 07 966 V L HARMS	5644 GWA
1873 1873	45 45	14 56 14 56		238 ST MATTHEW IS 300 Hall IS	18 07 966 V L HARMS 09 08 957 D R KLEIN	5649 BWA 132 ALA 21486
1873	45	14 56	6030 17	300 ST NATTHEW IS	21 07 957 D R KLEIN	59 ALA 21487
1873 1873	45 45	14 56 14 57		300 ST MATTHEW IS 656 NUNIVAK 15	19 07 957 0 P KLEIN 15 07 938 J P ANDERSON	20 ALA 6620 3879 ISC 255795
1873	45	14 57	6002 16	543 NUNIVAK IS	10 07 965 6 BOS	ALA 32293
1873 1873	45 45	14 57 14 57	6004 16 6004 14		11 08 965 8 805 11 08 965 6 805	S.N. ALA 32291
1873	45	14 62	6020 15	018 SKILAK L	11 08 965 6 805 09 08 952 D KLEIN	ALA 32292 117 ALA 23023
1873 1873	45 45	14 62 14 63	6020 15	018 SKILAK L	09 08 952 0 KLEIN	112 ALA 23029
1673	45	14 63	6055 14	938 HOPE	13 06 941 J P ANDERSON 07 06 941 J P ANDERSON	6775 ISC 255909 6346 ISC 255797
1873 1873	45 45	14 63 14 63	6055 14	938 HOPE	07 06 941 J P ANDERSON	6546 ISC 255925
1873	45	14 63			10 06 951 J A CALDER 03 08 951 J A CALDER	5266 GWA 6435 GWA

.

Т	AXDN	SPC	5 V	нүв	PROV	QUAD	LAT	LONG	LOCALITY	97	TE	Ċ	OLL!	CTOR NAME	COL NO 1	4588 +	NO
1	873	45			14	63	6049	14933	HOPE					CALDER	6241	SWA	
	873	45 45			14	63 63			NT MARATHON					CALDER	4996	SWA	
1	673	45			14	63	6024	14945	COOPER L	21	0A	952	D	CALDER KLEIN	5854 186	GWA Bla	2304A
	873	45 45			14 14	63 64			NELLIE JUAN GL HEATHER IS					VIERECK VIERECK	2239	GWA	
1	873	45			14	64	6100	14702	HEATHER IS	02	08	957	LA	VIEREČK	2313 2313	ALA Gwa	8405
	873	45 45			14	67 67			WRANGELL MT N WRANGELL MT					MURRAY	1013 1584	GWA Gwa	
1	873	45			14	67	6135	14207	N WRANGELL MT	15	06	967	R ¥	SCOTT	15B1	SHA	
	.873 .873	45 45			14 14	67 67	6136	14156	N WRANGELL MT N WRANGELL MT					SCOTT SCOTT	1742 1620	GWA Swa	
1	873	45			14	68	6108	14544	THOMPSON PASS	05	07	935		ANDERSON	1888	TSC 2	55806
	873	45 45			14	68 68			WORTHINGTON GL			947 957	1.6	DUTILLY VIFRECK	21339 2211	ISC 2	55913 8383
1	873	45			14	68	6145	14630	TAZALINA GL	19	07	957	LA	VIERECK	21°3	ALA	8384
	873 873	45 45			14 14	6B 68			WORTHINGTON GL THOMPSON PASS					VIERECK	2211 8497	GWA GWA	
1	673	45			14	68	6108	14610	VALDEZ GL	09	80	95 T	L 8	VIERECK	2228	SWA	
1	673 673	45 45			14	68 68	6108	14548	TAZALINE GL Thompson pass	19 01	08	967	L #	VIERECK	2193 8490	GWA GWA	
	.673 .673	45 			14 14	69			WILLOW CR WILLOW CR	12	07	931	J٥	ANDERSON	977 977		27309
	873	45 45			14	69 69			WILLOW RD SUMM	09	07	951 951	G M	ANDERSON FROHNE	5124		55829 21793
	673 673	45 45			14 14	69 69			MATANUSKA VY Matanuska vy			940 940	ĿJ	PALMER PALMER	454 393	ALA Ala	5220 5987
1	873	45			14	69	6140	14900	MATANUSKA VY	_				PALMER VIERECK	391	ALA	5964
	873	45 45			14	69 69			GIRDWOOD MINE Hatcher Pass					VIERECK WELSH	2051 4710	GNA TEC 2	47095
	873	45			14	69			HATCHER PASS			965		WELSH	4705		47099
	873	45 45			14 14	69 69			EKLUTNA GL Matcher Pass	18	06 07	965	Sι	VELSH VELSH	4196 4714		46150
	873	45			14	71	6155	15425	HEAD OF BIG R.	10	7	950		DRURY	4112		47141
	873 873	45			14 14	71 72			HEAD OF BIG R. CANDE MT.	10 6	- ;	950 949		DRURY DRURY	4131 1821		
1	873	45			14	72	6146	15808	CANDE NT.			949	W P	DRURY	1896	CAN	
	1873 1873	45 45			14	7 <u>2</u> 72		15808 15808	CANCE 4T. Cance 4T.	5	7		8 9 8 9	DRURY DRURY	1894		
1	873	45			14	72	6146	15808	CANDE MT.	6	ż	949	1 H	ORURY	1892	CAN	
	1873 1873	45 45			14 14	72 73	6146	15808 15930		6 18				DRURY DRURY	1496		
- 1	873	45			14	73	6137	15930	ANIAK	1B	6	949	й н	DRURT	1494	CAN	
	673 873	45 45			14 14	75 77			KOKECHIK BAY Kuşîlvak Mt	03	07	960 945	N G H C	BLURTON JONES KYLLINGSTAD	68 22		24433
1	873	45			14	77	6200	16434	KUSILIVAK MT	26	06	945	нс	KYLLINGSTAD	21	150 2	55921
	1873 1873	45 45			14 14	79 79			TAKOTNA Takdtna	25 25		941 941		ANDERSON	7377 7377	ALA TSC 2	497 55919
	873	45			14	79	6256	15601	TAKOTNA MT	09	07	94 B	R L	LAYDEN	177	150 2	55923
	873 873	45 45			14 14	79 80			TAKOTNA Farewell MT.	05	07	940 949		SCAMMAN DRURY	1873	ALA Can	8396
1	673 873	45 45			14	80 80	o233	15336	FAREWELL MT. Farewell	8 13	6	949		DRURT	2725 2826	CAN	
	873	45			14	80	6233	15336	FAREWELL MT.	6	6	949	¥ н	DRURY	2721		
	873 873	45 45			14	82 82			TALKEETNA HTS TALKEETNA HTS			941			6998 6998	ALA	498 55816
	673	45			14	85			MT FAIRPLAY					ANDERSON	10805		55804
	873 873	45			14 14	65 65			TAYLOR HWY 434 NUTZOTIN MTS					NAVA RAUP	69 12779		23944 19467
1	873	45			14	65	6323	14345	NUTZOTIN MTS	12	08	944	н м	RAUP	12779	SWA	
	873 873	45 45			14 14	85 85	6310	14330	SLIPPERT RK CR SIXTYML RD N21	19	07	957	L A S I	SPETZMAN WFI SH	723 5593	ALA GWA	6837
1	B73	45			14	66	6333	14552	RAPIDS LODGE	12	07	935	JP	ANDERSON	2220	ISC 2	5582A
	873 873	45 45			14 14	86 86			GULKANA GL PILLSBURY DOME					ANDERSON	5.N. 10658		55924
1	873	45			14	66	6315	14530	GULKANA GL	19	07	957	G₩	ARGUS	1141	GHA	
	873 873	45 45			14 14	66 66	6347	14545	GULKANA GL Donnely dome	19 30	07	957 957	6 ¥ 6 ¥	ARGUS ARGUS	1138 1073	GWA GWA	
	873	45 45			14 14	86	6347	14545	DONNELT DOME	26	05	951	∎ J	CODY	4871	SASK	33105
	.873 .873	45 45			14	86 86	6347	14545	DONNELLT DONE DONNELT DONE					C0D1 C0D1	4873 4871	GNA GNA	
	873	45			14 14	86			PAXSON PAXSON	17	07	965	¥ L	HARMS HARMS	4196 4109		32661 32657
1	1873 1873	45 45			14	86 86	6345	14554	DONNELLY DOME	01	´07	964	۷Ĺ	HARMS	2843	ALA Ala	32604
	1873 1873	45 45			14 14	86 86			RAINBON MT Rainbon Mt					HARNS HARNS	3561 3575	ALA Ala	32656 32651
1	873	45			14	66	6310	14451	SLATE CR		06	941	ЪĴ	PALMER		ALA	5155
	1873 1873	45 45			14 14	86 86			W FK LTL DELTA					PALMER PALMER	484 519	ALA Ala	5627 5637
1	873	45			14	86	6320	14535	PAXSON	04	07	966	С	PARKER	RM36	ALA	32687
	873 873	45 45			14 14	86 86	6325	14545	BLACK RAPIDS 6 BLACK RAPIDS 6	15	07	957 957		VIERECK	2134 2134	GWA Ala	8413
1	873	45			14	86	6302	14552	PAKON	17	07	968	5 L	YELSH	A297	5¥A	
	873 873	45 45			14	86 87		14557	TANGLE LAKE Healy					WELSH ANDERSON	8312 5763	GWA ISC 2	55810
1	873	45			14 14	87 87	6351	14858	HEALY	23	07	939	JP	ANDERSON	5763	TSC 2	55810
- 1	1873 1873	45 45			14	87	6351	14858 14858	HEALY	23	07	939	JP	ANDERSON	5761 5761		55933 55933
	1873 1873	45 45			14 14	87 87	6342	14929	SANCTUARY R Sanctuart R	29	07	956	6 ₩	ARGUS	696 696	GWA	
1	873	45			14	87	6345	14920	SAVAGE R CAN	17	06	965	8	ARGUS FABER	5.N.		4731 30967
1	673	45			14	87	6331	14956	POLYCHROME PAS	14	07	939	•	NELSON	3791	TSC 2	55808

\$

TA	XON	SP¢	5 V HYÐ	PROV	QUAD	LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO HERE + NO
18 16	• -	45 45		14 14	87 87			POLYCHROME PAS		939 A NELSON 927 L J PALMER	3781 ALA 495 1940 ALA 5196
18	73	45		14	87	6335	14843	CARLO MT	30 07	967 L / VIERECK	9413A 5HA
18 18		45 45		14 14	87 67	6356	14045	CARLO NT Dry creek	25 06	967 L A VIERECK 967 L A VIERECK	8415 SWA 5718 SWA
18		45		14	88	6325	15020	CAMP EIELSON	22 07	956 G W ARGUS	647 SWA
18 16		45 45		14	88 88			CAMP EIELSON CAMP EIELSON	22 07		645 GWA 675 GWA
18		45		14	86	6325	15020	CAMP EIELSON	22 07	956 G W ARGUS	637 GWA
18		45 45		14 14	88 85			CAMP DENALI Hwy pass	23 07 21 07		649 SWA 627 SWA
18		45		14	88	6325	15020	CAMP EIELSON	27 07	956 G ¥ ARGUS	679 G#4
18		45 45		14 14	88 88			HWY PASS Camp Elelson	21 07 27 07		631 SWA 674 SWA
18	73	45		14	88	6328	15010	HWY PASS	21 07	956 G # ARGUS	632 ALA 4561
1A 18	73	45 45		14	88 88			CAMP EIELSON CAMP EIELSON	22 07		636 PLA 4733 637 4L4 4729
15		45 45		14 14	88 88			CAMP EIELSON CAMP EIELSON	27 07 27 07	956 G W ARGUS	679 ALA 4740
18	73	45		14	66	6330	15100	KANTISHNA	03 07	954 G M FROHME	674 ALA 4727 54318 ALA 21788
18		45 45		14 14	66 66			MCK PK RD M68 MCK PK RD M68	19 06 19 06		2 3WA
18	73	45		14	68	6326	15033	MCK PK RO 468	19 06	960 A MURIE	3 GWA 1 SWA
18		45 45		14 14	88 88	6328 6328	15052	WONDER LAKE Wonder Lake	19 07	939 A NELSON 939 A NELSON	3843 JSC 255931 3843 ALA 496
18	73	45		14	68	6326	15012	MCK PK RD M63	58 06	962 R RICHEY	ALA 26101
15		45 45		14 14	68 86			NCK PK RD 464 MCK PK RD 463	27 06	962 R RICHEY 962 R RICHEY	ALA 26100 5.N. ALA 26099
18		45		14	88	6325	15020	CAMP EIELSON	14 08	947 E SCAMMAN	4994 SWA
16		45 45		14 14	88 88	6324	15050	WONDER L Glacier Cr	21 07	959 L SCHENE 958 L & VIERECK	4LA 25317 3194 FSLC
15		45 45		14 14	88			GLACIER CR	10 07	958 L A VIERECK	3141 GWA
18	73	45		14	86 85	6324	15025	GLACIER CR Glacier Cr		958 L A VIERECK 958 L A VIERECK	3194 GWA 3190 SWA
18		45 45		14 14	88 88			NULDROW GL MT EIELSON	12 08	956 L / VIERECK	1786 GWA
16	73	45		14	88	6327	15050	WONDER L	02 08	956 L A VIERECK 956 L A VIERECK	1238 ALA 11608 1657 ALA 11626
18		45 45		14 14	88 92			MCK PK RD M70 St Michael	12 08	956 L A VIERECK	1774 NLA 11606
18	73	45		14	93	6342	17029	SAVOONGA	27 06	938 J P ANDERSON 938 J P ANDERSON	3450 TSC 255831 3667 TSC 255791
18 18		45 45		14 14	93 93			BOXER BAY Boxer Bay	12 08	933 0 ¥ GEIST 933 0 ¥ GEIST	079 ALA 29381
16	73	45		14	93	6342	17029	SAVDONGA	03 07	933 0 ¥ GEIST	080 ALA 29512 115 ALA 29455
18 16		45 45		14 14	93 93			SAVOONGA SAVOONGA	11 07	933 0 W GEIST 933 0 M GEIST	101 ALA 29406 114 ALA 29407
18	73	45		14	93	6342	17029	SAVOONGA		933 0 ¥ GEIST	108 ALA 29405
18 18	73	45 45		14 14	93 93			KANGEE CAMP Powdojliak	17 OR	933 0 ¥ GEIST 933 0 ¥ GEIST	5.N. ALA 29478 173 ALA 29457
18 18	73	45 45		14 14	93 93	6322	17117	POWOOILIAK POWOOILIAK	17 08	933 0 W GETST 933 0 W GEIST	172 ALA 29456
16	73	45		14	93	6342	17029	SAVOONGA		933 0 W GEIST	5.N. ALA 29712 100 PLA 29770
18 16		45 45		14 14	93 93	6333	17002	ST LAWRENCE IS BOXER R VALLEY		933 O W GE1ST	5.N. ALA 29717
18	73	45		14	94	6446	16523	MT DISTIN	04 07	938 J P ANDERSON	3769 150 255926
18 18		45 45		14 14	94 94		16530 16530	ANVIL MT Nome	08 06 17 06		968 ALA 26943 1082 ALA 24329
18		45		14	94 94	6430	16530	NOME	16 06	954 C HELLER	1078 ALA 24330
18 18		45 45		14 14	94		16525	CAPÉ WOOLLEY Nome		969 R F PEGAU 966 S L WELSH	27469 GWA 5849 GWA
18		45		14	94		16530		14 07	966 S L WELSH	5854 S#A
18 18		45 45		14 14	95 95	6458	16310	WHITE MT WHITE MT	05 09	966 R PEGAU 966 R PEGAU	W14 3WA W14 ALA 32700
18 18		45 45		14 14	99 99	6500	15038	MANLEY HOT SPR	26 06	965 S L VELSH	4409 150 246963
18	73	45		14	100	6453	14803	MANLEY HOT SPR ESTER JOME	20 07	967 L & VIERECK	4409 ALA 29999 A307 SWA
187		45 45		14 14	101 101			GOODPASTOR R BIG DELTA	08 07	956 A W JOHNSON 965 S L WELSH	92 ALA 27147 4336A ISC 246878
18	73	45		14	104	6529	14525	EAGLE SUMMIT	18 07	935 J P ANDERSON	2466 ISC 255805
181		45 45		14 14	104 104	6525 6525	14555	TWELVE MI SUMM EAGLE SUMMIT	15 07 30 06	967 V L HARMS 959 T P O:FARRELL	6119 ALA 34633 61 ALA 9627
167	73	45		14	104	6530	14525	EAGLE SUMMIT	12 06	940 E SCAMMAN	2049 ALA 8397
147		45 45			104 104			EAGLE SUMMIT EAGLE SUMMIT		940 E SCAMMAN 951 E SCAMMAN	2049 SASK 34211 6207 GWA
187		45 45			104 104	o530	14525	EAGLE SUMMIT	12 06	940 E SCAMMAN	2049 GWA
187	73	45		14	104	6529	14525	EAGLE SUMMIT		E SCAMMAN 945 E SCAMMAN	600 SWA 3409 SWA
187		45 45			104 104	6531	14513	MILLER HOUSE SOURDOUGH CR	04 06	953 5 6 SMITH 953 5 6 SMITH	1770A ALA 10614
187	73	45		14	104	6517	14629	SOURDOUGH CR	09 08	953 5 ^ SMITH	2005 SWA
187		45 45			104 104			MILLER HOUSE		953 S & SMITH 953 S & SMITH	17708 SWA 17708 SWA
187	73	45		14	104	6530	14525	EAGLE SUMMIT	Z5 07	964 L ^ VIERECK	7364 F5LC 300
187 187	73	45 45			104 105					964 L 🖻 VIERECK 956 g ¥ Argus	7370 FSLC 298 576 ALA 22444
187	73	45 45		14	105	6505	14730	PEDRO JOME	14 07	956 G W ARGUS	576 ALA 4901
187	3	45		14	105	6519	14818	TATALINA	28 05	956 6 ¥ ARGUS 958 5 6 SMITH	576 SWA 1752 ALA 10615
187 187		45 45			105 105	6519	14818	TATALINA	28 05	953 5 6 SMITH 954 5 6 SMITH	1752 ALA 10644
167	73	45		14	105	6519	14818	TATALINA	28 05	958 S & SMITH	2363 ALA 10729 17529 GWA
167	5	45		14	105	6519	14818	TATALINA	28 05	953 S & SMITH	1752 GWA

TAXON	SPC S V HYB	PROV	604D	LAT	LONG	LOCALITY	D	ATE	COLL	ECTOR NAME	COL NO	HERA + NO	
1673	45	14	105	ь503	14726	CLEARY SUMMIT	15	06	954 5 1	SMITH	2363	GWA	
1873	45	14	111			TIN CITY	19	08	938 J 🕫	ANDERSON	4881	ISC 2557	94
1673 1873	45 45	14 14	111	6458	16804	KING ISLAND KING ISLAND	25	06	938 J F	ANDERSON ANDERSON	36078 36078	150	
1873	45	14	111	6458	16804	KING ISLAND	08	06	959 G .	HARBO	8	GWA Ala 248	10
1873 1873	45 45	14 14	$\frac{111}{111}$			KING ISLAND King Island	15		968 R	PEGAU	3968	GWA	
1873	45	14	115			DEERING	24		969 R F	ANDERSON	12769 4808	3WA 15C 2565	07
1673	45	14	113			KOTZEBUE	17	08	951 E	SCAMMAN	4800 6460	150 2000 SWA	
1673	45	14	113	6655	16240	KOTZERUE	09	07	966 S L	WELSH	5735	GWA	
1673	45 45	14 14	124 124			WISEMAN Wiseman	01			BROCKMAN	5877 2620	ISC 2558 ALA 264	
1873	45	14	126			ISIAK LAKE	02		960 P 1	LENT	15	ALA 293	
1873	45	14	125			POINT HOPE			935 J 9		4602	TSC 2564	05
1673 1673	45 45	14 14	129 129			POINT HOPE POINT HOPE				ANDERSON	4601	TSC 2558	
1873	45	14	125			DGOTORUK CREEK				ANDERSON ARGUS	4577 5952	150 2559 SWA	32
1873	45	14	124	ь806	16545	DGOTORUK CREEK	11	08	966 G #	ARGUS	5949	GWA	
1873 1873	45 45	14 14	129 129	6806	16545	DGDTORUK CREEK DGOTORUK CREEK	11	08	966 G M	ARGUS	5966 5969	GWA GWA	
1873	45	14	129			OGOTORUK CREEK					5948	GWA	
1673	45	14	129			OGOTORUK CREEK			966 6 1		5965	GWA	
1873 1673	45 45	14 14	129 129			CAPE THOMPSON EBRULIKDRUK CR		06		BELSON	5.N.	ALA 288 ALA 287	
1873	45	14	125	6815	16600	CAPE THOMPSON	10	06	960 L ⊦	BELSON		ALA 288	
1873	45	14	129			OGOTORUK CR		06	959 A V	JOHNSON	5	ALA 91	
1673 1673	45 45	14 14	129 129			DGDŤORUK ČR DGDTORUK ČR	25	06 08	959 A 1	JOHNSON JOHNSON	213 615	ALA 91 ALA 91	
1873	45	14	129	6810	16540	DGOTORUK CR	14	07	959 A ¥	JOHNSON	382	ALA 92	
1673	45	14	125			OGOTORUK CR	28	06	959 A ¥	JOHNSON	213	SASK 331	
1873	45 45	14 14	125 125			OGDTORJK ČR Ogotoruk čr	18	06 04	959 A W	JOHNSON JOHNSON	5 213	GWA GWA	
1873	45	14	129			OGOTORUK CR				JOHNSON	615	SWA 91	75
1873	45	14	129	6 <u>61</u> 0	16540	OGOTORUK CR	14	07	959 A V	JOHNSON	342	GWA 92	04
1873 1873	45 45	14 14	129 129			OGOTORUK CREEK KUKPUK RIVER		06 08		JOHNSON	35	ALA 176	71
1673	45	14	129	6840	16537	KUKPUK RIVER		08	964 H 5	MELCHIOR MELCHIOR	655 654	GWA GWA	
1673	45	14	129	6840	16637	KUKPUK RIVER	01	07	963 H S	MELCHIDR	446	GWA	
1873 1673	45 45	14 14	129 129	6819	16615	KIPALOG CREEK Point hope	19	07	960 L /	VIERECK	4170 4031	ALA 132 ALA 132	
1873	45	14	125	6819	16640	POINT HOPE		07	966 S L	VELSH	5797	GWA 102	JE
1873	45	14	136	6804	14503	OLD JOHN LAKE		08	957 5 0	SHETLER	AF161	GWA	
1673	45 45	14 14	13e 136			OLD JOHN LAKE		08 08	954 5 6	SMITH Smith	2563 2563	ALA 107 GWA 107	
1873	45	14	137	6822	14355	SHEENJEK R	22	06	956 8	KESSEL	544	ALA 50	
1873	45	14	137			SHEENJEK R	15		956 8	KESSEL	517	ALA 50	45
1873 1873	45 45	14 14	137 136			SHEENJEK R Nuvagapak Pt	15		956 B 966 G W	KESSEL	517 5915	SWA Gwa	
1873	45	14	136			NUVAGAPAK PT	09		966 G ¥		5887	GWA	
1873	45	14	138			NUVAGAPAK PT		08	966 G 🕷	ARGUS	5876	GWA	
1873	45 45	14 14	$138 \\ 138$			NUVAGAPAK PT NUVAGAPAK PT	09		966 G H		5920 5914	GWA SWA	
1673	45	14	138			NUVAGAPAK PT	09	08	966 G #		58P2	GWA	
1673	45	14	138			NUVAGAPAK PT		08	966 6 4		5917	GWA	
$1673 \\ 1673$	45 45	14 14	138 138			NUVAGAPAK PT NUVAGAPAK PT	09	08 08	966 G H		5886 5918	GWA GWA	
1873	45	14	136	6950	14220	NUVAGAPAK PT	09	D8	966 G ¥		5905	GWA	
1873	45	14 14	138			NUVAGAPAK PT		08	966 G W		5889	GWA	••
1873 1873	45 45	14	139 140			CANNING RIVER SagavanirkTok		07 07		SPETZMAN THOMSON	328	TSC 2558 HTS	02
1873	45	14	145	ь902	16350	CAPE BEAUFORT		07	966 G +		5530	GWA	
1873	45	14 14	145			CAPE BEAUFORT		07	966 G V		5589	GWA	
1873 1873	45 45	14	145 145			CAPE BEAUFORT	25	07 07	966 G H		5607 5667	SWA GWA	
1073	45	14	145	6902	16350	CAPE BEAUFORT	27	07	966 G 🕷	ARGUS	5660	GWA	
1673 1873	45	14 14	145 145			CAPE BEAUFORT CAPE BEAUFORT			966 G N		5524	GWA	
1873	45	14	145		16350					ARGUS ARGUS	5522 5521	GWA GWA	
1673	45	14	145	6902	16350	CAPE BEAUFORT			G 🖌	ARGUS	5571	GWA	
1873 1873	45 45	14 14	145 145			CAPE BEAUFORT			966 G W		5578 5528	GWA GWA	
1873	45	14	145			CAPE BEAUFORT			966 6 +		5529	GWA	
1873	45	14	145			CAPE BEAUFORT	25	07	966 G 🕷	ARGUS	5561	GWA	
1873 1873	45 45	14 14	145 145			CAPE BEAUFORT CAPE BEAUFORT			966 G M		5475	GWA	
1873	45	14	145			CAPE BEAUFORT	24	07	966 G H	ARGUS	5666 5526	GWA GWA	
1873	45	14	145	6902	16350	CAPE BEAUFORT	24	07	966 G 🕯	ARGUS	5527	GWA	
1873 1873	45 45	14 14	145 147			CAPE BEAUFORT MEADE RIVER PO			966 6 4		5525 5256	GWA GWA	
1873	45	14	147			MEADE RIVER PO					5227	GWA	
1873	45	14	147	7030	15730	MEADE RIVER PO	15	07	966 6 🕨	ARGUS	5257	GWA	
1873 1873	45 45	14 14	147 147	7030	15730	MEADE RIVER PO MEADE RIVER PO	15	07	966 G H	ARGUS	5263	GWA	10
1873	45	14	146			TESHEKPUK			947 R F		5.N.	ALA 276 ISC 2565	
1673	45	14	148	7049	15442	TESHEKPUK	30	08	947 R 5	BLACK	S.N.	ISC 2559	20
1673	45 45	14 14	150 151			SHAVIOVIK R Bullen			947 L 4	SPETZMAN ARGUS	2168 5732	TSC 2502 GWA	54
1873	45	14	151			BULLEN			966 G H		5742	GWA	
1873	45	14	151			BULLEN	.			ARGUS	5736	GWA	
1873 1873	45 45	14 14	151 151			BULLEN BULLEN			966 G H		5752 5758	SWA GWA	
	-	- •						5.5					

TAXON	SPC S	V HYB PF	IOV QUA	D LAT	LONG	LOCALITY	DATE	COLL	ECTOR NAME	COL NO HERB + NO
1873	45		4 151			BULLEN		965 G	ARGUS	5737 GWA
1873 1873	45 45		l4 151 l4 151	7010	14650	BULLEN	03 08	966 5 1	ARGUS	5766 GWA 5733 GWA
1873	45	1	4 151	7010	14650	BULLEN	03 08	966 6	ARGUS	5748 GWA
1873 1873	45 45		4 151 4 151	7010	14650	BULLEN	05 08	966 G 965 G	ARGUS Argus	5805 GWA 5809 GWA
1673	45		4 151 4 151	7010	14650	BULLEN	05 08	965 G W	ARGUS	5907 GWA
1673 1873	45 45		4 151	7010	14650	BULLEN	03 08	966 G W	ARGUS	5506 GWA 5757 GWA
1873 1873	45 45		4 151	7010	14650	BULLEN	03 08	966 G W	ARGUS	5753 GWA
1873	45		4 152	7005	14335	BARTER ISLAND	07 08	966 G ¥	ARGUS	5859 GWA 5848 GWA
1873 1873	45 45		4 152 4 152	7005	14335	BARTER ISLAND	07 08	966 G M	ARGUS LITTLE, JR,	5846 SWA 18495 SWA
1873	45		4 152	6839	14100	BULLEN BULLEN BULLEN BULLEN BULLEN BULLEN BULLEN BULLEN BARTER ISLAND BARTER ISLAND BARTER ISLAND FIRTH RIVER	16 06	961 E L	LITTLE, JR.	15484 GWA
46	FUS	SCESCENS								
1873	46		7 133	6932	13349	RICHARDS IS	29 07	947 A =	PORSILD	16816 CAN 46460
1673 1673	46 46		7 133	6942	13347	RICHARDS IS ANDERSON RIVER	24 07	965 G W	SCOTTER SCOTTER	10120 GWA 6958 GWA
1673	46		7 135 7 152	6924	13257	TUKTOYAKTUK	09 08	965 G W	SCOTTER	6990 GWA
1673 1673	46 46		7 152	6845	13554	MACK R E BRAN	18 7	963 N J 934 A F	PORSILD	12995 0A0 6955 3WA
1673 1673	46 46		7 152 7 170	6839	13405	REINDEER STN	03 08	965 G W	SCOTTER	6975 GWA
1873	46		7 188	6745	10050	KANGOWAN LAKE	09 07	966 5	SVERRE	CAN 307168
1873 1873	46 46		7 402	6050	9425	MCCONNELL R	10 07	967 K L	MACINNES	605 UW0
1673	46		7 402	6050	9425	MCCONNELL R	02 07	967 K L	MACINNES	653 UW0
1873 1873	46 46	1	.2 4	6625	13800	SAM LAKE	30 6	970 S L	WELSH YOUNGMAN	10028 DTF 1205
1873	46	1	2 15	6451	13825	DEMPSTR RD 457	27 06	966 R T	PORSILO	16 CAN 303396
1873 1873	46 46		.4 25 .4 35	5520	16248	COLD BAY Olga bay	19 7	971 M 938 E	WILLIAMS	2900 GWA 351 NA 319642
1873 1873	46 46		.4 35	5785	15425	OLGA BAY	10 06	940 E	LOOFF	1283 4
1873	46		4 35 4 35	5705	15425	OLGA BAY	08 06	938 E	LOOFF	351 940 32786 350 940 32787
1873 1873	46 46		.4 36 .4 39	5732	15725	UGASHIK CARE DEIRCE	04 07	967 D	STREUBEL	5.N. ALA 34728
1873	46	1	4 41	5858	15711	COPENHAGEN CR	14 06	959 A S	MOSSMAN	51 SHR ALA 23579
1873 1873	46 46		4 4 <u>1</u> 4 4 <u>1</u>	5858 5852	15711	COPENHAGEN CR Koggiung	14 07	959 A S	MOSSMAN	ALA 23585 1045 TEC 224400
1673	46	1	4 41	5844	15701	NAKNEK	03 07	952 W R	SCHOFIELD	1948 US 2331516
1673 1673	46 46		4 41	5842	15639	KING SALMON Kukak bay	07 07	952 H P	SCHOFIELD	20578 NY 1660 US 373487
1673	46	1	4 42	5819	15406	KUKAK BAY	01 07	899 S	COVILLE	1660 A
1873 1873	46 46		4 42	5947	15547	STERL HWY M159	30 07	919 A 967 L A	MILLER Viereck	9266 GWA
1873 1873	46 46		4 51 4 52	5937	15333	ILIAMNA BAY	22 06	902 H	GORMAN	41 US 420054
1873	46	1	4 52	5923	15610	ILIAMNA	20 07	965 V L	HARMS	4244 ALA 32592
1873 1873	46 46	1	4 52 4 52	5904	15826	SNAG POINT	19 06	951 E H	MULLER	627 US 2176386
1873	46	1	4 52	5903	15832	KANAKANAK	25 06	946 J	STEWART	176 US 2232021
1873 1873	46 46	1	4 55 4 56	595B 6025	16658	DUCHIKHIUT R St Matthew IS	20 08	965 G 890 F	BOS	ALA 32290 20878 115 2440623
1673	46	1	4 56	6025	17235	ST MATTHEW IS	15 07	899 F	COVILLE	20474 US 373490
1873 1673	46 46	1		6024	17242	ST MATTHEW IS	15 07	966 V I	COVILLE HARMS	20879 US 373490 5649 SWA
1873 1873	46 46	1		6025	17235	ST MATTHEW IS	29 07	957 D 9	KLEIN	63 ALA 6600
1873	46	1	4 57	6015	16643	TWIN MI	10 07	958 J P 965 G	ANDERSON BOS	3878 ISC 255894 ALA 32285
1873 1873	46 46	1		6015	16614	MEKERYUK	23 07	929 ¥ A	MILLER	174C ALA 2770
1873	46	1	4 57	6015	16614	MEKERYJK	23 07	965 R	PEGAU	16816 CAN 46460 10120 GWA 6958 GWA 6955 GWA 6975 GWA 6975 GWA 6975 GWA 6975 GWA 6975 GWA 6975 GWA 6975 GWA 6975 GWA 6075 GWA 6075 GWA 6075 GWA 6075 GWA 608 CAN 283830 10028 DTF 1205 608 CAN 283830 10028 DTF 1205 608 CAN 283830 10028 DTF 1205 608 CAN 283830 10028 DTF 1205 608 CAN 283830 351 GAA 32787 5.N. ALA 34728 51 GWA 51 GWA 51 GWA 51 GWA 51 GWA 51 GWA 51 GWA 51 GWA 105 1072534 74 GWA 105 127536 74 JS 223021 ALA 32595 1045 ISC 224499 1949 US 2331516 20578 NY 1660 US 373487 1660 US 373487 1660 US 373487 1660 US 273487 1660 US 373487 1660 US 273487 1660 US 373487 1660 US 27334 74 US 420054 4382 ALA 32599 627 US 2175386 369 GWA 63 ALA 6600 3878 ISC 25584 ALA 32285 1740 CALA 2770 1740 CALA 2770 1740 CALA 2770 1740 CALA 2770 1740 CALA 2770 1740 CALA 2023 W16 GWA W18 GWA W19
1873 1873	46 46	1		6015 6015	16614 16614	MEKERYUK MEKERYUK	15 07 15 07	966 R 965 R	PEGAU PEGAU	W18 GWA W18 ALA 32698
1873	46	1	4 57	6024	16610	CAPE ETOLIN	26 08	932 C H	ROUSE	11 TSC 255879
1873 1873	ЧЬ 46		4 57 4 57	6024	16614	MEKERYUK	20 08	949 D I	ROUSE	11 TSC 255880 9 ISC 255894
1873 1873	46 46		4 57	6000	16600	NUNIVAK IS KASILOF	A-	954 P	STETTENHEIM	S.N. MICH
1673	46	1	4 62	6031	15046	STERL HWY M71	13 07	968 \$ L	WELSH	A178 GMA
1873 1873	46 46	1			15116 15116		31 05 31 05	951 J A 951 J A	CALDER	5006 US 2331432 5005 NY
1673	46	1	4 63	0033	15116	KENAI	31 05	951 J A	CALDER	5005 64
1873 1873	46 46	1			15116	KENAI SEWARD	12 07 20 06		KLEIN RDWINSKI	449 TSC 255883 5.N. ALA 25631
1873 1873	46 46	1	4 69	6128	14922	EKLUTNA	26 D6	941 J 🖶	ANDERSON	6951 TSC 255888
1673	46	1	4 69	6156	14710	GLENN HWY 4128 GLENN HWY 4128	14 06	944 J P	ANDERSON	8466 ISC 256013 8466 9WA
1673 1673	46 46	1	4 69	6113	14954	ANCHORASE BIRCHWODD FLAT	10 07	948	DUTILLY	23441 ISC 255893
1873	46	1	4 69	6124	14929	BIRCHWOOD FLAT			LEPAGE LEPAGE	23043 15C 255892 23044 15C 255891
1873 1873	46 46	1		ь 1 40	14900	MATANUSKA VALL MATANUSKA VALL		940 L J		353 ALA 5986
1873	46	1	4 70	6147	15010	WILLOW CREEK	17 07	940 L J 940 L J	PALMER	353 NA
1873 1873	46 46	1				WILLOW CREEK HEAD OF BIG R.	17 07	940 L J	PALMER	353 NA 38728 can
		-	-							

TAXON	SPC S	V НYВ	PROV	QUAD	LAT	LONG	LOCALITY	94	TE	C	כונ	CTOR NAME	00L NO -	1595 + NO
1873	46		14	71	ь155	15425	HEAD OF BIG R.	10	7	950	* 4	DRURY	4222	CAN
1873	46		14	73		15930		18				DRURY	1516	
1873 1873	46 46		14 14	73 73			ANIAK REGION ANIAK REGION	28 28				DRURY DRURY	1666 1656	
1873	46		14	73	6135	15915	ANIAK	2	7	949	й H	DRURY	1735	CAN
1873 1873	46 46		14 14	75 75			SCAMMON BAY Kokechik bay			961 952	5	HULTEN HUMPHREY	13	US 2384884 MTCH
1873	46		14	75			IGIAK BAY	03	07	960 0	N G	JONES	70	4LA 24424
1673	46 46		14 14	75 77			IGIAK BAY	03	67	960	N G	JONES	7۲	ALA 24425
1873 1873	46		14	79	6227	15800	MOUNTAIN VILGE	14	6	949	4 F	KYLLINGSTAD DRURY	1*80	15C 256222 CAN
1873	46		14	80	6247	15544	KUSKOKWIM R.	21	7	949	4ч	DRURY	2160	CAN
1873 1873	46 46		14 14	81 81			LAKE CHELATNA LAKE CHELATNA					VIERECK VIERECK	1017	ALA 11630 9w4
1873	46		14	83	6533	14526	RICH Hay M150	25	06	947		DUTILLY	20435	NA 329375
1875 1873	46 46		14 14	83 86			RICH HWY M150 ISABEL PASS			947 935		ANDERSON	20435 2171	NA 329375 150 255896
1873	46		14	86	6338	14443	HORN HOUNTAIN		06	957	LA	SPETZMAN		US 2349423
1673 1873	46 46		14 14	8£ 8£			UPPER DRT CR Upper Dry Cr					SPETZMAN SPETZMAN	1019	ALA 06870 US 2384222
1873	46		14	87	6350	14925	MCK PK RD M78	31	07	953	A	MURIE	1	GWA
1873 1873	46 46		14 14	87 87			SUMMIT SUMMIT					VIERECK VIERECK	8393 8403	SWA SWA
1673	46		14	88	6326	15040	MCKINLEY PARK			956	LA	VIERECK	1105	ALA 11627
1873 1873	46 46		14 14	86 86			WONDER L		07			VIERECK	1572	ALA 3496 Swa
1673	46		14	8ç			WONDER L NIXON FORK	12				VIERECK DRURY	1572 3728	
1873	46		14	89	6315	15517	NIXON FORK	10						CAN
1873 1873	46 46		14 14	89 89			NIXON FORK NIXON FORK	10 10	6	950	24 24	DRURY DRURY SCAMMAN	3625 3638	
1673	46		14	90	6310	15631	OPHIR	25	06	940	Ē	SCAMMAN	1832	GWA
1873 1873	46 46		14 14	91 91			UNALAKLEET UNALAKLEET		06	938 894	7 0	ANDERSON	3265 232	TSC 255886
1673	46		14	- 71 91			UNALAKLEET					PALMER	74	ALA 2038
1873	46		14 14	91			UNALAKLEET	16	08	920	L J	PALMER	79 3448	ALA 2037
1873 1873	46 46		14	92 92			ST MICHAEL St Michael			938 931		ANDERSON MASON	6043	TSC 255885 US 1789423
1873	46		14	92	6329	16202	ST MICHAEL	09	06	931	H	MASON	6044	US 1789424
1873 1873	46 40		14	92 92			ST MICHAEL St Michael			931 931		MASON MASON	6044 6043	SH GH
1073	46		14	92	⊾ 302	16318	PASTOLIAK	05	07	923		MILLER	40	ALA 2022
1873 1873	46 46		14 14	92 92	6302	16333	KOTLIK Kotlik	10	07	926 926	A F A F	PORSILD PORSILD	867 867	CAN
1873	46		14	98:	6302	16333	KOTLIK	07	07	931	¢ч	ROUSE	*3	ALA 2043
1873 1873	46 46		14	92 92			KOTLIK KOTLIK	07	07	931	сн	ROUSE	33 72	ALA 2047 ALA 2048
1873	46		14	92	6302	16333	KOTLIK	07	07	931	с н	ROUSE	32	ALA 25453
1873 1873	46 46		14 14	92 92			KOTLIK Kotlik					ROUSE	36 36	ALA 2046 ALA 25443
1873	46		14	92			STUART IS					ROUSE	23	ALA 2054
1873 1873	46 46		14 14	92 93			STUART IS ST LAWRENCE IS	29	07	931	с Н	ROUSE GEIST	23 5.N.	ALA 25457 ALA 29717
1873	46		14	9			BOXER BAY					GEIST	11	ALA 29454
1873	46		14 14	95			BOXER BAY					GEIST	12 14	ALA 29397
1873 1873	46 46		14	93. 93			BOXER BAY ST LAWRENCE IS					GEIST GEIST	5.N.	ALA 29399 ALA 29366
1673	46		14	93	ь302	16850	PUNUK ISLANDS			934	o w	GEIST	5.4.	ALA 29365
1873 1873	46 46		14 14	94 94		16530 16525		18	06	954 914		HELLER HILL	1107	ALA 24325 US 539161
1873	46		14	94	6433	16535	NOME			966	R	PEGAU	W9	ALA 32705
1873 1873	46 46		14 14	94 94		16521 16535				968 966		PEGAU PEGAU	24868 W9	GWA GWA
1873	46		14	9u	6433	16535	NOME	06	08	966	R	PEGAU	¥8	GWA
1873 1873	46 46		14 14	94 94		16525 16525				929 929		THORNTON THORNTON	609 610	US 1438551 US 1438552
1073	46		14	9u	6430	16525	NOME	21	06	929	Ċ	THORNTON	605	US 1438551
1873 1873	46 46		14 14	95 96			GOLOVIN Egavik					ANDERSON ROUSE	1422B 12	TSC 255881 ALA 2049
1873	46		14	96	6402	16055	EGAVIK	11	08	931	с н	ROUSE	12	ALA 25454
1873 1873	46		14 14	95 95			EGAVIK Egavik	11	08	931	сч	ROUSE	21 21	ALA 2039 ALA 25456
1873	46 45		14	96			EGAVIK					ROUSE	20	ALA 2079
1873	46		14	96	6402	16055	EGAVIK	11	08	931	с ч	ROUSE	20	4LA 25440
1873 1873	46 46		14 14	100			GOLDSTREAM CR GOLDSTREAM CR					ARGUS Argus	400 440	ALA 22445 Ala 4739
1873	46		14	100	6452	14747	COLLEGE	05	07	957	G ₩	ARGUS	1004	ALA 06800
1873 1873	46 46		14 14	100			GOLDSTREAM CR College					ARGUS Argus	440 1094	GWA GWA
1673	46		14	100	6452	14747	COLLEGE	07	07	966	GW	ARGUS	5105	SWA
$\frac{1873}{1873}$	46 46		14 14	100 100			COLLEGE Chena River	07	07	966	G₩	ARGUS Shith	5104	GWA Ala 10747
1873	46		14	100	6452	14747	COLLEGE	06	06	967	L A	VIERÉCK	820 L	GWA
1873	46 46		14 14	101			BIG DELTA FACLE CR. CAMP	03	07	961	R	HERRICK Trent	966	ALA 18535
1873 1873	46		14	104 110			EAGLE CR CAMP Imuruk L					SIEN	965	ALA 32691 ISC 255897
1873	46		14	111	ь516	16622	TELLER	06	08	949	E	SCAMMAN	5450	5H
1873 1873	46 46		14 14	$\frac{11}{113}$			PORT CLARENCE Kotzebje	11	08 08	901 966	G ₩	WALPOLE ARGUS	1674 5979	US 378786 GWA
1873	46		14	113	ь655	16231	KOTZEBJE	17	08	951	E	SCAMMAN	6442	6H
1873 1673	46 46		14	113 128	670A	16345	KOTZEBJE CA KRUSENSTERN					WELSH SHACKLETTE	5733	SWA US 2388069
			-						2.					

TAXON	SPC	s v	нта	PROV	UUAD	LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO HERS + NO
1873	46			14	128	6708	16345	CA KRUSENSTERN	12 07	960 H T SHACKLETTE	6503 MICH
1873	46			14	129			OGOTORUK CR		959 A ¥ JOHNSON	585 GWA
1873	46			14	129			OGOTORUK CR		959 A W JOHNSON	451 GWA
1873 1873	46 46			14	129 129			OGOTORJK CR Dgotorjk cr		959 A W JOHNSON 959 A W JOHNSON	648 GWA 98 GWA
1873	46			14	129	6810	16540	DGDTDRUK CR	30 06	959 A ¥ JOHNSON	236 GHA
1873	46			14	129			DGOTORUK CR		959 A W JOHNSON	445 GWA
1873 1873	46			14 14	129 129			OGOTORUK CR Ogotoruk Cr	31 07	959 A W JOHNSON 959 A W JOHNSON	587 GWA 153 GWA
1873	46			14	129			OGOTORJK CR		959 A W JOHNSON	585 ALA 9176
1873	46			14	129	6810	16540	OGOTORUK CR	23 07	959 A ¥ JOHNSON	451 ALA 9172
1873	46			14	129			OGOTORJK CR		959 A V JOHNSON	648 ALA 9169
1873 1873	46 46			14 14	129 129	6810	16540	DGDTDRJK ČR Ogotorjk čr	22 06 30 06	959 A ¥ JOHNSON 959 A ¥ JOHNSON	98 ALA 9196 236 ALA 9200
1673	46			14	129			OGOTORJK CR		959 A ¥ JOHNSON	153 ALA 9195
1873	46			14	129	6810	16540	OGOTORJK CR	24 06	959 A W JOHNSON	153 ALA 16269
1873 1873	46 46			14 14	129 129			OGOTORUK CR Ogotoruk cr	22 07 31 07	959 A ¥ JOHNSON 959 A ¥ JOHNSON	445 ALA 9202 597 ALA 9170
1873	46			14	129			DGDTORUK CR	15 08	960 L A VIERECK	4596 ALA 13239
1873	46			14	130	6852	16430	PITMEGEA R	27 05	957 J F CANTLON	57303 GH
1673	45			14	131			LAKE NOLUK	25 07	950 L A SPETZMAN	4278 NA 319188
1873	46 46			14 14	131 133			NOLUCK LAKE Kurupa Lake	26 07 14 07	950 L A SPETZMAN 952 A HODGDON	4278 NA 319188 8417 GH
1873	46			14	136			DLD JOHN LAKE		957 S & SHETLER	1107 GWA
1873	46			14	138	6950	14220	NUVAGAPAK PT	09 08	966 G W ARGUS	5885 GWA
1873 1873	46 46			14 14	138 138			NUVAGAPAK PT NUVAGAPAK PT	09 08 09 08	966 G ¥ ARGUS 966 G ¥ ARGUS	5922 GWA 5884 GWA
1873	46			14	138			NUVAGAPAK PT	09 08	966 G W ARGUS	5923 GWA
1873	46			14	138			NUVAGAPAK PT	09 08	966 G # ARGUS	5881 GWA
1673	46			14	138	6950	14220	NUVAGAPAK PT		966 G ¥ ARGUS	5883 GWA
1673 1673	46 46			14 14	$138 \\ 139$			NUVÅGÅPAK PT Sadlerochit R	09 08 17 08	966 G ¥ ARGUS 948 L ∧ SPETZMAN	5888 SWA 1175 UG 2052285
1873	46			14	141		15200			949 L A SPETZMAN	1175 US 2032295 2635 US 2032772
1873	46			14	141		15210		28 07	966 Y SUDA	26866 GWA
1873	46			14	141		15210		28 07	966 Y SUDA	GWA
1673 1673	46			14 14	145 145	6902	16350	CAPE BEAUFORT	23 07 23 07	966 G W ARGUS 966 G W ARGUS	5430 GWA 5431 GWA
1873	46			14	145			CAPE BEAUFORT	23 07		5432 GWA
1673	46			14	145	6902	16350	CAPE BEAUFORT	23 07		54?7 GWA
1873 1873	46 46			14 14	145 145			CAPE BEAUFORT	23 07 23 07	966 G # ARGUS	5428 GWA
1873	46			14	145	6902	16350	CAPE BEAUFORT CAPE BEAUFORT	23 07	966 G # ARGUS 966 G # ARGUS	5429 GWA 5394 GWA
1873	46			14	145	6902	16350	CAPE BEAUFORT	23 07	966 G # ARGUS	5395 GWA
1873	- 46			14	146			WAINWRIGHT	04 08	938 J P ANDERSON	4356 JSC 255889
1873 1873	46 46			14 14	147 147			MEADE RIVER PO MEAOE RIVER PD		966 G ¥ ARGUS 966 G ¥ ARGUS	5298 SWA 5293 GWA
1873	46			14	147			MEADE RIVER PO		966 G ¥ ARGUS	5295 GWA
1873	46			14	147	7030	15730	MEADE RIVER PO	16 07	966 G W ARGUS	52R6 GWA
1873	46			14	147			MEADE RIVER PO		966 G W ARGUS	5289 GWA
1873 1873	46 46			14 14	147 147			MEADE RIVER PO MEADE RIVER PO	16 07 16 07	966 G ¥ ARGUS 966 G ¥ ARGUS	5296 GWA 5288 GWA
1673	46			14	147	7030	15730	MEADE RIVER PO	16 07	966 G W ARGUS	5292 SWA
1873	46			14	147			MEADE RIVER PO		966 G ¥ ARGUS	5291 GWA
1873 1673	46 46			14 14	147 147			MEADE RIVER PO MEADE RIVER PO		966 G W ARGUS 966 G W ARGUS	5294 GHA 5287 GHA
1873	46			14	147			MEADE RIVER PO		966 G W ARGUS	5290 GHA
1873	46			14	147	7048	15815	PEARL BAY	05 OB	947 R F BLACK	57F ISC 255890
1873	46			14 14	152			BARTER ISLAND		966 G W ARGUS	5867 GWA
1873 1873	46 46			14	152 152			BARTER ISLAND BARTER ISLAND	07 08 07 08	966 G ¥ ARGUS 966 G ¥ ARGUS	5866 GWA 5871 SWA
1873	46			14	153			POINT BARROW	22 06		29 05
1873	46			14	153			BARROW	31 07	950 J THOMAS	2134 US 2312570
1873	46			14	153	7119	15643	BARROW	31 07	950 J THOMAS	2134 64
49	1 6	ALAL		AR+ GI	LAUCA						
1873	щQ	0 1		7	133	6931	13348	RICHARDS IS	10 07	957 ¥ J CODY	9988 340 32690
1873		ŏ i		7	375			THEKULTHILI L	11 08		3049 CAN 275156
1873	49	0 1	L	14	11	5822	13600	GLACIER BAY	29 08	921 # 5 COOPER	MIN
1873 1873	49	01		14 14	11 11	5822	13600	GLACIER BAY GLACIER BAY		929 # 5 COOPER 929 # 5 COOPER	5.N. MIN Min
1873		0 1		14	28			POPOF ISLAND		941 L J COLE	5.N. ISC 256583
1873	49	0 1	L	14	34	5746	15312	TERROR BAY	16 08	950 W K CLARK	150 256402
1873		0 1		14	36			ISLAND LAKE		949 K A RAUP	207 150 219355
1873 1873	49	01		14 14	36 39			UGASHIK Cape Peirce	25 07 13 6	967 D STREUBEL 970 L DICK	5.N. ALA 34730 109 GWA
1873	49	1	L	14	39			CAPE PEIRCE		970 L DICK	362 GWA
1873	49	01		14	41	5852	15703	KVICHAK RIVER	05	936 G M JONES	9257 ISC 146447
1873		01		14	43			PORT VITA		945 W J EYERDAM	5+N+ 15C 256404
1673 1873		01		14	43 52			PORT VITA Becharof Lake		946 W J EYERDAM 949 K A RAUP	5.N. ISC 256403 160 JSC 219354
1873	49	0 1		14	67	6141	14148	RUSSELL GL		967 R W SCOTT	1823 SWA
1873		0 1		14	67			SKOLAT VALLEY		967 R W SCOTT	1714 GWA
1875 1673		01		14 14	67 69	ы 5155	14220	SKOLAI RIVER Tahneta pass		967 R ¥ SCOTT 967 V L HARMS	1610 SHA 6092 Ala 34634
1873		0 1		14	69			MATANUSKA VY	50 00	940 L J PALMER	418 ALA 5219
1873	49	1		14	71	6155	15425	HEAD OF BIG R.		950 W 4 DRURY	4144 CAN
1873 1873	49 49	1		14			15915 15930	RUSSIAN MISS+		940 # H DRURY	1739 CAN 1803 CAN
1673	49	1		14	73		15930			949 W H DRURY 949 W H DRURY	1493 (AN 1492 (AN
	.,				-						

-

TAXON	SPC 5 V НҮВ	PROV				LOCALITY	DATE		ECTOR NAME		
1873	49 1	14	73	6134	15934	ANIAK ANIAK UNALAKLEET PASTOLIK PASTOLIK PASTOLIK NOME NOME NOME NOME NOME OEXTER CREEK	18 6	949 W H	ORURY	1509	CAN
1873 1873	49 1 49 0 1	14 14	73 91	6137	15930	ANIAK UNALAKI FET	18 6	949 W H	DRURY RAL MER	1508	CAN Ala 2031
1873	49 0 1	14	92	6302	16318	PASTOLIK	19 07	931 C H	ROUSE	30	GWA EOST
1873 1873	4901 4901	14 14	92 92	6302 6302	16318	PASTOLIK PASTOLIK	19 07	931 C H 931 C H	RÓUSE RÓUSE	30 27	ALA 2040 Ala 29318
1873	4901 4901	14	94	6430	16530	NOME	24 08	938 J P	ANDERSON	5002	150 256535
1673 1673	49 0 1	14 14	94 94	6434	16533	NOME	02 07	929 R 968 R	PEGAU	19868	SWA
1873 1873	4901 4901	14 14	94 94	6435	16538	NOME	21 08	966 R	PEGAU	#10	GWA
1873	49 D 1	14	94	6435	16520	DEXTER CREEK	07 08	965 R	PEGAU	w19	SWA
1873 1873	4901 4901	14 14	94 95	6435 6433	16538	NOME GOLOVIN	21 08	966 R 936 J P	PEGAU Anderson	W10 3424	ALA 32704 TSC 256586
$1873 \\ 1873$	4901 4901	14 14	96 111	6402	16055	EGAVIK	21 08	929 W P	MILLER	245C	ALA 2021 ISC 256413
1873	4901	14	111	6511	16533	DUCK CREEK	18 07	968 R	PEGAU	27368	GWA
1873 1873	4901 4901	14 14	113 113	6655 6655	16231	KOTZEBJE	11 08	966 G W 966 G W	ARGUS	5975	GWA GWA
1873 1873	4901 4901	14 14	113 113	6655	16231	KOTZEBUE	11 08	966 G W	ARGUS	5978	SWA
1873	4901	14	113	6655	16240	KOTZEBJE	09 07	966 S L	WELSH	5734	GWA
1873 1873	4901 4901	14 14	$114 \\ 114$	6617	16153	CHORIS PEN CHORIS PEN	15 09	931 C H 931 C H	ROUSE	10 10	ALA 25439 Ala 2050
1873	4901 4901	14 14	120 126	6709	14140	PORCUPINE R	12 08	961 F C	DEAN	21	ALA 34719
1673 1673	4901	14	128	6744	16432	KIVALINA	20 06	960 A	BUCKNELL	134	ALA 26587
1873 1873	49 D 1 49 D 1	14 14	129 129	6853 6806	16613 16545	CAPE LISBURNE OGOTORUK CREEK	07 08	938 J P 966 G W	ANDERSON Argus	4498 5959	TSC 256555 GWA
1873	49 0 1	14	129	6806	16545	NOME NOME DEXTER CREEK NOME GOLOVIN EGAVIK TELLER DUCK CREEK KOTZEBJE KOTZEBJE KOTZEBJE KOTZEBJE CHORIS PEN PORCUPINE RONION PORTAGE KIVALINA CAPE LISDURNE OGOTORUK CREEK COGOTORUK CREEK OGOTORUK CREEK	11 08	966 G W	ARGUS	5950	SWA
1873 1873	4901 4901	14 14	129 129	6808 6808	16600 16540	CAPE THOMPSON OGOTORJK CREEK	10 07	960 L H 959 A W	HELSON Johnson	878 41	ALA 28687 Gwa
1873 1873	49 8 1 49 6 1	14 14	129 129	6808 6808	16540	OGOTORUK CREEK	25 06	959 A W	JOHNSON	168	GWA GWA
1873	49 0 1	14	129	680B	16540	OGOTORUK CREEK	05 08	959 A W	JOHNSON	610	GWA
1673 1673	4901 4901	14 14	129 129	0000	10240	OGOTORJK CREEK OGOTORJK CREEK	0.0 07	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	001113014	643	6 # A 9 # A
1673	49 0 1	14 14	129 129	6806	16545	OGOTORUK CREEK	05 07	959 A W	JOHNSON	303	3WA Ala 16270
1873 1873	4901 4901	14	129	6808	16540	OGOTORJK CREEK	20 06	5 959 A ¥	JOHNSON	41	ALA 9197
1873 1873	4901 4901	14 14	129 129	6808 6808	16540	DGOTORUK CREEK DGOTORUK CREEK	05 07	959 A ¥ 959 A ¥	JOHNSON	303 168	ALA 9194 Ala 9190
1673	49 0 1	14	129	6808	16540	OGOTORUK CREEK	25 06	959 A ¥	JOHNSON	170	ALA 9189 ALA 16271
1873 1873	4901 4901	14 14	129 129	6808 6808	16540	OGOTORUK CREEK	05 08	959 A W	JOHNSON	610	ALA 10271 ALA 9192
$1873 \\ 1873$	4901 4901	14 14	129 129	6808	16540	OGOTORUK CREEK	20 06	959 A H	JOHNSON JOHNSON	41 610	ALA 26694 ALA 26715
1673	4901	14	129	6808	16540	OGOTORUK CREEK	13 06	961 K	JONES	5	ALA 25076
1673 1873	4901 4901	14 14	129 129	6816 6816	16535	KUKPUK RIVER	04 08	963 H 9 963 H 9	MELCHIOR	549	GWA Swa
1673 1873	4901 4901	14 14	129 129	6816 6816	16535	KUKPUK RIVER	04 08	963 H P	MELCHIOR	548 544	GWA Gwa
1873	49 0 1	14	129	ь817	16532	ANGMAKROG MT	25 07	960 H P	MELCHIOR	168	ALA 17811
1873 1873	4901 4901	14 14	129 129	6845	16600	UKINYAK CREEK	30 07	960 L A 960 L A	VIERECK	44116	ALA 13230 Ala 13229
1673	4901 4901	14 14	129	6815	16528	KUKPUK RIVER	22 08	960 L A	VTERECK	4 256	ALA 13237 ALA 13229
1673	49 0 1	14	136	6810	14530	ARCTIC VILLAGE	24 06	965 V L	HARMS	3795	ALA 32567
$1873 \\ 1873$	4901 4901	14 14	137 137	6822 6840	14355	SHEENJEK R SHEENJEK R	23 06	956 B	KESSEL KESSEL	5668 51690	ALA 5053 Ala 3678
1873	4901	14	141	6923	15210	UMIAT	29 07	966 Y	SUDA	27166	GWA
1673 1873	4901 4901	14 14	$141 \\ 141$	ь923 6923	15210	UNIAT	29 07	966 Y	SUDA	27766	GFA
1873 1873	4901 4901	14 14	141 142	6923 6952	15210	DGOTORJAK CREEK DGOTORJAK CREEK OGOTORJAK CREEK DGOTORJAK CREEK OGOTORJAK CREEK OGOTORJAK CREEK KUKPUK RIVER KUKPUK RIVER KUKPUK RIVER KUKPUK RIVER KUKPUK RIVER KUKPUK RIVER ANGMAKROS MT UKINYAK CREEK UKINYAK RIVER ARCTIC VILLAGE SHEENJEK R UMIAT UMIAT UMIAT IKPIKPUK IKPIKPUK IKPIKPUK IKPIKPUK IKPIKPUK IKPIKPUK READE RIVER KAOLAK R POINT LAY CAPE REAUFORT	29 07	966 Y 947 R F	SUDA Black	27266 5.N.	G#A 150 256553
1873	49 0 1	14	142	6952	15350	IKPIKPUK	04 05	947 R -	BLACK	5.N.	15C 256551 15C 256563
1873 1873	4901 4901	14 14	142 142	6942	15450	IKPIKPUK R	10 07	959 0 W	GEIST	A	ALA 29310
1873 1873	4901 4901	14	143 143	695 3 6956	15708	MEADE RIVER KAOLAK R	22 07	960 0 W 958 S	GEIST SHU5HAN	5.N.	ALA 27726 WIS
1873	49 0 1	14	145	6946	16303	POINT LAY	06 08	938 J P	ANDERSON	4469 5554	TSC 256554
1873 1873	4901 4901	14 14				CAPE REAUFORT	24 07	7966 G ¥	ARGUS		GWA GWA
1873	4901 4901	14 14	145	6902	16350	CAPE BEAUFORT	24 107	7966 G W 7966 G W	ARGUS		SWA RWA
1673	49 0 1	14	145	6902	16350	CAPE BEAUFORT CAPE BEAUFORT	24 0	966 G W 966 G W	ARGUS	5492	G¥A
1673 1873	4901 4901	14 14	145	6902	16350	CAPE BEAUFORT	24 0	7966 G ¥	ARGUS		GWA GWA
1873	4901 4901	14 14				CAPE BEAUFORT	25 07	966 G W 966 G W	ARGUS		GWA GWA
1875	49 0 1	14	145	6902	16350	CAPE BEAUFORT	28 07	7966 G W	ARGUS	5693	GWA .
1873 1873	4901 4901	14 14	145 145	6902 6902	16350	CAPE BEAUFORT CAPE BEAUFORT	27 01	7 966 G W 7 966 G W	ARGUS	5575	GWA GWA
1873 1873	49 0 1 49 0 1	14 14	145	6902	16350	CAPE REAUFORT	27 01	7 966 G W 7 966 G W	ARGUS		gwa gwa
1873	49 0 1	14	145	6902	16350	CAPE BEAUFORT	24 01	7 966 G ¥	ARGUS	54 36	SWA
$1873 \\ 1873$	4901 4901	14 14				CAPE BEAUFORT CAPE BEAUFORT	24 01 25 01	7966 G ¥ 7966 G ¥	ARGUS Argus		SWA SWA
1673 1673	4901 4901	14 14	145	6902	16350	CAPE BEAUFORT KOKOLIK R	24 07	7 966 G W 3 947 R F	ARGUS	5438	GWA 15C 256689
1873	4901	14	145			KOKOLIK R	30 08	3 947 R -	BLACK		TSC 256590

TAXON SPC 5 V HYB	PROV QUAD LA	T LONG LOCALITY	DATE COLLECTOR NAME	COL NO HERB + NO
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	B 15945 AVALIK R B 15945 AVALIK R D 15730 MEADE RIVER D 15730 MEA	17 08 959 0 ¥ GEIST 17 07 966 G ¥ ARGUS 14 07 966 G ¥ ARGUS 15 07 966 G ¥ ARGUS 15 07 966 G ¥ ARGUS 17 07 966 G ¥ ARGUS 14 07 966 G ¥ SUDA 17 07 966 Y SUDA 17 07 966 Y SUDA 15 07 966 Y SUDA 15 07 966 Y SUDA 14 07 966 Y SUDA	5.N. ALA 28138 5.N. ALA 27995 5113 GMA 5191 GMA 5261 GMA 5266 GMA 5201 GMA 5201 GMA 5201 GMA 5201 GMA 5201 GMA 5201 GMA 5203 GMA 5203 GMA 5203 GMA 5194 GMA 5194 GMA 5194 GMA 5195 GMA 5195 GMA 5.N. ALA 28950 12 ALA 27353 5 ALA 27354 5 ALA 27354 5 ALA 2735
49 2 GLAUCA V	AR+ ACUTIFOLIA			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 13627 THREEGARDSWAM 5 13630 INSPECTOR CREE 1 13632 NADAHIVI RIVER 0 13330 INUVIX 0 12902 0 GRADY LAKE 5 11418 YELLOWKNIFE 8 12405 S. NAMANNI R. 4 14050 MT PAGE 2 13845 CROW FLATS 9 13949 SAM LAKE 2 13840 BARN MTS 0 13907 BABBAGE RIVER 6 13807 KING POINT 5 14100 RAMPART HOUSE 5 14200 RAMPART HOUSE 5 1400 RAMPART HOUSE 5 1400 RAMPART HOUSE 5 1400 R	2 13 7 967 6 # ARGUS 29 6 970 S WELSH 25 07 967 # J CODY 23 08 927 H RAUP 24 6 970 S COTTER 5 7 970 S WELSH 14 6 970 S WELSH 30 6 970 S WELSH 30 6 970 S WELSH 37 970 S WELSH 37 970 S WELSH 37 970 S WELSH 37 970 S WELSH 15 7 970 S WELSH 17 08 954 J BUCKLEY 11 06 951 C COAN 932 BEAUCHAMP BEAUCHAMP 22 06 966	10664 0TF 1213 10510 0TF 1203 10038 0TF 1203 10038 0TF 1202 101964 0TF 1214 5.N. 6WA 5.N. 6WA 5.N. 6LA 5023 427 5WA A 523 5564 6WA 250598 6WA 3465 TSC 256565 4105 TSC 256565 4105 TSC 256569 9313 TSC 256576 9313 TSC 256576 9313 TSC 256576

t i

1473 49 0 2 12 40 6047 13735 PINE CREEK 17 66 944 H RAUP 11877 ALA 19 1873 49 0 2 12 40 6047 13735 PINE CREEK 23 06 944 H RAUP 11877 ALA 19 1873 49 0 2 12 40 6047 13738 ALSEK RIVER 24 06 944 H RAUP 11866 ALA 19 1873 49 0 2 12 41 6043 13503 WHITEHORSE 31 07 944 P ANDERSON 9606 ISC 250 1873 49 0 2 12 41 6043 13503 WHITEHORSE 31 07 944 P ANDERSON 9606 ISC 266 66 A ALA ALA 1873 49 0 2 12 41 6059 13510 DAVENON RO	0
1673 49 0 2 12 40 6047 13735 PINE CREEK 23 66 944 H RAUP 130A0 ALA 19 1873 49 0 2 12 40 6047 13741 BEAR CREEK 10 06 948 H RAUP 130A0 ALA 19 1873 49 0 2 12 40 6045 13738 ALSEK RIVER 24 06 944 H RAUP 11866 ALA 19 1873 49 0 2 12 41 6043 13503 HITEHORSE 932 BEAUCHAMP ALA 14 1873 49 0 2 12 41 6034 13503 MITEHORSE 932 BEAUCHAMP ALA 14 1873 49 0 2 12 41 6034 13433 NE END 08 60 J ACADER 24923 6WA 1873 49 0 2 12 41	775
1873 49 0 2 12 41 6043 13503 MHITEHORSE 31 944 J ANDERSON 9676 ISC 286 1873 49 0 2 12 41 6043 13503 MHITEHORSE 932 BEAUCHAMP ALA 1873 49 0 2 12 41 6023 13449 MINTO 932 BEAUCHAMP ALA 1873 49 0 2 12 41 6031 13503 MHITEHORSE 90 J A CALDER 24923 GWA 1873 49 0 2 12 41 6043 13503 MHITEHORSE 10 08 943 H RAUP 11383 ALA 19 1873 49 0 2 12 41 6043 13503 MHITEHORSE 19 08 943 H RAUP 11138 ALA 19 1873 49 0 2 12 42 6022 13351 LTL LTL 11 10 <td>480</td>	480
1873 49 0 2 12 41 6043 13503 MHITEHORSE 31 944 J ANDERSON 9676 ISC 286 1873 49 0 2 12 41 6043 13503 MHITEHORSE 932 BEAUCHAMP ALA 1873 49 0 2 12 41 6023 13449 MINTO 932 BEAUCHAMP ALA 1873 49 0 2 12 41 6031 13503 MHITEHORSE 90 J A CALDER 24923 GWA 1873 49 0 2 12 41 6043 13503 MHITEHORSE 10 08 943 H RAUP 11383 ALA 19 1873 49 0 2 12 41 6043 13503 MHITEHORSE 19 08 943 H RAUP 11138 ALA 19 1873 49 0 2 12 42 6022 13351 LTL LTL 11 10 <td>470</td>	470
1873 49 0 2 12 41 6043 13503 MHITEHORSE 31 944 J ANDERSON 9676 ISC 286 1873 49 0 2 12 41 6043 13503 MHITEHORSE 932 BEAUCHAMP ALA 1873 49 0 2 12 41 6023 13449 MINTO 932 BEAUCHAMP ALA 1873 49 0 2 12 41 6031 13503 MHITEHORSE 90 J A CALDER 24923 GWA 1873 49 0 2 12 41 6043 13503 MHITEHORSE 10 08 943 H RAUP 11383 ALA 19 1873 49 0 2 12 41 6043 13503 MHITEHORSE 19 08 943 H RAUP 11138 ALA 19 1873 49 0 2 12 42 6022 13351 LTL LTL 11 10 <td>771</td>	771
1673 49 0 2 12 41 6043 13503 WHITEHORSE 932 BEAUCHAMP ALA 1673 49 0 2 12 41 6023 13449 MINTO 932 BEAUCHAMP ALA 1873 49 0 2 12 41 6034 13433 NIE END MARSH 10 06 960 J A CALDER 24923 GMA 1873 49 0 2 12 41 6034 13433<	575
1873 49 C 2 12 41 6059 13510 DAWSON RD M13 01 06 960 J & CALDER 24874 GWA 1873 49 C 2 12 41 6034 13433 NW END MARSH L 02 06 960 J & CALDER 24874 GWA 1873 49 C 2 12 41 6043 13433 NW END MARSH L 02 06 960 J & CALDER 24923 GWA 1873 49 C 2 12 41 6010 13442 CARCROSS 19 09 943 H RAUP 11138 ALA 19 1873 49 C 2 12 42 6022 13351 LTL ATLIN L 19 08 943 H RAUP 11476 ALA 19 1873 49 C 2 12 42 6022 13351 LTL ATLIN L 19 08 943 H RAUP 11476 ALA 19 1873 49 C 2 12 402 6032 132	524
1673 49 0 2 12 41 6034 13433 NM END MARSH L 02 06 96 J A CALDER 24923 GWA 1873 49 0 2 12 41 6043 13503 WH TEHORSE 10 08 943 H RAUP 11138 ALA 19 1873 49 0 2 12 41 6010 13442 CARCROSS 19 08 943 H RAUP 11138 ALA 19 1873 49 0 2 12 42 6022 13351 LTL <atlin< td=""> L 13 08 943 H RAUP 11428 ALA 19 1873 49 0 2 12 42 6022 13351 LTL<atlin< td=""> L 19 08 943 H RAUP 11476 ALA 19 1873 49 0 2 12 42 6022 13351 LTL<atlin< td=""> 19 08 943 H RAUP</atlin<></atlin<></atlin<>	521
1673 490 2 14 41 5842 15639 KING SALMON 19 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 963 # JEYERDAM 5804 1520 PORT VITA 10 90 # JEYERDAM 1945 152 256 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 55 6130 14300 KENNICOTT GL 06 957 L VI	
1673 490 2 14 41 5842 15639 KING SALMON 19 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 963 # JEYERDAM 5804 1520 PORT VITA 10 90 # JEYERDAM 1945 152 256 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 55 6130 14300 KENNICOTT GL 06 957 L VI	774
1673 490 2 14 41 5842 15639 KING SALMON 19 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 963 # JEYERDAM 5804 1520 PORT VITA 10 90 # JEYERDAM 1945 152 256 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 55 6130 14300 KENNICOTT GL 06 957 L VI	
1673 490 2 14 41 5842 15639 KING SALMON 19 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 963 # JEYERDAM 5804 1520 PORT VITA 10 90 # JEYERDAM 1945 152 256 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 55 6130 14300 KENNICOTT GL 06 957 L VI	568 755
1673 490 2 14 41 5842 15639 KING SALMON 19 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 963 # JEYERDAM 5804 1520 PORT VITA 10 90 # JEYERDAM 1945 152 256 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 55 6130 14300 KENNICOTT GL 06 957 L VI	754
1673 490 2 14 41 5842 15639 KING SALMON 19 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 963 # JEYERDAM 5804 1520 PORT VITA 10 90 # JEYERDAM 1945 152 256 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 55 6130 14300 KENNICOTT GL 06 957 L VI	761
1673 490 2 14 41 5842 15639 KING SALMON 19 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 963 # JEYERDAM 5804 1520 PORT VITA 10 90 # JEYERDAM 1945 152 256 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 55 6130 14300 KENNICOTT GL 06 957 L VI	
1673 490 2 14 41 5842 15639 KING SALMON 19 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 963 # JEYERDAM 5804 1520 PORT VITA 10 90 # JEYERDAM 1945 152 256 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 55 6130 14300 KENNICOTT GL 06 957 L VI	565
1673 490 2 14 41 5842 15639 KING SALMON 19 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 952 # 8 SCHOFTELT 2259 6wA 1873 490 2 14 43 5804 15304 PORT VITA 10 07 963 # JEYERDAM 5804 1520 PORT VITA 10 90 # JEYERDAM 1945 152 256 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 52 5907 15648 MULCHATNA R VY 2107 965 V HARMS 4400 4LA 32 1873 490 2 14 55 6130 14300 KENNICOTT GL 06 957 L VI	
1873 49 0 14 43 5904 15304 PORT VITA 10 07 94 M J EFERDAM 5.4 ISC 256 1873 49 0 2 14 43 5804 15304 PORT VITA 10 07 94 M J EFERDAM 1945 ISC 256 1873 49 0 2 14 43 5804 15304 PORT VITA 10 07 946 M J EFERDAM 1945 ISC 256 1873 49 0 2 14 52 5947 15648 MULCHATNA R VY 21 07 965 V L HAMS 4400 ALA 32 1873 49 0 2 14 55 5130 14300 KENTICOTT GL 06 08 957 L A VIERECK 2207 ALA 8 1873 49 0 2 14 55 6130 14300 KENTICOTT GL 06 08 957 L A VIERECK 2207 ALA 1873 49 0 2 14	
1873 49 0.2 14 43 5804 15304 PORT VITA 09 93 W.J. EYERDAM 1945 ISC 256 1873 49 0.2 14 52 5947 15648 MULCHAINA R VY 21 07 965 V.L. HARMS 4400 ALA 32 1873 49 0.2 14 52 5947 15648 MULCHAINA R VY 21 07 965 V.L. HARMS 4400 ALA 32 1873 49 0.2 14 55 6130 14300 KENNICOTT GL 06 08 957 LA VIERECK 2207 ALA 8 1873 49 0.2 14 55 6130 14300 KENNICOTT GL 06 08 957 LA VIERECK 2207 ALA 8 1873 49 0.2 14 55 6130 14300 KENNICOTT GL 06 08 957 LA VIERECK 2207 SMA 1873 49 0.2 14 </td <td>591</td>	591
1673 49 0 2 14 52 5947 15648 MULCHATNA R VY 21 07 965 V L HARMS 4401 ALA 32 1873 49 0 2 14 55 6130 14300 KENNICOTT GL 06 08 957 L A VIERECK 2207 ALA 8 1873 49 0 2 14 55 6130 14300 KENNICOTT GL 06 08 957 L A VIERECK 2207 GWA 1873 49 0 2 14 58 6145 14630 TAZLINA GL 19 07 957 L A VIERECK 2192 ALA 8	
1873 49 0 2 14 55 6130 14300 KENNICOTT GL 06 08 957 LA VIERECK 2207 ALA 8 1873 49 0 2 14 55 6130 14300 KENNICOTT GL 06 08 957 LA VIERECK 2207 5WA 1873 49 0 2 14 58 6145 14630 TAZLINA GL 19 07 957 LA VIERECK 2192 ALA 8	562
18/2 49 0 2 14 00 0142 14030 (ATTINA PC 14 0) 43/ C % IEVECV VIAC WCW P	412
	411
AGIN TENEN AT NO DATE TOAN NAME OFFICIENT OF UNITED TO TO TO THE TENEN	
1873 49 0 2 14 68 6145 14630 TAZLINA GL 19 07 957 LA VIERECK 2192 6WA 1873 49 0 2 14 68 6151 14519 Copper Center 01 08 967 LA VIERECK 8451 GWA	
1873 49 0 2 14 58 5133 14525 RICH HWY M70 01 08 967 L & VIERECK 4465 GWA	
1873 49 0 2 14 58 514511 WILLOW MT 01 08 957 L & VIERECK R451 GWA 1873 49 0 2 14 58 5159 14553 LTL NELCHINA R 09 07 958 5 L WELSH 8103 SWA	
1873 49 0 2 14 69 6157 14710 GLENN HWY MI28 14 06 944 J P ANDERSON A167 ISC 256	
1873 49 0 2 14 59 5113 14953 ANCHORAGE 14 06 947 DUTILLY 20009 ISC 256 1873 49 0 2 14 59 5113 14953 ANCHORAGE 30 06 947 DUTILLY 20520 ISC 256	
1873 49 0 2 14 59 5113 14953 ANCHORAGE 30 05 947 DUTILLY 20520 TSC 256 1873 49 0 2 14 59 5113 14953 ANCHORAGE 11 07 948 E LEPAGE 23461 TSC 256	
1873 49 0 2 14 59 6157 14710 GLENN HWY M128 22 05 947 E SCAMMAN 4522 GWA 1873 49 0 2 14 59 6148 14737 GLENN HWY M109 10 05 967 L A VIERECK 8212 GWA	
1873 49 0 2 14 59 6157 14710 GLENN HWY M128 28 06 965 5 L WELSH 4461 TSC 246	045
1873 49 2 14 71 6157 15436 BIG RIVER 19 7 950 W H DRURY 4323 FAN 1873 49 2 14 71 6158 15438 BIG RIVER 18 7 950 W H DRURY 4302 CAN	
1873 49 2 14 71 6158 15438 BIG RIVER 18 7 950 W H DRURY 4302 CAN 1873 49 2 14 71 6155 15430 HEAD OF BIG R+ 12 7 950 W H DRURT 4245 CAN	
1673 49 2 14 71 6155 15425 HEAD OF BIG R+ 10 7 950 W H DRURY 4220 CAN 1673 49 2 14 71 6155 15425 HEAD OF BIG R+ 10 7 950 W H DRURY 4219 CAN	
1873 49 2 14 71 6155 15425 HEAD OF BIG R. 10 7 950 W H DRURY 4219 CAN 1873 49 2 14 71 6155 15425 HEAD OF BIG R. 10 7 950 W H DRURY 4194 CAN	
1673 49 2 14 71 6155 15425 HEAD OF BIG R+ 10 7 950 W H DRURY 4193 CAN 1673 49 2 14 71 6155 15425 HEAD OF BIG R+ 9 7 950 W H DRURY 4020 CAN	
1673 49 2 14 71 6155 15425 HEAD OF BIG R+ 9 7 950 W H DRURY 4020 CAN 1673 49 2 14 71 6155 15425 HEAD OF BIG R+ 6 7 950 W H DRURY 3965 CAN	
1873 49 2 14 71 6153 15421 HEAD OF BIG R. 12 7 950 W H DRURY 4746 CAN	
1673 49 2 14 72 6146 15808 CANOE MT+ 6 7 949 W H DRURY 1822A CAN 1873 49 2 14 73 6134 15934 ANIAK 17 6 949 W H DRURY 1409 CAN	
1873 49 0 2 14 77 6259 16318 PASTOLIK 19 07 931 C H ROUSE 27 GWA 1873 49 2 14 50 6225 15350 FAREWELL 12 8 949 W H DRURY 2083 CAN	
1873 49 2 14 80 6225 15350 FAREWELL 12 8 949 W H DRURY 2983 CAN 1873 49 2 14 80 6232 15337 FAREWELL L+ 6 8 949 W H DRURY 2495 CAN	
1873 49 2 14 30 6233 15336 FAREWELL L+ 3 8 949 W H DRURY 2794 CAN 1873 49 2 14 80 6233 15337 FAREWELL L+ 2 8 949 W H DRURY 2276 CAN	
1673 49 2 14 80 6233 15337 FAREWELL L+ 2 8 949 W 4 DRURY 2276 CAN 1873 49 2 14 80 6230 15340 FAREWELL MT+ 8 8 949 W 4 DRURY 3043 CAN	
1873 49 2 14 80 6228 15350 FAREWELL 13 8 949 W H DRURY 3028 CAN 1873 49 2 14 80 6231 15353 FAREWELL 14 8 949 W H DRURY 2055 CAN	
1673 49 2 14 B0 6231 15353 FAREWELL 14 8 949 W H DRURY 2055 CAN 1673 49 2 14 B0 6235 15338 FAREWELL L+ 2 8 949 W H DRURY 2275 CAN	
1673 49 2 14 80 6233 15336 FAREWELL L+ 6 8 949 W H DRURY 2525 CAN	
1873 49 2 14 80 6258 15520 KUSKOKWIM R+ 2 9 949 W H DRURY 3291 CAN 1873 49 2 14 80 6258 15520 KUSKOKWIM R+ 2 9 949 W H DRURY 3289 CAN	
1873 49 0 2 14 83 6203 14631 GLENN HWY M152 12 07 946 J P ANDERSON 10176 15C 256 1473 49 0 2 14 83 6231 14528 RICH HWY M146 09 07 935 J P ANDERSON 2060 15C 256	579
1473 49 0 2 14 83 6231 14528 RICH HWY M146 09 07 935 J P ANDERSON 2060 15C 250 1873 49 0 2 14 83 6218 14518 GAKONA 18 06 944 J P ANDERSON 9502 ISC 250	
1673 49 0 2 14 83 6218 14518 GAKONA 18 06 944 J P ANDERSON 8503 TSC 250	
1673 49 0 2 14 83 6215 14525 GULKANA 19 06 957 G W ARGUS 1041 9WA 1873 49 0 2 14 83 6216 14523 GULKANA 932 BEAUCHAMP 13 ALA	522
1873 49 0 2 14 83 6330 14530 RAINBOW MT 17 07 965 V L HARMS 4156A 4LA 3	609
1873 49 0 2 14 83 6233 14528 SOUROOUGH CR 16 07 968 5 L WELSH 8263 6WA 1873 49 0 2 14 84 6252 14128 ALA HWY M1247 15 07 944 J P ANDERSON 9107 TSC 250	578
1873 49 0 2 14 84 6252 14128 ALA HWY M1247 17 07 944 J P ANDERSON 9182 ISC 250	593
1873 49 0 2 14 84 6252 14128 ALA HWY M1247 17 07 944 J P ANDERSON 9182 ISC 250 1873 49 0 2 14 84 6255 14332 BARTELL CREEK 25 06 944 J P ANDERSON 9750 ISC 250	594
1873 49 0 2 14 84 6230 14330 NABESNA RO 429 21 07 962 M SHARROCK ALA 21	404
1873 49 0 2 14 84 6253 14333 DEADMAN L CAMP 07 07 969 S L WELSH 7972 GWA 1873 49 0 2 14 85 6223 14321 TANACROSS 27 06 944 J P ANDERSON A793 TSC 250	573
1873 49 0 2 14 85 6223 14321 TANACROSS 27 06 944 J P ANDERSON 8790 75C 251	572
1873 49 0 2 14 85 6341 14215 MT FAIRPLAY 22 07 948 J P ANDERSON 10806 TSC 250 1873 49 0 2 14 85 6320 14236 TETLIN JCT 02 07 963 M BARTHOLOMEW 4463 ALA 25	685 1903
1873 49 0 2 14 85 6321 14233 TAYLOR HWY 42 29 06 963 M BARTHOLOMEW 3863 ALA 25	984
1873 49 0 2 14 85 6341 14213 TATLOR HWY M34 27 06 963 J NAVA 67 ALA 23	943
	941

TAXON	SPC	5	V НYВ	PROV	QUAD	LAT	LONG	LOCALITY	D	ITE	COLL	ECTOR NAME	COL NO	HERB	+ ND
1873	49	0	2	14	85	o332	14352	ALA HWY M1349	08	80	944 H V	RAUP	12743	ALA	19756
1873 1873	49 49			14 14	85 86			MT FAIRPLAY Rich Hwy #202	••		951 E	SCAMMAN	6254	GWA	256597
1873	49			14	86			RICH HWY M207			935 J P	ANDERSON	2129 10190	150	256580
1673 1873	49 49			14 14	86 86			RICH HWY M249 ISABELLA PASS	26	07	9YB J 🗖		10860		256686 256584
1873	49			14	86	6310	14530	PHELAN CREEK			957 6		1148	GINA	200084
1673 1673	49 49			14 14	86 86			PHELAN CREEK Phelan creek			957 6		1149 1147	GWA GWA	
1673	49			14	86			PHELAN CREEK			957 G		1145	GWA	
1873 1873	49 49			14 14	86 86			PHELAN CREEK	19	07	957 G 🕷	ARGUS	1144	GWA GWA	
1873	49	0	2	14	86	6340	14551	MCCALLUM CREEK DONNELLY DOME			957 6 P		1032 5739	GWA	
1873 1873	49 49			14 14	86 85			MT HAYES MT HAYES	21	07	933 L J	PALMER	456 630	ALA ALA	32150 5190
1873	49	0	2	14	86			MT HAYES	10	06	941 L J	PALMER	456	ALA	5635
1873 1873	49 49			14 14	86 86			NT HAYES NT HAYES		06	941 L J	PALMER	459 458	ALA	5625 5626
1873	49			14	86			HT HAVES	10	07	941 L . 97L L .	PALMER	643	ALA ALA	5193
1873 1873	49 49			14 14	86 86			ALA HWY M1380 Ala hwy M1380			944 H •	RAUP	12658 12760	ALA	19757 19764
1873	49	0	2	14	86			FIELDING LAKE	05	08	961 R	SPODNER	P83	ALA	19074
1873 1873	49 49			14 14	86 86			DONNELLY DOME Donnelly Dome				VIERECK	8332 5324	GWA GWA	
1873	49	Ð	2	14	86	6334	14551	RICH HWY M230	10	06	967 L A	VIERECK Viereck	8204	GWA	
1873 1873	49 49			14	86 86	6325	14545	DELTA RIVER BLACK RAPIDS G	26	06	966 L A	VIERECK	A017 2133	GWA GWA	
1873	49	0	2	14	86	6355	14548	8IG DELTA	24	06	965 S L	WELSH	4336	ISC	246879
1873 1873			2 2	14	87 87			HEALY HEALY				ANDERSON	5710 5710	150	27551 256414
1873	49	D	2	14	87			HEALY	23	07	939 J 🖻	ANDERSON	5762		256415
1873 1873	49 49			14 14	87			TEKLANIKA R			95b G		613	GWA	
1873	49			14	87 87			TEKLANIKA R Teklanika r			95b G +		612 635	GWA GWA	
1873	49	0	2	14	87	6340	14930	TEKLANIKA R	21	07	956 6 🕷	ARGUS	617	GWA	
1873 1873	49 49			14 14	87 87			IGLOO CREEK Cantwell	28	D7	956 G H	ARGUS	691 598	GWA GWA	
1673	49	0	2	14	87	6340	14930	TEKLANIKA R	21	07	95b G 🕷	ARGUS	613	ALA	4562
1873 1873	49			14 14	87 87			TEKLANIKA R TEKLANIKA R			956 G ¥		612 615	ALA	4760 4566
1873	49	0	2	14	87	6335	14935	IGLOD CREEK	28	07	956 G W	ARGUS	691	ALA	4907
1873 1873	49			14	87 87			CANTWELL MCKINLEY PARK	19	07	95b 6 ¥ 947	ARGUS Dutilly	598 20131	ALA	4908 256557
1873	49	0	2	14	67	6335	14940	SABLE PASS	29	06	954 G M	FROHNE	54252	ALA	21850
1873 1873	49			14 14	67 67		14858	HEALY Iglod Creek			950 D 959 A	HANSON Murie	56	ISC GWA	256567
1873	49	0	2	14	87	ь243	14912	MCK PK RD M7	19	07	950 A	MURIE	13	Ġ MA	
1873 1873	49			14 14	67 67			MCKINLEY PARK IGLOO CREEK	25	07	960 A 939 A	NELSON	11 3764	GWA ISC	256408
1873	49	Q	2	14	87	6331	14956	POLYCHROME PS	14	07	939 A	NELSON	3779	ALA	534
1873 1873	49 49	0	2 2	14 14	87 87			IGLOO CREEK Cantwell			939 A 921 L J	NELSON PALMER	3764 1943	ALA	531 5198
1873	49 49	Ο,	2	14	87	6244	14855	MCKINLEY PARK			940 L J	PALMER	421	ALA	5632
1673 1673	49			14 14	87 88		14902 15058	KANTISHNA	29	05	955 6 1	VIERECK Argus	R297 649	G⊮A G⊮A	
1673	49			14	88	6332	15058	KANTISHNA	25	07	956 G ⊭	ARGUS	651	G₩A	
1873 1673	49 49			14 14	88 86			KANTISHNA Toklat r			956 6 ¥		650 683	GWA GWA	
1873	49	0 ;	2	14	88	6330	15002	TOKLAT R	27	07	95b G 🕨	ARGUS	6A7	SWA	
1873 1573	49			14 14	88 88			HIGHWAY PASS Camp Eielson			956 G W		628 642	GWA GWA	
1673	49	0.	2	14	88	6332	15058	KANTISHNA	25	07	95b G 🕨	ARGUS	650	ALA	4739
1873 1873	49 49			14 14	88 88			KANTISHNA Toklat r	25	07	956 G H	ARGUS	651 683	ALA Ala	4962 4578
1673	49	0 ;	2	14	88	6330	15002	TOKLAT R	27	07	95b 🖬 🖛	ARGUS	683	ALA	22465
1673 1673	49 49			14 14	88 88			HIGHWAY PASS Mckinley bar	21	07	95b G H 967 J	ARGUS FOOTE	628 8427	ALA GWA	4734
1873	49	0.	2	14	8 5	6332	15058	KANTISHNA	16	07	939 A	NELSON	3822	1SC	256412
1873 1673	49			14 14	88 88			MCK PK RD 435 MCK PK RD 435			939 A 939 A	NELSON	7688 7691		256411 256410
1873	49	0	2	14	88	6330	15003	TOKLAT	10	08	939 A	NELSON	4094	ISC	256409
1673 1873	49 49			14 14	88 88			KANTISHNA MCK PK RD M35			939 A 939 A	NELSON NELSON	3822 3646	ALA	527 526
1873	49	D,	2	14	88	6232	15001	MCK PK RD M35	0B	07,	939 A	NELSON	3691	ALA	526
1873 1873	49 49 49	0	2	14 14	88 88			TOKLAT WONDER LAKE			939 A 939 A	NELSON NELSON	4094 3876	ALA ALA	529 530
1673 1673	49 49	0.	2	14 14	88 88	6324	15025	MULDRON GL MCKINLEY RIVER	28	08	939 A	NELSON	4272 3029	ALA GWA	515
1873	49	0.	2	14	88	6325	15050	MCKINLEY RIVER	30	06	958 L A	VIERECK	3119	G⊯A	
1873 1873	49 49			14 14	88 88	6327	15045	MCKINLEY RIVER MULDROW GL	05	07	950 L A	VIERECK	3157 3193	GMA GMA	
1873	49	0	2	14	86	6324	15025	MULDROW GL	10	07	958 L A	VIERECK Viereck	3179	6¥A	
1873 1873	49 49			14 14	68 86	6324	15020	THOROFARE R Wonder Lake	04	07	956 L 🌢	VIERECK	1095	GDA Ala	11605
1873	49	0	2	14	88	6326	15020	THOROFARE R	12	08	956 L A	VIERECK VIERECK	1713 1775	ALA	11619
1873 1873	49 49			14 14	88 68	6324	15020	THOROFARE R Thorofare R	04	07	956 L A	VIERECK VIERECK	1095 1098A	ALA	11617 3501
1873	49	0	5	14	68	6330	15002	TOKLAT R	22	07	965 S L	WELSH	4843	15C	247169
1873 1873	49		2 2	14 14	88 89			TOKLAT R Appel NT.			965 5 L 950 ¥ H		4861 4669		247201
1873	49			14	91	6352	16047	UNALAKLEET				ANDERSON			256581

TAXO	N SPC S V H	YB PROV QUA	D LAT LO	NG LOCALITY	DATE	COLLECTOR NAME	COI 410 - For	I L NA
1873 1873 1873	4902 4902 4902	14 91 14 91	6352 160	7 UNALAKLEET 7 UNALAKLEET R	10 08 92	SA J P ANDERSON 15 J L PALMER	5081 IS 1211 AL	2028
1873	49 0 2	14 92 14 92	6331 162	2 ST MICHAEL	19 06 93	B .I P ANDERSON	3449 150	256530
1873	49 D 2 49 D 2	14 92	6329 162	2 ST MICHAEL	14 07 93	B J P ANDERSON	31 AL/	256595
1673	49 D 2	14 92	6335 162	2 ST MICHAEL 30 STUART ISLAN	14 07 93 29 07 93	1 C H ROUSE	31 AL	25449
1873 1873	4902 4902	14 92 14 92	6335 1623	D STUART ISLAN	20 07 93	1 C H ROUSE	49 AL/	25437
1873	4902 4902	14 92	6335 162	D STURRT ISLAN	29 07 93	I C H ROUSE	24 AL	
1873	49 0 2	14 92	6535 162.	SU STUART ISLAN	29 07 93	1 C H ROUSE	25 AL	25463
1873 1873	4902 4902	14 92 14 94	6430 1631	8 PASTOLIK	19 07 93	1 C H ROUSE 1 C H ROUSE	25 4LA 30 ALA	2543A
1873 1873	4902 4902	14 94	6430 1652	5 NOME	23 06 92	9 W S MILLER	1072 ALA 1120 ALA	
1673	49 0 2	14 95 14 95	6458 1631 6458 1631	U ETCHEPUK R .0 ETCHEPUK R	02 09 96 02 09 96	6 R PEGAU	113 GUA	
1873 1873	4902 4902	14 97 14 97	6445 1565 6420 1584	7 GALENA	18 06 96	1 E L LITTLE, JR.	W13 ALA 14505 GWA	
1873 1873	4902 4902	14 97 14 97	6420 1584	3 KALTAG	04 07 93	I C H ROUSE	42 ALA 42 ALA	
1873	4902	14 98	6445 1553	O RUBY	04 07 93 03 07 93	I C H ROUSE I C H ROUSE	48 ALA 48 Swa	
1873	4902 4902	14 98 14 98	6445 1553 6445 1553	0 RUBT 0 RUBY	03 07 93	1 C H ROUSE	52 SWA	
1873 1873	49 D 2 49 D 2	14 98 14 98	6445 1553	D RUBY	03 07 93	1 C H ROUSE	46 GWA 48 ALA	25434
1873 1873	4902 4902	14 98 14 98	6445 1553	0 RUBY	03 07 93	1 C H ROUSE	52 ALA 32 ALA	
1873	49 0 2	14 98	6445 1553	O RUBY	03 07 93	1 C H ROUSE 1 C H ROUSE	48 ALA 46 ALA	2018
1873 1873	4902 4902	14 100 14 100	6447 1475 6453 1475	7 CHENA BLUFFS	16 06 95	i C + A ROUSE i C + A ROUSE i C + HEULER 9 W S MILLER 6 R PEGAU 6 R PEGAU 6 R PEGAU 1 C + A ROUSE 1 C A A ROUSE 1 C A A ROUSE 1 C A A ROUSE 1 G W A AROUS 7 G W A AROUS 7 G W A AROUS 7 G W A AROUS 6 G W A AROUS	363 GWA	
1873	4902 4902	14 100 14 100	6453 1475	7 CHENA 3LUFFS 0 COLLEGE 0 COLLEGE 0 COLLEGE 0 COLLEGE 0 COLLEGE 0 COLLEGE	09 06 95	7 G W ARGUS	1008 GWA 1009 GWA	
1873	49 0 2	14 100	6452 1475	0 COLLEGE	15 06 95	7 6 ¥ ARGUS 6 6 ¥ Argus	1005 GWA 342 GWA	
1873	4902	14 100 14 100	6452 1475 6452 1475	0 COLLEGE 0 COLLEGE	13 06 951	7 G W ARGUS	1019 GWA 1106 GWA	
1873	49 D 2 49 D 2	14 100 14 100	6452 1475	0 COLLESE D COLLESE	13 06 95	7 G W ARGUS	1106 GWA 1020 GWA	
1673 1873	4902 4902	14 100 14 100	6454 1475	COLLEGE	24 06 956	G W ARGUS	5107 SWA 436 SWA	
1873	4902	14 100	6454 1475 6454 1475	1 GOLDSTREAM CR	11 08 957 11 08 957	7 G W ARGUS 7 G W Argus	1174 GWA 1166 GWA	
1873	4902 4902	14 100 14 100	6454 1475 6454 1475	1 GOLDSTREAM CR 1 GOLDSTREAM CR	11 08 957	G W ARGUS	1163 GWA	
1873	4902 4902	14 100 14 100	6454 1475 6454 1475	GOLDSTREAM CR	11 08 957	G W ARGUS	1164 SWA 1169 SWA	
1873	49 0 2 49 0 2	14 100 14 100	6454 1475	GOLDSTREAM CR	11 08 957	G V ARGUS	1168 GWA 1165 GWA	
1873	49 0 2	14 100	6454 1475 6454 1475	L GOLDSTREAM CR L GOLDSTREAM CR	11 08 957 11 08 957	/ G ¥ ARGUS / G ¥ ARGUS	1167 GWA 1171 GWA	
1873 1873	4902 4902	14 100 14 100	6454 1475	D GOLDSTREAM CR	05 07 966	G W ARGUS	5089 SWA	
1873	4902 4902	14 100 14 100	6453 1475	SMITH LAKE	11 08 956	G ¥ ARGUS	5088 SWA 781 SWA	
1873	4902 4902	14 100 14 100	6453 1475	SMITH LAKE	13 06 956	G W ARGUS	311 GWA 287 GWA	
1873 1873	49 0 2	14 100	6453 1475	SMITH LAKE	14 06 956	G W ARGUS	298 GWA 297 GWA	
1873	49 D 2 49 D 2	14 100 14 100	6453 14750) COLLEGE) COLLEGE	09 06 957	G W ARGUS	1009 ALA	8408
1873	4902 4902	14 100 14 100	6452 14750	COLLEGE	15 06 956	6 W ARGUS	1005 ALA 342 ALA	16289 4511
1873 1873	49 D 2 49 D 2	14 100 14 100	6454 14750	COLLEGE	24 06 956	G W ARGUS	1019 ALA 436 ALA	16290 4523
1873	49 0 2	14 100	6453 14752	SMITH LAKE	11 08 956	G V ARGUS	781 ALA 287 ALA	4699 4518
1873 2873	4902 4902	14 100 14 100	6452 14750 6451 14752	COLLEGE	10 07 965	V L HARMS	3908 ALA	32660
1873 1873	4902 4902	14 100 14 100	6451 14743	FAIRBANKS	06 933	L J PALMER	87 ALA 154 GWA	27172
1873	4902 4902				00 933		193 ALA 140 ALA	5225 5273
1873	49 D 2	14 100	6451 14743	FAIRBANKS FAIRBANKS	06 933	L J PALMER	185 ALA 186 ALA	5278 5279
1873	4902	14 100	4481 14743	FAIRBANKS	06 933 73 733	L J PALMER	180 ALA	5277
1873	4902 4902	14 100 14 100	6443 14808 6453 14750	FAIRBANKS	08 09 966	L A VIERECK	8101 GWA	3275
1873	49 D 2 49 0 2	14 100	6452 14750 6410 14147	COLLEGE	10 05 959	L A VIERECK	8299 GWA 4807 GWA	
1873	4902	14 102	6410 14147	FRANKLIN	15 07 941	J P ANDERSON J P ANDERSON	7300 ISC	256407
1873	49022	14 102	6410 14147 6410 14147	FRANKLIN	10 07 941 15 07 941	J P ANDERSON	7142 4LA 7300 ALA	533 532
1873 1873	4902	14 102	6450 14340 6450 14340	CHARLIE RIVER Charlie River	29 08 956 31 08 956	G V ARGUS	866 GWA	JJE
1673 1673	49 0 <u>2</u> 49 0 <u>2</u>	14 102	6450 14340	CHARLIE RIVER CHARLIE RIVER	28 08 956	6 V ARGUS	876 GWA 861 GWA	
1873	4902	14 102	6450 14340	CHARLIE RIVER	31 08 956 29 08 956	G ¥ ARGUS	878 GWA 866 Ala	4897
1873	4902	14 102	6450 14340	CHARLIE RIVER CHARLIE RIVER	28 08 956 31 08 956	G W ARGUS	861 ALA 878 ALA	4847 4898
1873	4902	14 104	6405 14147 6550 14404		29 07 964	V L HARMS	3070 ALA	32613
1673	4902	14 104	6532 14513	MILLER HOUSE	13 06 945	E SCAMMAN	3493A SWA	56585
1873 1873	4902	14 104 6	6532 14513	MILLER HOUSE	01 07 937 12 07 9 0	E SCAMMAN	733 GWA 2042 GWA	
		14 104 1	0536 14513	MILLER HOUSE	12 07 940	E SCAMMAN	2043 GWA	

1

1

1

TAXON	SPC	5 ¥ H	YB PROV	QUAD	LAT	LONG	LOCALITY	DATE	ÇOLLE	CTOR NAME	COL NO HERB + NO
$\begin{array}{c} 1 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1$	\$		0 0 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	$\begin{array}{c} 104\\ 104\\ 104\\ 104\\ 104\\ 104\\ 104\\ 104\\$	6532 66532 66544 66544 66546 66546 66546 66546 66710 67100 67100 67100 67100 67100 67100 67100 67100 6712 67225 5625	$\begin{array}{c} 4513\\ 14513\\ 14513\\ 14513\\ 14513\\ 14513\\ 14513\\ 14513\\ 14513\\ 14513\\ 14513\\ 14513\\ 145232\\ 1602342\\ 114510\\ 114333\\ 162342\\ 114510\\ 114335\\ 162342\\ 114510\\ 114333\\ 144145\\ 114143\\ 114155\\ 114143\\ 114155\\ 114143\\ 114155\\ 114135\\ 114144\\ 114155\\ 114135\\ 1150006\\ 1150006\\ 114500\\ 1$	MILLER HOUSE MILLER HOUSE MILLE	$\begin{array}{c} 12 & 07 & 6 \\ 13 & 06 & 04 & 06 & 04 & 06 & 04 & 06 & 06$	9450 1 5 5 5 5 6 6 7 F J J J J J J J J J J J J J J J J J J	SCANMAN SCANMAN SCANMAN SCANMAN SHITH SMIT	2042 SWA 3403A GWA 3403A GWA 2043 GWA AF161 GWA 1769A GWA 1769A GWA 1769A GWA 1769A ALA 10649 1770B ALA 10641 1769B ALA 10641 1770 GWA 27 ALA 9631 1717 GWA 4807 ISC 225588 6458 GWA 27 ALA 29715 3821 ALA 22595 3821 ALA 32597 3820 ALA 32596 3184F ALA 3985 S.N. ALA 29715 3821 ALA 32597 3820 ALA 32596 3184F ALA 3985 S.N. ALA 267575 S.N. ALA 26756 S.N. ALA 267575 S.N. ALA 26750 S.N. ALA 27505 S.N. ALA 26750 S.N. ALA 27505 S.N. ALA 26847 S.N. ALA 27505 S.N. ALA 26847 S.N. ALA 27505 S.N. ALA 27505 S.N. AL
	5	SLAUC	A VAR+ 1	VILLOS	jA						
1873 1873	49 49	5 5	1 2	37 2	5213 5941	13632	SUNWAPTA PASS. NADAHINI RIVER	13 7	967 G ¥	ARGUS	6959 GWA 6803 SWA
1673 1673 1673 1673 1673	49 49 49 49	55555	2222	2 18	5941 5935 5941	13632 13630 13632	NADAHINI RIVER NADAHINI RIVER INSPECTOR CREE NADAHINI RIVER DEASE L VILLAG	13 7 12 7 13 7	967 G ¥ 967 G ¥ 967 G ¥ 967 G ¥ 967 G ¥ 3969 K	ARGUS ARGUS	6812 3WA 6805 3WA 6740 3WA 6809 9WA 265 9TF 1142

.

E.

t -

TAXON	SPC S ¥ H	YB PROV	CAL®	LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO HERB + NO
1873 1873	4905 4905	2	16	5840	12425	N TETSA RIVER	22 06	965 G ¥ ARGUS	4975 GWA
1873	49 0 5	ž	16			N TETSA RIVER N TETSA RIVER	22 06	966 G ¥ ARGUS 966 G ¥ ARGUS	4972 G#A 4974 G#A
1873	4905	2	16	5840	12425	N TETSA RIVER	22 06	966 G W ARGUS	4974 GYA 4973 GWA
1873 1873	4905 4905	2	16 16			MACDONALD CR MacDonald Cr	22 06 22 06	966 G W ARGUS	4978 GWA
1873	4905	2	16	5831	12434	SUMMIT PASS	19 07	966 G V ARGUS 943 H V RAUP	4979 GWA 10671 Ala 19477
1873 1873	4905 4905	2	16 16			SUMMIT PASS		943 H M RAUP	10473 4LA 19569
1873	4905	2	16			SUMMIT PASS MACDONALD CR	19 07	943 H Y RAUP 968 S L WELSH	10672 ALA 19566 7324 GWA
1873	4905	2	16	5847	12500	MACDONALD CR	25 06	968 S L WELSH	7324 GWA 7326 GWA
1873 1873	49 5 49 0 5	2	21 24			STIKINE MT BEATTON RIVER		969 K P IGBY	265 OTF 1142
1873	49 0 5	2	24	5705	12235	BEATTON RIVER	23 06	943 H M RAUP 943 H M RAUP	10259 ALA 19901 10257 ALA 19900
1873 1873	4905 4905	2	24 24	5705	12235	BEATTON RIVER SIKANNI RIVER	10 06	943 H 4 RAUP	10028 ALA 19902
1873	49 0 5	2	24	5714	12243	SIKANNI RIVER	02 07 02 07	943 H * RAUP 943 H * RAUP	10409 4LA 19770 10410 4LA 19768
1873 1873	4905 4905	2	24	5723	12248	BUCKINGHORSE R	01 09	945 H 4 RAUP	11620 ALA 19906
1873	4905 495	2	24 49	5725	12248	BUCKINGHORSE R PRINCE GEORGE	01 09	943 H M RAUP 967 G W ARGUS	11621 4LA 19758 6074 GWA
1673 1873	4905 4905	12 12	15 -50	6409	13953	SIXTYML RD M12	26 06	966 S L WELSH	5582 SHA
1873	4905	12	.52	6120	13910	OTTER LAKE	21 08	960 J A CALDER 966 G W Argus	27778 GWA 6098 GWA
1873	49 0 5	12	32	6120	13910	DUKE RIVER	21 08	966 G ¥ ARGUS	5098 SWA 5007 GWA
1873	4905 4905	12 12	32	6120	13910	DUKE RIVER DUKE RIVER	21 06	966 G ¥ ARGUS	6010 GWA
1873	49 0 5	12	.52	6120	13910	DUKÉ RÍVÉR	21 06	966 6 W ARGUS 966 6 W ARGUS	6012 GWA 6004 GWA
1873 1873	4905 4905	12	32 32	6120	13910	DUKE RIVER Kluane lake	21 08	966 G ¥ ARGUS	6005 G#A
1873	49 D 5	12	32			KLUANE L	04 07	944 H V RAUP 944 H V RAUP	12184 ALA 19748 12217 ALA 19773
1873 1673	4905 4905	12	32	6103	13831	KLUANE L	12 07	944 H M RAUP	12430 ALA 19753
1873	4905	12 12	.52 .53	6105	13602	KLUANE L TWIN LAKES		944 H " RAUP 966 S L WELSH	12183 ALA 19763 5549 GWA
1873 1873	49 5 49 0 5	12	.53	6140	13602	TWIN LAKES TWIN LAKES	25 6	966 5 t. WELSH	5549 GHA 5549 GHA
1873	4905	12 12	35 40	6143	13504	LAPIE LAKE Mendenhall R	10 06	944 A F PORSILD 966 G W ARGUS	9304 150 256682
1873	4905	12	40	6845	13615	MENDENHALL R	30 06	966 G W ARGUS	5080 SWA 5081 GWA
1673 1873	4905 4905	12 12	ԳD ԳD			BEAR CREEK Bear Creek	30 06 · 18 06		11810 ALA 19882
1673	4905	12	40			BEAR CREEK	18 06	944 H 4 RAUP 944 H 4 RAUP	11813 ALA 19875 11812 ALA 19875
1873 1873	4905 4905	12 12	41	6043	13503	WHITEHORSE	31 07	944 J P ANDERSON	9607 ISC 256574
1673	49 0 5	12		6048	13545	ALA HWY M882 Takhini r Br	24 06	966 S L WELSH 968 S L WELSH	5502 GWA 7764 GWA
1673 1873	4905 4905	12	41	6010	13441	CARCROSS	02 07	968 S L WELSH	7733 GWA
1873	4905	12 12	42 42	6025	13335	SQUANGA LAKE SQUANGA LAKE	29 06	966 6 ₩ ARGUS 966 G ₩ ARGUS	5075 GWA 5073 GWA
1873	49 0 5	12	42	6013	13252	TESLIN LAKE	20 06	960 J A CALDER	5073 SWA 25742 SWA
1873 1673	4905 4905	12 12	42 42	6022 6022	13351	LTL ATLIN L LTL ATLIN L	18 08	943 H 4 RAUP 943 H 4 RAUP	11387 ALA 19762
1873	49 0 5	12	42	6022	13351	LTL ATLIN L	19 08	943 H 4 RAUP	11457 ALA 19766 11455 ALA 19760
1873	4905 4905	12 12				LIARD RIVER	03 08	943 H * RAUP 943 H * RAUP	10982 ALA 19567
1873	49 0 5	12	44	6013	12840	WATSON LAKE	24 06	966 Y SUDA	10987 ALA 19759 5019 Gwa
1873 1873	4905 4905	12 12				WATSON LAKE	25 06	966 Y SUDA	11866 GWA
1873	4905	12					25 06		12966 GWA 13066 SWA
1673	49 0 5	12	44	6013	12840	WATSON LAKE	25 06	966 Y SUDA	12766 SWA
1873 1873	4905	12	նեն։ հենել	6013 6013	12840		25 06 25 06		12866 GWA
								708 I 300K	11766 GWA
50	ARCTOPH	ILA							
1973 1873	50 50	7	8 135	5842 6927 -	9483	FARNWORTH L. Tuktoyaktuk	9 7	958 6 # 426US	142/58 GWA
1673	50	7	135	6900	13440	RICHAROS IS	22 07	935 A F PORSILD 934 A F PORSILD	6WA 7066 54
1873	50 50	7	161 /	6750	11505	COPPERMINE	05 10 1	962 J A LAPSEN	5 GWA
1873	50	7	402 (6050 I 6050 I	09425 09425	MH MCCONNELL R MH MCCONNELL R	12 D7 1 26 D6 1	964 K L MACINNES 964 K L MACINNES	1999 UWO 16 UWO
1873	50	7	4(12)	6050 (89425	MH MCCONNELL R	D3 D8 1	965 K I MACTNNEC	224 Uwo
1673 1873	50 50		402 -	6050 (6050 (09425 09425	AH MCCONNELL R MH MCCONNELL P	12 07 1	964 K L TACINNES 964 K L MACINNES	78 Uwo
1873	50	12	1	6912 :	13830	KING POINT	23 07 1	934 A 5 PORSILD	23 UNO 7172 SH
1873 1873	50 50	12 14	24 136	6315 6810 ·	13005	CANDL RD M 284 Arctic Village	31 08 '	944 A F Popstin	11222 ISC 256385
1873	50	14	137	6822 :	14355	OLD WOMAN CR	24 06 9	956 B KESSEL	3775 ALA 32594 512 4LA 5050
1873	50 50		137 1	68 3 2 ;	14355	LOBO LAKE	20 06 4	56 B KESSEL	542 ALA 5047
1873	50	14				LOBO LAKE Firth River	20 06 9	ELLITTLE, JR.	542 GWA 18494 GWA
1873 1873	50 50	14	137 (6839 1	14100 /	FIRTH RIVER	16 06 9	761 E L LITTLE, JR.	18493 SWA
1873	50				14347 . 14650	JAGU LAKE	26 07 9	957 J CANTLON 966 G W Argus	571456 US 2386024 5779 SWA
1873	50	14	152 1	6950 1	14220 /	NUVAGAPAK PT	09 08 9	966 G ¥ ARGUS	5908 SWA
1873	50 50	14				BARTER ISLAND BARTER ISLAND	79 96 0 07 08 9	5 G ¥ ARGUS 966 G ¥ ARGUS	5870 GWA 5873 SWA
1873	50					BARTER ISLAND	07 08	ARGUS	5874 GWA

TAXON	SPC 5 V HTB	PRÖV	-						COL NO HERB + NO
57	HOOKERIA	A							
$\begin{smallmatrix} 1873\\ 18$	57 57 57 57 57 57 57 57 57 57 57 57 57 5	244444444444111111111111111111111111111	246666666666666666666666666666666666666	52107 59452 59552 59552 59155 59155 59155 59155 59155 59155 59155 59552 59557 59557 59577 59557 595777 59577 59577 5957757 595775757575	$\begin{array}{c} 13105\\ 15247\\ 13945\\ 13945\\ 13945\\ 13830\\ 13830\\ 13830\\ 13830\\ 13830\\ 13830\\ 13830\\ 13830\\ 13945\\ 13935\\ 13935\\ 13939\\ 13939\\ 13909\\ 13909\end{array}$	U VICTORIA L KODIAK YAKUTAT BAY TAKUTAT BAY TAKUTAT BAY TANIS LAKE TANIS LAKE TANIS LAKE TANIS LAKE TANIS LAKE TANIS LAKE TANIS LAKE TANIS LAKE YAKUTAT. YAKUTAT BAY YAKUTAT BAY YAKUTAT BAY YAKUTAT BAY YAKUTAT BAY. YAKUTAT BAY.	$\begin{array}{c} 5 \ 6 \ 6 \ 6 \ 6 \ 6 \ 6 \ 6 \ 6 \ 6 \$	964 J 4 CALDER 916 D CHURCH 967 G W ARGUS 967 <td< td=""><td>35743 DAO US 1072423 6143 6WA 6142 6WA 6140 SWA 6238 6WA 6238 6WA 6238 6WA 6233 6WA 6203 6WA 6203 6WA 6203 6WA 6203 6WA 6203 6WA 6203 6WA 6104 6WA 6107 6WA 6137 6WA 6137 6WA 6137 6WA 6137 6WA 6138 6WA 6139 6WA 6139 6WA 6139 6WA 6161 6WA 6161 6WA 6162 6WA 6155 6WA 6157 6WA 6158 6WA</td></td<>	35743 DAO US 1072423 6143 6WA 6142 6WA 6140 SWA 6238 6WA 6238 6WA 6238 6WA 6233 6WA 6203 6WA 6203 6WA 6203 6WA 6203 6WA 6203 6WA 6203 6WA 6104 6WA 6107 6WA 6137 6WA 6137 6WA 6137 6WA 6137 6WA 6138 6WA 6139 6WA 6139 6WA 6139 6WA 6161 6WA 6161 6WA 6162 6WA 6155 6WA 6157 6WA 6158 6WA
1873 1873 1873 1873 1873 1873 1873 1873	57 57 57 57 57 57 57 57 57 57 57 57 57 5	14 14 14 14 14 14 14 14 14 14 14 14 14 1	46 46 48 48 48 46 56 56 56 56	5917 5916 5917 5925 5925 5925 5925 5925 5925 5925 6039 6005 6005 6005	13909 13830 13909 14620 14620 14620 14620 14620 14620 14620 14646 14446 13930 13930 13930	TANIS VESA MTH ITALIO R MIDDLETON IS MIDDLETON IS MIDDLETON IS MIDDLETON IS CHILDS GL CHILDS GL HUBBARD GL HUBBARD GL HUBBARD GL	11 06 10 06 11 06 09 06 12 06 14 06 25 06 25 06 25 06 21 06 21 06 21 06	965 L & VIERECK 965 L & VIERECK 956 J THOMAS 956 J THOMAS 956 J THOMAS 956 J THOMAS 956 J THOMAS 956 J THOMAS 931 W SETCHELL 899 F V COVILLE 899 F V COVILLE 899 F V COVILLE	7621 SMM 7600 FSLC 337 7621 FSLC 335 5976 CAN 248171 5824 5936 US 2313033 5876 US 2313033 5876 US 2313093 32 NA 728886 31 NA 318443 1074 US 373418 1061 US 373419 1061 US 1437349
66	LASIANDR	A							
1073 1473 1673 1873 1873 1873 1873 1873 1873 1873 18	66 66 66 66 66 66 66 66 66 66 66 66 66	1222227772222277 1222222777122222277712222222777122222222	S7714992344285555555555555555555555555555555555	5650 5402 5330 5251 6251 6251 6056 6404 6404 6404 6404 6336 6155 6155 6054	12235 12401 12850 12123 12123 12123 12123 12123 13925 13925 13925 13925 13925 13925 13925 13258 13258 13258	FORT NELSON VANDERHODF SKEENA RIVER- PRINCE GEORGE- FORT SINPSON FORT SINPSON NAHANNI BUTTE DAWSON DAWSON DAWSON	19 05 04 087 22 7 06 11 06 29 05 15 08 29 05 15 08 29 05 15 08 29 06 29 06 29 06 23 07	927 H 4 RAUP 940 J 4 CALDER 949 J 4 GILLETT 919 J 4 MACOUN 967 G 4 ARGUS 939 H 4 RAUP 939 H 4 RAUP 939 H M RAUP 961 W J CODY 914 A EASTWOOD 914 A EASTWOOD 914 A EASTWOOD 914 A EASTWOOD 914 O MALTE 949 J 8 CALDER 944 A F PORSILD 944 A F PORSILD 944 A F PORSILD	560 ALA 14462 25286 ALA 17428 2983 TSC 256566 100 TSC 256565 6849 SWA 5075 SWA 9073 ALA 16401 9076 ALA 16401 11945 SWA 112 CAN 45302 113 CAN 45330 CAN 54403 CAN 122153 4255 TSC 256701 10013 SCC 256702 10792 CAN 45329 10792 TSC 256700

TAXON	SPC S V)	HYB PROV	QUAD	LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO HERB + NO
1873	66	12	44	6003	12855	UPPER LIARD R	25 06	966 G W ARGUS	BOUL ON
1873	66	12	44	6003	12855	UPPER LIARD R	25 06	966 6 W ARGUS	5041 GWA 5030 GWA
1873 1873	66 66	12 12	44 44			UPPER LIARD R Upper liard r		966 G W ARGUS 966 G W ARGUS	5034 GWA 5040 GWA
1873	66 66	12 12	44	6003	12855	UPPER LIARD R	25 06	966 G W ARGUS	5039 GWA
1873	66	12	44			UPPER LIARD R	25 06 03 08	966 G W ARGUS 943 H M RAUP	5033 GWA 10969 ALA 19514
1873	66	12	44	6002	12835	WATSON LAKE	03 08	943 H M RAUP	10968 ALA 19379
1873 1873	55 66	12 14	44 11			WATSON LAKE Glacier bay	03 08	943 H M RAUP 935 W COOPER	10968 GWA
1873	66 66	14	11	5822	13600	GLACIER BAY	29 07	935 W COOPER	87 F 824048 44 F 824029
$1873 \\ 1873$	66	14	45 45	5928	13520	HAINES, MI. 6 Mosquito lake	13 7 45 7	967 6 W ARGUS 967 6 W ARGUS	6750 GWA 6682 GWA
1873	66	14	45	592B	13605	MOSQUITO LAKE	45 7	967 G ¥ ARGUS	6677 GWA
1873 1873	66 66	14	45			HAINES MATENUSKA	04 08	967 L A VIERECK 931 J P ANDERSON	8593 GWA 869 Ala 27350
1873 1873	66 66	14	69 78	6132	14914	MATENUSKA	06 07	931 J P ANDERSON	869 ISC 256703
1873	66	14	100			HOLY CROSS Fairbanks	12 08	925 L J PALMER 940 J P ANDERSON	1257 ALA 2034 6088 ISC 256704
1873 1873	66 66	14 14	100 100	6451	14743	FAIRBANKS	10 09	956 G w ARGUS	868 4LA 4825
1873	66	14	100	6452	14750	FAIRBANKS College	05 07	956 6 W ÅR6US 957 6 W ÅR6US	432 ALA 4757 1095 ALA 6803
1873 1873	66 66	14 14	100	6454	14751	GOLDSTREAM CR	15 06	957 G W ARGUS	1026 ALA 6723
1873	66	14	100	6451	14743	FAIRBANKS FAIRBANKS		956 G W ARGUS 956 G W ARGUS	BAB GWA 432 GWA
1873 1873	66 66	14	100 100	6450	14725	FAIRBANKS	03 07	956 G W ARGUS	488 GWA
1873	66	14	100	6455	14745	COLLEGE GOLDSTREAM CR	05 07	957 G W ARGUS 966 G W ARGUS	1095 GWA 5091 GWA
1673 1873	66 66	14 14	100	6454	14751	GOLDSTREAM CR	15 06	957 6 W AR6US	1025 GWA
1873	66	14	100	6443	14809	NENANA Sam Charley IS	08 07	965 L A VIERECK 966 L A VIERECK	7687 GWA 8034 GWA
1873 1873	66	14 14	100	6443	14609	SAM CHARLEY IS	10 07	966 L A VIERECK	8039 GWA
1873	66 66	14	100 100			MINTO College	24 06	965 L A VIERECK 967 L A VIERECK	7647 GWA 8303 GWA
1873 1873	66	14	100	6454	14749	COLLEGE	24 05	967 L A VIERECK	8193 GHA
1873	66 66	14	100			COLLEGE GOLDSTREAM CR	08 07 05 07	967 L A VIERECK 966 L A VIERECK	8301 GWA 8027 SWA
1873	56	14	101	6425	14650	HARDING L	09	951 E SCAMMAN	6484 GWA
1873	66 66	14	$104 \\ 104$			CHENA RIVER Chena river	06 07 06 07		5094 GWA
1873	66	14	104	6549	14403	CIRCLE	10 08	963 L A SPETZMAN	5095 GWA 966 CAN
1673	66 66	14	104 105			CIRCLE Chatanika r	09 07 03 08		7706 FSLC 1154 ALA 6733
1873	66	14	105	6507	14735	CHATANIKA R	03 08	957 G W ARGUS	1154 GWA
71	ATHABA	SCENSIS							
1873	71	01	4	5936	11307	MOOSE LAKE	17 08	929 H ♥ RAUP	6120 CAN 49155
1673 1873	71 71	01 01				MOOSE LAKE	17 08	929 H M RAUP	8128 CAN 49154
1873	71	01				MOOSE LAKE Edmonton		929 H 4 RAUP 940 G H TURNER	8129 CAN 49156 15834 DAQ
1873 1873	71	01 01				EDMONTON EDMONTON	23 06	939 6 H TURNER	1299 DAO
1873	71	01	34	5327	11333	EDHONTON		941 G H TURNER 940 G H TURNER	2573 DAD 1782 DAD
1873 1873	71 71	01 01				EDMONTON	22 05	941 G H TURNER	2425 DAD
1873	71	01				EDMONTON Edmonton		939 G H TURNER 939 G H TURNER	1299 DAO 1411 DAO
1873 1873	71 71	01	34	5327	11333	EDMONTON	22 05	941 G H TURNER	2429 DAD
1873	71	01	34	5327	11333	EDMONTON Edmonton		940 G H TURNER 939 G H TURNER	1693A SASK 33709 1299 - Sask 33707
1673 1673	71 71	01	41	5103	11405	CALGARY	21 06	897 J MACOUN	5.N. CAN 94426
1873	71	02	7	5923	12609	LIARD HOT SPR LIARD HOT SPR		966 G W ARGUS 943 C H CLARKE	4991 SASK 34000 64 CAN 50169
1873 1873	71 71	02	7	5923	12609	LIARD HOT SPR	25 06	960 A E PORSILD	22021 CAN 263928
1873	71	02	7	5923	12609	LIARD HOT SPR	29 07	960 A E PORSILD 943 H M RAUP	22024 CAN 263934 10907 CAN 278796
1873 1873	71 71	02	7	5925	12610	LIARD HOT SPR	23 06	966 Y SUDA 932 H M RAUP	10166 SASK 33997
1873	71	03	52	4954	09904	SIDNEY	12 06	906 J MACOUN	4312 CAN 5.N. CAN 70267
1873 1873	71 71					NORMAN WELLS	23 07	953 W CODY	74P3 040
1873	71	07	370	6152	12122	KEELE RIVER FT SIMPSON IS	01 08	951 A A LINDSEY 955 W CODY	342 CAN 215891 Dag
1673 1873	71 71	07	392	6048	11543	HAY RIVER CARSWELL LAKE	01 07	951 A A LINDSEY	103 CAN 215892
1873	71	11	5	5935	10925	CARSWELL LAKE	12 07	962 G W ARGUS 962 G W ARGUS	50162 SWA 50162 DAO
1873 1873	71 71	11 11	22	5427	10826	WATERHEN RIVER Meadow lake	09 08	949 A J BREITUNG	8257 DAD
1873	71	11	28	5355	10605	WASKESIU LAKE	09 06	966 J H HUDSON 938 W P FRASER	2453 SASK 31611 S.N. SASK 33715
1873 1873	71 71	11	29	5345	10512	CANDLE LAKE	22 Q5	964 G W ARGUS	3869 GWA
1873	71	11	29	5345	10512	CANDLE LAKE Candle Lake	21 05	965 G W ARGUS 964 G W ARGUS	4929 SASK 28796 3835 SASK 33983
1873 1873	71 71	11	29	5322	10400	NIPAWIN	07 09	947 A J BREITUNG	6039 DAD
1873	71	11	29	5312	10455	PRINCE ALBERT	04 05 07	93A W P FRASER 939 W P FRASER	5+N+ DA0 5+N+ SA5K 33710
1873 1873	71 71	11	29	5312 :	10455	PRINCE ALBERT	04 06	93A M P FRASER	S.N. 545K 33713
1873	71	11	- 34 - 3	5251	10404	PRINCE ALBERT TISDALE	23 05	939 A J BREITUNG	5.N. CAN 13671 75 DAQ
1873	71	11					19 08	939 A J BREITUNG	457 DAQ

TAKON	SPC 5 V HY8	PROV QUA	D LAT LONG	LOCALITY	DATE COLLECTOR NAME	COL NO HERB + NO
1873	71	11 34			07 06 9 0 A J BREITUNG 07 06 940 A J BREITUNG	533 0A0 532 0A0
1873 1873	71 71	11 34 11 34	5246 10401 5246 10401		19 08 939 A J BREITUNG	458 DAD
1873	71	11 34	5246 10401	GOLBURN	23 05 939 A J BREITUNG	76 DAO 456 CAN
1873	71 71	11 34	5246 10401 5242 10400	SYLVANIA	19 08 939 A J BREITUNG 02 06 938 W P FRASER	C
1873	71	11 35	5237 10356	MCKAGUE	30 05 939 A J BREITUNG	101 DAO 108 DAO
1873 1873	71 71	11 35 11 35	5237 10356	MCKAGUE	21 06 939 A J BREITUNG	173 040
1873	71	11 35	5237 10356	MCKAGUE	06 08 939 A J BREITUNG	394 740
1873 1873	71 71	11 35 11 35	5237 10350	60LBURN 5YLVANIA MCKASUE MCKASUE MCKAGUE	02 06 938 # P PRASEK 31 05 939 A J BREITUNG 31 05 939 A J BREITUNG 06 08 939 A J BREITUNG 20 08 939 A J BREITUNG 11 06 939 A J BREITUNG 15 06 939 A J BREITUNG 15 06 939 A J BREITUNG 10 06 939 A J BREITUNG 11 06 939 A J BREITUNG 12 05 939 A J BREITUNG 14 05 939 A J BREITUNG 10 06 939 A J BREITUNG 10 06 939 A J BREITUNG 11 06 939 A J BREITUNG 10 06 93	393 040 439 040
1873	71	11 35	5237 10356	MCKAGUE	20 08 939 A J BREITUNG	461 340
1873 1873	71 71	11 35 11 35	5237 10356	MCKAGUE	20 08 939 A J BREITUNG 20 08 939 A J BREITUNG	460 DAO 468 DAO
1873	71	11 35	5237 10356	MCKAGUE	26 05 939 A J BREITUNG	73 740
1873	71	11 35	5237 10350	MCKAGUE	11 06 939 A J BREITUNG	147 DAD 153 DAD
1873 1873	71 71	11 35	5237 10350	MCKAGUE	15 06 939 A J BREITJNG	162 040
1873	71	11 35	5237 10350	MCKAGUE	15 06 939 A J BREITUNG	161 DAD 5.N. DAD
1873 1873	71 71	11 35 11 35	5237 10350	MCKAGUE	30 05 939 A J BREITUNG	102 040
1873	71	11 35	5237 10350	MCKAGUE	31 05 939 A J BREITUNG	107 343
1873 1873	71 71	11 35	5237 10350	MCKAGUE MCKAGUE	11 06 939 A J BREITUNG 12 05 939 A J BREITUNG	140 740
1873	71	11 35	5237 1035	MCKAGUE	14 05 939 A J BREITUNG	48 DA0
1873 1873	71 71	11 35	5237 1035	MCKAGUE	20 05 939 A J BREITUNG 11 06 939 A J BREITUNG	66 7A0 138 040
1873	71	11 35	5237 1035	MCKAGUE	11 06 939 A J BREITUNG	139 040
1875	71	11 35	5237 1035	MCKAGUE	29 05 938 Å J BREITUNG 26 05 939 Å J BREITUNG	5+N+ 040 84 040
1873 1873	71 71	11 35	5237 1035	MCKAGUE	20 08 939 A J BREITUNG	461 CAN 49026
1873	71	11 35	5237 1035	MCKAGUE	20 0A 939 A U BREITUNG	460 CAN 49027 438 CAN 49058
1873	71 71	11 39	6158 1324) PELLY R VALLEY	21 07 944 A F PORSILD	9777 TSC. 256562
1873	71	12 35	6158 1324	PELLY R VALLEY	21 06 944 A PORSILD	9776 CAN 49149
1873 1873	71 71	12 44	6003 1284	D WATSON LAKE	28 06 966 6 ¥ ARGUS 28 06 966 6 ¥ ARGUS	5057 GWA 5060 GWA
1873	71	12 44	6003 1284	WATSON LAKE	28 06 966 6 W ARGUS	5062 S#A
1873 1873	71 71	12 44	6003 1284	D WATSON LAKE	25 06 966 G W ARGUS 28 06 966 G W ARGUS	5053 GWA 5069 GWA
1873	71	12 44	6003 1284	NATSON LAKE	28 06 966 G W ARGUS	5061 GWA
1873	71	12 44	6003 1284	D WATSON LAKE	28 06 966 G W ARGUS	5056 GWA 5053 SASK 34002
1673 1873	71 71	12 44	6003 1284	D WATSON LAKE	28 06 966 G W ARGUS	5056 SASK 35968
1873	71	12 44	6003 1284	WATSON CREEK	26 6 966 6 W ARGUS	50549 GWA 25600 GWA
1873 1673	71 71	12 44	6000 1283	B WATSON LAKE	18 06 960 J A CALDER	25603 SWA
1873	71	12 44	6000 1283	WATSON LAKE	18 06 960 J A CALDER	25604 DAO 10921 ALA 19482
1673 1873	71 71	12 44	6005 1284	3 WATSON LAKE	06 08 943 H 4 RAUP	11061 ALA 19403
1873	71	12 4	6005 1284	3 WATSON LAKE	06 08 943 H M RAUP	11050 ALA 19483
1873 1873	71 71	12 44	6002 1283 6002 1283	5 WATSON LAKE 5 WATSON LAKE	03 08 943 H * RAUP 03 08 943 H * RAUP	11005 ALA 19481 11007 ALA 19404
1873	71	12 44	6005 1284	WATSON LAKE	06 08 943 H 4 RAUP	11050 CAN 278797
1873 1873	71 71	12 40	6002 1283	5 WATSON LAKE D WATSON LAKE	28 06 966 Y SUDA	10998 CAN 278795 15866 GWA
1873	71	12 4	6003 1284	WATSON LAKE	28 06 966 T SUDA	15966 GWA
1873	71	12 44	6003 1284	D WATSON LAKE	28 06 966 T SUDA	16166 545K 33986 15366 545K 33991
1873 1873	71 71	14 104	6448 1475	5 COLLEGE	22 06 956 6 ¥ ARSUS	413 SWA
1873	71	14 8	6333 1433	0 ALA HWY # 123	29 05 938 A J BREITUNG 20 05 939 A J BREITUNG 20 08 939 A J BREITUNG 20 08 939 A J BREITUNG 20 08 939 A J BREITUNG 21 06 944 A F PORSILD 21 06 944 A F PORSILD 28 06 966 G W ARGUS 28 06 966 G W ARGUS 29 00 945 G W ARGUS 20 08 943 H W RAUP 05 08 945 H W RAUP 05 08 9	7987 GWA 7986 GWA
1873 1873	71 71	14 8: 14 10	0 6448 1475	5 COLLEGE	22 06 956 V ARGUS	413 ALA 6738
1873	71	14 10	6400 1453	D CLEARWATER R	21 08 956 G V ARGUS	827 ALA 4896 827 ALA 22495
1873	71 71	14 10 14 10	1 6400 1453 1 6400 1453	O CLEARWATER R	21 08 956 G W ARGUS	827 GWA
73	MACCALL					E013 044
1873	73 75	2 11 2	5 5450 1033	0 LIARD HOT SP 0 Deschambault 1	23 06 966 6 ¥ ARGUS L 26 6 964 G ¥ ARGUS	5013 GWA 4319 GWA
1873	73	12 4	4 6003 12B4	0 WATSON LAKE	28 06 966 G ¥ ARGUS	5065 GWA
77	MONTICO		7 5925 1261	A LTARE HOT SPR	23 D6 966 G W ARGUS	5015 GWA
1873 1873	77 77	- 1	4 5822 1295	5 DEASE L VILLA	6 13 8 969 K RI69Y	272 OTF 1148
1873		7 36 7 37		1 RABBITKETTLE 2 FT+ SIMPSON	H 12 6 970 G SCOTTER 4 6 955 W J CODY	12890 GWA 8856 GWA
1873 1873			5 6404 1392	5 DAWSON	04 07 914 A EASTWOOD	508 US 1011863
1673	77	2	0 6334 1394	5 OGILVIE	08 07 914 A EASTWOOD 06 08 944 J P ANDERSON	541 US 1011868 9719 TSC 256716
1873 1873		12 2 12 2	7 6205 1361	6 CARMACKS	11 07 914 A EASTWOOD	581 US 1011872
1873	77	12 3	5 6155 1323	8 LOWER LAPIE R 8 Lower Lapie R	20 06 944 A PORSILD 20 06 944 A PORSILD	9679 15C 256714 9679 US 2052012
1873 1673			0 6045 1361	5 MENDENHALL R	30 06 966 G W ARGUS	5082 GWA
1873	77		0 6045 1361 0 6047 1373	5 MENDENHALL R	30 06 966 6 W ARGUS 28 06 944 H Raup	5083 GWA 12088 ALA 19742
1873	77	12 7	0 0041 1015		TH AN ALL UN WEAK	-2000 888 27742

TAKON	SPC	S V НТШ	PROV	ULAD	LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	DOL NO HERB + NO
1673 1673 1673 1673 1673 1673 1673 1673	77777777777777777777777777777777777777	5 V HY	12222444414144444444444444444444444444						COLLECTOR NAWF 944 A F PORSILD 966 S L WELSH 943 H W RAUP 943 H W RAUP 944 J F WRAUP 967 L A VIERECK 957 G W ARGUS 957 G W ARGUS 955 G W W W W W W W W W W W W W W W W W W	
1873 1873 1873 1873 1673 1673 1873 1873 1873 1873 1873 1873 1873 18	77 77 77 77 77 77 77 77 77 77 77 77	YRT1221	14 14 14 14 14 14 14 14 14 14 14							
1 ± 73 1 ± 73 $3 \pm 1 \pm 1 \pm 73$ $3 \pm 1 \pm 1 \pm 73$ $3 \pm 1 \pm $	777777777777777777777777777777777777777		7 7 7	33333334 1233335500000000000000000000000000000000	62052 62427 61577 61577 61528 61588 61588 61588 61588 61588 61588 61588 61559 61252 61180 61255 61555 604477 604477 1004777 1004777 10047777 100477777	12735 12337 12337 12524 12526 12325 12325 12815 10833 13925 13925 13925 13925 13925 13925 13925 13925 13925 13925 13925 13925 13925 13935 13735 13735 13735 13735	BRININELL L MIT FLEIT VAR RABBITKETTLE L S. NAHANNI R. LIL DOCTOR L. CLI LAKE FLAT RIVER TAZIN RIVER DANSON MAYO CANOL RD M245 WHITE AIVER BURWASH LDG DANSON HHY W36 CANOL RD M105 CANOL RD M105 CANOL RD M105 CANOL RD M105 CANOL RD M105 PINE CREEK PINE CREEK	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	960 J A CALDER 960 J A CALDER 943 H W RAUP 943 H W RAUP 954 G W ARGUS 957 W J CODY 957 W J CODY 957 W J CODY 957 W J CODY 967 W J CODY 961 W J CODY 961 W J CODY 961 W J CODY 964 W F PARESON 944 A F PORSILD 944 H W RAUP	6413 SWA 24458 SWA 7583 SWA 7583 SWA 10667 ALA 19841 1077 ALA 19841 10274 ALA 19841 10275 ALA 19841 10275 ALA 19851 10274 SWA SWA 3876 F 719718 373/58 SWA 9771 9771 DAO 32694 9771 DAO 32695 9771 DAO 32694 9771 DAO 32695 7444 NAO 17998 17998 DAO 17797 1889 NAO 17998 9254 ALA 14776 12485 GWA 144776 12485 GWA 12450 12485 GWA 12450 12490 DAO 12290 12485 GWA 19402

1

ł

1

ł

İ

TAXON	5PC 5 V HYB	pRôv	GAUQ	LAT	LONG	LOCALITY	DATE	COLLE	CTOR NAME	COL NO HE	98 + NO
1873 1873 1673	78 78 78	12 12 12	42 42 42		1 3 3 4 5	TESLIN TESLIN TESLIN	08 06	956 G ¥ 956 G ¥ 956 G ¥	ARGUS	272 G 273 G	LA 4521 WA
1873	78	12	42 42	6054	13258	NISUTLIN R CP LTL ATLIN L	23 07	944 A 5 943 H 4	PORSIL()		4 La 19863
1873 1873	78 78	12	42	6022	13351	LTL ATLIN L	19 00	943 H M	RAUP	11390 G	¥A ¥A
1873 1873	76 76	12 12	42 42	6006 6016	13227	ALA HWY M793 Teslin lake	02 07	966 S L 968 S L	WEL SH	7616 G	WA
1873	78	12	43 43	6005	13040	RANCHERIA Ala Hwy M733	21 06	948 J P	ANDER50N CALDER		SC 256732 WA
1873 1873	78 78	12 12	44	6003	12840	WATSON LAKE	22 06	946 J P	ANDERSON	9948 7	5C 256731
1873 1873	78 78	12 12	44 44			WATSON LAKE WATSON LAKE	25 06	966 G ¥	ARGUS ARGUS		¥A ¥A
1873	78	12	44	6002	12900	ALA HWY M658	29 06	968 S L 968 S L	WELSH		₩A ₩A
1873 1873	78 78	12 14	44 68			WATSON LAKE WILLOW CREEK				0455 G	#A
1673	78	14 14	69 69	6156	14710	WILLOW CREEK GLENN HWY M128 GLENN HWY M128 GLENN HWY M128 GLENN HWY M128 Farewell Lake Toksla Hwy M20 Toksla Hwy M20 Rich Hwy M122 Gakona Glennallen	13 06	944 JP 944 JP	ANDERSON	8449 G 8450 T	WA 50 256741
1873 1873	78 78	14	69	6156	14710	GLENN HET M128	13 06	944 J P	ANDERSON	9449 T	SC 256729 WA
1873 1873	78 78	14 14	69 69	6156	14710	GLENN HEY MI28 GLENN HEY MI28	22 06	947 L 947 E	SCAMMAN	4524 5	A5K 34212
1873	78	14	80	6233	15336	FAREWELL LAKE	3 8	949 W H	DRURY	2402 C	AN .
1873 1873	78 78	14	83 83	6225	14451	TOKSLA HWY M20	24 06	944 J P	ANDERSON	6710 1	SC 256728
1873	78 78	14 14	63 63	6208 6217	14528	RICH HWY M122 Gakona	20 06	944 JP	ANDERSON	8603 1	SC 256727
1673	78	14	83	6206	14542	GLENNALLEN	10 06	967 L A	VIERECK	8209 G	WA WA
1873 1873	78 78	14 14	83 83	6205	14542	GLENNALLEN	24 06	967 L A	WELSH	4306 1	50 246052
1873	78	14	85 85	6317	14232	ALA HWY M1247	15 07	944 J P	ANDERSON /	9109 J 4727 A	ISC 256739
1873	78 78	14	85	6355	14209	TAYLOR HAY 450	27 06	963 J	NAVA	57	LA 23942
1873 1873	78 78	14 14	86 86	6350 6355	14450	GERSTLE RIVER LOWER BERRY CR	16 07	957 L A	SPETZMAN	372 /	LA 6845
1873	78	14	86	6355	14452	GLENNALLEN GLENNALLEN GLENNALLEN ALA HWY MI247 TAYLOR HWY MI247 TAYLOR HWY MI20 GERSTLE RIVER LOWER BERRY CR HEALY LAKE SAVAGE R CAMP MCXINLEY PARK CANTWELL NIXON FORK FAIRBANKS COLLEGE UNIY EXPL FARM COLLEGE SMITH LAKE COLLEGE SMITH LAKE COLLEGE SMITH LAKE COLLEGE SMITH LAKE COLLEGE SMITH LAKE	23 07	965 L A	VIERECK	7739	5LC (SC 256725
1673	78 78	14 14	87 87	6350	14858	SAVAGE R CAMP	18 06	928 Y	MEXIA	2015	LA 10204
1873 1873	78 76	14	87 87	6344	14855	MCKINLEY PARK	08 08	959 G A	PETRIDÉS VIFRECK	7409 9	NLA 27163 FSLC 296
1873	78	14	89	ь315	15520	NIXON FORK	28 6	950	DRURY	3793 0	AN 15C 256745
1673 1873	78 78	14 14	100 100	6452	14750	COLLEGE	13 06	940 J P 957 G V	ARGUS	1021	NLA 6824
1873	76	14 14	$100 \\ 100$	6452	14752	SMITH LAKE	14 06	956 G W	ARGUS	310 (329 (SWA BWA
1873 1873	78 78	14	100	6452	14750	COLLEGE	13 06	957 G ¥	ARGUS	1021	3 4 A
1873 1873	78 76	14	$100 \\ 100$	5452 5452	14750	COLLEGE	13 06	5 957 G ¥ 5 957 G ¥	ARGUS	1022 0	SWA Swa
1873	78	14	100	6452	14752	SMITH LAKE	26 05	965 V L	HARMS	341 3442	ALA 32630 ALA 32635
1873 1873	78 78	14	100	6452	14750	COLLEGE	03 06	965 V L	HARMS	3443	LA 32634
1873 1873	78 78	14	10u 10o	6452 6450	14752	SMITH LAKE College College Fairbanks Fairbanks Fairbanks Fairbanks	31 05	5 965 V L 5 952 B	HARMS KESSEL	397	ALA 32586 ALA 22863
1873	78	14	100	6452	14750	COLLEGE	16 06	952 B	KESSEL	153	ALA 22864 Ala 5269
1873 1873	78 78	14	100 100	6448	14750	FAIRBANKS	20 07	7 931 L J	KESSEL PALMER PALMER PALMER PALMER	13	ALA 5971
1873 1873	78 78	14 14	100 100	6448 6448	14750	FAIRBANKS FAIRBANKS	20 07	7931 L J 5933 L J	PALMER	20 173	ALA 5974 Ala 5272
1873	78	14	100	6448	14750	FAIRBANKS	15 08	3 963 L A 3 963 L A	VIERECK		FSLC 22
1873 1873	78 78	14 14	100 100			FAIRBANKS FAIRBANKS	15 08	3 963 L A	VIERECK	7053	FSLC 23
1873	78	14 14	101 101	6402	14534	DELTA JUNCT Gerstle RIVER		5951 ¥ J 3963 L A			GWA FSLC
1873 1873	78 78	14	102	6410	14136	FRANKLIN	13 07	7941 J P	ANDERSON	7221	ALA 536
1873	78 78	14 14	102	6603	14417	' CHICKEN 'YUKON RIVER		7965 L A	HARMS VIERECK	7721	FSLC
1875	78	14	120	6644	14334	BLACK RIVER	11 07	7 957 5 6	SNETLER	479AF	ALA 3965
80	NUMMULA	RIA									
1873		14		5710	17015	ST PAUL ISLAND	08 07	7 941 L J	COLE		15C 756642 WIS
1873		14 14	38 38	5710	17015	ST PAUL ISLAND	5 14 06	7 94] L J 6 925 E	JOHNSTON		NA 319618
-											
83	1 OVALIFO	LIA V	4R+ 01	ALIFO	LIA						
1873	8301	12				FIRTH RIVER		8 953 E H 6 949 H	MCEVEN MILLER		CAN 226062 WICH
1873 1873	8301	14 14	18	5207	7 17430) ATKA ISLAND	20 00	6 944 C L	TORK	44368	ISC 256237
1673 1873	83 0 1	14	22 22			ONNAK ISLAND Olynak Island		7 962 M 7 962 M	JOHNSON	562	WIS WIS
1873	83 0 1	14	24	5406	3 16546	5 AKUTAN		933 0 ¥	GEIST	5.N.	ALA 29713 TSC 253240
1673 1873		14 14		5459	9 16228	5 AKUTAN 3 Cold Bay		7 934 I L 7 971 M	WILLIAMS	2940	GWA
1873	63 1	14 14	25	5459	9 16228	S COLD BAY STEPOVAK BAT	08.0	M 7 899 C	WILLIAMS PALACHE	2974	GWA US 375470
1873 1873	83 0 1	14	26	5520	0 16030) SAND POINT	07 0	7 899 F	COVILLE	1799	US 373507
1673 1873		14 14		554	3 16013	DOLGOI ISLAND	08 0	5 931 H 7 899 C	PALACHE	6014	GH US 375471
1873		14				CHIGNIK		7 945 I	NORBERG		64

£ . .

. .

£.

. .

ι.

TAXON	SPC	5	∨ нұв	PROV	QUAD	LAT	LONG	LOCALITY	D	ATE	co	LLI	ECTOR NAME	COL NO	HER9 + NO
1873	63			14	-35			OLGA BAY	06	06	940 E		LOOFF	1275	٨
1673 1673			1 1	14 14	55 55	5705	15425	OLGA BAY Puale bay			940 E 904 C		LOOFF	1276	A
1873	83	0	1	14	56	5734	15602	KANATAK	26	05	933 D		PIPER GEIST	4596	US 421036 Ala 29714
1673 1873	83 83			14 14	56 58	5748	15632	BECHAROF LAKE ST PAUL ISLAND	10	08	949 K		RAUP	190	US 2176361
1873	83	0	1	14	41	5843	15652	SAVONOSKI	24	06	919 A	F	MILLER		15C 256238 US 1072627
1673 1873	83 83			14 14	42 55	5838 5940	15552	NAKNEK LAKE DUCHIKTHLUK R	16	06	916 P	Þ	HAGELBARGER	247	US 1072871
1673	83	0		14	57			DOOKSOOK LG			965 6		805 805		ALA 32289 Ala 32288
1873 1673	83 83	-		14	62 62			SKILAK LAKE SKILAK LAKE	31	05	951 J		CALDER CALDER	4988	DAD 52783
1873	83	0	1	14	02	6028	15026	SKILAK LAKE	31	05	951 J	A	CALDER	4987 4988	9A0 32782 US 2331326
1873 1873	83 83			14 14	62 92			SKILAK LAKE WHALE ISLAND	31	05	951 J 931 H	٢	CALDER MASON	4987 6059	US 2331325 64
1873	83	0	1	14	93	6319	17127	SW CAPE		08	933 0		GEIST	0004	ALA 29782
1873 1873	83 63			14 14	93 93			SAVOONGA SAVOONGA	07	11	933 0 933 0	Ľ	GEIST	109	ALA 29387 ALA 29379
1873	63	0	1	14	93	6342	17029	SAVOONSA	07	11	933 0	۲	GEIST	112	ALA 29414
1873 1873	83 83			14 14	93 93			SAVOONBA Savoonba	07	11	933 0 933 0	¥	GEIST	105 111	ALA 29415 Ala 29385
1873	83			14	93				07	11	933 O	¥	GEIST	102	ALA 29360
1673 1673	83 83			14 14	93 93	6305	16849	SAVOONSA Savoonsa Punuk Island	15	11	933 0 934 0	,	GEIST	113	ALA 29386 Ala 29044
1873 1873	63 63			14 14	94 94	6430	16530	NOME	10	06	938 J		ANDERSON	5178 B	ISC 253233
1873	83			14	94		16530 16530		17	06	954 C 954 C		HELLER HELLER	1084 1084	ALA 2432A Ala 27065
1873 1873	83			14 14	94 95		16530		06	09	926 A	_	PORSILD	1330	64
1873	63 63	Ο.	1	14	111			MOSES POINT King island	25	07	938 J	5	SIGAFOOS ANDERSON	3691 36079	GWA TSC 255908
1873 1873	83 83			14 14	$1.1 \\ 1.1$			PORT CLARENCE	13	08	901 F		WALPOLE	1825	15 378940
1873	83			14	111				02	08	901 F	Å	WALPOLE WALPOLE	1672 1672	US 2440700 US 378784
1673 1673	63 63			14 14	$\frac{128}{128}$			KIVALINA KIVALINA	27	06	960 A		BUCKNELL	٦6	ALA 26594
1873	83			14	129			POINT HOPE	09	06	960 A 938 J	D	ANDERSON	36 4602	4LA 26594 150 253223
1673	83 83			14 14	129 129			POINT HOPE CAPE LISBURNE	12	07	939 J	P	ANDERSON	3787 4496	ISC 256226
1873	83	;	1	14	129	6806	16545	OGOTORUK CREEK	11	8	966 G	¥.	ARGUS	5945	TSC 256231 GWA
1673 1873	83 83			14 14	129 129	6821	16627	POINT HOPE DGOTORUK CREEK	26	06	956 🖬		BERRY	5.N.	GWA
1673	83	0		14	129	ь810	16540	OGOTORJK CREEK	28	06	959 A	Υ.	JOHNSON	608 207	4LA 9205 ALA 9199
1873 1873	83 83			14 14	129 129	6810 6810	16540	OGOTORUK CREEK OGOTORUK CREEK	18	08	959 A	iµd ⊾a	JOHNSON	723 723	ALA 9198
1873	63	0 3	1	14	158	681U	16540	OGOTORUK CREEK	05	0B	959 A	M.	JOHNSON	608	GWA GWA
1873 1873	83 83			14 14	129 129	6810	16540	DGOTORJK CREEK POINT HOPE	28	06	959 A 951 E	w	JOHNSON	207	SWA Colla
1573	63	0	1	14	129	6819	16640	POINT HOPE	08	07	960 L		SCAMMAN VIERECK	5.N. 4022	SWA Ala 13222
1H73 1673	83 83			14 14	129 129			UKINYIK CREEK POINT HOPE			960 L		VIERECK WELSH	4420 5830	ALA 13238 Gwa
1873	83	0 3	1	14	129	6821	16627	POINT HOPE	12	07	966 5	i,	WELSH	5830	150 253604
1873	83 63			14 14	130			PITMAGEA R PITMAGEA R	23	06 06	957 J 957 J		CANTLON CANTLON	57149 57209	64 64
1673	83			14	130	6855	16436	CAPE SABINE	14	07	959 S		SHETLER	3332	MICH
1673 1873	63 63			14 14	138 138	6950 6950	14220	NUVAGAPAK PT NUVAGAPAK PT	08	08	966 G 966 G	¥	ARGUS	5977 5934	GWA GWA
1673	83 83			14 14	138	6950	14220	NUVAGAPAK PT	09	08	966 G	۲	ARGUS	5933	SWA
1873 1873	63			14	138			NUVAGAPAK PT NUVAGAPAK LG			966 G 965 M			5875 65	GWA Ala 30394
1675	83			14	138	6946	14137	ICY REEF	23	07	959 C		LEWIS	3	CAN 296361
1873 1873	83 83			14 14	139 139			COLLINSON PT Canning River			914 F 947 R		JOHANSEN MCGREGOR	116	CAN 50113 Mich
1873 1873	83 83			14 14	139 145	6924	14608	CANNING RIVER POINT LAY	28	07	947 L		SPETZMAN	403	15C 256230 15C 256227
1673	63	0 1	1	14	145	6946	16303	POINT LAY	30	68	947 R	÷	ANDERSON RLACK	4418	TSC 256229
1873 1873	63 83			14 14	145 146			POINT LAY REEF			951 K 931 H		CHAMBERS	2004	64 US 1789440
1873	83	0 1	1	14	147	7040	15655	MEADE RIVÊR	17	07	958 G		WARD	6481 1190	US 1789440 GH
1873	83 83			14 14	147 147	7040	15655		17	07	952 G 952 G		WARD WARD	11P8 1146	6H 15 2312307
1875	83	0 1	1	14	147	7040	15655	MEADE RIVER	17	07	952 G		WARD	1148	15 2312331
1673 1673	83 83			14 14	147 147			MEADE RIVER MEADE RIVER			952 G 952 G		WARD WARD		US 2312305 US 2312306
1875	63	0 1	1	14	14B	7047	15502	HALF MOON 3	23	07	962 D		CHESEVORE	53	ALA 29361
1873	83 63			14 14	148 149	7057	15540	OARLDCK IS COLVILLE DELTA	25 1 k	08	951 I	c	WIGGINS	12802	бн US 377533
1875	85	0 1	1	14	149	7027	15007	COLVILLE DELTA	14	80	901 F	۴.	SCHRADER		05 377532
1673 1673	83 83		L	14 14	15.1	7010	14650	BULLEN BULLEN	3	8	966 G 966 G	¥٢	ARGUS	5780 5788	
1673	83	01	L	24	1.1	7010	14650	BULLEN	04	08	966 G	ŧ٢.	ARGUS	5792	SWA
1873 1873	83 83			14 14				BULLEN BULLEN			966 G 966 G			5794	SWA SWA
1873	83	0 1	L	14	151	7010	14650	BULLEN	03	08	965 G	¥.	ARGUS	5750	3WA
1873 1873	63 63	0 1	L	14 14	151 151	7010	14650	BULLEN BULLEN			966 G 966 G			5751	SWA Swa
1673 1873	83 83	0 1	L	14 14	151 151	7010	14650	BULLEN	03	08	966 G	۳	ARGUS	5773	GWA
1873	83	0 1	L I	14	151	7010	14650	BULLEN	05	08	966 G 966 G	H.	ARGUS	5808	G #A G #A
1873 1873	63 63							BULLEN BULLEN			966 G 966 G			5810 5812	GWA GWA
1673	83			14				BULLEN			966 G			5783	GWA GWA

TAXON SPC 5 V HYB	PROV WUAD LAT	LONG LOCALITY	DATE COLLECTOR NAME	COL NO HERB + NO
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	14 151 7010 14 151 70010 14 152 7002 14 153 7012	14650 BULLEN 14650 BULLEN 1450 BULLEN 1500 BU	DN DB 966 G # ARGUS D3 DB 966 G # ARGUS D3 DB 966 G # ARGUS D3 DB 966 G # ARGUS D3 DB 966 G # ARGUS D3 DB 966 G # ARGUS D3 DB 966 G # ARGUS D3 DB 966 G # ARGUS D3 DB 966 G # ARGUS D3 DB 966 G # ARGUS D4 DB 966 G # ARGUS D4 DB 966 G # ARGUS D4 DB 966 G # ARGUS D4 DB 966 G # ARGUS D4 DB 966 G # ARGUS D4 DB 966 G # ARGUS D4 DB 966 G # ARGUS D4 D8 966 G # ARGUS D4 D8 966 G # ARGUS D5 D8 966 G # ARGUS D4 D8 966 G # ARGUS D5 D8 966 G # ARGUS D5 D8 966 G # ARGUS D5 D8 966 G # ARGUS D5 D8 966 G # ARGUS D5 D8 966 G # ARGUS D5 D8 966 G # ARGUS D3 D8 966 G # ARGUS D3 D8 966 G # ARGUS D3 D8 966 G # ARGUS D3 D8 966 G # ARGUS D3 D8 966 G # ARGUS D3 D8 966 G # ARGUS D3 D8 966 G # ARGUS D3 D8 966 G # ARGUS D4 0856 G # ARGUS D7 914 F	57P2 9WA 5741 GWA 5746 GWA 5745 GWA 5749 GWA 57747 GWA 5774 GWA 5707 GWA 5707 GWA 5707 GWA 5707 GWA 5708 GWA 5708 GWA 5772 GWA 5774 GWA 5774 GWA 5774 GWA 5774 GWA 5774 GWA 5774 GWA 5776 GWA 5778 GWA 5778 GWA 5770 GWA 5771 GWA 5771 GWA 5771 GWA 5771 GWA 5771 GWA 5771 GWA 5771 GWA 5771 GWA 5771 GWA 5771 GWA 5771 GWA 5771 GWA 5771 GWA 5771 GWA 5771 GWA 5771 GWA 5771 GWA 5770 GWA 57
63 2 OVALIFOL	IA VAR+ ARCTOLI	TORALIS		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13515 KENDALL ISLANC 13515 KENDALL ISLANC 13515 KENDALL ISLANC 13515 KENDALL ISLANC 16047 UNALAKLEET 16047 UNALAKLEET 16525 NOME 16525 NOME 16525 NOME 16525 NOME 16525 NOME 16526 NOME 16527 NOME 16528 NOME 16527 ROME 16528 NOME 16527 ROME 16528 ROME 16529 ROME 16520 CAPE NOME 16521 RELER 16522 RELER 16525 ROTZEBJE 16240 <kotzebje< td=""> 16240<kotzebje< td=""> 16240<kotzebje< td=""> 16545 16545 GOTORUK CR 16545 GOTORUK CR 16545 GOTORUK CR 16545 GOTORUK CR 16545 GOTORUK CR</kotzebje<></kotzebje<></kotzebje<>	11 16 951 E NCEWEN 24 07 934 A PDRSILD 16 08 920 H JOHNSTON 16 08 920 H JOHNSTON 16 08 920 H JOHNSTON 07 936 6 "JONES 29 D8 909 R KELLOGG 07 08 909 R EEGU 04 08 945 E SCAMMAN 07 08 948 E LEPAGE 06 08 949 E SCAMMAN 06 08 949 E SCAMMAN	5786 GWA 5787 GWA 46268 ISC 256242 59424 GWA 5940 GWA
83 3 OVALIFOL	IA VAR. GLACIA	IS		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9 14454 CAMDEN BAY 9 14454 CAMDEN BAY 0 15655 MEADE RIVER 0 15655 MEADE RIVER 2 15565 TOPAGORUK R 5 15630 POINT BARROW 5 15630 POINT BARROW	06 914 F JOHANSEN 06 914 F JOHANSEN 17 07 952 6 H WARD 17 07 952 6 H WARD 10 07 952 6 H WARD 11 08 966 6 ¥ ARGUS 10 07 966 6 ¥ ARGUS 10 07 966 6 ¥ ARGUS 11 08 966 6 ¥ ARGUS 11 08 966 6 ¥ ARGUS 11 08 966 6 ¥ ARGUS 11 08 966 6 ¥ ARGUS 11 08 966 6 ¥ ARGUS 11 08 966 6 ¥ ARGUS 11 08 966 6 ¥ ARGUS 11 08 966 6 ¥ ARGUS 11 08 966 6 ¥ ARGUS 11 08 966 6 ¥ ARGUS 11 08 966 6 ¥ ARGUS	448 CAN 50116 488 CAN 50117 1178 US 2312329 1179 US 2312330 1341 US 232330 5998 GWA 5151 GWA 5151 GWA 5151 GWA 5193 GWA 5997 GWA 5997 GWA 5998 GWA 5998 GWA 5998 GWA 5998 GWA

TAXON SPC 5 V HYB	PROV WJA	5 LAT LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO HERB + NO
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7125 15530 7125 15630 7125 15643 7119 15643 7121 15629 7124 15629 7124 15629 7124 15629	BARROW BARROW BARROW BARROW POINT BARROW POINT BARROW POINT BARROW BARROW BARROW BARROW BARROW BARROW BARROW BARROW BARROW BARROW BARROW BARROW BARROW BARROW NUWUK NUWUK NUWUK NUWUK NUWUK NUWUK NUWUK NUWUK NUWUK	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	166 G # ARGUS 167 F 168 # ARGUS 168 # MURDOCK 17 # F 168 # MURDOCK 168 # MURDOCK 169 # FSCHOLANDFR 17 # SCHOLANDFR 160 # THOMAS 160 # THOMAS 160 # THOMAS	5982 SWA 5983 GWA 5980 GWA 5980 GWA 5113 GWA 5114 GWA 5122 SWA 5122 SWA 5124 GWA 5124 GWA 5125 SWA 5126 GWA 5127 GWA 5128 GWA 5129 G256629 152 2031640 2135 US 513 US 513 US 513 US 514 SUS
1873 83 0 3 83 4 Oval1Fol1	14 153 La Var• Cy	7123 15629	NUWUK	29 06 9	52 I L WIGGINS	128#3 GH
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5132 179000 5205 17606 5205 17606 5205 17606 5156 17644 5156 17644 5256 16835 5335 16650 5352 16529 5505 15929 5505 15929 5505 15929 5508 15929 5508 15929 5508 15929 5508 15929 5710 17015 5710 17015	UNALASKA HALL ISLAND HALL ISLAND HALL ISLAND FOX BAY IZEMBEK LAGOON ST PAUL IS ST PAUL IS	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	67 W KLEIN 50 T BANK JR. 51 T BANK JR. 52 M JOHNSON 326 G HALEY 327 F COVILLE 328 J PANOERSON 358 J PANOERSON 359 H BREWER 351 J COLE 352 P COLINVAUX 354 Y COVILLE 357 F V COVILLE P 358 J MACOUN 34	50n5 RH 2381 CS 4033 MICH 4033 MICH 4034 MICH 4070 MICH 4070 WICH 2700 WICH 2700 WICH 970 WICH 970 WICH 970 WIS A NY 1074 US 9752 US 9752 US 9752 US 9752 US 9752 US 9752 S73513 9752 S73513 9752 S73513 9752 S73513 9753 JS 9752 S73513 9753 JS 9753 JS 9753 JS 9753 US 9753 US 9753 US 9753 US 9764 US

	IARMS 5576 ALA 32675 IARMS 5619 ALA 32678 IARMS 5376 GWA 32678 IARMS 5377 GWA 34845 IARMS 5575 GWA 34845 IARMS 5575 GWA 34845 IARMS 5575 GWA 34845 IARMS 5576 GWA 34845 IARMS 5575 GWA 34845 IARMS 5575 GWA 34856 LEIN 173 ALA 6667 IEIST 100 ALA 29417 IEIST 104 ALA 29417 IASON 6101 GH 3450 IASON 6101 GH 345073 IASON 6101 GH 367936 IYNNING 1070 ALA 2029 IXANN 2521 ALA 14755
1873 83 0 4 14 93 6330 17030 ST LAWRENCE IS 10 07 931 H 1 1673 63 0 4 14 93 6330 17030 ST LAWRENCE IS 10 07 931 H L 1873 83 0 4 14 93 6330 17030 ST LAWRENCE IS 10 07 931 H L 1873 83 0 4 14 93 6330 17030 ST LAWRENCE IS 10 07 931 H 1873 83 0 4 14 111 6459 16801 KING ISLAND 15 06 968 R 1873 83 0 4 14 111 6536 16805 CA PRINCE WALE 26 07 924 L F 1873 83 0 4 14 111 6536 16805 CA PRINCE WALE 26 07 924 L F	
87 BARCLAYI	
	NRGUS 6750 6**A NRGUS 6752 6**A NRGUS 6753 6**A NRGUS 6757 6**A NRGUS 6757 6**A NRGUS 6757 6**A NRGUS 6756 6**A NRGUS 6756 6**A NRGUS 6755 6**A NRGUS 6701 6**A NRGUS 6701 6**A NRGUS 6703 6**A NRGUS 6737 6**A NRGUS

TAXON	I SPC IS	∀ НҮ8	PROV	QUA	D LAT	∟ONG	LOCALITY	DATE	COLLECTOR NAME	00L NO HERB + NO
1873	67		• •	• -						
1873	87		14 14	10	5755	13603	MUIR INLET, GU MUIR INLET, GU		967 G W ARGUS	6377 GWA
1875	67		14	10	5855	13603	MUIR INLET, G		967 G W ARGUS 967 G W ARGUS	6366 GWA
1873	67		14	11	5825	13432	MENDENHALL GL		940 J P ANDERSON	6359 SWA 6226 Ala 500
1873 1873	87 57		14	11	581B	13424	JUNEAU	08 08	917 J 🖻 ANDERSON	6226 ALA 500 413 JSC 85662
1873	87		14 14	11	5825	13432	MENDENHALL SL MENDENHALL SL	31 05	925 J P ANDERSON	2A16 TSC 255980
1873	87		14	11		13432	MENDENHALL SL	24 06	940 J P ANDERSON 917 J P ANDERSON	6226 15C 256031
1875	67		14	11	5823	13440	JUNEAU.		967 G W ARGUS	405 TSC 85653 6103 SWA
1873	87		14	11			JUNEAU	13 6	967 G W ARGUS	6102 SWA
1873 1873	87 87		14 14	11			JUNEAU.	13 6	967 G W ARGUS	6104 SWA
1673	87		14	11	5825	13435	MENDENHALL RIV MENDENHALL GLA			6106 GWA
1673	87		Ī4	11	5831	13445	EAGLE RIVER. 1		967 G ₩ ARGUS 967 G ₩ ARGUS	6664 GWA 6669 GWA
1873 1873	67 87		14	11	5826	13435	MENDENHALL GLA	10 7	967 G # ARGUS	6663 GWA
1873	67		14 14	11	5825	13435	MENDENHALL GLA DOUGLAS.		967 G W ARGUS	6657 GWA
1873	87		14	11		13423			967 G ⊮ ARGUS 967 G W ARGUS	6600 GWA
1873	87		14	11	5818	13423	MT ROBERTS TR	109 7	967 G M ARGUS	6641 SWA 6641 SWA
1873 1873	87 87		14	11	5820	13436	DOUGLAS ISLAND	07 7	967 G V ARGUS	6598 SWA
1873	87		14 14	11	5820	13436	DOUGLAS ISLAND DOUGLAS ISLAND		967 6 Y ARGUS	6599 SWA
1675	87		14	11	5825	13540	GUSTAVUS.		967 G W ARGUS 967 G W ARGUS	6596 GWA
1673	87		14	11	5825	13540	GUSTAVJ5.		967 G W ARGUS	6590 SWA 6587 SWA
1673 1673	87 87		14	11	5825	13540	GUSTAVUS.	04 07	967 G ₩ ARGUS	6585 GWA
1873	87		14	11	5825	13540	GUSTAVJS.		967 G W ARGUS	6FB4 GWA
1573	87		14	- Li	5825	13540	GUSTAVUS. GUSTAVUS.		967 G ₩ ARGUS	6576 GWA
1873	87		14	11	5825	13540	GUSTAVUS.		967 G W ARGUS 967 G W ARGUS	6571 SHA 5570 SNA
1875	87		14	11	5831	13445	EAGLE RIVER. 1	10 7	967 G W ARGUS	6668 SWA
1873 1875	87 87		14 14	11	5839	13413	TAKU B. NUNATAK	10 QB	966 R BESCHEL	15493 SWA
1873	87		14	11	5818	13420	JUNEAU JUNEAU		958 C HEUSSER 966 W ROBUCK	GWA
1673	87		14	11	5820	13433	MENDENHALL GL		966 W ROBUCK 965 L A VIERECK	16 FSLC 493 7623 GWA
1673	87 87		14	11	5826	13440	MONTANA CREEK	07 08	967 L A VIERECK	8677 GWA
1673	67		14 14	11	2627	13445	MTH EAGLE R MTH EAGLE R		967 L A VIERECK	A6R7 GWA
1873	87		14	-li	5825	13432	MENDENHALL GL		967 L ^ VIERECK 967 L ^ VIERECK	R6R5 SWA
1873	87		14	41	5825	13432	MENDENHALL GL		967 L & VIERECK	8640 SWA 8639 SWA
1873 1873	87 87		14 14	11	5820	13433	MENDENHALL GL	12 06	965 L A VIERECK	7623 FSLC 340
1873	87		14	23 23			UNALASKA UNALASKA	22 07	934 J P ANDERSON	4205 TSC 256019
1673	87		14	23	5354	16631	DUTCH HARBOUR	18 06 07 07	932 W EYERDAM 907 A ^o Van Dyke	888 54
1873	87		14	23	5354	16631	DUTCH HARBOUR		907 A C VAN DIKE	29 GH 117 GH
1873 1873	87		14	25	5354	16631	DUTCH HARBOUR	29 06	907 E C VAN DYKE	117 GH 196 GH
1873	87 87		14 14	23 23	5352	16632	UNALASKA Akutan pass	27 07	940 I GABRIELSON	MA
1873	87		14	23	5352	16632	UNALASKA	20 7	914 J S MACOUN 971 M WILLIAMS	A
1873	87		14	23	5352	16631	ILIULIJK LAKE	01 07		2912 SWA 85 US 883670
1873 1873	87 87		14	23	5352	16631	ILIULIJK LAKE	01 07		A7 US 883671
1673	87		14 14	24 26	5408	16546	AKUTAN Popof 15LAND	10 47	933 D H GEIST	ALA 29710
1873	87		14	29	5515	16230	COLD BAY	28 08	941 L J COLE 958 S J HARBO	TSC 256006 17 ALA 24753
1673	87		14	30	5618	15824	CHIGNIK	20 07	941 L U COLE	ISC 256005
1873 1873	87 87		14 14	3 <u>2</u> 34			ALITAK	05	937 E 100FF	170 A
1873	87		14	34	5717	15331	SHEEP ISLAND THREE SAINTS A	05 06	963 R GORDON 963 B M NYBAKKEN	2746 WI5
1873	87		14	34	5717	15333	THREE SAINTS B	27 06	963 B 4 NYBAKKEN	1036 SWA 2697 ¥ts
1873	67		14	34	5/50	15426	KODIAK	14.08	963 B 4 NYBAKKEN	1058 WTS
1673 1673	87 67		14 14	34 35	5747	15247	KODJAK Olga bay	29 07	904 C PIPER	4602 A
1873	67		14	41	5661 1	15423	KING SALMDN	28.07.0	E LOOFF 965 V L HARMS	1217 6
1873	87		14	42			DUMPLING MT	29 05 4	D67 C ESTABROOK	4451 ALA 32564 125 ALA 34692
1873	67 67		14	42	5835	15550	DUMPLING MT	29 05 4	967 C ESTABROOK	124 ALA 34691
1873	87		14 14	42 42	5817 1	12212 -	GROSNENDR LAKE BROKEN MT			5.N. ALA 2932
1873	87		14	42			BROKEN MT	06 08 4 06 08 4		S.N. ALA 2980
1873	87		14	43	5804 1	15304	RASPBERRY IS		945 W J EYERDAN	5.N. ALA 2979 3708 ISC 256158
1873 1873	87 87		14	4.5			RASPBERRY IS	04 07 4	945 W J ETERDAM	3775 ISC 256156
1673	87		14 14	4.) 4.3	5804 1	15304	RASPBERRY IS RASPBERRY IS	10 09 9	46 W J EYERDAM	5282 ISC 256155
1873	87		14	45	5802 1	15245	AFOGNAK ISLAND	15 04 0	939 W J EYERDAM 940 I GABRIELSDN	2061 A
1873	87		14	*0	2201 1	13564	HAINES, MI. 6	13 7 9	167 G W ARGUS	NA 6748 GWA
1673 1873	87		14	*5	5907 1	13520 1	HAINESP MI+ 6	13 7 9	967 G ₩ ARGUS	6749 GWA
1873	87 87		14 14	45	5928 1 6028 1	13605	OSQUITO LAKE	45 7 9	67 G W ARGUS	6678 G#A
1873	87		14	45	5925 1	3603	MOSQUITO LAKE	12 7 9	967 G ¥ ARGUS 967 G ¥ ARGUS	6678 GWA
1673	87		14	45	5928 1	13605	MOSQUITO LAKE	45 7 9	67 G W ARGUS	6687 GWA 6686 GWA
1873	B7 87		14	45	5928 1	13605	MOSQUITO LAKE	45 70		6681 SWA
1673 1873	87 87		14 14	45 45	5928 1	3605 1	MOSQUITO LAKE	45 7 0	AT G W ADDIE	6680 GWA
1873	87			45	5914 1	3529	AUSQUITO LAKE.	11 7 9 04 ne c	967 G W ARGUS 967 L A VIERECK	6673 3¥4
1873	87		14	46	5915 1	3830 1	ANIS LAKE.	22 6 9	167 G W ARGUS	8586 GWA 6339 GWA
1873	87 87		14	46	5915 1	3830 1	TANIS LAKE	19 6 9	167 G W ARGUS	6200 G#A
1873 1873	87 87		14 14	46	5915 1	3830 1	TANIS LAKE. TANIS LAKE	22 6 9	67 G ¥ ARGUS	6338 GWA
1673	87		14	46	5915 1	3830 1	ANIS LAKE	19 6 9	167 G W ARGUS 167 G W ARGUS	6244 GWA
1873	87		14	46	5915 1	3830 1	TANIS LAKE.	22 6 9	67 G W ARGUS	6243 GWA 6310 GWA
1873 1873	67 67		14	46	5915 1	3830 1	TANIS LAKE	19 6 9	167 G W ARGUS	6202 GWA
1873	87		14 14	40 45	5915 1	3830]	TANIS LAKE	19 6 9	67 G W ARGUS	6201 GWA
					5-13-1	3030 1	ANIS LAKE	21 6 9	67 G W ARGUS	6273 GWA

ł

ŧ

١

TAXUN	5PC 5 V H	TB PROV	GUAD	LAT	LONG	LOCALITY	DAT	E COLLECTO	RNAME	COL NO H	ERA + NO
1673	67	14	46					6 967 G W ARG		6269	
1873	87	14	46				21 22	6 967 6 ¥ ARG 6 967 6 ¥ ARG	iUS	6291 6337	984. 984
1873 1673	87 87	14 14	46 40			TANIS LAKE	19	6 967 G ¥ ARG	US	6237	G MA
1673	87	14	46	5915 :	13830	TANIS LAKE	19	5 967 G ¥ AR0	iUS	6242	
1673 1873	67 87	14 14	46 46	5955	13945			5 967 G ₩ ARG 5 967 G ₩ ARG		6178 6182	
1873	87	14	46	5952	13945	YAKUTAT BAY.	14	6 967 G W ARC	iUS	6127	GWA
1673	67	14	46	5915	13830	TANIS LAKE		6 967 G ¥ AR		6199	
1873	87 87	14	46 46				16 14	6 967 G ¥ ARG 6 967 G ¥ ARG	505 105	6189 6118	
1675	87	14	46	5952	13945	YAKUTAT BAY.	14	6 967 G ¥ AR(5US	6119	Gera
1875	87	14	46	5915	13830			6 167 G W AR(6198 6340	
1875	67 67	14	46 46	5932	13940			6 967 G ¥ ARC 6 967 G ¥ ARC		6342	
1873	87	14	46	5933	13930	SITUK RIVER.	23	6 967 G ¥ AR	ະປຽ	6749	
1673	87	14	46 46					6 967 G ¥ AR(6 967 G ¥ AR(6159 6168	
1673 1673	67 67	14	46	5952	13945		14	6 967 G # AR	SUS	6163	G¥A
1873	67	14	40	5915	13830			6 967 6 ¥ ARI		6205 5171A	
1873	87 87	14 14	46 46	5935	1 4940	SITUK RIVER SITUK RIVER		16 966 V L HAI 16 966 V L HAI		5140	ALA 32580
1873	87	14	46	5935	13940	SITUK RIVER	12 0	6 966 V L HAI	245	5217	ALA 32570
1873	87	14	46	5935	13946	SITUK RIVER		6 966 V L HA		5141	ALA 32569 ALA 32579
1675	67 67	14	46 46	5935	13940 13940	SITUK RIVER SITUK RIVER		16 966 V L HAI 16 966 V L HAI		5146	ALA 32578
1873	67	14	46	5935	13940	SITUK RIVER	09 0	16 966 V L HAI	245	5159	ALA 32577
1673	87	14	46					16 966 V L HAI 16 965 L A VII		5204 7616	ALA 32573 Gwa
1873 1873	87 87	14	46 46	5922	13913	TAKUTAT		6 965 L A VI		7596	SWA
1873	87	14	45	5924	13900	HARLERUIN L	10 0	16 965 L A VI	ERECK	7606	GWA
1873 1673	87 87	14 14	46 46	5924	13900			16 965 L A VI 16 965 L A VI		76°7 7616	GHA FSLC 331
1673	87	14	46	5924	13900		10 0	6 965 L A VI	ERECK	7607	FSLC 339
1873	87	14	46	5924	13900	HARLEQUIN L		6 965 L A VI		7606	FSLC 328
1873 1873	67 67	14 14	46 46			YAKUTAT Dangerdus R	09 0	16 965 L A VI 16 965 L A VI	ERECK	7596 7619	FSLC 339 FSLC 344
1873	67	14	48	5926	14620	MIDDLETON IS	09 0	06 956 J TH	04AS	8564	US 2313000
1873	87	14	50	5959	15143	STERL HWY M139				4264 4273	GWA GWA
1873 1873	87 87	14 14	50 50	5940	15120	HOMER HOMER	13 ()6 967 L ^ VI)6 967 L ^ VI	ERECK	8272	GWA
1873	87	14	57	6037	16515	NELSON ISLAND	02 0)7946 J 5T	EWART	231	NY
1873	87	14 14	60	6015	15859	NUSHAGAK Kasilof			RTIE JR. TZ	158 116	US 1632402 NA 326898
1873 1873	87 87	14	62 62	6030	15100	SOLDOTNA		7 933 L PA	LMER	R	NA 326909
1873	67	14	62	ь025	15020	SKILAK LAKE		939 A ¥ SH		6460	ISC 256014 ALA 499
1673	67 67	14	63 63			MOOSE PASS Seward	31 0)6 941 J P AN)5 941 J P AN	DERSON	6468 6466	ALA 499 Ala 501
1875	87	14	63	6029	14950	COOPERS LANDG	21 ()6 941 J P AN	DERSON	6929	TSC 256030
1873	87	14	63			COOPERS LANDG		6 941 J P AN		6931 6772	TSC 256153 TSC 256150
1873	67 67	14 14	63 63	6029	14920	MOOSE PASS MOOSE PASS	01 0)6 941 J P AN)6 940 J P AN	DERSON	6478	TSC 256152
1873	67	14	63	p029	14920	MOOSE PASS	01 ()6 941 J P AN	DERSON	6404	ISC 256025
1673 1673	67 67	14	63 63			MOOSE PASS MOOSE PASS)6 941 J P AN)6 941 J P AN		6467 6468	ISC 256027 ISC 256028
1673	87	14	63	6029	14920	MOOSE PASS	01 ()6 941 J 🖻 AN	DERSON	6469	TSC 256029
1673	87	14	63			MOOSE PASS	01 0)6 941 J P AN)6 941 J P AN	DERSON	6470 6466	ISC 256151 ISC 256023
1873 1673	87 87	14 14	63 63			SEWARD SEWARD	06 1	06 951 J A CA	LDER	5100	GWA
1673	87	14	63	6038	14835	TEBENKOF GL	27 1	08 935 # CO	OPER	281	F 824012
1673	67	14 14	63 63			COLUMBIA BAY Seward		09 935 W CO 05 945 W J EY	OPER EROAM	373 3673	F A24040 ISC 256157
1873 1873	67 67	14	63	6045	14914	SEWARD HWY M65	29 1	06 967 V L HA	RHS	6063	ALA 39635
1873	67	14	63	6029	14920	MODSE PASS			LSON	502 3471	ALA ISC 256021
1873 1873	87 87	14	63 63	6029	14920	MOOSE PASS HOPE		06 939 A NE 06 962 LJR0	LSON WINSKI	3471	ALA 25672
1873	87	14	63	6003	14755	LATOCHE ISALND	15 (17957 H SH	ACKLETT	4396A	US 2387513
1673	87	14 14	63	6049	14857	PORTAGE GL RD Portage gl RD		06 967 L A VI 06 967 L A VI		A226 82288	gwa gwa
1873 1873	67 67	. 14	63 63	6045	14914	SEWARD HWY 465	11	06 967 L A VI	ERECK	A235	6WA
1873	87	14	63			SEWARD HWY 465				R234	GWA
1873 1873	87 87	14	63 63	6032	14931	SEWARD HWY M38 SEWARD HWY M55	12	06 967 L * ¥1 07 966 S L WE	ERECK LSH	8253 5670	GWA GWA
1673	67	14	63					07 965 S L WE		4548	ISC 246902
1873	87	14	64	6033	14545	CORDOVA Cordova			XIA Amman	2005 1598	ALA 10199 ALA 14752
1873 1873	87 87	14 14	64 68	6107	14616	VALDEZ	Ô5	06 940 E SC 07 935 J P AN		1868	TSC 256018
1873	87	15	68	6107	14616	VALDEŽ	05	07 935 J P AN	DERSON	1866	150 256026
1873 1873	87 87	14 14	68 64	6107	14616	VALDEZ Copper R FLATS	03		TCHELL	257 5.N.	NA 326924 Ala 25131
1873	67	14	66	6100	14500	COPPER R FLATS		960 A SH	EETS	5.N.	ALA 25134
1873	87	14	68	6100	14500	COPPER R FLATS			EETS	5.N.	ALA 25154
1673 1673	87 87	14 14	68 68	6100	14500	COPPER R FLATS			EETS	5.N. 5.N.	ALA 25124 ALA 25126
1873	87	14	68	6100	14500	COPPER R FLATS		960 A SH	EETS		ALA 25132
1873	87	14 14	68	6112	14547	WORTHINGTON GL	01	08 967 L A VI 08 967 i A VI	ERECK	8477 8481	G NA G NA
1873 1873	87 67	14	68	6108	14547	THOMPSON PASS	ŏi	08 967 L 4 VI	ERECK	8488	5 W A
1873	87	14	68	6112	1461	VALDEZ	02	08 967 L A VI	ERECK	8751	GWA
1873	87 67	14 14	68 68	6108	14610	VALDEZ GLACIER	09	08 957 T ¥1 08 957 T ¥1	ERECK ERECK	2226 8394	
1873	07	44	08	0100	14010	ADDLE OFFEREN	.,			110 14	

TAXON	SPC S V HY	8 PKOV	GAU	LAT	LÓNG	LOCALITY	DATE	COLI	LECTOR NAME	COL NO	4583 + NO
1673	87	14	69	6150	14706	GLENN HWY M128	13 06	5944 J	P ANDERSON	9447	SMA
1875 1873	87 87	14 14	69 69	6140	14900	MATANUSKA VY Glenn Hwy M128	06 07	7 931 J 1	P ANDERSON	869	TSC 256016
1873	87	14	69	u230	14900	TALKEETNA MTS			ANDERSON	8447 1039	15C 256ND9 NLA 27307
1873 1873	87 87	14	69 69			TALKEETNA MTS	12 07	7931 J 1	P ANDERSON P ANDERSON	1037	ALA 27315
1873	87	14	69			TALKEETNA MTS	12 07	7931 J 1	P ANDERSON	7002	75C 256022 15C 256020
1873	87 87	14 14	69 69			TALKEETNA MTS	12 07	7931 J I	P ANDERSON	1039	TSC 256017
1873	87	14	69			TALKEETNA MTS HARRIMAN FIORD	25 08	5 941 J 1 3 935 W	P ANDERSON COOPER	7004	TSC 256154 F 824014
1873 1673	87 87	14 14	69 69	o105	14811	HARRIMAN FIORD ANCHORAGE	18 05	935 W	COOPER	148	F A24039
1673	87	14	69	0124	14929	BIRCHWOOD FLAT	01 06	5948 E 5948 E	LEPAGE LEPAGE	23371 23041	TSC 255973
1873 1873	67 67	14 14	69 69			ANCHORAGE MATANUSKA VY	10 07	948 E	LEPAGE J PALMER	23.019	150 255974
1873	87	14	69	6140	14900	MATANUSKA VY			PALMER	216 321	ALA 5980 Ala 5161
1873 1873	87 87	14	69 69			MATANUSKA VY Matanuska vy) PALMER) PALMER	109	ALA 5167
1673 1873	87	14	69	6140	14900	MATANUSKA VY		940 L .	J PALMER	343	ALA 5165 ALA 5162
1673	87 87	14 14	69 69	6100	14825	CHICKALDON CR Coljmbia gl		5967L/ 1957L	VIERECK VIERECK	8217 2334	GWA CWA
1873	87	1	69	6146	14915	PALMER	15 07	968 5 t	, WELSH	9237	GWA
1873 1873	87 67	14 14	69 69	6147	14953	ANCHORAGE LTL SUSITNA CN	15 06	965 S L	, WELSH WELSH	4146	ALA 30023 750 247227
1873 1873	67 87	14 14	69 69	0147	14907	LTL SUSITNA CN ANCHORAGE	13 06	965 S L	. WELSH	4103	ISC 247378
1873	87	14	71	6152	15433	HEAD OF BIG R.	4 7	965 S L 950 W -	- WELSH F DRURY	4146	TSC 246119 CAN
1873 1873	87 87	14 14	71 71			HEAD OF BIG R. HEAD OF BIG R.		'950 ₩ ⊦	I DRURY	3953	CAN
1873	87	14	79	6217	15612	KUSKOK#IM R.		'950 W H '949 W H	I DRURY	3886 2119	
1873 1873	87 87	14 14	60 81	6228	15350	FAREWELL CHELATNA LAKE	12 P	: 940 W F	1 DRURY	2978	CAN
1873	87	14	81	ь257	15222	KUSKOKWIM R	29 07	'961 L /	LITTLE, JR. Viereck	18424 5184	SWA SWA
1873 1873	87 87	14 14	81 81			CHELATNA LAKE KUSKOKWIM R	21 DE	956 L 4	VIERECK	1024	GWA
1873	67	14	81			KUSKOKWIM R	05 08	961 L 7	VIERECK VIERECK	5304 5260	FSLC FSLC
1873 1873	87 87	14	61 83			KUSKOKWIM R Gulkana	21 08	1 961 L /	VIERECK	53P1	FSLC
1873	87	14	83	6215	14525	GULKANA	19 06	957 G ¥	ARGUS	1046 1039	SWA 8418 Gwa
1873 1673	87 67	14 14	83 85	6215 6215	14525	GULKANA GULKANA		957 G M		1045	SWA
1873	87	14	83	6215	14525	GULKANA	19 06	957 G H	ARGUS	1044 1039	S#A Ala 8415
1673 1673	87 87	14 14	83 83			GULKANA GULKANA		957 G K		1045 1046	ALA 8401 Ala 8410
1873	87	14	33	6215	14525	GULKANA	19 06	957 G 🕯	ARGUS	1044	ALA 8417
1873 1873	87 87	14 14	35 35			BIG TOK R BR BIG TOK R BR	24 06	.944 JP .944 JP	ANDERSON	8714 8715	GWA GWA
1873	87	14	35	6307	14315	BIG TOK R BR	24 06	ւ ԳԿԿ մ Բ	ANDERSON	A714	150 256009
1673 1873	87 87	14	85 85			BIG TOK R BR BIG TOK R BR	24 06	.944 J⊏ .9⊾⊾ J⊏	ANDERSON ANDERSON	9715 9713	ISC 256010 ISC 256007
1873 1873	87 87	14 14	35 Зь	6312	14330	TANACROSS	19 07	957 L /	SPETZMAN	722	ALA 6838
1873	87	14	30	ь347	14547	MCCALLUM CR Donnelly dome	29 06	957 G #	ARGUS	1033 1057	SEA SEA
1873 1873	87 87	14 14	36 36	6315	14540	MCCALLUM CREEK MCCALLUM CR	19 06	957 G H	ARGUS	1031	GWA 6709
1873	87	14	66	6347	14547	DONNELLY DOME	29 06	957 G ¥	ARGUS	1033 1057	ALA 6728 Ala 6739
1673 1673	87 87	14 14	де 96	6315	14540	MCCALLJM CREEK Donnelly Dome				1071	ALA
1673	87	14	66	ь347	14547	DONNELLY DOME	01 07	965 V L 964 V L	HARMS	3543 2896	ALA 32639 ALA 32646
1673 1673	87 87	14 14	46 86			RAINBON MT Rich Hay M237		966 C	PARKER VIERECK	9420 8338	ALA 32688
1673	87	14	86	6305	14536	DENALT HWY M5	26 07	967 L M	VIERECK	8363	52A 524
1873 1873	87 87	14 14	87 87			SAVAGE RIVER Summit		928 Y	MEXIA VIERECK	2017	ALA 10196
1673 1673	87 87	14 14	88	6325	15050	WONDER LAKE	26 07	956 G ⊌	ARGUS	657	GWA GWA
1873	87	14	68	6359	15031	MCK PK RD M67 MCK PK RD M74		960 A 963 R	MURIE Richey	8	GWA Ala 26102
1873 1873	67 67	14 14	88 88	6324	15025	MULDROW GL WONDER LAKE	13 07	956 L A	VIERECK	1309	ALA 11622
1873	87	14				THOROFARE R	04 07	956 L 4	VIERECK	3295 1094	ALA 8382 ALA 11623
1873 1873	87 87	14	98	6325	15050	WONDER LAKE	29 07	956 L A	VIERECK	1583	ALA 11613
1873	87	14	98	6325	15050	THOROFARE R Wonger Lake			VIERECK	1094 3295	GWA GWA
1873 1873	87 87	14 14				MULDROW GL Thorofare R	13 07	956 L A	VIERECK	1309	GWA
1873	87	14	98	6324	15025	THOROFARE R	10 07	958 L A	VIERECK VIERECK	3014 3073	SWA GWA
1873 1873	87 87	14 14				WONDER LAKE Wonder Lake	04 08	958 L A	VIERECK	3267 3128	GWA GWA
1873	87	14	88	6325	15050	WONDER LAKE	30 06	958 L 4	VIERECK	3120	GWA
1873 1873	87 87	14 14				MULDROW 6L MULDROW 6L			VIERECK VIERECK	3010 7244	GWA GWA
1873 1873	87 87	14	88	6325	15035	MULDROW GL	22 06	958 L A	VIERECK	3062	SWA
1873	87	14	88	6325	15035	MULDRO# GL	20 07	958 L A	VIERECK	3266 3060	GWA GWA
1873 1873	87 87	14 14	88	6325	15050	WONDER LAKE	26 06	958 L A	VIERECK	3089	GWA
1873	87	14	88	6325	15050	WONDER LAKE	28 06	958 L A	VIERECK Viereck	3165 3104	GWA Gwa
1873 1873	87 87	14 14	88 88	6325 5325	15050	WONDER LAKE	29 07	956 L A	VIERECK	1583	GWA
1873	87	14	66	6325	15050	WONDER LAKE	04 08	958 L 4	VIERECK	3060 3267	FSLC FSLC
1873	67	14	88	6525	15020	WONDER LAKE	01 07	958 L A	VIERECK	3128	FSLC

TAXON	SPC S V HY	O PILOV WUA) LAT LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO 4598 + NO
14/3 1873 1873 1873 1873 1873	87 67 87 87 87	14 88 14 88 14 88 14 101 14 101	6325 15050 6325 15035 6425 14650	WONDER LAKE Wonder lake Muldrow GL Harding L Shaw CR Flats	30 06 95 28 07 95	58 L + VIERECK 59 L & VIERECK 58 L A VIERECK 56 G W ARGUS 56 J FDOTE	3155 FSLC 3120 ESLC 3266 FSLC 525 SWA 8063 FSLC
89	CHAMISS	ONIS					
1873 187755 187755 187755 187755 187755 1877555 18775555 1877555	CHAMIS: 89 89 89 89 89 89 89 89 89 89 89 89 89	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6A00 13540 6757 13627 3670 13600 6757 13627 3670 13600 6757 13627 5255 17255 5255 17255 5255 17255 5250 17136 5320 17157 5320 1	RICHARDSON WTS SAM L. 22MI NE EATTU ISLAND EATTU ISLAND MT JOW-NAME NORTHEAST CAPE BOXER BAY BOXER BAY BOXER BAY BOXER BAY BOXER BAY BOXER BAY NOME NOME NOME NOME NOME NOME NOME TELLER RD 14M ANVIL WT AVVIL WT CAPE NOME CAPE NOME CAPE NOME CAPE NOME CAPE NOME CAPE NOME CAPE NOME CAPE NOME CAPE NOME CAPE NOME	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	b2 J A CALDER 54 A F PORSILD 70 S L WELSH 49 G LLANO 53 G F GEIST 33 O F GEIST 33 O F GEIST 33 O F GEIST 33 O F GEIST 53 O F GEIST 53 O F GEIST 53 O F GEIST 53 O F GEIST 54 P ANDERSON 48 DUTILLY 29 S J ENANDER 54 C FELER 64 PEGAU 20 F GLAISDELL 70 F GLAISDELL 71 G F GLAISDELL 72 K SETCHELL 74 V LHARME 75 V L HARER	2013 115 173479 0115 ALA 29409 030 ALA 29508 015 ALA 29509 CAN 3240 15C 255383 23976 15C 255384 10F4 ALA 27074 31969 31068 1326 CAN 606 US 1438560 1544 ALA 1544 US 1438560 1544 ALA 1544 US 1325631 5125 ALA 34632 532 54 2346 ALA 3560 34 2346 ALA 3560 34 2346 24 3560 34 3570 54 3304 3304 3304 3304 3731 12 ALA 3707 33 384 7350 7550 303
1673 1873 1873 1873 1873 1873 1873 1873 18	69 69 69 69 69 89 89 89 89 89 89 89 89 89 89 89 89 89	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	6512 16645 6512 16645 6725 15001 6725 15001 6810 16544 6810 16544 6810 16544 6810 16544 6810 16544 6810 16544 6810 16544 6810 16544 6810 16544 6810 16545 6847 15956 6847 15956 6849 15031 6809 15031 6917 14600	PORT CLARENCE PORT CLARENCE WISEMAN WISENAN OGOTORJK CR OGOTORJK br>OGOTORJK OGOTORJK	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	B0 F V COVILLE 89 F V COVILLE 89 L JORDAL 40 L JORDAL 55 A JOHNSON 59 A JOHNSON 50 H MELCHIOR 50 H MELCHIOR 50 H MELCHIOR 50 H MELCHIOR 51 K MCLONIN 52 A HOONSON 52 A HOONSON 52 A HOONSON 53 H GECRIDIN 63 J FLOCK 7 MCGRESOR 4	7340 -5LC 303 7341 -5LC 301 75238 TSC 256382 1878 US 373477 1877 Å 2178 YICH 2179 YICH 99 ALA 9166 142 ALA 9150 73 -44A 9150 73 -44A 9150 73 -44A 17848 162 -4LA 17848 162 -4LA 17759 531 -544 4071 NA 328068 7 -541 7 -541 7 -541 8 -23876 40 ALA 21744 5-NJ, MTCH 1099 US 2032247
90 1673 1775 17	BARRA 1 90 90 90 90 90 90 90 90 90 90 90 90 90	TIANA 1 52 1 36 2 24 2 30 7 15 7 243 7 243 7 300 7 300 7 300 7 30 7 35 7 35	5241 1180; 5720 1235; 5648 1224; 6833 1282; 6430 1281; 6311 1330; 6301 1281; 6301 1281; 6301 1281; 6301 1281; 6301 1281; 6305 1285; 6205 1273; 6205 1273; 6205 1273; 6205 1273; 6205 1273; 6205 1273; 6205 1273; 6205 1273; 6205 1273; 6205 1273; 6205 1273; 6205 1273; 6205 1263; 6205 1263; 6205 1264; 6102 1383; 6146 1383;	S BRULE 2 MT EDITH CAVE 5 FAIRY LAKE 10 CYPRESS CR 9 ANDERSON RIVER 5 FT.FRANKLIN 10 BOLSTEAD CR. 5 MACVILLAN PASS 10 GRADY L. 10 SEKWI R. 10 SEKWI R. 10 SEKWI R. 5 COLONEL MT 5 SITSI RANGE, NM 5 ITSI RANGE, NM 5 ITSI RANGE, NM 1 STARMIGAN HRT. 5 PTARMIGAN HRT.	$\begin{smallmatrix} & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & $	968 J A CALDER 935 M A HENRY	119 TSC 256165 5920 SWA 27252 ALA 17433 705 ISC 256167 5926 SWA 32412 CAN 4827A 1223 CAN 48370 1694 DAO 11841 CAN 48392 17993 ALA 14761 9422 ALA 14764 9370 ALA 14762 9374 ALA 16594 9422 SWA 9370 SWA 12597 SWA 12597 SWA 1386 CAN 48430 409 CAN 279643 1347 CAN 313087 13781 CAN 275688

TAXON	SPC	s v	нтв	₽R0V	⊌UA∂	LAT	LONG	LOCALITY	DA	ΤE	COLL	ECTOR	NAME	COL NO HERB + NO
1873 1873 1873	90 90 90			12 12 12	35 35 35	ь120 ь130	13300 13302	CANOL RD MI 98 ROSE R. UPPER ROSE R.	3 11	794	4 A F 4 A F	PORSI PORSI PORSI	LD	11899 CAN 48427 10272 CAN 48433 10362 CAN 48429
1673 1673	90 90			12 12	35 35			CANOL RD MI105 Rose Lapie R	10	6 94 06 94	4 A F 4 A F	PORSI	LD	9293 CAN 48426 9293 TSC 256160
1673	90 90			12 12	35	o145	13258	ROSE LAPIE R UPPER ROSE R	10	06 94	4 A C		LD	9293 TSC 256160 9294 SH 10362 SH
1673	90			12	.59	6055	13843	SLIMS RIVER	21	06 96	6 D F	MURRA	Y	9294 94 10362 94 406 984
1675 1875	90 90			12 12	.39 .39	6055 6069	13843	SLIMS RIVER						409 SWA
1873	90			12	.59	0057	13825	OBSERVATION MT	18	07 94	ц н ч	RAUP		561 GWA 12585 ALA 19911
1673 1873	90 90			12 12	.59 41	6057 6022	13625	KLUANE LAKE LITTLE ATLIN L	18	07 94 08 9 4	4 H M 3 H M	RAUP		12585 GWA
1a/3 1673	90			12	42	603 0	13300	CANOL RD MI 10	30	7 94	4 A F	PDRSI	LD	13937 CAN 48431
1873	90			12	42 65	6100	14139	CANOL RD M10 Chitina R.	14	6 92	4 A F 5 H V	PORSI	LD	217 CAN DAUSO
1673	90 90			14 14	БВ 71	6112	14539	GLENN HAY M128 HEAD OF BIG R. HEAD OF BIG R.	15	06 94	4 J P	ANDER	SON	4483 TSC 256162 4251 CAN
1873	90			14	71	6155	15425	HEAD OF BIG R.	10	7 95	0 W H	DRURY		4215 CAN
1873	90 90			14 14	нь В6			DIVIDE MT. MACCLAREN R	29 21	6 96 07 96	3 6 4	SPETZ	CK	4215 CAN 4973 CAN 299614 9390 GWA 2019 ALA 10208
1873	90			14	37	ь350	14925	SAVAGE R						
1875	90 90			14 14	37 37	6239	14932	TEKLANIKA R Teklanika r		06 93 08 93		NELSO		3524 ALA 503 4256 ALA 504
1873 1873	90 90			14 14	37			TEKLANIKA R MT MCKINLEY PK		06 93		NELSO	N I	3584 ISC 256114
1873	90			14	38	6325	15020	MT EIELSON	22	07 95	6 G W	ARGUS		646 GWA
1873	90 90			14 14	48 88	6325 6330	15020	MT EIELSON Toklat river						
1873	90			14	48	6328	15011	STONY CREEK	28	07 96	Ť J	ARGUS FOOTE RICHE		690 SWA LV8424 SWA
1873 1873	90 90			14 14	38 38			MCK PK RD M63 MT EIELSON	14	06 96 08 94	2 R 7 E	SCAME	, Y IAN	ALA 26199 4990 384 ALA 25318
1873 1873	90 90			14 14	48 48			NCK PK RD M64 MT EIELSON		07 95		SCHEN	E	4LA 25318
1873	90			14	38	6325	15020	MT EIELSON	10	07 95	6 L A	VIERE	CK	1361A ALA 11625 1214 ALA 3500
1873 1875	90 90			14 14	-38 -38			THOROFARE R Toklat river	10			VIERE	***	10968 ALA 11621 1793 ALA 11596
1873	90			14	38	6325	15030	THOROFARE R	02	08 96	4 L A	VIERE	CK.	7417 FSLC 293
1673 1873	90 90			14 14	38 124			TOKLAT RIVER Wiseman	n 1	00 01		ANDER	1000	5070 ALA 97503
1873 1873	90 90			14 14	124 124			WISEMAN WISEMAN	01	08 93 08 94	9 J 0	ANDER	150N	5878 1SC 256163
1873	90			14	1 37	6836	14345	SHEENJEK R	30	07 95	5 G P	SCHAL	LER	2233 GH 164 HT5
1673 1873	90 90			14 14	138 158			JAGO RIVER JAGO LAKE				CANTL		57911 CH 571558 CH
1873	90			14	139	6920	14500	LAKE PETERS	14	7 94	BLA	SPETZ	MAN	674 CAN 212062
1873 1873	90 90			14	139 140			SHUBLICK:S SPR SADLEROCHIT R.		08 94	5 L A	SPETZ	MAN	443 TSC 256161 936 C44 212063
92	P	HLEE	зорн	YLLA										
1873	92			7	135	6920	13300	KITTIGAZUIT	24	07 92	7 A F	PORSI	LD	2469 GWA
1873 1873	92 92			7	135 152			RICHARDS IS Canoe Lake				LARSE		10115 SWA SWA
1673	92			."	152	6836	13403	REINDEER STA.	16	06 96	a J A	LARSE	N	7023 GWA
1673 1673	92 92			777	152 152			REINDEER STA. Reindeer Sta.	03	08 96 08 96	5 G ¥ 5 G ¥	SCOTT	ER	6974 GWA 6970 GWA
1873	92			7	170	6745	13601	HORNE L.	5	7 96	2 J A	SCOTT CALDE WELSH WOOD	R	6970 GWA 33883 740
1573 1873	92 92			12 12	2	6933	13854	BUCKLAND HILLS HERSCHL IS	05	797 0795	0 S L 9 R	WOOD	•	10150 DTF 1192 140 CAN 258920
1873 1873	92 92			12 12	4	6825	13848	SAM L. BMI NW OLD CROW R	30	6 97	OSL	WELSH		10967 997 91021
1873	92			12	15	6404	13925	DAWSON	20	06 91	4 M	MILVA	IN	5+N+ 4LA 540 A
1873 1873	92 92			12 14	44 39			WATSON L HAGEMEISTER IS	21	08 95		RAUP		11010 CAN 1201 US 2176420
1673	92			14	+1	5841	15639	KING SALMON	03	07 95	2 1	SCHOP	TELO	1955 54
1873 1873	92 92			14 14	42 51	5941	15551	DUMPLING MT WONDER LAKE		06 96 07 95		ESTEB		
1873	92 92			14	72 72	6146 6146	15808	CANDE MT. Cande MT.	6 6	7 94		DRURY		1811 CAN 1810 CAN
1873	92			14	72	ы146	15808	CANDE MT.	6	7 94	9 N H	DRURT		1909 CAN
1673 1873	92 92			14 14				CANOE MT. Aniak				DRURY		1908 CAN 1563 CAN
1873	92			14	73	6137	15930	ANIAK	18	6 94	9 ¥ H	DRURY	,	1564 CAN
1873 1873	92 92			14	73	ь137	15930	ANIAK REGION	18 18	6 94	9 ¥ H	DRURY	'	1565 CAN 1557 CAN
1873 1873	92 92			14 14	73 73	6137	15930	ANIAK	18	6 94	9 W H	DRURY	·	1465 CAN 1561 CAN
1873	92			14	75	ь137	15930	ANIAK	18	694	9 W H	DRURY		1555 CAN
1873 1873	92 92			14 14	73 73			ANIAK ANIAK				DRURY		1559 CAN 1560 Can
1873	92			14	79	ь259	15604	TAKOTNA	25	07 94	1 J P	ANDER	ISON	7378 ALA 541
1873 1873	92 92			14 14	79 79	6257	15630	TAKOTNA Ganes Road	12	9 94	9 H H	ANDER		7378 TSC 256255 3453 CAN
1873 1873	92 92			14 14	79 79	6259	15622	YANKEE CREEK Yankee Creek	03	07 94 07 94	0 E	SCAM	AN	1828 ALA 8373 1828 GWA
1873	92			14	51	6240	15230	KUSKOKAIM R	01	08 96	1 L ^	VIERE	CK	5227 FSLC
1873 1873	92 92			14	35 8в			MT FAIRPLAY Horn Ridge		06 95 06 95		SMITH		24398 ALA 10738 132 US 2349537
1873	92			14	87			HEALY	23	07 93	9 J P	ANDER		5773 ISC 256256

TAXON	SPC 5 V HY8	PROV	QUAD	LAT	LONG	LOCALITY	DA	TE	COLL	ECTOR NAME	COL NO	4588 + NO
1873 1873	92 92	14 14	89 87	6315 6315	15442	NIXON MINES NIXON MINES Unalakleet Powdoiliak	4	9	949 ¥ H 949 ¥ H		3146 3145	
18/3	92	14	91	•352	16047	UNALAKLEET		06	921 L J	PALNER	231	ALA 2026
1873 1873	92 92	14 14	93 93	6322	17117	POWDOILIAK	17	08	931 0 4	PALNER GEIST GEIST	5.N. 5.N.	ALA 29722 ALA 29781
1873	92	14 14	93	6336	17026	MT ATUK	17		933 0 ₩	GEIST		ALA 29711
1673 1873	92 92	14	95 93			ST LAWRENCE IS ST LAWRENCE IS			933 0 ¥		5.N.	ALA 29738 ALA 29423
1875	92	14	93	6320	17136	BOXER BAY	27	06	933 0 4	GEIST	246	ALA 29421
1873 1873	42 92	14 14	95 93			BOXER BAY Boxer Bay	15	06	933 0 ¥ 933 0 ¥	GEIST	207	ALA 29420 Ala 29418
1673	92	14	93	6334	17053							ALA 29783
1873 1873	92 92	14	95 93	6320	17136	KANGEE Sw Cape Boxer Bat Nome Nome	27	06	953 D H 960 E S	SAUER	5.N.	ALA 29782. HIS
1873 1873	92 92	14 14	94 94	6430	16525	NOME	11	06	936 J P	ANDERSON	3239	ISC 259262 ALA 32707
1873	92	14	94	6435	16540	NOME	21	05	966 R	PEGAU	w11	ALA 32703
1873 1873	92 92	14 14	94 94	6435	16540	NOME NOME DEXTER CREEK Nome Nome River Dickson Golovin Manley Hot SPR Ester Jome	16	06 08	966 R 965 R	PEGAU	¥3 ¥20	GWA GWA
1875	¥2	14	94	6435	16540	NOME	29	07	966 R	PEGAU	₩7	SWA
1873 1873	92 92	14 14	94 94	6435 6446	16540	NOME BIVER	21	08	966 R	PEGAU	W11	SHA GWA
18/3	92	14	95	6433	16425	DICKSON	10	0B	948 J 0	ANDERSON	10903	150 256252
1673	92 92	14	95 99	6500	15038	GOLOVIN MANLEY HOT SPR	17	06 06	938 J P 965 S I	ANDERSON WELSH	34224	15C 256260 15C 246969
1873	92	14	100	6453	14803	ESTER JONE	20	07	967 L A	VIERECK	8308	
1673 1873	92 92	14 14	102 104	6438 6530	14120	EAGLE EAGLE SUMMIT	09	08	965 V L 935 J P	HARMS ANDERSON	4932	ALA 32636 TSC 256246
1873	92	14	104	ь 5 30	14600	TWELVE HI SUMM	15	06	963 F 4	CHAUVIN	11	ALA 23890
1a73 1a73	92 92	14 14	104 104	6530 6530	14600	TWELVE WI SJMM FAGLE SUMMIT	14	07	951 B 947 F	KESSEL SCANNAN	4761	ALA 22908 Swa
1873	92	14	104	6530	14525	EAGLE SUNMIT			945 E	SCAMMAN	3492	GRA
1873 1873	92 92	14 14	104 104	6530	14525	PORCUPINE DOME	20 12	07	947 E 947 E	SCAMMAN SCAMMAN	4761 736	SWA Gwa
1673	92	14	104	ь527	14526	EAGLE SUMMIT	26	06	957 G <	SHELTER	250AF	ALA 3824
1873 1873	92 92	14 14	104 104	6527	14630	SOURDDJGH CR EAGLE CREEK	08	08	953 5 n 965 J	SNITH TRENT	1972	ALA 10652 ALA 30716
1873 1873	92 92	14 14	104	6526	14524	CRIPPLE CREEK	28	06	966 J	TRENT	1956	ALA 32689
1873	92	14	104 104	6530	14525	EAGLE SUNNIT	25	07	964 L A	VIERECK	7374	F5LC000299
1673 1673	92 92	14 14	105 105	6505	14730	PEORO DOME	14	07	965 G W	ARGUS	577	ALA 22492
1873	92	14	105	6505	14730	PEDRO JONE	14	07	956 G W	ARGUS	577	ALA 4519 Swa
1873 1873	92 92	14 14	105 105	6505	14730	OICKSON GOLOVIN MANLEY HOT SPR EAGLE EAGLE SUMMIT TWELVE WI SUMMIT TWELVE WI SUMMIT EAGLE SUMMIT EAGLE SUMMIT EAGLE SUMMIT SOURDOUGH CR EAGLE CREK CRIPPLE CREK CRIPPLE CREK CRIPPLE CREK CREPPLE CREK EAGLE SUMMIT EAGLE SUMMIT EAGLE SUMMIT EAGLE SUMMIT PEDRO JOME PEDRO JOME PEDRO JOME PEDRO JOME MICKERSHAM JOM WICKERSHAM JOM WICKERSHAM JOM WICKERSHAM JOM WICKERSHAM JOM WICKERSHAM JOM WICKERSHAM JOM WICKERSHAM JOM WICKERSHAM JOM CLEARY SUMMIT CATALINA CLEARY SUMMIT TATALINA CLEARY SUMIT TEXAS CREEK GOODPASTER R MALES TELLER	14	06	966 G ¥	ARGUS	-	SHA MACEN
1873	92	14	105	6512	14805	WICKERSHAN JON	17	06	965 V L	HARMS	3662	ALA 32654 ALA 32581
1873 1873	92 92	14 14	105 105	6512	14805	WICKERSHAM DOM	04	06	965 V L	HARMS	3468	ALA 32626 ALA 32600
1873	92	14	105	6503	14726	CLEARY SUMMIT	15	06	954 5 6	SNITH	2361	ALA 10654
1673 1673	92 92	14 14	105 105	6503	14726	CLEARY SUMMIT	15 28	06	954 5 6	SMITH SMITH	2362	ALA 10731 Ala 10732
1873	92	14	105	6503	14726	CLEARY SUMMIT	15	06	954 5 A	SHITH	2361	SWA
1673 1873	92 92	14 14	105 105	0519	14818	TATALINA TATALINA	28 28	05	953 5 6	SMITH Smith	1741B 1741A	
1873 1873	92 92	14 14	105 106	6503	14726	CLEARY SUNNIT	24	06	961 R	SPOONER	P26	ALA 19064
1873	92	14	108	6425	14435	GOODPASTER R	07	07	956 A W	JOHNSON	88	ALA 19083 Ala 7094
1873 1873	92 92	14 14	111	6537	16805	WALES	19	08	939 J "	ANDERSON	4935	150 256259
1873	92	14	111	6546	16855	LTL DIDNEDE IS	14	08	926 A F	PORSILD	1677	75C 256253 US 1789737
1873 1873	92 92	14 14	111	6512 5654	16645	PORT CLARENCE	12	07	899 W	TRELEASE	3385	4 15C 253258
1873	92	14	114	6654	16038	TELLER LTL DIDWEDE IS PORT CLARENCE KOBUK RIVER CHORIS PEN CHORIS PEN WISEMAN WISEMAN ONION PORTAGE KIVALINA KIVALINA	15	08	950 L H	JORDAL	3960	US 2030195
1873 1873	92 92	14 14	114 114	6617 6617	16153 16153	CHORIS PEN CHORIS PEN	15 15	09 09	931 C H 931 C H	ROUSE	11	ALA 2557 ALA 5979
1873	92	14	124	6725	15007	WISENAN	01	0á	930 J P	ANDERSON	5976	ALA 27552
1873 1873	92 92	14 14	124 126	6706	15815	UNION PORTAGE	U1 24	08 07	939 J * 967 C	ANDERSON Schweger	5876	15C 256257 ALA 34717
1873 1873	92	14 14	126	6758	16432	KIVALINA KIVALINA KUPUK RIVER	10	0.9	938 J P	ANDERSON	46258	120 585254
1873	92 92	14	128 129	6816	16535	KUPUK RIVER	20	07	963 H P	MELCHIOR	16 493	ALA 26577 5wa
1873 1873	92 92	14 14	130	6830	16351	IPEWIK RIVER	28	07	961 E	HULTEN		US 2384489
1873	92	14	133	6822	15438	PITMEGEA RIVER UPPER KURUPA R	03	07	952 A	THOMPSON HODGOON	5.N. 8219	VIS GH
1873 1873	92 92	14 14	134 134			ULO LAKE Chandlêr lake			963 F ⁴ 956 1	CHAUVIN WIGGINS	52 13718	ALA 23891 US 2264037
1873	92	14	136	6803	14500	OLD JOHN LAKE	16	08	967 5	SHETLER	1190AF	ALA 4381
1873 1873	92 92	14 14	136 137	6804 6836	14503	OLD JOHN LAKE Sheenjek River	16 28	80 66	957 S 956 G B	SHETLER	AF161 95	GWA W15
1673	92	14	138	6950	14220	NUVAGAPAK PT	09	08	966 G ¥	ARGUS	5921	GWA
1673 1673	92	14 14	138 138	6950	14220	NUVAGAPAK PT Nuvagapak Pt			966 G M 966 G W		5903 5901	GWA GWA
1873 1873	92 92	14 14	138	6926	14347	JAGO RIVER	12	07	957 J	CANTLON	57753	94
1873	92	14	140	6914	14700	LAKÉ SCHRADER Shavidvik r	05	06	948 P 947 L	SCHOLANDER SPETZMAN	59 2164	US 2031803 ISC 256249
1673 1673	92 92	14 14	140 141		14910 15210	SADLEROCHIT R	26	07	948 L 966 Y	SPETZMAN SUDA	851	US 20 32121
1673	92	14	141	6923	15210	UMIAT	28	07	966 Y	SUDA	26566 26666	GWA GWA
1673 1673	92 92	14	142 145			IKPIKPUK R Cape Beaufort			947 R F 966 G W		5.N. 5469	ISC 256247 GWA
1873	92	14	145						966 6 ¥		5658	GWA

- -

TAXON SPO	с 5 V н¥в	PROV	ULA.)	LAT LONG	LOCALITY	DATE	COLLECTOR NAM	÷	00L NO -	1599 + NO
TAXON SPC 1h/3 92 1b/3 92 1k73 92 1k73 <td></td> <td></td> <td>144677777777777777777777777777777777777</td> <td>902 16350 902 16350 902 16350 903 16302 903 15730 911 15722 921 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 1542 931 15450 931 14650 931 14335 9305 14335 9305 14335 9305 14335 9305 15640 120 15640 120 15640</td> <td>CAPE BEAUFORT CAPE REAUFORT CAPE REAUFORT MEADE RIVER PO USUKTUK RIVER MEADE RIVER USUKTUK RIVER USUKTUK R USUKTUK R USUKTUK R BULLEN BARTOW BARROW BARROW BARROW</td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>66 6 W ARGUS 66 6 W ARGUS 66 6 W ARGUS 66 6 W ARGUS 60 0 W GEIST 60 0 W GEIST 60 0 W GEIST 60 0 W GEIST 60 0 W GEIST 66 6 W ARGUS 66 /td> <td>ال ا</td> <td>5474 5411</td> <td>984 984 984 984 984 984 984 984 984 984 984 984 984 986 986 987 988 9</td>			144677777777777777777777777777777777777	902 16350 902 16350 902 16350 903 16302 903 15730 911 15722 921 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 15722 931 1542 931 15450 931 14650 931 14335 9305 14335 9305 14335 9305 14335 9305 15640 120 15640 120 15640	CAPE BEAUFORT CAPE REAUFORT CAPE REAUFORT MEADE RIVER PO USUKTUK RIVER MEADE RIVER USUKTUK RIVER USUKTUK R USUKTUK R USUKTUK R BULLEN BARTOW BARROW BARROW BARROW	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	66 6 W ARGUS 66 6 W ARGUS 66 6 W ARGUS 66 6 W ARGUS 60 0 W GEIST 60 0 W GEIST 60 0 W GEIST 60 0 W GEIST 60 0 W GEIST 66 6 W ARGUS 66	ال ا	5474 5411	984 984 984 984 984 984 984 984 984 984 984 984 984 986 986 987 988 9
1673 92	POLARIS	14	153 7	118 15636	UARADW	01 07 9	52 I I WIGGINS		12948	TSC 224873
1873 96	\$	02			HAINES RD M75		56 T M TAYLOR		P19	DAD 32736
1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96		02 02 02 02 02 02 02 02	6 5 16 5 10 5 10 5 10 5 10 5 10 5 10 5 21 5	915 12945 831 12434 831 12434 831 12434 831 12434 831 12434 831 12434 831 12434 831 12434 720 12802	CASSIAR SUMMIT PASS SUMMIT PASS SUMMIT PASS SUMMIT PASS SUMMIT PASS SUMMIT PASS SUMMIT PASS COLD FISH L	17 06 9 20 07 9 18 07 9 20 07 9 12 06 9 12 06 9 12 06 9 23 07 9	56 T M TAYLOR 43 H M RAUP 43 H M RAUP 56 T M TAYLOR 56 T M TAYLOR 56 T M TAYLOR 56 T M TAYLOR 56 T M TAYLOR		372 10697 10697 10702 197 199 193 07	140 32740 ALA 20074 ALA 20073 ALA 20075 140 32739 140 32734 140 32734
1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96		07 07 07 07 12	35 5 133 b 152 5 152 6 152 6 152 b 152 b	530 12245 935 13355 813 13554 813 13554 813 13554 813 13554 813 13554 411 14021	RICHARDS IS CANDE LAKE CANDE LAKE CANDE LAKE CANDE LAKE BIG SWEDE DOME	04 08 9 21 07 9 18 07 9 18 07 9 18 07 9 18 07 9 18 07 9 18 07 9	59 A F SZCZAWIN' 54 J n Calder 63 W J Cody 63 W J Cody 49 J n Calder		13018 12921 12925 12976 12975 4497	040 32735 040 5770 040 25922 040 32705 040 32705 040 32706 040 32708 040 32730
1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96		12 12 12 12 12 12 12 12 12	30 b 30 b 32 6 39 b 39 b 39 b 39 b	247 13104 247 13104 149 13835 058 13829 045 13852 049 13844 057 13825	KENO HILL MT SHELDON MT SHELDON PTARMIBAN HART KLUANE LAKE KASKAWJLSH GL DBSERVATION MT SLIMS RIVER	17 08 9 07 08 9 16 07 9 24 07 9 25 07 9 05 07 9 18 07 9	44 J P ANDERSON 67 D F MURRAY 66 D F MURRAY 44 H M RAUP		1099 560 12598	CAN 312754 GH ALA 20059 ISC 256979 GWA GWA ALA 20072
1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96		12 12 12 12 12 14 14	39 b 42 5 42 c 151 5 20 5 57 6	057 13825 022 13351 022 13351 853 13906 858 13606 033 16525		18 07 94 18 07 94 15 08 94 13 08 94 19 07 94 29 6 94 08 08 84	44 H 4 RAUP 44 H 4 RAUP 43 H 4 RAUP 43 H 4 RAUP 62 J 4 CALDER 67 G 4 ARGUS		12547 12548 11327 11239 34440 6468 2530	5H
1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96		14 14 14 14 14	67 6 67 6 81 6 81 0 81 0	137 14158 137 14158 138 14152 240 15230 240 15230 240 15230	SKOLAI CR	21 07 9 21 07 9 27 07 9 02 09 9 05 08 9 29 07 9	67 D F MJRRAY 67 D F MJRRAY 67 R W SCOTT 61 L A VIERECK 61 L A VIERECK 61 L A VIERECK 61 L A VIERECK		235 1043 1042 1919 5348 5262 5141 5034	SWA GWA SWA FSLC 2009 FSLC 2005 FSLC 2008 FSLC 2008
1873 96 1873 96 1873 96 1873 96 1873 96 1873 96 1873 96		14 14 14 14 14 14	81 5 84 5 85 5 85 5 85 5	240 15230 235 14340 333 14548 318 14520 318 14520 318 14520 305 14535	KUSKOKWIM R UPPER COPPER R RICH HWY M233 GULKANA GL GULKANA GL DENALI HWY M5	15 06 9 06 07 9 12 07 9 19 07 9 19 07 9 25 07 9	61 L A VIERECK 61 E Hulten 35 J P Anderson 57 L A Viereck 57 L A Viereck 67 L A Viereck		5012 2219 2175 2175 A361	FSLC 2007 US 2384891 ISC 256245 ALA 8407 SWA GWA
1873 96 1873 96 1873 96	5	14 14	80 6	305 14545	DENALI HWY 45 DENALI HWY 412 DENALI HWY 412	04 08 9	51 T I WEASTED		212	GWA DAO 32732 US 2331312

TAXON	SPC S	V НYВ Р	ROV	QUAD	LAT	LONG	LOCALITY	DAT	E COLL	ECTOR NAME	COL NO HERB + NO
1873	96		14	87					939 A	NELSON	3719 ALA 538
1673	96		14	87			MCK PK RD M36			NELSON	3719 ISC 256475
1873 1873	96 96		14 14	87 87	6335	14843				PALMER VIERECK	1963 ALA 5197 8413 GWA
1673	96		14	87	6335	14843	CADLO ME	30 01		VIEDEEV	A413 GWA
1873	96		14	87			W FK GLACIER	24 04	956 L A	VIERECK	1919 GWA
1873 1873	96 96		14 14	88 86			HIGHWAY PASS Highway Pass	21 07	956 G W 954 G V	ARGUS	623 GWA 54311 ALA 21765
1873	96		14	88	ь325	15020	CAMP EIELSON	14 00	947 E	SCAMMAN	4991 SWA
1873 1873	96		14 14	88					959 L	SCHENE	5.N. ALA 25319 ALA 25316
1873	96 96		14	86 88			STONY CR CAMP EIELSON	25 0	959 L 956 L A	SCHENE Viereck Viereck Viereck Wiereck Welsh	ALA 25316 11278 ALA 3499
1873	96		14	88	631B	15018	MULDROW GL	17 0	956 L A	VIERECK	13º9 ALA 11616
1873 1873	96		14 14	88	6318	15018	MULDROW GL Toklat	17 0	956 L A	VIERECK	1389 GWA
1873	96 96		14	86 93	6325	17130	ST LAWRENCE IS	22 0	933 D W	WELSH	4854 ISC 247208 5.N. 4LA 29734
1873	96		14	93	6325	17130	ST LAWRENCE IS		933 0 4		
1873	96		14	93			BOXER BAY			SAUER	WIS
1873 1673	96 96		14 14	104 104			EAGLE SUMMIT EAGLE SUMMIT		951 B 937 E	SCANNAN	6 ALA 22927 7364 ALA 8391
1873	96			104			BONANZA CR	16 01	949 E	SCAMMAN	5275 GH
1873	96			104	6530	14530	FAGLE SUMMET	25 01	936 E	GEIST SAUER KESSEL SCAMMAN SCAMMAN SCAMMAN	120 64
1873 1873	98 98			104 111	6524	14559	TWELVE MI SUM TELLER TELLER	14 00	5 957 <u>5</u> 6	SHETLER	26AF ALA 3706 5455 GH
1873	96			111	6520	16629	TELLER	09 04	901 F A	WALPOLE	2055 US 379175
1873	96		14	125						BROCKMAN	ALA 28442
1873 1873	96 96		14 14	137 137	6836	14345	SHEENJEK R	10 01	956 B	KESSEL	5150 ALA 5046
1673	96		14	138	6926	14347	SHEENJEK R Sheenjek R Jago Lake	23 0	' 936 0 9957 JF	KESSEL Cantlon	5150 GWA 571305 GH
9B	NOV	AE-ANGL	IAE								
1873	96		1	9	5857	11355	CARIBOJ MTS	29 00	930 H 4	RAUP	2154 NY
1673	96		1	34	5343	11313	DAVIS L Athabasca Rive Oyster Cr	22 0	5 947 G H	TURNER	5473 WIS
1873 1873	98 98		1	37	5245	11/48	OYSTER CR	11 0	963 G W 962 R T	ARGUS OGILVIF	6935 GWA P6219 GWA
1873	98		ž	16	5851	12506	RACING R	15 D	960 J M	CALDER	25460 ALA 17429
1673	98		2	16	5831	12434	SUMMIT PASS	19 0	943 H M	RAUP	10661 ALA 19864
1673 1673	98 96		2	16 24	5714	12200	STKANNI R	25 00	9085L 943H 4	RAUP	7327 GWA 10358 Ala 19846
1873	98		2	24	5714	12243	SIKANNI R	01 0	943 H M	RAUP	10357 ALA 19845
1873	98		2	24	5714	12243	SIKANNI R	05 0.	943 H M	RAUP	10411 ALA 19848
1873 1873	98 98		2	24 24	5705	12235	BEATTON R	23 00	943 H M	RAUP	10263 ALA 19870 10261 ALA 19869
1873	98		2	24	5705	12235	BEATTON R	23 00	943 H 4	RAUP	10261 ALA 19869 10261 GWA
1673	98		2	56	5210	12220	WILLIAMS LAKE	06 00	960 J A	CALDER	17090 GWA
1873 1873	98 98		2	64 72	5130	12045	BRIDGE LAKE PO	25 0	956 J A	CALDER	16693 GWA
1673	98 98		2	7	5049	11616	BRISCO	22 0	956 J P	TAYLOR	16592 SWA 714 GWA
1873	98		2	79	4930	12030	PRINCETON	17 00	960 J /	CALDER	17519 SWA
1873 1873	98 98		777	307 338	6303 6303	12855	OGRADY LAKE	28	967 W J	CODY	16867 040 58180
1873	96		ź	338	6202	12810	FLAT RIVER	8 9	967 1.	CODY	17868 340 58181 17714 340 58177
1873	98		7	345	6227	11422	YELLOWKNIFE	15 0	949 W J	CODY	PINH WIS
1673	96		7	367	6125	12636	S. NAHANNI R.	3	970 G W	SCOTTER	12773 GWA
1873 1873	98 98		7	369 391	0158	12325	CLI LAKE	11 6	961 W J	CODY	12304 040 58184 5135 59 1502781
1673	98		12	11	6502	13815	DEMPSTERHWY975	15 07	964 E	HULTEN	GWA
1673	98		12	15	6404	13925	CARIBOD AVIS L ATHABASCA RIVE OYSTER CR RACING R SUMMIT PASS MACCONALD CR SIKANNI R SIKANNI R SIKANNI R BEATTON R CR YELLOWKNIFE S. NAHANNI R. CLI LAKE MACK HWY MILOI ALA HWY MILOI ALA HWY MILOI PINE CR PINE CR	12 0	902 J 4	MACOUN	5445 64
1873 1873	98 98		12 12	32 32	6120	13910	ALA HWY M1101	21 0	1 966 G W	ARGUS WELSH	6013 SWA 6053 SWA
1873	98		12	40	6047	13735	PINE CR	17 00	944 н ч	RAUP	11784 ALA 19847
1673	9B		12	40	6047	13735	PINE CR	02 00	948 H 4	RAUP	13022 ALA 19909
1873 1873	96 98		12 12	4U 40	6047	13735	FINE CR	02 00	, 948 Н Ч , 946 Н ч	RAUP	13035 ALA 19907 13036 ALA 19905
1873	98		12	40	6047	13735	PINE CR	02 00	948 H V	RAUP	13036 468 19909
1673	96		12	40	6047	13735	PINE CR	17 00	944 H 4	RAUP	11801 ALA 19844
1873 1873	98 96		12 12	40 40	6047	13735	PINE CR	10 00	948 H 4 948 H 4	RAUP	13059 ALA 19849 13029 ALA 19904
1873	98 98		12	40	6047	13735	PINE CR	10 01	948 H V	RAUP	13058 ALA 19850
1873	98		12	40	6047	13735	PINE CR	02 0	948 H Y	RAUP	13037 ALA 19918
1673 1673	98 96		12 12	40 40	0V#/	13/33	PINE CR Pine Cr	V2 U	5 948 H 4 5 944 H 4	RAUP	13030 ALA 19903 11901 3wa
1673	96		12	40	5047	13735	PINE CR	10 04	948 H M	RAUP	13059 SWA
1673	98		12	40	6041	13736	MACKINTDSH	17 08	1957 W A	SCHOFIELD	A314 CAN 269641
1873 1873	98 98		12 12	41 41			WHITEHORSE Takhini R		, 944 J u 2940 J n	ANDERSON	9603 ISC 256740 3285 ISC 256140
1873	98		12	41	6051	13534	TAKHINI R	11 06	949 J V		3279 TSC 256143
1873	98		12	41	6032	13454	COWLEY	14 05	932 W	SETCHELL	372 54
1673 1673	98 98		12 12	44 44			WATSON LAKE WATSON LAKE		966 G ¥ 966 G ¥		5044 SHA 5066 SHA
1873	98		12	44	6003	12840	WATSON LAKE	28 08	966 0 ⊌	ARGUS	5067 GFA
1673	98		12	44	6D03	12840	WATSON LAKE	28 06	966 G W	ARGUS	5065 AWA
1673 1873	98 98		14 14	65 69			WILLOW CREEK Glenn Hwy 4128			VIERECK	8456 3WA 8446 TSC 256742
1673	96		14	69			GLENN HWY MII3				10674 150 256137
1873	98		14	69	6156	14710	GLENN HWY M128	13 06	944 J 🖻	ANDERSON	8446 GWA
1873 1873	98 98		14 14	80 80			FAREWELL MT. Farewell		949 ¥ 4 969 K 4		3035 CAN 953 BYU 86614
1873	98		14	83			TULSONA CREEK				44P9 CAN 299627

.

TAXON	SPC S V HYB	PROV	QUAD	LAT	LONG	LOCALITY	DA	TΕ	COLL	ECTOR NAME	COL NO	HERB	+ NO
1873	98	14	83	6216	14522	GULKANA BRIDGE	10	06	967 ⊾ ^	VIERECK	8207	GWA	
1873	98	14	85			TANACROSS				ANDERSON	8794		256744
1873	98	14	85			TANACROSS	14	08	960 L A	SPETZMAN	4545		299621
1873 1873	98 98	14 14	87 87			SAVAGE RIVER Savage river	18		928 Y 928 Y	MEXIA Mexia	2018	GH NY	
1673	98	14	87			SAVAGE RIVER	18	06	928 Y	MEXIA	2018 2017	NY	
1873	98	14	100	6453	14750	COLLEGE	09	06	957 G W	ARGUS	1010	ALA	6711
1873	98	14	100			UNIV EXP FARM	22	06	956 G W	ARGUS	425	ALA	45
1873 1873	98 98	14 14	100 100			COLLEGE College	07		965 G ¥ 957 G ¥	ARGUS	5112	GWA	
1873	98	14		6453	14750	COLLEGE			957 0 F		1010 5111	GWA GWA	
1873	98	14	100	6448	14755	CHENA PUMP RD	22	06	956 G W	ARGUS	421	GWA	
1873	98 98	14 14	100 100			SMITH LAKE Smith Lake	10	00	956 G W	ARGUS	778	GWA	
1673	98	14	100			NENANA	19	00	956 G H	ARGUS HARMS HARMS PALMER PALMER	312 3721	GWA Ala	32584
1873	98	14	100	6453	14750	COLLEGE	14	06	965 V L	HARMS	3621	ALA	32566
1873	98	14	100	644B	14744	FAIRBANKS	20	06	927 L J	PALMER PALMER	1768	ALA	5187
1873 1873	98 98	14 14	100 100	6448	14/44	FAIRBANKS NENANA			933 L J 932 W		175	ALA	
1873	98	14	100	6439	14825	WHISKEY IS				SETCHELL VIERECK	515 7643	NY FSLC	
1873	98	14	100	6448	14744	FAIRBANKS	19	05	965 L A	VIERECK	7537	-5LC	
1873	98	14	100	6452	14752	UNIV EXP FARM	17	06	964 L A	VIERECK	7189	FSLC	312
1873 1873	98 98	14 14	100 100			ROSIE CR ROSIE CR				VIEREČK VIEREČK	8126	GWA	
1873	98	14	100			ROSIE CR				VIERECK	8042 8049	GWA GWA	
1873	98	14	100	6443	14809	SAM CHARLEY IS	08	07	966 L A	VIERECK	8033	9WA	
1873	98 98	14 14	100	6443	14609	SAM CHARLEY IS					7934	SWA	
1873 1873	98	14	100 100		14915	MOOSE CREEK	24	06	966 L P	VIERECK VIERECK	7943 7645	GWA GWA	
1873	98	14	100		14909		27	06	965 L A	VIERECK	7672	GWA	
1873	98	14	101	6412	14506	SHAW CR FLATS	22 (06	966 L A	VIEREČK	794A	GWA	
1873	98	14	101			JARVIS CREEK	04	07	968 S L	WELSH	7831	GWA	
1873 1873	98 98	14 14	102 104			FRANKLIN CIRCLE			941 JP 932 V	ANDERSON SETCHELL	7221 345	35C 64	256724
1873	98	14	104	6550	14404	CTRCLE				SPETZMAN	4967		299622
1873	98	14	104	6557	14408	TUKON R				VIERECK	7704	GWA	
1673	98	14	104	6557	14408					VIERECK	7705	SWA	
1873	98	14	105	6232	14833	LIVENGOOD	08	07	944] 17	ANDERSON	8969	150	256726
101 1	BRACHYCAI	RPA S	5P. 8F	RACHYO	CARPA								
1873	101 1	1	41			WATERFOWL LAKE					6977		
1873 1873	101 1 101 1	2	6			CASSIAR ROAD			960 J A		25674	GWA	
1673	101 1	2	16 1ь	5645	12540	PETERSEN CREEK PETERSEN CREEK	23	05 08	966 G W	ARGUS	6031 6038	SWA SWA	
1873	101 1	2	16	5845	12540	PETERSEN CREEK	53 I	08	966 G W	ARGUS	6030	GWA	
1873	101 1	2	16	5845	12540	PETERSEN CREEK	23	08	966 G W	ARGUS	6029	GWA	
1673 1673	101 1 101 1	2	16 16	5845	12540	PETERSEN CREEK PETERSEN CREEK PETERSEN CREEK	23	08	966 G W	ARGUS	6027	GNA	
1873	101 1	ž	16	5845	12540	PETERSEN CREEK	23	0A	966 6 1	ARGUS	6028 6032	SMA	
1673	101 1	z	10	2042	12340	PETERSEN CREEK	23 1	9,0	A00 G M	ANGUS	6033	3 MA	
1873 1873	101 1 101 1	2 2	16 16			PETERSEN CREEK MUNCHO LAKE					6029	GWA	
1873	101 1	2	16			MUNCHO LAKE			965 G ¥ 966 G ¥		7982 4983	GWA GWA	
1873	101 1	2	16			MUNCHO LAKE	22	06	966 G W	ARGUS	4940	SWA	
1873	101 1	2	16			MUNCHO LAKE	22	06	965 G ¥	ARGUS	4981	GNA	
1873 1873	101 1 101 1	2	16 16			RACING RIVER Macdonald Cr			960 J A 960 J A		27501 27362		
1673	101 1	2	16			MUNCHO LAKE			943 H M		10855	GWA Ala	19721
1873	101 1	2	16	5900	12544	MUNCHO LAKE	29	07	943 H M	RAUP	10855	SWA	
1675	101 1	2	16			MUNCHO LAKE			943 H M		10855	GWA	
1673 1673	101 1 101 1	2	24 34			ATHALMER Manson Creek	20	07	0E# 1 B	CALDER CALDER	11363	GWA GWA	13670
1873	101 1	2	35			PINE PASS	04	08	954 J 🖡	CALDER	14084	SWA	200,0
1673	101 1	2	51	5301	11916	MT ROBSON	15	08	956 L	JENKIN5	7104	3WA	
1873 1673	101 1 101 1	2	55 62			ITCHA MTS Tatla L P.D.			956 J A 960 J A		2n172 2n4=1	GWA GWA	
1873	101 1	2	79			ASPEN GROVE			956 J A		17504	GWA	
1873	101 1	7	241	6517	12651	NORMAN WELLS	22	7	953 W J	CODY	7=42	DAO	5705
1873	101 1	7	369			CLI LAKE	11	8	961 W J	COOY	12291		
1873 1873	101 1 101 1	77	369 369			LTL DOCTOR L LTL DOCTOR L			961 W J 961 W J		1212D 12124	GWA GWA	
1673	101 1	12	32	6103	13831	KLUANE LAKE	23 1	07	944 1 0	ANDERSON	9379	CAN	46736
1873	101 1	12	35	ь155	13238	LOWER LAPIE R	20	06	944 A 5	PORSILD	9716	CAN	46764
1673 1673	101 1 101 1	12 12	40 44			MACKINTOSH WATSON L			957 ¥ 943 H V	SCHOFIELD	8320 11010	CAN Ala	269545 19723
1673	101 1	12	44			WATSON LAKE			943 H *		11010	ALA ALA	19722
1673	101 1	12	44			WATSON L			943 H M		11011	SNA	47 EF
101 4	BRACHYCA	RPA 5	SP+ NI	IPHOCL	ADA								
1873	101 4	2	16	5850	12532	TOAD RIVER	26	07	960 J A	CALDER	27402	GWA	
1873	101 4	2	16			TOAD RIVER			960 J M		25344	GWA	
1873	101 4	5	16	5853	12526	SUMMIT PASS	28 1	07	943 H M	RAUP	10844	ALA.	19389
1873 1873	101 4 101 4	2	16	5831	12434	SUMMIT PASS SUMMIT PASS			943 H M		10592	ALA	19375
1873	101 4	2	15			SUMMIT PASS			943 H M 943 H M		10 <u>501</u> 10844	ALA Søa	19390
1873	101 4	2	16	5831	12434	SUMMIT PASS	15 (07	943 H M	RAUP	10501	SWA	
1873	101 4	2	16	5847	12500	MACCONALD CR	25 (06	968 S L	WELSH	7325	SWA	

TAXON	SPC	S I	у нүа	₽R0¥	QUAD	LAT	LONG	LOCALITY	5/	TE	COLL	ECTOR NAME	COL NO H	FR8 + NO
1873	101	4		7	134	6949	12859	MICHOLSON IS	18	07	965 G ¥	SCOTTER	6939	GWA
1873	101			?	134			ATKINSON POINT						GWA
1873 1873	101			777	152 153			CAMPBELL LAKE ANDERSON RIVER						GWA Gwa
1873	101	4		7	153	6833	12828	ANDERSON RIVER	05	07	965 G ¥	SCOTTER	6910	GWA
1873 1873	101 101			77	214 276			MCYAVISH ARM Norman	30	07	948 H T 947 A F	SHACKLETTE PORSILO	3245 16705	GWA SWA
1873	101	4		.7	368	6137	12544	VIRGINIA FALLS		-			12511	
1873 1873	101 101			12 12	1 2			KING PT FIRTH R.	1	707	934 A F	PORSILD WELSH	7173 10163	GWA 391 91102
1873	101	4		12	4	6823	13908	SAM LAKE					10357	0TF 1204
1873 1873	101			12 12	57	6725	14059	RAMPART HOUSE CATHEDRAL ROCK	27	06	951 J F 960 J A	MARTIN Calder	77 26074	GWA GWA
1873	101	4		12	32	6103	13831	KLUANE LAKE	23	07	944 J P	ANDERSON	9379	150 256220
1873 1873	101			12 12	32 32			KLUANE LAKE BURWASH			944 J Þ 948 H ¥	ANDERSON	9379 13961	NA Ala 19940
1873	101	4		12	32	6122	13859	BURWASH	27	06	948 H M	RAUP	13287	ALA 19941
$1873 \\ 1873$	101			12 12	32 32	6122	13859	BURWASH BURWASH	03	08	948 H M 946 H M	RAUP	13968 13940	ALA 19935 Ala 19942
1873	101	4		12	32	6103	13831	KLUANE LAKE	11	07	944 H M	RAUP	12404	ALA 19939
1673 1873	101			12 12	32 32	6122	13843	BURWASH BURWASH KLUANE LAKE KLUANE LAKE KLUANE LAKE KLUANE LAKE	02	07	944 H M	RAUP	12187 12358	ALA 19466 Ala 19388
1873	101			12	32	6103	13831	KLUANE LAKE	02	07	944 H 4	RAUP	12185	GWA
1673 1873	101			12 12	32 32	0100	12021	KLUANE LAKE KLUANE LAKE	05	07	944 H M 968 S L	WELSH	12404 7887	GWA GWA
1873	101	4		12	35	6150	13300	RÔSE LAPIE R	01	07	944 A ►	PORSILD	10056	ISC 256681
187 3 1873	101			12 12	35 35			LOWER LAPIE R Lower lapie r				PORSILD PORSILD	9716 9716	75C 256215 GH
1873	101	4		12	35	6155	13238	LOWER LAPIE R	20	06	944 A =	PORSILD	9716	44
1873 1873	101			12	35 39			LOWER LAPIE R OBSERVATION MT	-06	07	966 D F	PORSILD	9716 613	US Gea
1873	101	4		12	39			SLINS RIVER	29	06	967 D F	MURRAY	803	GWA
1873 1873	101			12 12	39 40			SLINS RIVER Ala HWY M988	22	07	944 H M	ANDERSON	12625 10332	ALA 19565 ISC 256218
1873	101	4		12	40	6047	13738	ALSEK RIVER	24	06	944 H M	RAUP	11899	ALA 19936
1873 1873	101			12 12	40 40			ALSEK RIVER Alsek river	24	06	944 H ¥	RAUP	11902 11901	ALA 19937 Ala 19384
1873	101	4		12	40	6047	13738	ALSEK RIVER	24	06	944 H V	RAUP RAUP RAUP RAUP RAUP	11900	ALA 19385
1873 1873	101			12 12	40 40			ALSEK RIVER Alsek river	24	06	944 H M	RAUP	11902 11900	GWA GWA
1873	101	4		12	40	6047	13738						11901	GWA
1873 1873	101			14 14	67 68			WRANGELL MT Chitina	- 31 - 07	07	967 R W 935 J P	SCOTT Anderson	2023 2012	GWA 150 256217
1873	101	4		14	69	ь132	14914	MATANUSKA	05	07	931 J P	ANDERSON	868	ALA 27348
1873 1873	101			14 14	69 69	6117	14658	MATANUSKA Matanuska	10	06	965 S L	ANDERSON WELSH	868 4186	15C 256221 15C 246203
1873	101			14 14	71 71	6155	15425	HEAD OF BIG R.	10	7	950 H H	DRURY	4107	
1673 1873	101			14	71			HEAD OF BIG R. HEAD OF BIG R.	9	7	950 비 H 950 비 H	DRURY	4060 4031	
1873 1873	101			14 14	71 71			HEAD OF BIG R. HEAD OF BIG R.			950 W H 950 W H	DRURY	4030 4029	
1873	101	ų.		14	71	6155	15430	HEAD OF BIG R.	9	7	950 W H	DRURY	4025	
1873 1873	101			14 14	71 71	6155	15425	HEAD OF BIG R. HEAD OF BIG R.	7	7	950 単 H 950 単 H		3974 3969	
1873	101			14	60	6233	15336	FAREWELL MT.	ĕ	é	949 W H	DRURY	2763	
1873 1873	101			14 14	80 80	6233	15336	FAREWELL MT. FAREWELL MT. FAREWELL L. FAREWELL L. FAREWELL L. FAREWELL L.	B	8	949 H H	DRURY	2760 2505	
1873	101	4		14	80	6232	15337	FAREWELL L.	6	8	949 H H	DRURY	2504	CAN
1873 1873	101			14	60 80	6233	15337	FAREWELL L.	2	8	949 H H	ORURY	2288 2279	
1873	101	4		14	80	0631	12325	FARCHELL	14		A46 N H	URDET	2945	CAN
1873 1873	101			14 14	81 86			KUSKOKWIN R W FK LTL DELTA				VIERECK PALMER	5005 552	FSLC ALA 5199
1873	101	4		14	86	ь355	14656	W FK LTL DELTA	10	07	941 L J	PALMER	644	ALA 5194
1873 1873	101			14 14	86 86			W FK LTL DELTA Black RP GL.					552 2139	ALA 5156 Ala 8385
1873	101	4		14	86	6324	14543	CASTNER GL	25	07	967 L ^	VIERECK	9351	SWA
1873 1873	101			14 14	86 87	6324	14543	CASTNER OL Teklanika r			967 L 4 956 G ¥	VIERECK Argus	8348 608	GWA Ala 4751
1673	101	4		14	87	6344	14855	MCKINLEY RIVER	26	07	956 G ₩	ARGUS	658	GWA
1873 1873	101 101			14	87 87			TEKLANIKA R MCKINLEY RIVER					608 658	GWA R¥
1673	101	4		14	87	o340	14930	TEKLANIKA R	20	07	956 G ¥	ARGUS	608	RW
1873 1873	101 101			14 14	87 87		14858	HEALY			950 D 1 950 D 1		57 57	15C 256358 15C 256358
1873	101	4		14	87	6350	14925	SAVAGE R	06	07	929 Y	MEXIA	2084	ALA 10197
1873 1873	101	4		14 14	87 87			SAVAGE R Savage r			926 Y 928 Y	MEXIA Nexia	2083 2024	ALA 10200 Min
1873	101	4		14	87	6350	14925	SAVAGE R	06	07	926 Y	MEXIA	20P3	414
1873 1673	101 101	4		14 14	87 87			SAVAGE R Savage r			928 Y 928 Y	MEXIA Mexia	2084 2084	NA .
1873	101	4		14	87	6350	14925	SAVAGE R			928 Y	MEXIA	2044	US AU
1673 1673	101 101	4		14 14	87 87	ь350	14925	SAVAGE R Savage r			928 Y 928 Y	MEXIA Mexia	2084 2084	94 47
1673 1673	101	4		14 14	87 87			SAVAGE R SAVAGE R	06	07	926 Y 926 Y	MEXIA MEXIA	2083 2083	A NA
1073	101	4		14	87	6350	14925	SAVAGE R	06	07	926 Y	MEXIA	20P3	US .
1873 1673	101			14 14	87 87			SAVAGE R Savage r			926 Y 926 Y	MEXIA Mexia	2083 2083	44 NT
	101	4		• •	5,	0000	14723		50			-un - ri	1003	••

TAXON SPC S V HY	B PROV QUAD LAT	I LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO HERB + ND
1873 101 4	14 87 6334	14936	CATHEDRAL NT		A MURIE	3 GWA
1873 101 4 1873 101 4	14 87 6344	14855	MCKINLEY RIVER	23 08 9	940 L J PALMER	417 ALA 5622
1873 101 4	14 87 6320	14835	WEST FORK GL	24 08 9	940 L J PALMER 956 L & VIERECK	417 NA 1818 ALA 11610
1873 101 4 1873 101 4			DRY CREEK Teklanika r	27 06 9	962 L A VIERECK	5735 GWA
1873 101 4	14 87 6340	14935			964 L A VIERECK 964 L A VIERECK	7421 F5LC 288 7422 F5LC 292
1873 101 4 1873 101 4			HIGHWAY PASS HIGHWAY PASS	21 07 4	964 L A VIERECK 956 G W ARGUS 956 G W ARGUS 956 G W ARGUS 928 Y MEXIA 928 Y MEXIA 928 Y MEXIA	629 ALA 4752
1873 101 4	14 88 6326		HIGHWAY PASS	21 07 9	736 6 W ARGUS	629 SWA 629 RM
1873 101 4 1873 101 4			MULDROW GL Muldrow Gl	23 07 9	926 Y MEXIA	2131 ALA 10207
1873 101 4	14 88 632	5 15032	HOLDHOW OL	20 01 1	720	2131 MIN 2131 A
1873 101 4 1873 101 4			MULDROW GL Muldrow Gl	23 07 9	928 Y MEXIA	2131 NY
1873 101 4	14 88 632	15032	MULDROW GL	23 07 9	928 Y MEXIA	2131 US
1873 101 4 1673 101 4			TOKLAT Toklat	02 07 9		10 SWA 2 SWA
1873 101 4	14 88 6325	5 15020	THOROFARE R	04 07 9	956 L A VIERECK	1097 ALA 11609
1873 101 4 1873 101 4			THOROFARE R MCKINLEY R	22 06 9	956 L A VIERECK 958 L A VIERECK	1097 GWA 3061 GWA
1873 101 4	14 84 613	15015	MCKTNEEV D	20 07 0	DEA L A MICRECH	GWA
1873 101 4 1873 101 4	14 88 6324 14 88 6330	15025	GLACIER CREEK MCKINLEY RIVER	28 06 9	956 L A VIERECK 956 L A VIERECK	1320 GWA 3103 GWA
1873 101 4	14 88 6324	15025	MULDROW GL	10 07 9	958 L A VIERECK	3178 GWA
1873 101 4 1873 101 4			MULDROW GL Muldrow Gl	10 07 9	958 L A VIERECK 956 L M VIERECK	3189 GWA 1327 GWA
1873 101 4	14 86 6324	15032	MULDROW GL	12 08	956 L A VIERECK 956 L A VIERECK	1777 SWA
1873 101 4 1873 101 4			HULDRON GL MCKINLEY R	10 07 9	958 L A VIERECK 958 L A VIERECK	3189 FSLC 3061 FSLC
1873 101 4				10 07	958 L A VIERECK	3178 FSLC
1873 101 4 1673 101 4	14 88 632	15025	GLACIER CREEK ETCHEPJK RIVER	13 07 9	958 L A VIERECK 956 L A VIERECK 966 R PEGAU 966 R PEGAU	5.N. FSLC W15 ALA 32699
1873 101 4	14 95 6458	16310	ETCHEPJK RIVER	05 09 9	966 R PEGAU	15 90A
1873 101 4 1873 101 4	14 100 0444	14000	ROSIE CREEK Rosie Creek	00 09 9	966 L ^ VIERECK 967 L ^ VIERECK	8102 GWA 9290 GWA
1873 101 4	14 100 6443	14809	SAM CHARLEY IS	11 06 9	966 L # VIERECK	7924 GWA
1873 101 4 1873 101 4	14 100 6443) 14809 14809	SAM CHARLET IS	02 06 9	966 L A VIERECK 966 L A VIERECK	8038 SWA 7998 SWA
1873 101 4 1873 101 4					966 L A VIERECK 966 L & VIERECK	7925 GWA
1873 101 4	14 100 6443	14809	SAM CHARLEY IS	02 06 9	966 L & VIERECK 966 L & VIERECK	AD36 GWA 7897 SWA
1873 101 4 1873 101 4	14 100 6452	14749	COLLEGE	10 06 9	959 L A VIERECK	4805 SWA
1673 101 4	14 101 6402	14545	JARVIS CREEK	04 06 9	966 L & VIERECK 959 L & VIERECK 959 L & VIERECK 948 J P ANDERSON 951 W J CODY 951 W J CODY	10552 TSC 256182 4999 GWA
1873 101 4 1873 101 4	14 101 6406 14 102 6410	14546	BIG DELTA	03 07 9	951 W J CODY	5713 SWA 7212 Ala 514
1673 101 4	14 102 6410	14136	FRANKLIN	12 7 9	941 J P ANDERSON	7213 ALA 512
1873 101 4 1873 101 4	14 102 6410 14 102 6410	14136	FRANKLIN FRANKLIN	11 07 9	941 J P ANDERSON	7160 ALA 537 7213 CAN
1873 101 4	14 102 6410	14136	FRANKLIN	12 7 9	941 J P ANDERSON	7213 TSC 256361
1673 101 4 1873 101 4	14 102 6410	14136	FRANKLIN FRANKLIN	12 7 9	941 J P ANDERSON	7212 JSC 256362 7160 JSC 256549
1673 101 4	14 102 6410	14136	FRANKLIN	12 7 9	941 J P ANDERSON	7212 NA
1873 101 4 1873 101 4	14 102 6410 14 102 6410	14136	FRANKLIN FRANKLIN	12 7 9	941 J P ANDERSON	7213 NA 7212 SH
1873 101 4	14 102 6447	14112	EAGLE	27 06 9	954 S - SMITH	24159 ALA 10642
1873 101 4 1873 101 4	14 102 6447 14 102 6447	' 14112 ' 14112	EAGLE FAGLE	27 06 9	954 5 6 SMITH 954 5 6 SMITH	24156 ALA 10643 24159 GWA
1873 101 4	14 102 6447	14112	EAGLE	27 06	954 5 6 SMITH	24156 SWA
1673 101 4 1673 101 4	14 102 6443	6 14117 5 14117	EAGLE Faglf	27 06 9	966 S L WELSH 966 S I WEISH	5612 GWA 56124 GWA
1n73 101 4	14 113 665	16231	KOTZEBJE	12 08	938 J P ANDERSON	4707 TSC 256213
1873 101 4 1573 101 4	14 113 6655 14 115 6655	16231	KOTZEBJE	12 08 9	938 J P ANDERSON 966 G ¥ ARGUS	4707 NA 5970 SWA
1873 101 4	14 113 6655	16231	KOTZEBUE	11 08 9	966 G # ARGUS	5971 STA
1873 101 4 1873 101 4	14 113 6655 14 11+ 6656	16026	KIANA	15 06 9	346 J ANDERSON 351 W J COOY 351 W J COOY 351 W J COOY 391 J ANDERSON 3941 J ANDERSON 3954 S SWITH 3954 S SWITH 3956 S WELSH 3956 G ARGUS	5973 GWA Ala 10189
1673 101 4 1873 101 4	14 119 6635 14 120 6644	14510	FORT YUKON	23 06 9	965 V L HARMS	3822 ALA 32599
1873 101 4	14 121 6715	14140	PORCUPINE R	19 07 9	957 J L BUCKLEY	482AF ALA 3968 110 ALA 5100
1873 101 4 1873 101 4	14 121 6715	14140	PORCUPINE R PORCUPINE R	19 07 9 19 07 9	957 J L BUCKLEY	112 ALA 5120
1873 101 4	14 121 6715	14140	PORCUPINE R	19 07 9	957 J A BUCKLEY	111 ALA 26765 111 ALA 5097
1873 101 4 1873 101 4			PORCUPINE R Porcupine R	19 07 9	957 J L BUCKLEY 957 J L BUCKLEY	112 GWA 110 SWA
1673 101 4	14 121 6715	14140	PORCUPINE R	19 07 9	957 J A BUCKLEY	111 GWA
1873 101 4 1873 101 4			SMALL LAKE SMALL LAKE	25 07 9 29 07 9		6748F ALA - 4697 7348F ALA - 4131
1673 101 4	14 121 6723	14350	SMALL LAKE	23 07 9	957 S SHETLER	624 ALA 4664
1873 161 4 1873 101 4			WISEMAN WISEMAN	31 07 9 08 07 4	939 J P ANDERSON	5818 ALA 27557 ALA 28501
1873 101 4	14 124 6725	15007	WISEMAN	20 06 9	962 R BROCKMAN	ALA 28432
1873 101 4 1873 101 4			WISEMAN WISEMAN	20 06 9	962 R BROCKMAN 949 L H JORDAL	ALA 28508 2033 ISC 256212
1873 101 4	14 124 6725	15007	WISEMAN	01 08 9	940 E SCAMMAN	2237 SWA
1873 101 4 1873 101 4	14 124 6725		WISEMAN WISEMAN	01 08 9		2235 SWA 2235 Min
1873 101 4	14 124 6725	15007	WISEMAN	01 05 9	940 E SCAMMAN	2235 94
1873 101 4 1873 101 4			EASTER CREEK ONION PORTAGE	05 08 9	965 V STAENDER 967 C SCHWEGER	60 SWA 62 ALA 34707

i

TAXON	SPC	s v	HYB PROV	QUAD	LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO YERR + NO
1873	101	L	14	129	6808	16540	OGOTORJK CR	28.06	959 A ¥ JOHNSON	215A ALA 26714
1873	101		14	129			OGOTORUK CR		959 A W JOHNSON	2154 ALA 9187
1873	101		14	129	6808	16540	DGOTORUK CR		959 A W JOHNSON	215 ALA 26693
1873			14	129	6808	16540	OGOTORUK CR	28 06	959 A # JOHNSON	215 ALA 9193
1873 1873	101		14 14	129 129			KUKPUK RIVER Kukpuk river		959 A ¥ JOHNSON 959 A ¥ JOHNSON	673 ALA 26713 673 ALA 9191
1873	101		14	129			OGDTORUK CR		959 A # JOHNSON	215A GWA
1873	101		14	129			KUKPUK RIVER		959 A W JOHNSON	673 3WA
1873	101		14	129			OGOTORUK CR		959 A W JOHNSON	215 SWA
1873 1873	101		14	129 129			UKINYIK CREEK Kukpuk River		960 L A VIERECK 960 L A VIERECK	4451 ALA 13233 4651 ALA 13234
1873	101		14	129			KUKPUK RIVER		960 L A VIERECK	4651 ALA 13235
1873	101	4	14	129	6814	16528	KUKPUK RIVER	22 08	960 L A VIERECK	4651 ALA 13235
1873	101		14	131			DRIFTWOOD CR	29 6	969 R F PEGAU 969 R F PEGAU	16269 SWA 16169 GWA
1873 1873	101		14 14	131			DRIFTWOOD CR Firth River	29 6	961 E L LITTLE, JR.	
1873	101		14	139	6006	10506	CANNING DIVER		947 L SPETZMAN	405 TSC 256216
1873	101		14	141	6920	15210	UMIAT UMIAT		951 J L BUCKLEY	ALA 5032
1873	101		14	141				31 07		688 TSC 256214 18478 ALA 10651
1873 1873	101		14 14	141 141			UMIAT UMIAT		953 5 6 SMITH 953 5 6 SMITH	1847A ALA 10651 18478 ALA 10733
1873	101	ų.	14	141			UNIAT		966 Y SUDA	24766 GWA
1873	101		14	141			UMIAT		966 Y SUDA	24466 SWA
1873	101		14	141			UMIAT		966 Y SUDA	24666 GWA
1873 1873	101		14	14 <u>2</u> 142					959 0 ¥ GEIST 959 0 ¥ GEIST	S.N. ALA 28203 S.N. ALA 29309
1873	101	4	14	145	6902	16350	CAPE BEAUFORT	27 07	966 G W ARGUS	5665 GWA
1673	101	4	14	145	6902	16350	CAPE BEAUFORT	27 07	966 6 ¥ ARGUS	5663 GWA
1873	101		14	146	7010	16000	KETIK RIVER	21 08	959 0 W GEIST	5.N. ALA 28965
1873	101		14	146 147	7030	15730	MEANE STUES ON	17 07	959 0 W GEIST 959 0 W GEIST 966 G W ARGUS 966 G W ARGUS	5.N. ALA 27597 5316 SWA
1673	101		14	147	7030	15730	MEADE RIVER PO	15 07	966 G ¥ ARGUS	5238 GWA
1873	101		14	147	7030	15730	MEADE RIVER PO	14 07	966 G W ARGUS	5206 GWA
1873	101		14	147	7030	15730	MEADE RIVER PO	17 07	966 G ¥ ARGUS	5315 GWA
1873	101		14	147 147	7030	15730	MEADE RIVER PO	14 07	966 G W ARGUS	5208 SWA 5270 SWA
1873 1873	101		14	147	7030	15730	MEADE RIVER PO	15 07	966 G W ARGUS	5274 SWA
1873	101		14	147	7030	15730	MEADE RIVER PO	15 07	966 G Y ARGUS	5237 GWA
1873	101		14	147	7030	15730	MEADE RIVER PO	15 07	966 G # ARGUS	5275 GWA
1673	101		14	147	7030	15730	MEADE RIVER PO	17 07	966 G W ARGUS	5316 SWA
1873 1873	101		14	147	7030	15730	MEADE RIVER PO	17 07	965 G W ANGUS Gre c w Argus	5312 GWA 5317 SWA
1673	101	4	14	147	7030	15730	MEADE RIVER PO	14 07	966 G W ARGUS	5202 GWA
1873	101	4	14	147	7030	15730	MEAGE RIVER PO	15 07	966 G ¥ ARGUS	5252 GHA
1873	101		14	147					966 G V ARGUS	5277 SWA
1673 1673	101		14	147			MEADE RIVER PO		966 G W ARGUS	5253 GHA 5259 GHA
1873	101		14	147			MEADE RIVER PO			19666 GWA
1673	101		14	147	7030	15730	MEADE RIVER PO	15 07	965 Y SUDA	21166 GWA
102 1										
		RETIC	ULATA SE	P. RE	TICUL	ATA				
1873										
	102	1	2	2	5935	13629	MT GLAVE	14 7	967 G W ARGUS	6780 3WA 4794 5WA
1873	102	1 1	2 2	2 2	5935 5935	13629 13630	INSPECTOR CREE	12 7	967 G W ARGUS	6724 GWA
1873 1873 1873		1 1 1	2	2	5935 5935 5935 5938	13629 13630 13629 13628	INSPECTOR CREE THREE GUARDSME HAINES RD M82	12 7 14 7 24 06	967 G ₩ ARGUS 967 G ₩ ARGUS 948 H ™ RAUP	6724 SWA 6767 SWA 13194 Ala 1937A
1873 1873 1873	102 102 102 102	1 1 1 1	222222	2 2 2 2 16	5935 5935 5935 5938 5938 5938	13629 13630 13629 13628 13628	INSPECTOR CREE THREE GUARDSME HAINES RD MB2 SUMMIT PASS	12 7 14 7 24 06 11 06	967 G ₩ ARGUS 967 G ₩ ARGUS 948 H ™ RAUP 943 H ™ RAUP	6724 984 6767 984 13194 4LA 19378 10465 ALA 19382
1873 1873 1873 1873	102 102 102 102 102	1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 16 24	5935 5935 5935 5938 5938 5831 5720	13629 13630 13629 13628 12434 12356	INSPECTOR CREE THREE SUARDSME HAINES RD MB2 SUMMIT PASS FAIRT LAKE	12 7 14 7 24 06 11 06 15 07	967 G ₩ ARGUS 967 G ₩ ARGUS 948 H ₩ RAUP 943 H Ψ RAUP 960 J A CALDER	6724 SWA 6767 SWA 13104 Ala 1937A 10465 Ala 19382 27157 Ala 17426
1873 1873 1873 1873 1873	102 102 102 102	1 1 1 1 1 1	222222	2 2 2 16 24 133	5935 5935 5935 5938 5938 5831 5720 5944	13629 13630 13629 13628 12434 12356 13230	INSPECTOR CREE THREE SUARDSME HAINES RD MB2 SUMMIT PASS FAIRT LAKE WARREN PT.	12 7 14 7 24 06 11 06 18 07 27 7	967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 960 J & CALDER 957 W J CODY	6724 5WA 6767 5WA 13194 4LA 19378 10465 ALA 19382 27157 ALA 17426 10258 040
1873 1873 1873 1873 1873 1873 1873 1873	102 102 102 102 102 102 102 102	1 1 1 1 1 1 1 1	2 2 2 2 2 2 7 7 7	2 2 2 16 24 133 135 135	5935 5935 5935 5938 5938 5938 5720 5944 5944 6942	13629 13630 13629 13628 12434 12356 13230 13230 12900	INSPECTOR CREE THREE SUARDSME HAINES RO MB2 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN POINT ANDERSON R.	12 7 14 7 24 06 11 06 18 07 27 7 27 7 22 8	967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 960 J A CALPER 957 W J CODY 957 W J CODY 959 T W BARTY	6724 4WA 6767 4WA 13104 4LA 1937A 10465 ALA 1937A 27157 ALA 17426 10258 7A0 10258 7A0 404 7A0
1873 1873 1873 1873 1873 1873 1873 1873	102 102 102 102 102 102 102 102 102	1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 7 7 7 7 7	2 2 2 16 24 133 135 134 134	5935 5935 5935 5938 5938 5938 5938 5938	13629 13630 13629 13628 12434 12356 13230 13230 12900 12903	INSPECTOR CREE THREE SUARDSME HAINES RO M82 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN POINT ANDERSON R. ANDERSON R	12 7 14 7 24 06 11 06 18 07 27 7 27 7 22 8 22 8	967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 960 J A CALPER 957 W J CODY 957 W J CODY 957 T W BARRY 959 T W BARRY	6724 SWA 6757 SWA 13194 ALA 1937A 10465 ALA 1937A 27157 ALA 19382 21157 ALA 17426 10758 SAO 10258 SAO 448 SAO 448 SAO
1873 1873 1873 1873 1873 1873 1873 1873	102 102 102 102 102 102 102 102 102 102	111111111111111111111111111111111111111	2 2 2 2 2 2 2 2 2 7 7 7 7 7 7 7 7 7 7 7	2 2 2 16 24 133 135 134 134	5935 5935 5935 5938 5938 5938 5720 5720 5944 6944 6944 6942 6956	13629 13630 13629 13628 12434 12356 13230 13230 12900 12903 12858	INSPECTOR CREE THREE SUARDSME HAINES RO M82 SUMMIT PASS FAIRT LAKE WARREN POINT ANDERSON R. ANDERSON R. NICHOLSON PEN	12 7 14 7 24 06 11 06 18 07 27 7 27 7 22 8 22 8 27 6	967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 940 J A CALPER 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 959 T W BARRY 959 T W BARRY	6724 444 6767 444 19378 13194 414 19378 10465 414 19382 27157 414 1948 10258 240 10258 240 10258 240 10258 240 448 240 448 240 448 240
1873 1873 1873 1873 1873 1873 1873 1873	102 102 102 102 102 102 102 102 102 102		2 2 2 2 2 2 2 2 2 2 2 7 7 7 7 7 7 7 7 7	2 2 2 16 24 133 135 134 134 134	5935 5935 5935 5938 5831 5720 5944 6944 6944 6942 6956 5956	13629 13630 13628 12434 12356 13230 13230 12900 12903 12858 12858	INSPECTOR CREE THREE SUARDSME HAINES RO MA2 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN PT. WARREN POINT ANDERSON R ANDERSON R NICHOLSON PEN NICHOLSON PEN	12 7 14 7 24 06 11 06 18 07 27 7 27 7 22 8 22 8 27 6 27 6	967 G W ARGUS 967 G W ARGUS 948 H W RAUP 948 H W RAUP 960 J A CALDER 957 W J CODY 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE	6724 4WA 6757 4WA 13104 4LA 1937A 10465 ALA 1937A 27157 ALA 19382 27157 ALA 17426 10258 AAO 10258 AAO 408 AAO 408 AAO 2550 AAO 2550 AAO
1873 1873 1873 1873 1873 1873 1873 1873	102 102 102 102 102 102 102 102 102 102		222222227777777777777777777	2 2 2 16 24 133 135 134 134	5935 5935 5935 5935 5938 5720 5720 5944 6942 6944 6944 6956 5956 5956	13629 13630 13629 13628 12434 12356 13230 13230 12900 12903 12858 12858 13341	INSPECTOR CREE THREE SUARDSME HAINES RO M82 SUMMIT PASS FAIRT LAKE WARREN POINT ANDERSON R. ANDERSON R. NICHOLSON PEN	12 7 14 7 24 06 11 06 18 07 27 7 27 7 22 8 27 8 27 8 27 6 27 6 30 06	967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 940 J A CALPER 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 959 T W BARRY 959 T W BARRY	6724 4WA 6767 4WA 13104 4LA 1937A 10465 ALA 1937A 10258 7A0 10258 7A0 404 7A0 404 7A0 2450 7A0 2550 7A0 2550 7A0 35 750 256495 WTS
1873 1873 1873 1873 1873 1873 1873 1873	102 102 102 102 102 102 102 102 102 102	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	22222227777777777777777777777	2 2 2 24 135 135 134 134 134 134 134 135 140 152	5935 5935 5935 5931 5721 5724 5944 6944 6944 6956 6956 6921 6921 6921 6913	13629 13629 13629 13628 12434 12356 13230 13230 12903 12903 12903 12958 13858 13858 13554	INSPECTOR CREE THREE SUARDSME HAINES RO MA2 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN PT. WARREN PT. WARREN POINT ANDERSON R. ANDERSON R. NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANGE L.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	967 G W ARGUS 967 G W ARGUS 948 H W RAUP 948 H W RAUP 948 H W RAUP 950 J A CALDER 957 W J CODY 957 W J CODY 957 W J CODY 959 T W BARRY 963 J A PARMELEE 940 J ROBERTSON 959 J W THOMSON 953 W J CODY	6724 4WA 6757 6WA 13104 4LA 1937A 10465 ALA 19382 27157 ALA 17426 10258 0A0 10258 0A0 4WB 0A5 2450 0A0 2450 0A0 2550 0A0 2550 0A0 38 150 256495 WIS 12087 0A0
1873 1873 1873 1873 1873 1873 1873 1873	102 102 102 102 102 102 102 102 102 102	111111111111111111111111111111111111111	22222227777777777777777777777	2 2 2 16 24 133 133 134 134 134 134 134 134 135 140 152	5935 5935 5935 5935 57204 57204 5942 6944 6942 6956 6956 6921 6903 6824	13629 13630 13630 13628 12434 12356 13230 13230 12903 12903 12958 13858 13858 13858 13554	INSPECTOR CREE THREE GUARDSWE HAINES RD MG2 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN POINT ANDERSON R. ANDERSON R. NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANGE L. REINDEER STA.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	967 G W ARGUS 967 G W ARGUS 967 G W ARGUS 948 H W RAUP 948 H W RAUP 950 J A CALPER 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 963 J A PARMELEE 963 J A PARMELEE 940 J ROBERTSON 955 W J CODY 957 W J CODY	6724 4#A 6767 4#A 13104 4LA 1937A 10465 ALA 1937A 27157 ALA 19382 27157 ALA 17426 10258 0A0 10258 0A0 448 0A0 448 0A0 2450 0A0 2550 0A0 35 050 256495 #15 12947 0A0 9926 0A0
1873 1873 1873 1873 1873 1873 1873 1873	102 102 102 102 102 102 102 102 102 102	111111111111111111111111111111111111111	22222227777777777777777777777	2 2 2 16 24 133 135 134 134 134 134 134 152 152	5935 5935 5935 5935 5720 5720 5720 5720 5720 5720 5720 572	13629 13620 13629 12434 12350 13230 12903 12903 12903 12858 13858 13854 13408 13554	INSPECTOR CREE THREE GUARDSME HAINES RD MA2 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN POINT ANDERSON R ANDERSON R NICHOLSON PEN NICHOLSON PEN NICHOLSON PEN NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANGE L. REINDEER STA. CANDE L	$\begin{array}{c} 12 & 7 \\ 14 & 06 \\ 12 & 06 \\ 127 & 7 \\ 227 & 8 \\ 227 & 8 \\ 227 & 6 \\ 227 & 6 \\ 200 & 10 \\ 10 & 7 \\ 18 & 7 \\ 18 & 7 \end{array}$	967 G W ARGUS 967 G W ARGUS 948 H W RAUP 948 H W RAUP 950 J A CALPER 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 940 J ROBERTSON 959 J W THOMSON 959 W J CODY 953 W J CODY	6724 4#A 6767 5#A 13104 4LA 1937A 10465 ALA 1937A 10258 7A0 10258 7A0 448 7A0 448 7A0 2450 7A0 2550 7A0 2550 7A0 378 150 255495 #12947 7A0 12967 7A0
1873 1873 1873 1873 1873 1873 1873 1873	102 102 102 102 102 102 102 102 102 102	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 7	2 2 2 16 24 133 134 134 134 134 134 152 152 241	5935 5935 5935 5724 5944 5944 6944 6956 69556 6903 6813 6824 6810 550	13629 13629 13628 12434 12356 13230 13230 12900 12903 12858 12858 13858 13554 13554 13554 13554	INSPECTOR CREE THREE GUARDSWE HAINES RD MG2 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN POINT ANDERSON R. ANDERSON R. NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANGE L. REINDEER STA.	$\begin{array}{c} 12 & 7 \\ 14 & 06 \\ 18 & 07 \\ 27 & 28 \\ 27 & 28 \\ 27 & 28 \\ 27 & 28 \\ 27 & 06 \\ 12 & 08 \\ 18 & 7 \\ 18 & 7 \\ 18 & 8 \\ 18 & 8 \\ 18 & 8 \\ 18 & 8 \\ 18 & 8 \\ 18 & 8 \\ 18 & 18 $	967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 940 J K CALDER 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 963 J A CODY 957 W J CODY 953 W J CODY 953 W J CODY	6724 4#A 6767 4#A 13104 4LA 1937A 10465 4LA 1937A 10465 4LA 19382 27157 4LA 17426 10258 240 10258 240 448 240 448 240 2450 240 2550 240 2550 240 2550 256495 #IS 12947 240 9926 240
1873 1873 1873 1873 1873 1873 1873 1873	102 102 102 102 102 102 102 102 102 102	111111111111111111111111111111111111111	2 2 2 2 2 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2 2 2 16 133 134 134 134 134 134 152 152 2474 274	5935 5935 5935 5935 5935 5935 5935 5935	13629 13630 13629 13628 12434 12356 12350 12900 12900 12903 12858 12858 13341 14505 13554 13554 13554 13554 13554 12715 12937	INSPECTOR CREE THREE SUARDSWE HAINES RD WB2 SUMWIT PASS FAIRT LAKE WARREN PT. WARREN POINT ANDERSON R. ANDERSON R. ANDERSON R. ANDERSON PEN NICHOLSON PEN NICHOLSON PEN NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANGE L. REINDEER STA. CANGE L DODD CANYON KEELE R.	$\begin{array}{c} 12 & 7 \\ 14 & 06 \\ 118 & 077 \\ 221 & 06 \\ 118 & 077 \\ 222 & 277 \\ 200 & 06 \\ 118 & 77 \\ 200 & 08 \\ 118 & 77 \\ 18 & 87 \\ 18 & 87 \\ 7 & 87 \\ 18 & 77 \\ 18 & 77 \\ 25 & 77 \end{array}$	967 G W ARGUS 967 G W ARGUS 967 G W ARGUS 948 H W RAUP 948 H W RAUP 940 J A CALDER 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 963 J J CODY 957 W J CODY 957 W J CODY 953 W J CODY 963 E KVALE	6724 4#A 6767 4#A 13104 4LA 1937A 18455 4LA 1937A 10258 4A 10258 4A 10058 4A 10058 4A 10058 4A 10058 4
1873 1873 1873 1873 1873 1873 1873 1873	102 102 102 102 102 102 102 102 102 102	111111111111111111111111111111111111111	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 7 7 7 7	2 2 2 164 133 134 134 134 152 241 152 241 274 276	5935 5935 5935 5935 5935 5935 5935 5935	13629 13629 13629 13628 12434 12356 13230 12900 12900 12903 12858 13858 13858 13554 13554 13554 13554 13554 13554 12715 12937 12634	INSPECTOR CREE THREE GUARDSWE HAINES RD MG2 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN POINT ANDERSON R. ANDERSON R. NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANGE L. REINDEER STA. CANGE L. REINDER STA. CANGE L. STERILE L.	$\begin{array}{c} 12 & 7 \\ 14 & 066 \\ 118 & 077 \\ 277 & 222 \\ 277 & 268 \\ 277 & 268 \\ 277 & 268 \\ 277 & 278 \\ 277 & 278 \\ 287 \\ 188 & 777 \\ 188 \\ 188 & 777 \\ 188 \\ 255 & 777 \\ 177 \\ 257 & 778 \\ 257$	967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 940 J K CALPER 957 W J CODY 957 W J CODY 957 W J CODY 959 T W BARRY 963 J A PARMELEE 940 J ROBERTSON 953 W J CODY 963 E KVALE 963 E KVALE 963 E SIMMONS	6724 4#A 6767 4#A 13104 4LA 1937A 10145 ALA 1937A 101455 ALA 1937A 27157 ALA 17426 10258 7A0 10258 7A0 448 7A0 448 7A0 2450 7A0 2550 7A0 2550 7A0 2550 7A0 12987 7A0 12987 7A0 2416 7A0 2416 7A0
1873 1873 1873 1873 1873 1873 1873 1873	102 102 102 102 102 102 102 102 102 102	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 7 7 7 7 7	2 2 2 16 135 135 135 135 135 155 2 274 274 276 276	5935 5935 5935 5935 5934 4422 69944 6956 6821 304 6821 304 6821 304 644 31 644 431	13629 13629 13629 12628 12356 12356 12350 12903 12903 12958 13554 13554 13554 12937 12937 12634	INSPECTOR CREE THREE GUARDSME HAINES RD MA2 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN POINT ANDERSON R. NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANGE L. DODD CANYON KEELE R. KEELE R. STERILE L. STERILE L.	$\begin{array}{c} 12 \\ 7 \\ 7 \\ 4 \\ 24 \\ 10 \\ 18 \\ 7 \\ 7 \\ 22 \\ 22 \\ 7 \\ 30 \\ 20 \\ 7 \\ 7 \\ 30 \\ 20 \\ 7 \\ 7 \\ 8 \\ 7 \\ 7 \\ 8 \\ 7 \\ 7 \\ 18 \\ 7 \\ 7 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\$	967 G W ARGUS 967 G W ARGUS 968 H W RAUP 948 H W RAUP 960 J A CALPER 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 940 J ROBERTSON 959 J W ARRYELEE 940 J ROBERTSON 959 J W J CODY 957 W J CODY 953 W J CODY 953 W J CODY 953 W J CODY 953 W J CODY 953 W J CODY 953 W J CODY 953 W J CODY 953 W J CODY 953 W J CODY 953 W J CODY 953 W J CODY 953 W J CODY 953 W J SCOPY 963 E KVALE 963 E KVALE 967 N W SIMMONS	6724 4WA 6767 4WA 13104 4LA 1937A 10465 4LA 1937A 27157 4LA 1937A 27157 4LA 17426 10258 740 4048 740 2450 740 2450 740 2450 740 9826 740 12987 740 9826 740 2416 740 2416 740 47 740
1873 1873 1873 1873 1873 1873 1873 1873	102 102 102 102 102 102 102 102 102 102	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 7 7 7 7	2 2 2 164 133 134 134 134 152 241 152 241 274 276	593535 59935 59935 59935 59935 59944 59944 59945 59944 59945 509944 50995 50994 50994 50995 50994 50995 50994 50995 50994 50995 50994 50995 50995 50994 50995 5000 50995 5000 50995 50000 5000 50000 50000 50000 50000 50000 50000 50000 50000 5000000	13629 13620 13628 12434 12356 13230 12290 12290 12290 12290 12290 12290 12858 13554 13554 13554 13554 13554 13554 12937 12937 12937 12634 12634	INSPECTOR CREE THREE GUARDSWE HAINES RD MG2 SUMMIT PASS FAIRT LAKE WARREN PT. WANDERSON R. ANDERSON R. ANDERSON R. NICHOLSON PEN NICHOLSON PEN NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANGE L. REINDEER STA. CANGE L. DODD CANYON KEELE R. STERILE L. STERILE L. BAKER LAKE	$\begin{array}{c} 12 & 7 \\ 14 & 0 \\ 211 & 060 \\ 77 \\ 227 \\ 222 \\ 277 \\ 88 \\ 86 \\ 66 \\ 66 \\ 18 \\ 18 \\ 77 \\ 18 \\ 77 \\ 18 \\ 77 \\ 18 \\ 77 \\ 1 \\ 18 \\ 77 \\ 1 \\ 08 \\ 77 \\ 1 \\ 07 \\ 08 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10 \\ 10$	967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 940 J K CALPER 957 W J CODY 957 W J CODY 957 W J CODY 959 T W BARRY 963 J A PARMELEE 963 J A PARMELEE 963 J A PARMELEE 963 J A PARMELEE 963 J J CODY 953 W J CODY 953 W J CODY 963 W J CODY 964 W J CODY 965 W J CODY 965 W J CODY 965 W J CODY 967 W W FREMAN	6724 4WA 6767 4WA 13104 4LA 1937A 10465 4LA 1937A 27157 4LA 1937A 27157 4LA 17426 10258 740 4048 740 2450 740 2450 740 2450 740 9826 740 12987 740 9826 740 2416 740 2416 740 47 740
1873 1873 1873 1873 1873 1873 1873 1873		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 7 7 7 7	2 2 2 2 124 133 1334 1344 1354 1354 1552 2774 5 2774 27907 2077	55553335 55555555555555555555555555555	13629 13630 13628 12434 12356 13230 12903 12903 12903 12908 13554 13554 13554 13554 13554 12715 12937 12634 09603 08318 12835	INSPECTOR CREE THREE GUARDSWE HAINES RD MG2 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN POINT ANDERSON R. ANDERSON R. NICHOLSON PEN NICHOLSON PEN NICHOLSON PEN NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANOE L. REINDEL STA. CANDE L DODD CANYON KEELE R. STERILE L. STERILE L. STERILE L. STERILE L. BAKER LAKE CORAL HARBOUR LTL. DIVIDE L	124406077788666600077788777888666000777888666000777888666000077788777887777887777887777887777887777887777	967 G W ARGUS 967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 940 J K CALPER 957 W J CODY 959 T W BARRY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 963 J J CODY 953 W J CODY 963 E KVALE 967 N W SIMMONS 947 T W SIMMONS 947 T W SIMMONS 947 W CODY 946 W J CODY 946 W J CODY 946 W J CODY 946 W J CODY 946 W J CODY 947 W SIMMONS 947 W SIMMONS 947 W SIMMONS 947 W SIMMONS 947 W SIMMONS 947 W SIMMONS 947 W J CODY 954 W J CODY 954 W J CODY 954 W J CODY 955 W J CODY 955 W J CODY 955 W J CODY 956 W J CODY 957 W J CODY 958 W J CODY 959 W SIMMONS 947 W J CODY 957 W J CODY 957 W J CODY 957 W J CODY 958 W J CODY 959 W SIMMONS 947 W J CODY 957 W J CODY	6724 4#A 6767 4#A 13104 4LA 1937A 13104 4LA 1937A 10455 4LA 1937A 10758 740 10758 740 10758 740 448 740 448 740 2450 740 2450 740 12987 740 12987 740 2416 740 740 2416 740 76
1873 1873 1873 1873 1873 1873 1873 1873		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 4 4 3 3 3 4 4 4 5 0 2 2 2 4 4 3 3 3 4 4 4 5 0 2 2 2 4 4 7 7 4 5 0 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	55555555555555555555555555555555555555	13629 13630 13628 12434 12356 132300 12903 12858 13841 14505 13341 14505 13554 13554 13554 12937 12937 12937 12937 12937 12634 12635 12634 12635 12655 12655 126555 126555 1265555 1265555555555	INSPECTOR CREE THREE GUARDSWE HAINES RD M82 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN POINT ANDERSON R ANDERSON R NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANGE L DODD CANYON KEELE R. KEELE R. STERILE L STERILE L. STERILE L. STERILE L. DAKER LAKE CORAL HARBOUR LTL. DIVIDE L JUNE L.	$\begin{array}{c} 12 \\ 7 \\ 7 \\ 6 \\ 6 \\ 7 \\ 7 \\ 6 \\ 7 \\ 7 \\ 7$	967 G W ARGUS 967 G W ARGUS 967 G W ARGUS 948 H W RAUP 948 H W RAUP 950 J A CALPER 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 963 J J CODY 963 W J CODY 963 W J CODY 963 W J CODY 963 E KVALE 963 E KVALE 963 E KVALE 963 E KVALE 963 E KVALE 967 N W SIMMONS 967 N W SIMMONS 967 N J CODY 967 W J CODY 967 W J CODY	6724 4#A 6767 4#A 13104 4LA 1937A 10465 ALA 1937A 10258 740 10258 740 10258 740 448 740 448 740 448 740 2450 740 2550 740 2550 740 2550 740 2550 740 2550 740 26 740 12987 740 2416 740 2416 740 2416 740 2416 740 255529 740 25552 740 255529 740 255520 740 255520 740 255520 740 255520 740 255520 740 255520 740 255520 740 255520 740 255520 740 255520 740 255520 740 255520 740 255520 255520 255520 255520 255520
1873 1873 1873 1873 1873 1873 1873 1873		111111111111111111111111111111111111111	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 7 7 7 7	2 2 2 2 4 4 4 4 4 4 4 4 5 5 2 4 7 7 4 6 6 0 7 7 7 7 6 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 3 0 7 7 7 7	55933304422665133435772444266505444433109442266505444433109444266505444433109511899521331	13629 13630 13628 12434 12350 132300 129003 129003 12903 12858 133541 13554 13554 123554 12937 12634 12634 12634 12634 12634 12835 12835 12837 12634 12634 12634 12835 12840	INSPECTOR CREE IHREE SUARDSWE HAINES RD MG2 SUMMIT PASS FAIRT LAKE WARREN PD. ANDERSON R. ANDERSON R. ANDERSON R. NICHOLSON PEN NICHOLSON PEN NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANOE L. REINDEER STA. CANOE L. STERILE L. BAKER LAKE CORAL MARBOUR LTL. DIVIDE L JUNE L.	$\begin{array}{c} 12 \\ 7 \\ 7 \\ 7 \\ 6 \\ 118 \\ 007 \\ 7 \\ 7 \\ 8 \\ 8 \\ 6 \\ 6 \\ 6 \\ 7 \\ 7 \\ 7 \\ 8 \\ 8 \\ 6 \\ 6 \\ 6 \\ 7 \\ 7 \\ 7 \\ 7 \\ 8 \\ 8 \\ 6 \\ 6 \\ 6 \\ 7 \\ 7 \\ 7 \\ 7 \\ 7 \\ 8 \\ 7 \\ 7 \\ 7 \\ 7$	967 G W ARGUS 967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 940 J A CALDER 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 963 J A CODY 957 W J CODY 953 W J CODY 953 W J CODY 963 E KVALE 967 N W SIMMONS 947 W J CODY 967 W M J CODY 967 W M J CODY 967 W M W M W W W W W W W W W W W W W W W	6724 4#A 6767 4#A 13104 4LA 1937A 18455 4LA 1937A 10258 740 10258 740 10258 740 408 740 2450 740 2450 740 2550 740 2550 740 2550 740 2550 740 2550 740 2550 740 2550 740 2550 740 2550 740 12987 740 2416 740 2416 740 2416 740 255528 1819 75C 255528 1819 75C 255529 16759 740
1873 1873 1873 1873 1873 1873 1873 1873		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 7	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5935 5935 5935 59358 5720 5720 5944 6942 6942 6944 6942 6944 6943 6421 6431 6431 6431 6431 6431 6431	$\begin{array}{c} 13629\\ 13630\\ 13628\\ 12434\\ 12356\\ 132300\\ 132900\\ 129003\\ 12858\\ 13341\\ 14505\\ 13554\\ 13554\\ 13554\\ 13554\\ 13554\\ 12715\\ 12937\\ 12634\\ 12634\\ 12634\\ 12635\\ 128400\\ 128400\\ 12845\end{array}$	INSPECTOR CREE THREE GUARDSWE HAINES RD MG2 SUMMIT PASS FAIRT LAKE WARREN PT. WANDERSON R. ANDERSON R. ANDERSON R. NICHOLSON PEN NICHOLSON PEN NICHOLSON PEN NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANGE L. REINOFER STA. CANGE L. STERILE L. JUNE L. JUNE L. LTL DIVIDE L	124 4060777888666687777887777887 100777888666687777887777887 10087887777887 10087887 2687	967 G W ARGUS 967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 940 J K CALPER 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 963 J A PARMELEE 940 J P ARMELEE 940 J CODY 953 W J CODY 963 W J CODY 963 E KVALE 963 W SIMMONS 967 N W SIMMONS 967 N J CODY 9467 W J CODY 967 W J CODY	6724 4#A 6767 4#A 13104 4LA 1937A 10465 4LA 1937A 10465 4LA 1937A 10258 740 10258 740 448 740 448 740 2450 740 2550 740 2550 740 12987 740 12987 740 2416 740 2416 740 2416 740 2416 740 2416 740 255528 1297 740 255528 1819 15C 255528 1819 15C 255528 1819 15C 255528 1819 15C 255528 1819 15C 255528 1819 15C 255528 1655 740
1873 1873 1873 1873 1873 1873 1873 1873		111111111111111111111111111111111111111	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 7 7 7 7	2 2 2 16 24 133 134 134 134 134 134 135 140 2152 241 274 276 276 290 297 307 307 307	5935 5935 5938 5938 5730 5938 5720 6944 6942 6956 69944 69946 69944 69946 6947 6947	$13629\\13629\\13628\\12434\\12356\\132360\\132350\\12900\\12900\\12900\\12858\\13340\\13554\\13554\\13554\\13554\\12554\\12554\\12737\\12937\\12634\\09603\\08318\\12835\\12855\\12835\\12855\\12$	INSPECTOR CREE THREE GUARDSME HAINES RD M82 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN PT. WARREN POINT ANDERSON R ANDERSON R NICHOLSON PEN KITTIGAZIUT VICTORTA IS CANOE L DODD CANYON KEELE R KEELE R STERILE L STERILE L BAKER LAKE CORAL MARBOUR LTL. DIVIDE L JUNE L UTL DIVIDE L DAL L.	124 7762222770068077788777788866666777788777788766877778876687777887668877587777887687758777788775877778877587777788775877777888666667758777778877777887758777778877587777788775877777887758777778877587777788775877777887758777777	967 G W ARGUS 967 G W ARGUS 967 G W ARGUS 948 H W RAUP 948 H W RAUP 940 J K CALPER 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 963 J J CODY 957 W J CODY 963 E KVALE 967 N W SIMMONS 948 H J CODY 967 W J CODY	6724 4WA 6767 4WA 13104 ALA 1937A 10465 ALA 1937A 1058 AAA 17426 10758 AAO 408 AAO 407
1 + 73 1 + 673 1 + 673 1 + 673 1 + 6733 1 + 6733 1 + 6733 1 + 67733 1 + 677333 1 + 6773333 1 + 6773333 1 + 6773333 1 + 6773333 1 + 6773333 1 + 67733333 1 + 67733333333 1 + 67733333333335 1 + 677333333335 1 + 6773333335 1 + 6773333335 1 + 677333335 1 + 677333335 1 + 67733335 1 + 67733335 1 + 6773335 1 + 6773335 1 + 6773335 1 + 6773335 1 +		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 7 7 7 7 7 7 7 7 7 7 7 7	2 2 2 2 2 16 6 24 133 133 134 134 134 152 152 152 152 274 274 6 290 307 307 307 307 309 309	5935 5935 5938 5938 5938 57204 6942 6942 6942 6942 6942 6942 6942 694	13629 13628 13628 12434 12356 12434 12356 13230 12900 12903 12858 13554 13554 13554 13554 12917 12633 12634 12837 12634 12837 12634 12845 12845 12845 12845 12845 12845	INSPECTOR CREE THREE GUARDSWE HAINES RD M82 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN PT. WARREN POINT ANDERSON R ANDERSON R NICHOLSON PEN KITTIGAZIUT VICTORTA IS CANGE L DODD CANYON KEELE R. KEELE R. KEELE R. STERILE L BAKER LAKE CORAL MARBOUR LTL. DIVIDE L JUNE L. JUNE L LIL DIVIDE L DAL LAKE FROBISHER BAY	$\begin{array}{c} 12 \\ 7 \\ 7 \\ 6 \\ 114 \\ 0 \\ 0 \\ 0 \\ 7 \\ 7 \\ 7 \\ 8 \\ 8 \\ 8 \\ 8 \\ 6 \\ 6 \\ 6 \\ 6 \\ 7 \\ 7 \\ 7 \\ 8 \\ 8 \\ 8 \\ 6 \\ 6 \\ 6 \\ 7 \\ 7 \\ 7 \\ 7 \\ 8 \\ 7 \\ 7 \\ 7 \\ 7 \\ 8 \\ 7 \\ 7$	967 G W ARGUS 967 G W ARGUS 967 G W ARGUS 948 H W RAUP 948 H W RAUP 940 J K CALPER 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 963 J CODY 963 W J CODY 963 W J CODY 963 W J CODY 963 W J CODY 963 W J CODY 963 W J CODY 967 W J CODY 967 W J CODY 967 W J CODY 967 W J CODY 967 W J CODY 967 W J CODY 967 W J CODY 967 W J CODY 967 W J CODY 967 W J CODY 967 W J CODY 967 W J CODY 967 W J CODY 967 W J CODY 967 W J CODY 967 W J CODY 963 E KVALE 963 E KVALE 963 E KVALE 963 E KVALE 963 E KVALE	6724 4WA 6767 4WA 13104 ALA 1937A 10465 ALA 1937A 1058 AAA 17426 10758 AAO 408 AAO 407
1473 1673 1673 16773 173773 173773 17373 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 2 16 24 133 133 134 134 134 1354 140 152 241 1 152 274 276 297 307 307 307 307 307 307 307 307 307 30	5935 5935 5938 5938 5938 5938 5938 5938	13629 13629 13628 12436 13228 12436 13230 12900 12903 12903 12900 12903 13554 12658 13554 12957 12638 13554 12937 12638 12855 12840 12855 12840 12855 12840 12855 12840 12855 12840 12855 12840 12855 12840 12855 12840 12855 12840 12855 12840 12855 12840 12855 12850 12855 12850 12855 12850 12855 12850 12855 12850 12855 12850 12855 12850 128555 128555 128555 128555 1285555 1285555 1285555555555	INSPECTOR CREE THREE GUARDSWE HAINES RD MG2 SUMWIT PASS FAIRT LAKE WARREN PT. WARREN POINT ANDERSON R. ANDERSON R. NICHOLSON PEN NICHOLSON PEN NICHOLSON PEN KITTIGZIUT VICTORIA IS CANGE L. REINDEER STA. CANGE L. STERILE L. STERILE L. STERILE L. STERILE L. STERILE L. STERILE L. STERILE L. STERILE L. JUNE L. JUNE L. JUNE L. JUNE L. JUNE L. JUNE L. DAL LAKE FROBISHER BAY MACKENZIE MTS	124 0677788866608777788777788766677 124211877782227700087777887777788777780876677 125511 04622633607 0637	967 G W ARGUS 967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 945 J W RAUP 957 W J CODY 959 T W BARRY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 963 J J CODY 953 W J CODY 963 W J CODY 967 W J CODY 963 E KVALE 948 W A SENN 948 W A SENN 948 W A SENN	6724 4#A 6767 4#A 13104 4LA 1937A 13104 4LA 1937A 10455 4LA 1937A 10758 740 10758 740 448 740 448 740 448 740 448 740 448 740 448 740 2450 740 2750 740 2750 740 12087 740 2926 740 12087 740 2916 740 2416 74
$\begin{array}{c} 1 \\ 1 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 1 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 1 \\ 0 \\ 0$		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 7 7 7 7 7 7 7 7 7 7 7 7 7	2 2 2 2 2 16 6 24 133 1134 1134 1134 1134 1134 1134 11	935 5935 5938 5937 5938 5931 5720 5944 6942 6942 6942 6942 6942 6942 6942 6	13629 13629 13628 12434 12356 12434 12356 13230 12900 12900 12903 12658 13554 12555 13554 12555 13554 12517 12937	INSPECTOR CREE THREE GUARDSWE HAINES RD MG2 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN POINT ANDERSON R. NICHOLSON PEN NICHOLSON PEN NICHOLSON PEN NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANGE L. REINOFER STA. CANGE L. STERILE L. DALKE FROBISHER BAY HACKENZIE WTS	$\begin{array}{c} 124\\ 144\\ 118\\ 067\\ 7\\ 7\\ 222\\ 227\\ 7\\ 066\\ 7\\ 7\\ 7\\ 8\\ 8\\ 6\\ 6\\ 6\\ 6\\ 6\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 8\\ 7\\ 8\\ 7\\ 8\\ 7\\ 8\\ 7\\ 8\\ 7\\ 8\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 8\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ 7\\ 8\\ 7\\ $	967 G W ARGUS 967 G W ARGUS 967 G W ARGUS 948 H W RAUP 948 H W RAUP 940 J W RAUP 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 940 J ROBERTSON 963 J A PARMELEE 940 J ROBERTSON 953 W J CODY 963 E KVALE 963 E KVALE 967 W J CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY 967 W Z CODY	6724 4MA 6767 4MA 13104 4LA 1937A 10465 4LA 1937A 10465 4LA 1937A 10258 740 10258 740 448 740 448 740 448 740 2450 740 2550 740 2550 740 2750 740 12987 740 2416 740 2416 740 2416 740 2416 740 2416 740 255528 1819 TCC 256528 1819 TCC 256528 1819 TCC 256528 16559 740 2 740 2 740 2 740 2 740 2 740 2 740 2 740 3 752 740 1776 740 1776 740 1776 740 1776 740 1776 740 1776 740 1776 740 1776 740 1776 740 1776 740 1776 740 1776 740 1776 740 1776 740 1776 740 1776 740 1776 740 1659 740 1776 740 1659 740 1776 740 10776 7777777777777777777777777777777
1473 1673 1673 16773 173773 173773 17373 1		1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 2 16 24 133 134 134 134 152 241 152 274 276 276 276 277 307 307 307 307 307 307 307 307 307 3	5935 5935 5938 5831 5720 6944 6942 6956 6944 6942 6956 6942 6956 6903 6503 6503 6447 6431 6305 6331 6303 6331 6303 6304 6304 6324 6304 6325 6304 6325 6304 6325 6304 6325 6304 6325 6304 6325 6305 6305 6305 6305 6305 6305 6305 630	13629 13629 13628 13628 12434 12356 1320 12900 12900 12900 12900 12900 12900 12900 12900 12900 12900 12900 13544 13544 12917 12634 12937 12634 12840 12840 12840 12840 12840 12840 12840 12840 12858 12859 12959 1	INSPECTOR CREE THREE SUARDSWE HAINES RD MB2 SUMMIT PASS FAIRT LAKE WARREN PD. ANDERSON R. ANDERSON R. ANDERSON R. ANDERSON R. MICHOLSON PEN MICHOLSON PEN MICHOLSON PEN MICHOLSON PEN KITTIGAZIUT VICTORIA IS CANGE L. REINDEER STA. CANGE L. STERILE L. BAKER LAKE STERILE L. BAKER LAKE CORAL HARBOUR LTL. DIVIDE L JUNE L. JUNE L. JUNE L. JUNE L. JUNE L. JUNE L. ALLAKE FROBISHER BAY MACKENZIE MTS MACKENZIE MTS	12 + 44 06777888666087777887777887777887777887777887777887777	967 G W ARGUS 967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 940 J A CALDER 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 963 J A CODY 957 W J CODY 953 W J CODY 953 W J CODY 963 E KVALE 967 N W SIMMONS 947 W J CODY 967 E KVALE 948 H A SENN 948 W ARUP 948 W ARUP	6724 4#A 6767 4#A 13104 4LA 1937A 13104 4LA 1937A 10455 4LA 1937A 10758 740 10758 740 10758 740 448 740 448 740 448 740 448 740 2450 740 2750 740 2750 740 12987 740 2926 740 12987 740 2926 740 2916 740 2016 740 2116
$\begin{smallmatrix} 1 & 6 & 7 & 3 \\ 1 & 6 & 7 & 3 \\ 1 & 6 & 7 & 3 \\ 1 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 7 \\ 1 & 6 & 6 & 7 & 7 & 7 \\ 1 & 6 & 6 & 7 & 7 & 7 \\ 1 & 6 & 6 & 7 & 7 & 7 \\ 1 & 6 & 6 & 7 & 7 & 7 \\ 1 & 6 & 6 & 7 & 7 & 7 \\ 1 & 6 & 6 & 7 & 7 & 7 \\ 1 & 6 & 6 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 6 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 $		1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2 2 2 2 2 16 6 24 4 133 133 134 134 135 152 152 152 274 154 134 155 274 274 274 274 277 307 307 307 307 307 309 309 335 338 338 338 338 338 338 338 338 338	9935 5935 5938 5831 5720 6944 6942 6956 6956 6956 6956 6956 6956 6956 695	13629 13628 13628 12434 12356 12434 12356 12356 128588 12858 12858 12858 12858 12858 12858 12858 12858 12858 12858	INSPECTOR CREE THREE GUARDSWE HAINES RD M82 SUMMIT PASS FAIRT LAKE WARREN PT. WARREN PDINT ANDERSON R ANDERSON R NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANGE L DODO CANYON KEELE R. KEELE R. KEELE R. STERILE L DALE AKE CORAL HARBOUR LTL. DIVIDE L JUNE L LIL DIVIDE L JUNE L LIL DIVIDE L JUNE L LIL DIVIDE L DAL LAKE FROBISHER BAY MACKENZIE MTS BRINTNELL LAKE BRINTNELL LAKE SNAHANNI R.	$\begin{array}{c} 12 \\ 7 \\ 7 \\ 7 \\ 6 \\ 11 \\ 12 \\ 11 \\ 12 \\ 12 \\ 22 \\ 22 $	967 G W ARGUS 967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 940 J K CODY 957 W J CODY 957 W J CODY 959 T W BARRY 959 T W BARRY 963 J A PARMELEE 963 J A CODY 963 W J CODY 963 W J CODY 963 W J CODY 963 W J CODY 963 W J CODY 963 W J CODY 963 W J CODY 967 W J CODY 963 E KVALE 963 E KVALE 963 E ROWLANDS 939 H W RAUP 939 H W RAUP	6724 4#A 6767 4#A 13104 8LA 19378 10465 ALA 19378 10258 7AA 17426 10258 7AO 10258 7AO 2450 7AO 2450 7AO 2550 7AO 2550 7AO 2550 7AO 2550 7AO 2550 7AO 2640 7AO 2640 7AO 2640 7AO 2640 7AO 2640 7AO 2640 7AO 2640 7AO 2640 7AO 2769 7AO 2769 7AO 2760 7AO
$\begin{smallmatrix} 1 & 6 & 7 & 3 \\ 1 & 6 & 7 & 3 \\ 1 & 4 & 6 & 7 & 3 \\ 1 & 4 & 6 & 7 & 3 \\ 1 & 4 & 6 & 7 & 7 & 3 \\ 1 & 4 & 6 & 7 & 7 & 3 \\ 1 & 4 & 6 & 7 & 7 & 3 \\ 1 & 4 & 6 & 7 & 7 & 3 \\ 1 & 4 & 6 & 7 & 7 & 3 \\ 1 & 4 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 6 & 7 & 7 & 3 \\ 1 & 6 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 \\ 1 & 7 & 7 & 7 $			2 2 2 2 2 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2 2 2 2 2 2 16 6 24 133 3 135 135 135 135 135 135 135 135 1	5935 5935 5938 5831 5831 5831 6942 6942 6942 6942 6942 6942 6942 6942	13629 13628 13628 12434 12434 12434 12436 12436 12436 12436 12436 12436 12436 12505 12506 12507 12637 12747	INSPECTOR CREE THREE GUARDSWE HAINES RD MG2 SUMWIT PASS FAIRT LAKE WARREN PT. WARREN POINT ANDERSON R. ANDERSON R. ANDERSON R. ICHOLSON PEN NICHOLSON PEN NICHOLSON PEN KITTIGAZIUT VICTORIA IS CANOE L. DODD CANYON KEELE R. STERILE L. STERILE L. STERILE L. STERILE L. STERILE L. STERILE L. STERILE L. STERILE L. STERILE L. JUNE L. JUNE L. JUNE L. JUNE L. JUNE L. LTL OIVIDE L DAL LAKE FROBISHER BAY MACKENZIE MTS BRINTNELL LAKE BRINTWELL LAKE	$\begin{array}{c} 12 \\ 7 \\ 7 \\ 7 \\ 6 \\ 6 \\ 6 \\ 6 \\ 6 \\ 6 \\ 6$	967 G W ARGUS 967 G W ARGUS 967 G W ARGUS 948 H W RAUP 943 H W RAUP 940 J W RAUP 957 W J CODY 957 W J CODY 957 W J CODY 959 T W BARRY 963 J A PARMELEE 963 J J CODY 963 W J CODY 963 W J CODY 963 W J CODY 963 E KVALE 963 E KVALE 967 W J CODY 967 E KVALE 940 H A SENN 963 E P ROWLANDS 939 H W RAUP	6724 4#A 6767 5#A 13104 8LA 1937A 10465 4LA 1937A 10758 7A0 10758 7A0 10758 7A0 10758 7A0 27557 7ALA 17426 10758 7A0 2750 7A0 2750 7A0 2750 7A0 2750 7A0 12087 7A0 2926 7A0 2416 7A0 2416 7A0 2416 7A0 2416 7A0 2416 7A0 255528 1819 15C 256528 1819 15C 256528 16559 7A0 17776 7A0 17776 7A0 17776 7A0 17776 7A0 17776 7A0 2 7A0 7A0 7A0 7A0 7A0 7A0 7A0 7A0 7A0 7A0

TAXON	SPC	S V HY	B PROV	QUA	D LAT	LONG	LOCALITY	DAT	E CD	LLECTOR NAME	COL NO HERB + NO
1873	102	1	12	3	6850	14033	FIRTH RIVER	06.0	8 953 E	MCCACO	
1673	102		12	3	6850	14033	FIRTH RIVER		7 962 P	MCEWEN Youngman	166 CAN 226056 173 CAN 273835
1873 1873	102		12	15	6430	13828	OGILVIE MTS	27 0	6 966 R	T PORSILD	15 CAN 303406
1873	102		12	15 15	6445	13830	OGILVIE MTS Ogilvie Mts	27 0	7 966 R	T PORSILD	356 CAN 303405
1873	102	1	12	15	6445	13830	OGILVIE MTS	27 27	7 966 R 6 966 R	T PORSILD	356 CAN 15 CAN
1873	102 102		12	15 15	6435	13820	CHAPMAN LAKE	28 0	6 964 P	YOUNGHAN	491 CAN 283818
1873	102	1	12	15	6430	13828	OGILVIE MTS	14 0	7 963 P 7 963 P	YOUNGMAN YOUNGMAN	363 CAN 279567
1873	102		12	15	6445	13830	OGILVIE MTS	18 '	7 963 P	YOUNGHAN	363 CAN 279587 383 CAN
1873 1873	102		12	19 20	6420	13200	BONNET PLUME L KLONDIK	. 11 0	7 966 W	BUTLER	31 CAN 303134
1873	102	1	12	21	6334	13728	MCQUESTEN	14 01	3 902 J 3 948 J	M MACOUN CAMPBELL	CAN 54407 795 CAN 126891
1873 1873	102		12	24 32	6331	13028	KEELE LAKE WHITE RIVER	01 01	966 W	BUTLER	30 CAN 303135
1873	102	1	12	32	6103	13621	JENNY LAKE	21 0	7944 J 7966 J	P ANDERSON NEILSON	9311 15C 256522
1873 2873	102		12	32	6103	13821	JENNY L	6	7 966 J	NEILSON	1105 CAN 313097 1105 CAN 313097
1873	102		12 12	32 32	6103	13831	KLUANE LAKE PTARMIGAN HEAR	02 0	944 H	M RAUP	12189 ALA 19381
1873	102	1	12	32	0103	13831	KLUANE L	2 7	7946 H	V RAUP	13713 ALA 19383 12189 ALA 19381
1873 1873	102		12 12	32 35	6149	13835	PTARMIGAN HRT CANOL RD M118	16	948 H	M RAUP F PORSILD	13713 ALA 19363
1873	102		12	35	6145	13258	ROSE-LAPIE R	29 6	5 944 A	E PORSILD	10124 ISC 256543 10124 ISC 256543
1873 1873	102		12 12	37	6129	12941	FINLAYSON R	18 0	667	DAWSON	CAN 18848
1873	102		12	37	6140	12941	FINLAYSON R		687 903 P	DAWSON Youngman	5.N. CAN 18848
1873 1873	102		12	37	6140	12825	LTL HYLAND R	28	963 P	YOUNGWAN	491 CAN 283818 5.N. CAN
	102		12 12	39 39	6058	13829	KLUANE L Kluane L			ANDERSON	9409 ISC 256519
	102		12	39	6049	13844	OBSERVATION MT	16 n7	944 J	P ANDERSON	9409 ISC 256519 582 GWA
	102 102		12 12	39	6055	13843	SLIMS RIVER	05 07	967 D	F MURRAY	B46 GWA
1873	102	1	12	39 39	6055	13643	SLIMS RIVER SLIMS R	09 07		F MURRAY F MURRAY	915 GWA
	102		12	59	6055	13843	SLIMS R	9 7		FHURRAY	846 SWA 915 SWA
	102		12	39 39	6057	13825	OBSERVATION MT		966 D 944 H	F MURRAY	582 SWA
	102		12	39	6057	13825	SLIMS R		944 H		12580 ALA 19377 12580 ALA 19377
	102		12	40 40	6042	13748	DEZADEASH R DEZADEASH R	28 06	965 A	M PEARSON	135 CAN 293846
1673	102	1	12	4.)	6047	13735	PINE CR	28 6	965 A 944 H	M PEARSON	135 CAN 11797 ALA 19387
	102		12 12	40	6047	13735	PINE CR	23 06	944 H	M RAUP	11797 ALA 19387 11871 ALA 19380
	102		12	40 40			PINE CR PINE CR		944 H 944 H		11871 GWA
	102		12	40	6047	13735	PINE CR PINE CR	23 6	944 H		11797 ALA 19387 11871 ALA 19380
	102		12 12	40 40	6047 6048	13735	PINE CR Mackintosh	23 6	944 H		11471 SWA
	102		12	40	604B	13737	MACKINTOSH		957 ₩ 957 ₩	SCHDFIELD Schofield	7586 CAN 269665 7586 CAN 269665
	102 102		12 12	40 40	6044	13632	HT BRATNOBER	09 07	962 L	A SPETZMAN	116 CAN 274631
	102		12	41	6043	135032	MT BRATNOBER WHITEHORSE	97 0105		A SPETZMAN P ANDERSON	116 CAN 274631
	102 1 102 1		12	41	ь043	13503	WHI TEHORSE	1 8	944 Ĵ	P ANDERSON	9636 ISC 256516 9636 ISC 256516
1873	102		12 12	4.L 4.L	6043	13503	WHITEHORSE WHITEHORSE	01 06	944 A 1	PORSILD	9153 54
	102 1		12	42	6033	13306	JOHNSON CROSS	30 06	959 S	SHETLER	9153 GH 9169 CAN 297301
	102 102		12 14	42	5555	13505	JOHNSONS CROSS CORONATION ISL			SHETLER	3109 CAN
1873	102 1	1	14	10	5857	13602	MUIR INLET, GL	29 6	959 D 967 G 1	KLEIN ≠ ARGUS	459 ALA 23056 6435 SWA
	102 1 102 1		14 14	10	\$858	13606	MUIR INLET, GL	29 6	967 G 1	ARGUS	6454 GWA
1675	102 1	L	14	10 10	5658	13606	MUIR INLET+ GL Muir Inlet+ GL	29 6	967 G 1	ARGUS Argus	6462 988 6457 984
	LU2 1 LU2 1		14 14	10	5858	13606	MUIR INLET# GL	29 6	967 G H	ARGUS	6436 GWA
	102 1		14	10 10	5858	13606	MUIR INLET+ GL MUIR INLET+ GL		967 G N		6503 GWA
	102 1		14		5858	13606 /	MUIR INLET GL	29 6	967 G %		6447 GWA 6456 GWA
	LOZ 1 LOZ 1		14 14	10	5858	13606	MUIR INLET, GL	29 6	967 G 🛛		5447 GWA
1873 1	102 1	L	14	10 10	5859	13606	MUIR INLET+ GL Muir inlet+ GL	01 7	967 6 M	ARGUS	6457 GWA 6503 GWA
	LO2 1		14 14	10 10	5858	13606	MUIR INLET, GL	29 6	967 6 4	ARGUS	6456 SWA
1873 1	02 1		14	10	585B	13606	MUIR INLET, GL MUIR INLET, GL		967 6 1 967 G 1		6436 SHA 4450 CHA
	02 1		14	10	5857 .	13602 /	UIR INLET GL	29 6	967 G 🕷	ARGUS	6454 SWA 6435 SWA
	02 1		14 14	10	2822	13603 0	UUIR INLET	28.06	967 G 1	ARGUS	6385 SWA
1873 1	02 1		14	11	5818	13424 .	JUNEAU	14 00	914 G H	ANDERCON	6385 GWA 414 ISC 85594
	02 1		14 14	11	564U .	13410 1	TAKU B. NUNATAK	10 0.0	053 C H	APELIC	PR ALA 4732
1873 1	02 1		14	11	584U .	13410]	JUNEAU ICE FO TAKU B NUNATAK	10 OP	952 G H	ARGUS	97 SWA 98 GWA
	02 1		14	11	5825	13540 (GUSTAVUS.	04 07	967 G 🕨	ARGUS	6593 G#A
	.02 1 .02 1			11	5818 ·	13435 13423	ENDENHALL GLA		967 G 9		6658 GWA
1873 1	02 1 02 1		14	11	5818 ;	3423	T ROBERTS TR	09 7	967 G ¥ 967 G ¥	ARGUS	66208 GWA 6637 GWA
	021			11	5818 1	3423 H	T ROBERTS TR	09 7	967 G ¥	ARGUS	6646 SWA
1873 1	02 1		14	11	5818 1	(3423 H	IT ROBERTS	09 7	967 G ¥ 967 G ¥	ARGUS	6647 °¥A 6647 r¥A
	02 1 02 1			11	5818 1	13423 H	IT ROBERTS	097	967 6 ₽	ARGUS	66208 SWA
1673 1	02 1		1	11 :	5818 1	3423 M	IT ROBERTS	עש 7 109 סי	967 G ¥ 967 G ¥	ARGUS	6646 SWA
	02 1 02 1		14	11	5825 1	3540 6	USTAVJS.	04 07	967 6 8	ARGUS	6637 GWA 6593 GWA
1873 1	02 1		14	73 3	2232 J	, / 2 D D H A	ENDENHALL GLA	10 7 28 04	967 G ¥ 945 G ¥	ARGUS	6658 GWA
1873 1	02 1			21	52S0 1	6905 A		05 DA	962 M	JOHNSON	40 ISC 256514 238 WIS

TAXDN	SPC	5 ۱	/ Н¥В РВ	lov	QUAD	LAT	LONG	LOCALITY	DATE	COLLE	CTOR NAME	COL NO P	IERB + NO
1873	102	1	1	4	21	5300	16854	ANANUDIAK IS	29 07	937 J H	STEENIS	4532	#IS
1673	102	1		4	22			UMNAK ISLAND	03 08		JOHNSON	1047	VIS
1873 1873	102 102			14 14	22 22			UMNAK ISLAND UMNAK ISLAND	15 08	962 M 962 M	JOHNSON JOHNSON	1114	¥IS ¥IS
1673	102	1	1	4	22	5245	16858	UMNÁK ISLAND	08 08	962 M	JOHN50N	1067	WIS
1873 1873	102			144 141	22 22			UMNAK ISLAND UMNAK ISLAND	04 08	962 M 962 M	JOHNSON	1030	WIS WIS
1873	102			4	23	5335	16650	UNALASKA	23 07	936 J P	ANDERSON	4213	ISC 256488
1873	102			L4 L4	23 24			CHERNDFSKI AKUTAN ISLAND	21 07	941 L J 934 I L	COLE		ISC 256515 ISC 256496
1873 1873	102 102			14	25				17 7		WILLIAMS	2855	GWA
1873	102	1		14	25			COLD BAT		971 H	WILLIAMS BEALS	2971 102	GWA Can
1873 1873	102			L4 L4	35 35	5730	15413	KODIAK REFUGUM		962 M	JOHNSON	102	WIS
1873	102			14	38			ST PAUL ISLAND				4059	ISC 256511 ISC 256513
1873 1873	102 102			L4 L4	30 38			ST PAUL ISLAND ST PAUL ISLAND		897 J M			CAN 18875
1873	102	1	1	14	38	5710	17015	ST PAUL ISLAND	29 07	914 J M	MACOUN		CAN 93812
1873 1873	102			L4 L4	39 43			HAGEMEISTER IS RASPBERRY IS	11 6 25 08		DICK EYERDAM	5200	GWA ISC 256546
1873	102	1	1	14	56	6024	17242	ST MATTHEW IS	16 07	936 J P	ANDERSON	3948	150 256510
1873 1873	102			[4 [4	56 56			ST MATTHEW IS ST MATTHEW IS		966 V L 957 D	KLEIN	5354 21	ALA 32663 ALA 6669
1873	102	1	1	14	57	6012	16656	NUNIVAK ISLAND	15 07	938 J P	ANDERSON	3880	ISC 256523
1673 1673	102			14 14	57 57	6012	16656	NINIVAK ISLAND NUNIVAK ISLAND	10 07	965 G 920 H R	BOS	1590	ALA 32286 ALA 2027
1873	102		j	14	57	6018	16611	NUNIVAK ISLAND	13 07	929 ¥ P	MILLER	1590	ALA 23508
1673 1873	102			14 14	57 59			NUNIVAK ISLAND Corral Cr	02 08	965 D F 926 # 9	SEIM	1573	ALA 31950 ALA 2033
1873	102			14	67			CHITINA R		925 H	LAING	44	CAN
1873	102			14 14	67 68			CHITINA R Thompson PASS		925 H	LAING ANDERSON	47 1889	CAN 150 256498
1873 1873	102			14	69			SHEEP MT			ANDERSON	10796	750 256544
1873	102			14	69			GLENN HWY M128				8445	150 256518
1673 1673	102			14 14	69 69			WILLOW CR RD WILLOW CR RD	12 07	931 J P	ANDERSON ANDERSON	998 998	ISC 256509 Ala 27300
1873	102	ĩ		14	69	6145	14920	WILLOW CR RD		951 G M	FROHNE	5122	ALA 21826
1873 1873	102			14 14	69 69			MATANUSKA VY Matanuska vy		940 L J 940 L J		104 396	ALA 5164 Ala 5963
1873	102	1	:	14	69	6146	14918	HATCHER PASS		965 S L	WELSH	4690	TSC 247241
1673 1873	102			14 14	69 71			HATCHER PASS BIG RIVER		965 S L 950 W H		4707 4303	15C 247098
1673	102	1		14	71	6152	15433	HEAD OF BIG R.	4 7	950 W H	DRURY	3089	CAN
1873 1873	102			14 14	75 77			SCAMMON BAY Mountain Vil	16 06	961 E H	HULTEN KYLLINGSTAD	5+N+	115 2384897 15C 256480
1873	102			19	79			TAKOTNA		941 J P	ANDERSON	7434	ISC 256492
1873 1873	102			14 14	79 80			TAKOTNA Fareyell		941 J P 949 W H	ANDERSON	7434 2915	ALA 549 CAN
1873	102			14	80	6233	15336	FAREWELL L.	38	949 ¥ H	DRURY	2410	CAN
1873 1873	102			14 14	80 80	6233	15336	FAREWELL MT. Farewell MT.		949 W H 949 W H		2776 2745	
1873	102			14	Bu			FAIRWELL	27 05	953 S G	SHITH	1726	ALA 10648
1873	102			14 14	61 84	6240	15230	TONZONA R. Nabesna RD 429	19 07	961 L A	VIERECK Sharrock	50584	GWA Ala 25392
1873 1873	102			14	85	6308	14315	TOKSLA HWY 433	24 06	944 J P		9744	150 256517
1873	102			14	85			MOON LAKE SLIPPERT RK CR		965 V L		3594 735	ALA 32617 Ala 6868
1873 1873	102			14 14	85 86			RICH HWY M202				2149	150 256499
1873	102			14	86			FK LYL DELTA R			ANDERSON	512	ALA 5636
1873 1873	102			14 14	86 86			RAINBOW MY Donnelly dome		965 V L 965 V L		3576 3535	ALA 32620 ALA 32615
1873	102	1		14	86	6345	14554	DONNELLY DONE	02 07	964 V 1	HARMS	2552	ALA 32616
1873 1873	102			14 14	86 86			DONNELLY DOME Paxon		964 V L 965 V L		2800 4197	ALA 32614 ALA 32619
1873	102	1		14	86	6357	14658	FK LTL DELTA R	06	941 L J	PALMER	534	ALA 5224
1873	102			14 14	86 86			RAINBO# MT Rainbo# MT		966 C 966 C	PARKER PARKER	R449 R472	ALA 32686 ALA 32684
1673	102	1		14	86	ь348	14432	UPPER DRY CR	02 08	,957 L /	SPETZMAN	990	4LA 6869
1673 1873	102			14 14	86 86	6310 6315	14541	FIELDING LAKE PAXON		961 R 965 S L	SPOONER WELSH	P100 4375	ALA 19063 ISC 246111
1873	102	1		14	87	6352	14859	HEALY	23 07	939 J P	ANDERSON	5760	TSC 256506
1873 1873	102			14 14	87 87			HEALY CANTWELL			ANDERSON ARGUS	5760	15C 256506 ALA 4514
1873	102	1		14	87	6338	14930	TEKLANIKA R	14 07	957 F C	DEAN		ALA 24941
1673 1873	102			14 14	87 87			SAVAGE R HEALY		965 B 950 D	FABER HANSON	48 50	ALA 31007 ISC 256483
1673	102	1		14	87	6352	14859	HEALY	15 08	950 D	HANSON	50	TSC 256485
1673 1673	102			14 14	87 87			SAVAGE R SAVAGE R		928 Y 928 Y	MEXIA MEXIA	2010 2074	ALA 10198 Ala 10205
1873	102			14	87			IGLOO CREEK	10 07	939 A	NELSON	777	TSC 256490
1873	102	1		14 14	87			MCK NAT PK		939 A 939 A	NELSON NELEON	3513	TSC 256489 ALA 546
1873 1873	102			14	87 87			IGLOO CREEK MCK NAT PK		939 A	NELSON NELSON	3533	ALA 547
1473	102	1		14	87	6355	14828	DRY CR		962 L #	VIERECK	56R0	GWA 150 256497
1873 1873	102			14 14	88 68			WONDER LAKE Camp Eielson		956 G ¥		678	ALA 4728
1873	102	1		14 14	88	6325	15020	CAMP EIELSON CAMP EIELSON		956 G ¥ 956 G ¥		678 678	ALA 22466 GWA
1873 1873	102			14	88 68			WONDER LAKE		939 A	NELSON	1976	ALA 548
1873	102	1		14	88	6325	15015	CAMP EIELSON	30 06	962 R	RICHEY		ALA 26100
1873	102	1		14	88	6326	15024	MCK PK RD	27 07	962 R	RICHET		ALA 26097

TAXON	SPC	S V HYB	PRÓV	QUAD	LAT	LONG	LOCALITY	DAT	E	COLL	ECTOR NAME	COL YO	HERB + ND
1873 1873	102		14 14	88 88			CAMP EIELSON CAMP EIELSON		6 96;		RICHEY	5.N.	ALA 26098
1873	102	1	14	66	6330	15015	STONY CR	03 0 23 0	7 959	9 L	SCHENE SCHENE	5.N.	ALA 25319 Ala 25315
1873 1873	102	1	14	66 88	6324	15025	MULDROW GL	10 0	7 95	8 L A	VIERECK VIERECK	3180 3180	LAV FSLC 346
1873 1873	102		14 14	88 88	6324 6324	15025 15025	MULORON GL Muldron Gl	10 0	7 054		NTEDECH	31A0 1079	GWA ALA B2B3
1873 1873	102		14	93 93	6347 6330	17145	MULDROW GL ST LAWRENCE IS ST LAWRENCE IS	29 0	6 93	j j P	ANDERSON	3698	ISC 256526
1873 1873	102	1	14 14	93 94	0751	11124	DI LAWACALE 13	30 0	D 9D(1 L G	SAUER	5.N.	WIS
1873	102	1	14	94	6430	16532 16525	NONE	05 0	7 936 7 950	нс	ANDERSON HANSON HELLER	3743 370	ISC 256525 ISC 256486
1873 1873	102	1	14 14	94 94	6430	16530 16530	NONE	12 0	£ 06/	1 C	HELLED	1120 1004a	ALA 27012 Ala 26824
1873 1873	102 102		14 14	94 94	6430 6435	16530 16532	NOME	23 0 16 0	6 929 6 966	9 ¥ 8 5 R	MILLER Pegau	113C W2	ALA 2024 GWA
1873 1873	102		14 14	94 94	6446 6436	16630	NOME NOME CAPE WOOLLEY NOME GOLDVIN	16	7 969	PRE	PEGAU	27169	
1873 1873	102	1	14 14		6426	16250	GOLOVIN	17 0	6 936	, J P	ANDERSON ANDERSON JOHNSON JOHNSON	3423	TSC 256527 15C 256507
1873 1873	102	1	14 14	101	6433	14455	BIG DELTA	30 0	6 950	5 4 4	JOHNSON	55	ALA 7072
1873 1873	102	1	14 14	102	6410	14147	GOLOVIN ELIM BIG DELTA FRANKLIN TWELVE MI SUM TWELVE MI SUM EAGLE SUMMIT EAGLE SUMMIT TWELVE MI SUM MILLER HOUSE EAGLE SUMMIT STEES HWY M88 IMURUK L TIN CITY KOTZERUE KIANA	13 0	7 941	Ĵ	ANDERSON	3247	ALA TSC 256493
1873	102	1	14	104 104	6523 6523	14600 14555	TWELVE MI SUM TWELVE MI SUM	15 0 15 0	6 963 7 961	3 F 4 7 V L	CHAUVIN Har45	12 6121	ALA 23845 ALA 34631
1873 1873	102 : 102 :	1	$14 \\ 14$	104 104	6525 6425	14520 14520	EAGLE SUMMIT EAGLE SUMMIT	29 0 30 0	7 961 6 959	l R J T P	HERRIEK O:Farrell	60	ALA 18480 Ala 9618
1873 1873	102		$\frac{14}{14}$	104 104	6522 6531	14556	TWELVE MI SUM MILLER HOUSE	16 0	6 957 6 951	7 S 6	SHETLER	62AF	ALA 3718 ALA 10734
1873 1873	102 1		14 14	104 104	6529	14526	EAGLE SUMMIT	21 0	6 96	5 J	TRENT	60	4LA 30641
1873	102	1	14	110	6534	16309	IMURUK L	25 U 06 D	7 964	, T e	SIEH	7352	FSLC 308 ISC 256545
1873 1873	102	Í.	14 14	$111 \\ 113$	6533 6654	16235	KOTZEBUE	19 0 10 0	8 93f 8 93f	9 J P	ANDERSON	4880 4709	ISC 256524 ISC 256508
1673 1673	102 1		14 14										ALA 10191 ISC 256487
1873 1873	102		14 14	122	6803 6803	14500	OLD JOHN L	07 0	8 957 8 957	75	SHETLER	994AF 997AF	
1873 1873	102	1	14 14	122	6803 6803	14500	OLD JOHN L	09 0	8 957	s	SHETLER	1081AF 1065AF	ALA 4337
1873 1873	102 1	1	14 14	124 124	6730	15007	WISEMAN	01 0	8 939		ANDERSON	5875	ISC 256505
1873	102 3	1	14	124	6725	15007	WISEMAN	14 0	8 939 6 962	9 J P 2 R	ANDERSON BROCKMAN	5875 2616	ALA 27553 Ala 28485
$1873 \\ 1873$	102 1	1	$14 \\ 14$	124 124	6730 6730	15007 15000	OLD JOHN L OLD JOHN L OLD JOHN L OLD JOHN L VISEMAN VISEMAN VISEMAN VISEMAN VISEMAN VISEMAN	06 0	6 946 8 937	5 W 7 E	JOHNSON	30J 903	ALA 10192 9#A
1873 1873	102 1		14 14	125 125	6757 6757	15315 15315	WISEMAN LONELY LAKE LONELY LAKE UNION PORTAGE CAPE THOMPSON CAPE THOMPSON CAPE THOMPSON CAPE THOMPSON KIVALINA CAPE LISBURNE OGOTORUK CREEK OGOTORUK CREEK OGOTORJK CREEK OGOTORJK CREEK	03 0	7 965 7 965	5 V 5 V	STAENDER	48 48	S+N. Ala
1673 1873	102 1		14 14	126 127	6706 6815	15815	ONION PORTAGE	27 0	6 967	Ċ	SCHWEGER	5	ALA 34706 ALA 28752
1873 1873	102 1	1	14 14	127	6815	16600	CAPE THOMPSON	08 0	7 960	ĒH	BELSON		ALA 28862
1873 1873	102 1	L	î 1	127	6815	16600	CAPE THOMPSON	14 0	6.960 6.960		BELSON		ALA 28834 ALA 28806
1873	102 1	L	14	128	6853	15613	CAPE LISBURNE	07 0	6 960 6 93A	, j p	ANDERSON	50 4499	ALA 26601 TSC 256542
1873 1873	102 1	L	14 14	129 129	6806 6806	16545 16545	OGOTORUK CREEK OGOTORUK CREEK	11 0	8 966 8 966	5 G ¥	ARGUS ARGUS	5960 5955	SHA SHA
1873 1873	102 1		14 14	129 129	6806 6810	16545 16538	OGOTORUK CREEK OGOTORUK CREEK	11 0/	8 966 7 950	G W	ARGUS	5956	SWA MLA 9178
1873 1873	102 1	L .	14 14	129	6810	16538	OGOTORJK CREEK OGOTORJK CREEK	22 0	5 961	R	JOHNSON	36	ALA 17680
1873 1873	102 1	1	14 14	129	6817	16532	KUKPUK R	27 0	7 960	I H R	MELCHIOR	190	GWA Ala 17835
1873	102 1	L	14	129	6805	16535	KUKPUK R	24 01	5 964	G	STREVELER	399	GWA Wis
1873 1873	102 1	L	14 14	130 130			CAPE SABINE CAPE SABINE	10 0	7 958 7 958	ון ון ן אינו ו	THOMSON THOMSON		WIS WIS
1873 1873	102 1	L .	14	133 134	6850 6805	15425 15030	OOLAMNAGAVIK R ULD L	01 0	7 946 7 963	R M	CHAPMAN Chauvin	43 68	TSC 258547 ALA 23849
1873 1873	102 1		14 14	134 134	6805 6814	15030 15230	CAPE SABINE OOLAMNAGAVIK R ULO L ULO L ULO L ARCTIC VILLAGE OLD WOMAN CP	06 0' 27 0	7 963 7 956	۱ ل ا I	FLOCK WIGGINS	39 13835	ALA 21752 US 2264121
1873 1873	102 1		14 14	136	6810 6822	14530	ARCTIC VILLAGE OLD WOMAN CR	24 0	5 965	V L	HARMS KESSEL	3774	ALA 32618
1873 1873	102 1	L	14 14	137	6822	14355	OLD WOMAN CR	14 01	5 956	, В	KESSEL	513	ALA 5052 ALA 22872
1873	102 1		14	137	6839	14100	FIRTH RIVER		5 961	ΕL	KESSEL LITTLE, JR,	513 18487	ALA 22870 Swa
1873 1873	102 1	L	14	138	6950	14220		09 0	a 966	. G ¥	ARGUS ARGUS	5880 5916	SWA GWA
1873 1873	102 1	L	14 14	141	6923	15210	UMIAT	18 0/ 30 0	7 966	• ¥	JOHANSEN SUDA	47 28266	CAN GWA
1873 1873	102 1		14 14	L42 L45	6952 6946	15350 16303	IKPIKPUK R	04 04	9 947	RF	BLACK ANDERSON	4419	ISC 256534 ISC 256541
1873 1873	102 1	L	14 14	145	6902	16350	CAPE BEAUFORT	25 -	7 966	G ₩	ARGUS	5621 5606	
1873 1873	102 1	L	14 14	145	6902	16350	CAPE BEAUFORT	23 01	7 966	G ₩	ARGUS	5398	GWA
1873 1873	102 1		14 14	145	6902	16350	CAPE BEAUFORT	23 0	7 966	6 4	ARGUS ARGUS	5535 5397	GWA GWA
1873	102 1		14	145	6912	16200	KOKOLIK R	30 00	3 947	RF	ARGUS BLACK	5519	GWA 15C 256537
1873 1873	102 1		14	147	7030	15730	MEADE RIVER PO MEADE RIVER PO	15 07	7 966	6 ¥	ARGUS	5250	GWA GWA
1873 1873	102 1 102 1		14 14	147	7030	15730	MEADE RIVER PD MEADE RIVER PO	17 07	7 966	. G ¥	ARGUS	5322 5344	GWA GWA

TAXON	SPC	S V НYB	PROV	QUAD	LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO HERB + ND
1873	102	1	14	147	7030	15730	MEADE RIVER PO	15 07	966 6 ¥ ARGUS	5251 GWA
1873	102	1	14	147	7031	15724	MEADE RIVER PO	19 08	960 0 ¥ GEIST	ALA 29189
1873	102			147	7000	15700	MEADE RIVER PO	06 08	960 O W GEIST	ALA 28163
1873 1873	102		14 14	147 148	7031	15724	MEADE RIVER PO	06 08	960 0 W GEIST 960 0 W GEIST 960 0 W GEIST 947 R F BLACK 962 D L CHESEWORE 947 R 6 BLACK 966 6 W ARGUS 966 6 W ARGUS	ALA 2767B ISC 256536
1873	102			146	7047	15500	HALF HOON 3 RA	30 08	962 D L CHESEMORE	ISC 256536 3 ALA 29358
1873	102		14	149	7033	15142	ATIGARU PT	29 08	947 R & BLACK	TSC 256538
1873	102			151	7010	14650	BULLEN	03 08	966 6 ¥ ARGUS	5726 GWA
1873	102			151	7010	14650	BULLEN	03 08	966 6 ¥ ARGUS	5728 GWA
1873 1873	102			151 151	7010	14030	BULLEN	03 08	GAL 6 W ARENS	5727 GWA 5725 GWA
1873	102			152	7005	14335	BARTER ISLAND	07 08	966 6 W AREUS	5868 G#A
1873	102			152	7005	14335	BARTER ISLAND	07 08	966 6 # ARGUS	5869 GWA
1873	102				7005	14335	BARTER ISLAND	26 06	951 F S BARKALOW, JR.	P10 I5C 256539
1873 1873	102		14	153 153			POINT BARROW Barrow	08 13 07	947 P F SCHOLANDER 952 G H WARD	TSC 256540 1117 ISC 224851
102 2	F	RETICULA	TA SSI	•• GL/	NBELLI	ICARPA				
1873			2	44			MOSQUITO LAKE	18	964 J & CALDER 957 J & CALDER 964 J & CALDER 967 G & ARGUS 967 G & ARGUS 967 G & ARGUS 967 G & ARGUS 967 G & ARGUS	36479 DAG 22233
	102		2	44			ACCINTON BAY	18 6	957 J & CALDER	21621 040 22232
1873 1873	102		2 14	52 011		13423	TAKAKTA LAKE At Roberts Tr	25 7	954 J & CALDER	36347 DAO 22234
1873	102		14			13423	MT ROBERTS TR	09 7	967 G W ARGUS	6620 GWA
1873	102			011		13423	MT ROBERTS TR	09 7	967 G W ARGUS	6633 GWA
1873	102	2	14	011		13423	MT ROBERTS TR	09 7	967 G W ARGUS	6645 BHA
1873	102	2	14	011	5818	13423	MT RODERTS TR	09 7	967 G W ARGUS	6644 GWA
103 3	I	LANATA S	SP• R	ICHAR	DSÓNI	1			967 G ¥ ARGUS 967 G ¥ ARGUS 967 G ¥ ARGUS 967 G ¥ ARGUS 967 L A ¥IERECK 967 L A ¥IERECK 967 L A ¥IERECK 967 L A ¥IERECK 960 J A CALDER 943 H ¥ RAUP 957 H J CODY 956 G ¥ SCOTTER 965 G ¥ SCOTTER 965 G ¥ SCOTTER 938 C F GILLHAM 957 H J CODY 945 H ¥ SCOTY 948 H T SHACKLETTE 944 A F PORSILD 951 C J CODY 953 H J CODY 953 H J CODY 953 H J CODY 949 H ¥ RAUP 957 H J CODY 953 H ¥ CODY 953 H J CODY 953 H Z CODY 954 H Z SHACKLETTE 944 A F PORSILD 944 A F PORSILD	
	103 103	3	2	2	5935 5935	13630	INSPECTOR CREE	12 7	967 G W ARGUS 967 G W ARGUS	6736 GWA 6736 GWA
1873	103	3	222222227777777777	2	5935	13629	THREE GUARDSME	14 7	967 6 ¥ ARGUS	6770 SWA
1873	103	3	2	2	5935	13629	THREE SUARDSME	14 7	967 G W ARGUS	6770 GWA
1873	103	3	2	2	5935	13627	HAINES RD M58	04 08	967 L A VIERECK	8537 GWA
1873	103	3	2	2	5935	13628	HAINES RD H56	04 08	967 L A VIERECK	8523 GWA
1873 1873	103	3	5	2	5950	13639	HAINES RD HBB	04 08	967 L & VIERECK	4323 SEA 8547 GEA
1873	103	3	2	ų.	5940	13327	BOULDER CR	09 06	960 J A CALDER	25205 ALA 17424
1873	103	3	2	16	5831	12434	SUMMIT PASS	19 07	943 H M RAUP	10669 ALA 19857
1873	103	3	7	133	6938	13254	TOKER PT	28 07	957 W J CODY	10337 040 32636
1873 1873	103	3	÷	133	6930	1334/	HICHARDS IS	24 07	966 6 W SCOTTER	10122 SWA
1873	103	3	÷	134	6938	12843	ANDERSON RIVER	21 07	965 6 V SCOTTER	6950 GMA
1873	103	3	7	140	6903	10550	CAMBRIDGE BAY	20 07	938 C F GILLHAM	19 150 256621
1873	103	3	7	152	6818	13340	INUVIK	57	957 W J CODY	9849 340 5740
	103	3	7	152	6813	13554	CANDE L.	16 7	963 W J CODY	12806 040
1873 1873	103	ì	÷	208	6349	12728	BANANA L.	12 0	451 M - LOUA	17506 340
1873	103	3	ż	245	6543	11847	LEITH PEN. NE	19 7	948 H T SHACKLETTE	3090 CAN 199879
1873	103		7	306	6310	13008	MACHILLAN PASS	31 6	944 A F PORSILD	11227 CAN 48274
1673	103		1	307	6331	12840	JUNE L.	2 8	967 W J CODY	17288 DAO
1873 1873	103			307 339	6305	12850	OGRADY L+ NE	29 7	967 H J CODT	17005 340
1873	103	3	ż	339	6205	12735	ARININELL L	05 07	GIG H V RAHP	0301 ALA 19760
1673	103	3	7	340	6242	12640	LITTLE DAL L.	6 8	967 W J CODY	17652 140
1673	103	3	7	367	6142	12710	HOLE-IN-WALL-L	10 8	967 W J CODY	17936 940
1873	103	3	12	2	6930	13920	FIRTH R.	6 8	953 E H MCEWEN	168 CAN 226060
1873 1873	103	3	12	2	6922	13932	PIXIM RIVER	1 7	970 S L WELSH	10162A DIF 1211
1873	103	3	12	5	6725	14100	RAMPART HOUSE	26 07	951 C C LOAN	666 SWA
1673	103	3	12	15	6404	13925	DAWSON	25 6	914 A EASTWOOD	385 CAN 48312
1873	103	3	12	17	6406	13914	HUNKER CR	24 7	902 J 4 MACOUN	S.N. CAN 48308
1873	103	3	7772222222 12222222 1222222222222222222	29	6241	13238	MT.SHELDON S.	7 8	944 A F PORSILD	11061 CAN 48294
1873 1873	103	š	12	32	6159	14033	WHITE R	21 07	944 J P ANDERSON	9315 ISC 256614
1873	103		12	32	6122	13859	BURWASH	03 04	948 H * RAUP	13934 ALA 19749
	103	3	12	35	6125	13300	CANOL RD MI 85	67	944 A F PORSILD	10166 CAN 48300
	103		12	35	6120	13300	ROSE R.	3 7	944 A F PORSILD	10274 CAN 48301
1873 1873	103		12 12	35 35	6140	13302	LOWER LAPIE R. CANOL RD MI105	19 6	944 A F PORSILD 944 A F PORSILD	9460 CAN 48296 9292 CAN 48297
1873	103		12	35			ROSE LAPIE R		944 A E PORSILO	9300 150 256607
1873	103	3	12	35	6155	13236	LOWER LAPIE R	14 06	944 A F PDRSILD	9460 150 256615
1873	103	3	12	39	6058	13829	KLUANE L	24 07	944 J P ANDERSON	9411 150 256604
1873	103		14	23			DUTCH HARBOR	29 05	938 J P ANDERSON	3151 TSC 255843
1873 1873	103		14 14	41 67			KING SALMON Kennicott	27 15	952 W 9 SCHOFIELD 955 G W ARGUS	2010 SWA 93 GWA
1873	103		14	67			SKOLAI PASS	21 07	967 D F MURRAY	977 GWA
1873	103	3	14	67	6137	14201	SKOLAI RIVER	20 06	967 R ¥ SCOTT	1611 GWA
1873	103		14	67			SKOLAI RIVER	04 07	967 R ¥ SCOTT	1679 GWA
1873	103		14	67	6137	14201	SKOLAI RIVER	22 07	967 R ¥ SCOTT	1799 GWA
1873 1873	103 103		14 14	67 67			SKOLAI RIVER Skolai river		967 R # SCOTT 967 R # SCOTT	1609 SWA 1619 SWA
1873	103		14	69					944 J P ANDERSON	ALLA SWA
1873	103	3	14	69	6156	14710	GLENN HWY M128	15 06	944 J P ANDERSON	RHB4 GWA
1873	103	3	14	69	6156	14710	GLENN HWY M128	14 06	944 J P ANDERSON	8468 ISC 256012
1873 1873	103		14	69					944 J P ANDERSON	R448 TSC 256601
1875	103		14 14	69 69	6156	14710	GLENN HWY M12A	14 04	944 J P ANDERSON 944 J P ANDERSON	8484 ISC 256600 8469 15C 256602
		-		.,				2. 00		

TAXON	SPC S V I	HYƏ PROV	QUAD LAT	LONG	LOCALITY	DA1	TE COLI	LECTOR NAME	COL NO HERE + NO
1873	103 3	14	69 6245	14915	WILLOW CR RD	28 ()6 941 J	ANDERSON	7003 150 256606
1873 1873	103 3	14 14			MATANUSKA		940 L	J PALMER	425 ALA 5222
1873	103 3 103 3	14			HEAD OF BIG R. HEAD OF BIG R.	8 10	6 950 W 1		3960 CAN 4071 Can
1873 1873	103 3 103 3	14 14	72 6132	15841	NAPAIMIUT	22 0)6 930 W I	MILLER	271C ALA 2025
1873	103 3	14		15841	NAPAIMIUT Aniak	22 0	16 930 W 1 6 949 W 1		271C ISC 256605 1439 CAN
1673	103 3	14			SCAMMON BAY)6 961 E	HULTEN	US 2384902
1673 1673	103 3 103 3	14 14			HAMILTON HAMILTON	070	17 931 C 17 931 C	4 ROUSE	37 ALA 2041 37 ALA 25430
1873	103 3	14	78 6212	15946	HOLY CROSS	22 0	08 925 L	I PALMER	1259 ALA 29319
1673 1673	103 3 103 3	14	79 6259	15604	TAKOTNA Takotna	27 0)7 941 J)7 941 J	ANDERSON ANDERSON	7435 ALA 551 7435 750 256610
1873 1873	103 3 103 3	14			FAREWELL MT. MCGRATH	8	8 949 #	I DRURY	2739 CAN
1873	103 3	14			HCGRATH		8 949 ¥ 1 8 949 ¥ 1		3157 CAN 3142 CAN
1873 1873	103 3 103 3	14			TALKEETNA	10 0)8 941 J	P ANDERSON	7679 150 255972
1873	103 3	14	81 6240		KUSKOKWIM R KUSKOKWIM R	10 0)6 961 L -	VIERECK VIERECK	5049 GWA 5049 F5LC
1873 1873	103 3 103 3	14			ALA HWY M1345 Tetlin JCT	12 0)B 944 H '	RAUP LITTLE: JR.	12809 ALA 19856 19248 GWA
1873	103 3	14	86 6347	14545	DONNELLY DOME	30 0)6 957 G I	ARGUS	1065 GWA
1873 1873	103 3 103 3	14 14			W FK LTL DELTA)6 941 L .)6 941 L .	J PALMER 1 PALMER	457 ALA 5624 457 YSC 256613
1873	103 3	14	86 6333	14546	RICH HWY M227	27 0)6 947 E	SCAMMAN	4599 GWA
1873 1873	103 3	14			RAINBON MT Donnelly dome	25 0	08 965 L 17 967	A VIERECK A VIERECK	7870 GWA 8328 GWA
1873	103 3	14	87 6335	14935	IGLOO CR	28 0	17 956 G I	ARGUS	693 ALA 4735
1873 1873	103 3 103 3	14 14			IGLOD CR Teklanika R		7 956 G 1		693 GWA 616 GWA
1673	103 3	14	67 6323	14836	CANTWELL	27 0	7 967 L	VIERECK	A392 AWA
1873 1873	103 3 103 3	14 14			CANTWELL Dry Cr	27 0	97 967 L 1	VIERECK	9391 SWA 5699 Gwa
1873	103 3	14	87 6356	14728	DRY CR	29 0	16 962 L i	N VIERECK	5756 GWA
1873 1873	103 3 103 3	14			CARLD MCKINLEY BAR		17 964 L 4 17 967 J	VIERECK FOOTE	7411 ⁶ 510 294 LV8426 GWA
1873	103 3	14	88 6330	15003	TOKLAT	26 0	16 959 L	SCHENE	ALA 25274
1673 1673	103 3 103 3	14 14			WONDER LAKE Wonder Lake	30 0	17 956 L	VIERECK VIERECK	1620 ALA 11614 1620 GWA
1873	103 3	14	92 6331	16217	STEBBINS	20 0	16 938 J I	ANDERSON	3499 ISC 256603
1873 1873	103 3 103 3	14 14			PASTOLIAK PASTOLIAK	19 0	07 931 C 0 07 931 C 0	A ROUSE	28 ALA 25435 28 Ala 2052
1873	103 3	14	94 6454	16503	SALMON LAKE	14 0	7 966 5 1	. VELSH	5901 GWA
1673 1873	103 3 103 3	14	95 6437	16215	SALMON LAKE	14 0 31 0	7 966 S t	VELSH ANDERSON	5901 ISC 253615 5121 ISC 256612
1873 1873	103 3 103 3		100 6448	14755	CHENA PUMP RD	55 0	16 956 G 1	ARGUS	412 SWA
1873	103 3	14			FAIRBANKS CLEARWATER R	21 0	18 953 L /	VIERECK Argus	7063 FSLC 49 828 ALA 4899
1873 1873	103 3 103 3				CLEARWATER R	21 0	8 956 G I	ARGUS	828 GWA
1873	103 3		104 6522	14543	TWELVE MILE CR STEESE HWY M92	22 0	6 957 5 (SHETLER	76AF ALA 3725 173AF ALA 3777
1873 1873	103 3 103 3		104 6520	14550	STEESE HWY MBB	25 0	17 964 L /	VIERECK	7351 FSLC 307 7727 FSLC
1873	103 3	14 :	105 6532	14833	LIVENGODD	08 0	17 944 J P	ANDERSON	A973 ISC 256609
1873 1873	103 3 103 3				KOTZEBUE	11 0	18 966 6 1 7 966 5 1	ARGUS	5972 GWA
1673	103 3	14 :			KOTZEBUE		7 966 5 1		5727 GWA 5727 TSC 253687
1673 1673	103 3 103 3			16026 15652		04 0	6 937 D t	CLARK	5.N. ALA 10193
1873	103 3	14 :	121 6710	14140	OLD RAMPART	18 D 21 D	7 957 J L	BUCKLEY	1071 ALA 2030 190 ALA 26779
1673 1673	103 3 103 3		121 6710 121 6710	14140	OLD RAMPART PORCUPINE R	21 0	7 957 J 1 7 957 J 1	BUCKLEY	180 ALA 5078 212 ALA 5638
1873	103 3	14	121 6715	14140	PORCUPINE R	27 0	7 957 J L	BUCKLEY	210 ALA 5099
1873 1873	$103 \ 3$ $103 \ 3$				OLD RAMPART Porcupine R	21 0	17 957 J L	BUCKLEY	180 GWA 212 GWA
1873	103 3	14 3	123 6700	15000	KOYUKUK R	01 0	8 940 E	SCAMMAN	2241 ALA 8396
1673 1673	103 3 103 3		123 6700 123 6700	15000 15000	KOYUKUK R Koyukuk R		8 940 E	SCAMMAN Scamman	2241 GWA 2240 GWA
1873	103 3	14	124 6925	15007	WISEMAN	01 0	8 939 J	ANDERSON	5879 ALA 256611
1873 1873	103 3 103 3				WISEMAN			ANDERSON	5879 ALA 27500 5873 ISC 256614
1873	103 3	14 :	124 6728	15015	NOLAN CR	17 0	6 962 R	BROCKMAN	S.N. ALA 28513
1873 1873	103 3 103 3				WISEMAN WISEMAN		6 962 R 5 962 R	BROCKMAN Brockman	S.N. ALA 28511 F ALA 28492
1873 1873	103 3 103 3	14 1	124 6925	15007	WISEMAN	15 0	6 946 ₩	JOHNSON	5.N. ALA 10187
1873	103 3	14 :	124 6925	15007	WISEMAN	29 0	6 946 W 6 949 J H	JOHNSON	5.N. ALA 27149 2057 JSC 256396
1873 1873	103 3 103 3		129 6806 129 6815	16545	OGOTORUK CREEK	11 0	8 966 G 1	ARGUS MELCHIOR	5958 GWA
1873	103 3	14)	129 6845	16602	UKINYAK CR	01 0	8 960 L #	VIERECK	611 GWA 4440 ALA 13225
1873 1873	103 3 103 3	14 1	129 6845	16602	UKINYAK CR ULD VALLEY	30 0	7 960 L /	VIERECK	4405 ALA 13227 ALA 32025
1873	103 3	14)	136 6803	14500	OLD JOHN LAKE	08 0	8 957 5 4	SHETLER	1010AF ALA 4291
1873 1873	103 3 103 3	14 1	136 6803	14500	OLD JOHN LAKE		8 957 5 4 8 957 5 4		965AF ALA 4261 1010AF GWA
1673	103 3	14)	136 6803	14500	OLD JOHN LAKE	06 0	8 954 6	SMITH	2554A ALA 10739
1873 1873	103 3 103 3	14 1	137 6840	14101	FIRTH RIVER	06 0 10 n	8 954 G 8 961 E	SMITH HULTEN	2554A GWA US 2384903
1873	103 3	14 1	137 6822	14355	SHEENJEK R	05 0	6 956 B	KESSEL	54 ALA 3534
	103 3 103 3	14 1	137 6822	14355			6 956 B 6 956 B	KESSEL KESSEL	54 ALA 3534 54 ALA 3534

TAXON SP	PC S V HYB	PROV	WUAD	LAT	LONG	LOCALITY	DAT	TE 1	COLLE	CTOR NAME	COL 110 H	IERB + NO
	03 3	14 14	137		-	SHEENJEK R Firth River		06 95 6		KESSEL LITTLE, JR.	54 18492	ALA 3534 678
	033 033	14	137 138	6950	14220	NUVAGAPAK PT	08 (08 966	G ¥	ARGUS	5879	SWA
	033 033	14 14	138 139	6950 6930	14220	NUVAGAPAK PT Sadlerochit R		08 966 18 948		ARGUS SPETZMAN	5913 1032	SWA US 2032216
L673 10	03 3	14	141	6920	15210	UMIAT	22 (06 951	Jι	BUÇKLET		ALA 5042 SHA
	033 033	14 14	141 141		15210			J6 951 06 952		BUCKLEY LINDSAY	2256	US 2312671
LB73 10	03 3	14	141	6922	15210	UMIAT	12 (08 964	G	WEST	¥7509	GWA Ala 27930
	03 3 03 3	14 14	142 145	6952 6902	15442	IKPIKPJK R Cape beaufort	25 (07 959 07 966	G₩	ARGUS	5.N. 5557	ALA 27930 GWA
1873 1	03 3	14 14	145	6902	16350	CAPE BEAUFORT KUKPOWRUK R	24 1	07 966 07 951	6 ¥	ARGUS CHAMBERS	5440 110	GWA US 2264235
	03 3	14	145	7008	15937	KETIK R	21 (OB 959	0 8	GEIST	5.N.	ALA 27591
	03 3 03 3	14 14	146 147			KUK RTVER Meade River		07 951 07 966		WIGGINS Argus	12723 5265	US 2263928 GWA
1673 1	03 3	14	147	7030	15730	MEADE RIVER	14 (07 966	G W	ARGUS	5192	GWA GWA
	03 3 03 3	14 14	147 147			MEADE RIVER MEADE R		07 966 08 960			5366	ALA 27616
1873 1	03 3	14	147	7028	15725	MEADE R USUKTUK R		08 960 07 960		GEIST GEIST	5.N. 5.N.	ALA 27869 ALA 29140
	03 3	14	151			CANNING R	28	07 947	L A	SPETZMAN	401	TSC 256618
1873 1	03 3	14	153	7120	15630	BARROW	21	07 959	0 4	GEIST	5.N.	ALA 28925
105 1	ROTUNDIF	OLIA	SSP. I									
	05 1	777	307 307			O GRADY LAKE O GRADY LAKE		07 967 07 967		C001 C001	16889 16750	DAD 32702 DAD 32699
1873 1	.05 1 .05 1	÷	307	6317	12817	LTL DIVIDE L	26	07 967	¥J	CODY	16633	DAD 32701
	05 1	12 14	32 15			GLADSTONE CR	26 27			NEILSON KLEIN	981 2261	CAN 313089 CS
1873 1	05 1	14	15	5132	17900	SEA OTTER PT	27	07 967		KLEIN	2262	CS GWA
	.05 1 .05 1	14 14	15 15			ISEA OTTER PT				KLEIN KLEIN	2261 2262	GWA
	.05 1 .05 1	14 14	17 17	5150	17608	LTL TANAGA IS Adak Is		07 950 06 966		BANK HARNS	4116	ALA 6720 Ala 32641
1873 1	.05 1	14	17	5152	17657	SWEEPER COVE	14	09 949	L L	JORDAL	3244	US 2009694
	05 1	14	18 18		17430					EYERDAM Eyerdam	960 960	64 US 1631382
1873 1	05 1	14	18	5207	17430	ATKA	30	06 932	11 J	EYERDAM YORK	960 44363	15C 256656 15C 256653
	.05 1 105 1	14 14	18 23		17430	UNALASKA				ANDERSON	4212	150 256654
1873 1	05 1	14 14	25 23	5352	16632	UNALASKA UNALASKA		08 932 07 899		HULYEN JEPSON	7205	9H US 887216
1873 1	05 1	14	27	5538	15940	FOX BAY	31	07 913	IR 🗌	GRIGGS	1	US 1072109
	L05 1 L05 1	14 14	34 34	5746 5730	15312	TERROR BAY Kodiak Refugim				CLARK JDHNSON	83	ISC 256655 WIS
1873 1	105 1	14	34	5746	15224	POPOF ISLAND	08	07 899) Т –	KINCAID	1044	US 378363 W15
	05 1 05 1	14 14	34 34	5715	15350	SAINTS BAY Kodiak	20	08 900	F	NYBAKKEN WALPOLE	1226	US 378197
	05 1 05 1	14	35 38			OLGA BAY St Paul IS		06 939 07 941		LOOFF	932	A ISC 256657
1873 1	105 1	14	36	5636	16932	ST GEORGE IS	24	06 923	ε	JOHNSTON		GH
	105 1 105 1	14	36 39			ST GEORGE IS Cape Peirce	24	06 923		JOHNSTON DICK	236	G4 1289508 Swa
1873 1	05 1	14	39	5834	16146	CAPÉ PEIRCE	11	6 970 08 949		DICK Lutz	89 484	GWA Na 319224
1673 1	LOS 1 LOS 1	14	50 56	6024	17238	PALMER CREEK St Matthew IS	16	07 936	3 J P	ANDERSON	3949	120 556640
	LOS 1 LOS 1	14 14	56 56			HALL ISLAND St Matthew IS		07 899		COVILLE HARNS	20A3 5387	US 373502 GWA
1873 1	105 1	14	56	6024	17238	ST MATTHEW IS	01	07 966	SVL.	HARMS	5387	ALA 32668
	LOS 1 LOS 1	14	56 62			ST MATTHEW IS Iceberg Lake		07 957		KLEIN KLEIN	24 421	ALA 6584 ISC 256637
1873 1	105 1	14 14	63 63			MARATHON MT Cooper NT		07 951 08 952		CALDER Klein	5639 173	6H Ala 23032
	105 1 105 1	14	64	6110	14540	WORTHINGTON GL	80	08 957	T L A	VIERECK	2210	5WA
	LOS 1 LOS 1	14	68 68	6059 6108	14702	COLUMBIA GL Thompson Pass		06 899		COVILLE Viereck	1364 8494	A Gwa
1873 1	105 1	14	69	6245	14515	WILLOW CR RD	28	06 941	ĮĴΡ	ANDERSON	6997 995	ISC 256629 ISC 256633
	105 1 105 1	14	69 69	6245	14515	WILLOW CR RD WILLOW CR RD	12	07 931	ιJΡ	ANDERSON	995	ALA 27353
1873 1 1873 1		14	69	6245	14515	WILLOW CR RD	07	08 949 07 940	9 G ¥	FROHNE PALMER	49378 359	RH NA
1873 1	105 1	14	69	6140	14900	MATANUSKA VY	• •	940	וויי	PALMER	390	ALA 3965
	LOS 1 LOS 1	1	69 69	6104	14905	MATANUSKA VY Girdwood Mine	07	07 96	564	ATESECK	359 2046	ALA 5985 BWA
1673 1	105 1	14	69 82	6146	14918	HATCHER PASS Maclaren gl	16	07 96	5 S L	WELSH SHACKLETTE	4716 5537	TSC 247139 US 2387739
1873 1	105 1	14	62	6317	14631	MACLAREN GL	11	08 958	эн т	SHACKLETTE	5537	MICH
	105 1 105 1	14	86 86	6315 6305	14530	GULKANA GL Paxon	18	07 968	9 S L	ARGUS Welsh	1143 8345	
1673 1	105 1	14	87 87	6351	14858	HEALY	23	07 93	פֿוָנ	ANDERSON FROHNE		ISC 256630 R¥
1873 1	105 1 105 1	14	87	6344	14855	MT HEALY MCKINLET PARK MCKINLEY BAR MCKINLEY PARK	22	07 954	4 G M	FROHNE	54546	ALA 21779
	105 1 105 1	14	88 88	6327 6325	15052	NCKINLEY BAR		07 940		MURIE NELSON	85 4101	94 84
1673 1	105 1	14 14	88	6325	15020	MCKINLEY PARK MCKINLEY PARK	11	06 939	9 A -	NELSON	4101 4101	ISC 256628 ALA 552
1873 1	105 1 105 1	14	86	6328	15014	STONT PASS			F A	WARREN	2217	R M
1873 1	105 1	14	93	6322	17117	POWODILIAK	17	U8 933	304	GEIST	181	ALA 29424

TAXON SPC S V HYB	PHOV QUAD	LAT LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO HERB + NO
1873 105 1			POWDOILIAK		933 0 ¥ GEIST	180 ALA 29412
1873 105 1 1873 105 1	14 93 14 93	6320 17136	BOXER BAY BOXER BAY I	27 06	933 O M GEIST	ALA 29427 27 ALA 29419
1873 105 1	14 93	6342 17029	ST LAWRENCE IS	E, 08	933 0 # GEIST 933 0 # GEIST 933 0 # GEIST	ALA 29394
1873 105 1 1873 105 1	14 93 14 93	6319 17127 6334 17053	SW CAPE	08	933 D W GEIST 933 D W GEIST	ALA 29782 ALA 29723
1873 105 1 1873 105 1	14 93	6336 17026	MT ATUK	17 07	933 0 ¥ GEIST 933 0 ¥ GEIST	ALA 29394
1873 105 1	14 95	6426 16500	CAPE NOME	07 08	948 E LEPAGE	ALA 29718 23828 ISC 256636
1873 105 1 1873 105 1	14 104 14 104		EAGLE SUMMIT EAGLE SUMMIT	07 07 20 07	937 C SUAMMAN	735 GWA 4761 GWA
1873 105 1	14 110	4516 16313			947 L SLAMMAN 947 J G SIEH	
1873 105 1 1873 105 1	$14 111 \\ 14 111$	6533 16751 6516 16622	TIN CITY TELLER	19 08 08 08	947 J G SIEH 938 J P Anderson 901 F Walpole	4882 ISC 256639 1779 US 378891
1873 105 1 1873 105 1	$ \begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	6735 14935	TELLER WIEHL MT WIEHL MT KIVALINA CAPE LISBURNE	29 07 29 06	962 R BROCKMAN	59A ALA 28552
1873 105 1	14 128	6758 16432	KIVALINA	10 08	938 J P ANDERSON	4624 TSC 256638
1873 105 1 1873 105 1	14 129 14 129		OGOTORJK CR		938 J P ANDERSON 966 G W ARGUS	4495 ISC 256646 5957 3#A
1873 105 1 1873 105 1	14 129 14 129	6809 16559	CAPE THOMPSON DGDTORJK CR		960 L H BELSON	ALA 28873
1873 105 1	14 129	6806 16545	OGOTORJK CR	18 06	959 A W JOHNSON 959 A W JOHNSON	3 GWA 6 GWA
1873 105 1 1873 105 1	14 129 14 129		DGDTDRJK CR DGDTORUK CR	20 06	959 A W JOHNSON 959 A W JOHNSON	43 GWA 3 Ala 9161
1573 105 1	14 129 14 129	6805 16545	DGOTORJK CR	22 06	961 R JOHNSON	45 ALA 17681
1673 105 1 1673 105 1	14 129	6806 16545		18 06	959 A W JOHNSON 959 A W JOHNSON	71 ALA 9163 6 ALA
1873 105 1 1873 105 1	14 129 14 129				959 A W JOHNSON 960 H P MELCHIOR	164 ALA 9179 105 ALA 17761
1873 105 1	14 129	6839 16613	CAPE DYER	15 07	960 L A VIERECK	4073 ALA 13221
1873 105 1 1673 105 1	14 129 14 130	6842 16615 6855 16430	A		960 L A VIERECK 959 S A SHETLER	4197 ALA 13220 3222 Mich
1873 105 1 1873 105 1	14 130 14 130	6855 16430	CAPE SABINE	13 07	959 S G SHETLER 959 S G SHETLER 959 S G SHETLER 950 L H JORDAL 966 G W ARGUS 966 G W ARGUS 957 J CANTLON 948 L A SPETZMAN 948 L A SPETZMAN	3276 MTCH 3328 MICH
1873 105 1	14 136	6808 14532	ARCTIC VILLAGE	20 07	950 L H JORDAL	3641 MICH
1873 105 1 1873 105 1	14 138 14 138	6950 14220 6950 14220	NUVÁGAPAK PT Nuvágapak Pt	09 0B	966 G M ARGUS	5906 GWA 5904 SWA
1673 105 1	14 139	6923 14404	OKPILAK RIVER	08 08	957 J CANTLON	571925 64
1873 105 1 1873 105 1	14 139 14 139	6935 14445 6940 14445	SUNSET PASS	17 08	948 L A SPETZMAN 948 L A SPETZMAN	1167 US 2032289 1146 US 2032274
1873 105 1 1873 105 1	14 139 14 139	0920 14000	LAKE PETERS EAGLE CR	11 07	948 L & SPETZMAN 947 L & SPETZMAN	610 US 2032029 426 TSC 256648
1673 105 1	14 140	6950 14815	FRANKLIN BLUFF	31 07	958 J W THOMSON	VIS
1873 105 1 1873 105 1	14 145 14 145		POINT LAY Cape beaufort	16 DB 28 7	938 J P ANDERSON 966 G W ARGUS	4416 ISC 256643 5695 GWA
1873 105 1	14 145	6902 16350	CAPE BEAUFORT			
1873 105 1 1873 105 1	14 145	6902 16350	CAPE BEAUFORT Cape beaufort	25 07	966 G W ARGUS	5585 GVA 5586 GVA
1873 105 1 1673 105 1	14 145 14 145		CAPE BEAUFORT Cape Beaufort	23 07	966 G M ARGUS	5407 GWA 5668 GWA
1673 105 1	14 145	6902 16350	CAPE BEAUFORT	25 07	966 G W ARGUS	55R4 GWA
1873 105 1 1673 105 1	14 145 14 145		CAPE BEAUFORT CAPE BEAUFORT	25 07	966 G W ARGUS 966 G W ARGUS	5409 GWA 5582 GWA
1873 105 1 1873 105 1	14 145 14 145		CAPE BEAUFORT CAPE BEAUFORT	25 07	966 G W ARGUS	5590 GWA 5695 GWA
1873 105 1	14 145	6902 16350	CAPE BEAUFORT	24 07	966 G W ARGUS	5695 GWA 5442 GWA
1873 105 1 1873 105 1			CAPE BEAUFORT CAPE BEAUFORT	23 07	966 G W ARGUS 966 G W ARGUS	5399 GWA 5625 GWA
1873 105 1	14 145	6902 16350	CAPE BEAUFORT	25 07	966 G W ARGUS	5592 GWA
1873 105 1 1873 105 1	14 145 14 145		CAPE BEAUFORT CAPE BEAUFORT	25 07	966 G W ARGUS	5583 GWA 5443 GWA
1873 105 1 1873 105 1	14 145 14 145		CAPE BEAUFORT CAPE BEAUFORT	27 07	966 G M ARGUS	5642 SWA 5591 SWA
1873 105 1	14 145	6902 16350	CAPE BEAUFORT	25 07	966 G W ARGUS	5604 GWA
1673 105 1 1873 105 1	14 145 14 145	o902 16350	CAPE BEAUFORT Cape beaufort		966 G W ARGUS 966 G W ARGUS	5605 GWA 5593 GWA
1873 105 1 1873 105 1	14 145 14 145	6902 16350	CAPE BEAUFORT	27 07	966 G W ARGUS	5637 GWA 5587 GWA
1873 105 1	14 145	6902 16350	CAPE BEAUFORT	04 08	961 K U STONE	961 RM
1673 105 1 1673 105 1	14 145 14 146		CAPE BEAUFORT WAINWRIGHT		961 K U STONE 938 J P ANDERSON	1021 R¥ 4355 TSC 256644
1873 105 1	14 147	7030 15730	MEADE RIVER PO	14 07	966 G ¥ ARGUS	5232 GWA
1673 105 1 1673 105 1	14 147 14 147	7030 15730	MEADE RIVER PO MEADE RIVER PO	14 07	966 G W ARGUS	5230 GWA 5228 GWA
1673 105 1 1673 105 1	14 147 14 147	7030 15730	MEADE RIVER PO MEADE RIVER PO	14 07	966 G W ARGUS	5229 GWA 5231 GWA
1873 105 1	14 147	7051 15848	PEARD BAY	06 OB	947 R F BLACK	4768F ISC 256244
1673 105 1 1673 105 1	14 151	7033 15142 7010 14650			947 R F BLACK 966 g ¥ Argus	TSC 256651 5756 GWA
1873 105 1 1873 105 1	14 151	7010 14650 7010 14650	BULLEN	05 OB	966 G W ARGUS	5821 GWA 5723 GWA
1673 105 1	14 151	7010 14650	BULLEN	03 08	966 G W ARGUS 966 G W ARGUS	5749 G¥A
1873 105 1 1873 105 1	14 151	7010 14650 7010 14650	BULLEN		966 G ¥ ARGUS 966 G ¥ ARGUS	5744 GWA 5764 GWA
1673 105 1 1673 105 1	14 152	7005 14335	BARTER ISLAND	07 08	966 G ¥ ARGUS	5654 GWA
1873 105 1	14 152	7005 14335	BARTER ISLAND	07 08	966 G W ARGUS 966 G W ARGUS	5855 G¥A
1873 105 1 1873 105 1		7120 15640 7125 15630	BARRO¥ Point Barrow		938 J P ANDERSON 966 G W ARGUS	4300 TSC 256645 5152 GWA
1873 105 1 1873 105 1	14 153	7125 15630	POINT BARROw	11 OB	966 G ¥ ARGUS	5989 GWA
1010 IUD I	14 100	1152 12030	POINT SARRO#	11 08	966 G W ARGUS	596B GWA

TAXON	SPC S V HYB	PROV W	UAD LAT	LONG	LOCALITY	DATE	COLLECTOR	NAME COL NO	HERB + NO
1673 1873 1873 1873 1873 1873 1873 1873 18	105 1 105 14 1 14 1	53 7125 53 7125 53 7125 53 7125 53 7125 53 7125 53 7125 53 7120 53 7115 53 7120 53 7120 53 7120 53	15630 15630 15630 15630 15630 15630 15640 15640 15640 15640 15640 15640 15640 15640 15640 15640 15641 15641 15640 15641 15640 15640	POINT BARROW POINT BARROW POINT BARROW POINT BARROW POINT BARROW BOINT BARROW	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	66 6 ¥ ARGUS 66 8 4 ¥ ARGUS 66 8 4 ¥ ARGUS 66 8 4 ¥ ARGUS 66 8 4 ¥ ARGUS 66 8 4 ¥ ARGUS 65 1 4 ¥	5 5996/ 5 6000 5 5996/ 5 5147 5 5147 5 5167 5 5167 5 5167 5 5168 5 5168 5 5180 6 51	I GWA GWA GWA	
105 2	ROTUNDIF	OLIA SS	P. DODGE/	NA.					
$\begin{array}{c} 1873\\$	105 2 105 2 2 105 2 2 2 105 2 2 2 2 105 2 2 2 2 2 2 2 2	2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	70 b757 74 6427 75 6430 07 506 08 6349 08 6349 08 6349 08 6349 39 6255 39 6253 32 6103 32 6103 32 6103 39 6055 39 6055 39 6055 39 6055 39 6055 39 6055 39 6055 39 6055 39 6055 39 6055 46 6332 86 6318 88 5318 88 5318 847 6725 31 6847 39 6920	13627 12801 12755 12755 12755 12768 12758 12768 12728 12728 12728 12728 12728 12734 12834 12734 12834 12834 13843 145518 15508	RICHARDSON WTS BOLSTEAD CR BOLSTEAD CR CANOL RD MB2E CANOL RD MB2E LTL DIVIDE L BACKBOVE RANGE SEKWI BROOK SEKWI BROOK REDSTONE R MACKEWZIE MTS- KLUANE L STEELE GL STEELE GLACIER KLUANE L STEELE GLACIER KLUANE L SIMS RIVER BSERVATION MT SLIMS RIVER WILLOW CR RO HATCHER PASS RAPIDS RH UPPER JAY CR MULDROW GL MULDROW GL	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	162 J A CALDI 1844 A F PORS: 1844 A F PORS: 1844 A F PORS: 1844 A F PORS: 1847 A J F PORS: 1847 A J F PORS: 1847 A J F PORS: 1847 A J F PORS: 1847 A J F PORS: 1847 A J F PORS: 1847 A F PORS: 1847 A F PORS: 1847 A F PORS: 1848 A F PORS: 1848 A F PORS: 1843 A F PORS: 1843 A F PORS: 1843 A F PORS: 1843 A F PORS: 1843 A F PORS: 1843 A F PORS: 1843 A F PORS: 1843 A F PORS: 1844 H RAUP 1845 A F PORS: 1846 D F MURR: 1847 D F MURR: 1846 D F MURR: 1855 J P ANDE: 1855 J P ANDE: 1856 L A VIER: 1859 J P ANDE: 1859 J P ANDE: 1859 J R SHET 1850 L A SPET: 1850 L A SPET: 1850 L A SPET: 1850 L A SPET: 1850 L A SPET: <td>EQ 34147 ILD 8274 ILD 8271 ILD 11400 ILD 11400 ILD 11406 ILD 11406 ILD 11466 E 24 E 91 AVDS 44 RSON 4100 AY 1429 AY 1429 AY 1429 AY 1429 AY 1429 AY 1429 AY 1429 AY 1429 AY 1429 AY 1421 E 918 AY 748 AY 918 AY 918 AY 918 AY 918 AY 918 AY 918 AY 1514 E 917 AY 1429 AY 149 AY 149</td> <td>PAO 32721 CAN 46063 Y FAN 46063 CAN 46062 CAN 46062 CAN 46062 PAO 32716 DAO 32716 PAO 32717 ICAN 46061 PAO 32720 PAO 32719 PAO 32719 PAO 32719 PAO 9 PAO 32719 PAO 9 PAO 32719 PAO 9 CAN 256641 GWA PAO GWA FWA SALA 6502 JSC 247096 JSC 256631 JSC 256631 US 200395 VA 320700 YA VA 320490</td>	EQ 34147 ILD 8274 ILD 8271 ILD 11400 ILD 11400 ILD 11406 ILD 11406 ILD 11466 E 24 E 91 AVDS 44 RSON 4100 AY 1429 AY 1429 AY 1429 AY 1429 AY 1429 AY 1429 AY 1429 AY 1429 AY 1429 AY 1421 E 918 AY 748 AY 918 AY 918 AY 918 AY 918 AY 918 AY 918 AY 1514 E 917 AY 1429 AY 149 AY 149	PAO 32721 CAN 46063 Y FAN 46063 CAN 46062 CAN 46062 CAN 46062 PAO 32716 DAO 32716 PAO 32717 ICAN 46061 PAO 32720 PAO 32719 PAO 32719 PAO 32719 PAO 9 PAO 32719 PAO 9 PAO 32719 PAO 9 CAN 256641 GWA PAO GWA FWA SALA 6502 JSC 247096 JSC 256631 JSC 256631 US 200395 VA 320700 YA VA 320490
109	SCOULERI	• •		14/10		50 00 7			
1873 1873 1873 1873 1873	109 109 109 109 109 109 109 109 109 109	2 2 2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13630 12434 12245 12235 12235 12040 12245 12245 12245 12700 12700 12700 13245 13201	INSPECTOR CREE SUMMIT PASS PROPHET RIVER FORT MELSON BEATTON R TAYLOR PINE RIVER. PINE RIVER. MACLURE LAKE. MACLURE LAKE. GRAHAM IS SKIDEGATE	12 7 6 21 06 9 22 06 9 12 06 9 13 06 9 0 8 06 9 7 6 9 8 6 9 8 6 9 8 6 9 0 9 06 9	167 6 ¥ R R QU 143 H ¥ R R QU 196 G ¥ R R QU 196 J ¥ R QU 196 J ¥ G L 1943 H R R QU 1933 H R R QU 1943 H R R QU 1957 G M R R QU 1967 G M R QU 1957 J A C AL QU 1957 J A C AL QU	S 673 10761 S 4968 ETT 10078 10078 10078 10070 S 607 S 608 S 743 ER 21345 C	rwa.

•

,

TAXO	N SPC	S V HYB	PRO,	OUAD	LAT	LONG	LOCALITY	D	ATE	c	OLL	ECTOR NAME	COL NO	HEØÐ	+ ND
1673	109			44	5315	13205	Q CHARLOTTE	13	07	957	J۸	CALDER	22469	GWA	
1873	109		2	46	5330	12830	SKEENA RIVER.	22	07	967	6 H	ARGUS		GWA	
1873 1873	109		2 2	46 52	5330	12830	SKEENA RIVER. MORESBY ISLAND	22	07	967	6 H	ARGUS	6847	G∎A	
1673	109		2	52	5302	13155	MORESBY ISLAND	28	0.6	957	JA		22186 21903	GWA GWA	
1873	109		ż	339	62QE	12735	BRINTNELL L	59	06	939	н ч	RAUT	AJ AQ	ALA	14435
1873 1873	109		÷	339 388			BRINTNELL L LIARD R VALLEY	22	06	939	H	RAUP	9234	ALA	
1873	109		ż	388			LIARD & VALLEY		7	959	2.2	JEFFREY JEFFREY		CAN CAN	
1873	109		12	5	6725	14059	RAMPART HOUSE	01	06	951	c c	LOAN	386	C WA	
1873 1873	109		12	15 24	6400	13945	BEAR CREEK MACMILLAN PASS	4	7	948	15	PORSILD		CAN	126893
1873	109		12	27	6244	13641	DAWSON RD M162	15	05	960	ĴÀ	CALDER	11221 24436	SHA	
1873	109		12 12	27 34	6205	13618	CARMACKS	16	06	932	H	SETCHELL	367	414	332715
1873 1873	109		12	35	6145	13553	CONGLMERATE MT ROSE-LAPIE R.	14	05	960	1.	PORSILD	24403 10126	GWA	49507
1873	109		12	35	6155	13238	LOWER LAPIE R.	15	6	944	AF	PORSILO		CAN	
1873 1873	109 109		12 12	35 35			UPPER ROSE R. Canol RD M132	17	7	944	A E	PORSILD	10451		
1873	109		12	35	6155	13238	CANOL RD M132	15	06	944	ÂF	PORSILD	9508 9507	TSC	256675
1673	109 109		12 12	35 40	6155	13236	CANOL RD M132	30	06	944	A F	PORSILD	10033	150	256674
1873	109		12	40	6045	13730	DEZADEASH R. HAINES JCT.	20				PEARSON	67-109		316890 293825
1873	109		12	41	6010	13442	CARCROSS	25	8	951	A F	PORSILD	18459	CAN	208680
1873 1873	109 109		12	41 41			WHITEHORSE Ala Hwy M886	01	06	944	A F	PORSILD	9104	150	
1873	109		12	42	6054	13258	NISUTLIN R.	23	7	700 944	A F	VELSH	5515 10791	SWA CAN	49509
1873	109		12	42	6016	13255	TESLIN LAKE	02	07	968	51	WELSH	7615	GEA	
1873 1873	109 109		12 12	43 43			RANCHERIA Rancheria	22	05	948	JP	ANDERSON	10467		256390
1873	109		12	43	6006	13035	RANCHERIA	22	08	966	6 W	ARGUS	6014 6015	GWA GWA	
1673 1673	109		12 14	44 3	6007	12848	WATSON LAKE	07	07	949	J٧	61LLETT	3623	TSC	256660
1673	109		14	3	5526	13134	KETCHIKAN KETCHIKAN	9				ANDERSON	2A506 6089		256200
1873	109		14	3	5527	13153	GUARD ISLANDS	07	08	901	J	FLETT	1896	NA	332913
1873 1873	109		14 14	3			KETCHIKAN KETCHIKAN	22	06	931 932		SETCHELL	3	NA	320470
1673	109		14	3	5527	13149	PT HIGGINS	10	80	967	L A	VIERECK	273	US. GWA	1566845
1873	109		14	3	5526	13146	WHIPPLE CREEK	10	08	967	LA	VIERECK	A703	GWA	
1873 1873	109 109		14	4			HOLLIS	23	08	967	RЧ	HURD HURD	591 591	SWA SWA	
1873	109		14	6	5628	13223	WRANGELL. MI.	21	7	967	6 ¥	ARGUS	6944		
1873 1873	109 109		14 14	11	5648	13258	PETERSBURG. TAKU B-NUNATAK	19	4	967	Ģ ₩	ARGUS	6840		
1873	109		14	45	5427	13519	SKAGWAY	25	07	934	Ĵь	BESCHEL ANDERSON	15484 1772	GWA TSC	256658
1873 1873	109 109		14 14	45 45			BIG BOULDER CR	12	7	967	G ¥	ARGUS	6693	GWA	
1873	109		14	45			BIG BOULDER CR					ARGUS	6691 6690		
1873	109		14	45	5928	13602	MDSQUITO LAKE.	11	7	967	6 ¥	ARGUS	6675	GWA	
1873 1873	109 109		14 14	45 45	5925	13512	BIG BOULDER CR HAINES: MI. 6	12	;	967 967	6 ¥ 6 ¥	ARGUS	6696 6751		
1873 1873	109		14 14	45	5907	13520	HAINES, MUD BA	13	7	967	6 ¥	ARGUS	6741	GWA	
1873	109 109		14	45 45	5927	13520	HAINES+ MUD BA SKAGWAT		05	967 961	6 ¥ € 1	ARGUS LITTLE, JR.	6742 18109	SWA GWA	
1873	109		14	45	5927	13519	SKAGWAY	15	05	961	ΕL	LITTLE, JR.	18121	GWA	
1873 1873	109 109		14	45 45	5913	13525	HAINES Mosquito L	03	80	967	LA	VIERECK WELSH	8506	SMA	
1873	109		14		5936	15110	ISMAILOF IS	10	06	961	5 L E L	LITTLE, JR.	4045 18408	SWA	246236
1873 1873	109 109		14			15132	HOMER	13	06	967	LA	VIERECK	8268	GWA	
1873	109		14			15116				950 · 949 I		CHRIST	20127 36	NA NA	322259 332911
1873	109		14	63	6007	14925	RESURRECTION B	16	05	951	λL	CALDER	4902	GWA	552711
1873 1873	109		14	63	6024	14922	KENAI LAKE Kenai lake	03	06	951	۸٤	CALDER	5044	GWA	
1873	109		14	63	6047	14926	HOPE JUNCTION	17	06	967	ĽÅ	VIERECK	4906 8245	GWA SWA	
1873 1673	109 109		14	63 63	6037	14931	SUMMIT LAKE STERL HWY M41	12	06	967 1	L A	VIERECK	8256	GWA	
1873	109		14	67	6126	14256	ACCARTHY	08	06	961 1	Ει	VIERECK Lîttle, jr.	8255 18372	GWA GWA	
1873	109		14	68	6157	14517	COPPER CENTER	08	06	961	ĔL	LITTLE, JR.	18302	GWA	
1673 1873	109 109		14				CHITINA COPPER R FLATS	25	06	931 1 960 i		SETCHELL	5.N.		320468
1873	109		14	68	6101	14501	COPPER & FLATS			96.0	•	SHEETS	5.N.	ALA	25133
	109 109		14	68 68	6111	14547	WORTHINGTON GL	01	08	967	- ^	VIEGECV	8474	GMA	
	109		14	69	6146	14626	CHICKALOON	07	08	967 L 948 .	JP	ANDERSON	8462 10539	SWA	256676
	109 109		14 14	69	6113	14953	RICH HWY 970 Chickaloon Anchorage	15	06	947	_	DUTILLY	50059	TSC	256663
	109		14	69	6115	14941	ANCHORAGE FT RICHAROSON	15	06	948		LEPAGE SPETZMAN	23373	TSC Min	256662
1873	109		14	09	D140	14745	GLENN HWT M102	10	06	967 1	A	VIERECK	8216	SWA	
1873 1873	109 109		14 14	69	6127	14922	EKLUTNA R	14	06	967 L		VIEREČK	8281	GWA	
1873	109		14	79	6259	15609	TAKOTNA	26	07	941	jē	ANDERSON	7011		256659 553
1873 1873			14 14	79	6259	15609	TAKOTNA	25	07	941 .	JÞ	ANDERSON	7415	TSC	256661
1873			14									DRURY	3472 3186		
1873	109		14	80	6255	15509	KUSKOKWIM R.	9	8	950 1	H	DRURY	4536	CAN	
1873 1873	109 109		14	60 60	6255	15509	KUSKOKWÍM R. Kuskokwím R.	28	8	950	1	DRURY	4535	CAN	
1873	109		14	B1	6220	15006	TALKEETNA	10	08	941	5	ANDERSON	3187 7678		256677
1673 1673	109		14	83	6220	14630	LAKE LOUISE	^5	n £	041 0	7 1	I TTTI C. 10	18365	GWA	,
			••	0.4	ve 33 .	14046	MENTASTA PASS	28	05	401 E	ĽL	LITTLE, JR.	18257	GWA	

TAXON	SPC S V HYB	PROV	QUAN	LAT	LONG	LOCALITY	DATE	COLLECT	DR NAME	COL 10 H	ERB + NO
1573	109	14	85	6332	14225	TETLIN JCT		961 E L LI			SWA
1873 1873	109 109	14 14	85 86			TOK JUNCT Donnelly dome		944 H M RAL 957 G W AR			ALA 19853 GWA
1873	109	14	86	ь345	14443	TANANA R V	10 08	944 H Y RAL	UΡ	12773	ALA 19837
1873 1873	109 109	14	86 86	6335 6348	14430	UPPER BERRY CR DONNELLY DOME	03 06	957 L A SPU 967 L A VI	ETZMAN Ereck		ALA 6842 Gea
1673	109	14	66	6358	14545	FT GREELY	90 50	964 L * VI	ERECK		FSLC FSLC
1873 1873	109 109	14 14	86 88			FT GREELY Curry	17 08		LSON	4173	ALA 255986
1673	109	14 14	86 89		15001	CURRY NIXON MINE	17 08	939 A NEI	LSON	4173 3332	15C 556 CAN
1673 1675	109 109	14	89	6315	15442	NIXON WINE	4 9	949 # H DRI 949 # H DRI 949 # H DRI	URY	3377	CAN
1873 1873	109 109	14 14	89 89			NIXON MINE NIXON MINE	49	949 ¥ 4 DRI 949 ¥ 4 DRI	URY URY	3374 3371	CAN
1873	109	14	89	6315	15442	NIXON MINE	4 9	949 # H DRI 949 # H DRI	URY	3364	CAN 14 315821
1673 1873	109 109	14 14	98 100		15530 14759	COLLEGE		957 G ¥ AR	TCHELL GUS	1159	ALA 6802
1873	109	14	100 100			COLLEGE ESTER	10 08	957 6 ¥ AR	GUS	1157 1177	ALA 6817 ALA 6795
1673 1675	109 109	14	100	6447	14805	ESTER	17 08	957 G ¥ AR	GUS	1175	ALA 6813
1873 1873	109 109	14	100 100			SMITH L College		956 G P AR		726 1170	ALA 4570 ALA 6796
1873	109	14	100	6454	14751	COLLEGE	31 07	957 G ¥ AR	GUS	1152	ALA 6792
1873 1873	109 109	14 14	100 100			COLLEGE Univ Exp Farm	22 06	957 G ¥ AR 956 6 ¥ AR	6U5	1160 426	ALA 6825 Ala 4096
1873	109	14	100	6453	14800	SHEEP CR Ester	03 07	956 G ¥ AR 957 G ¥ AR	GUS	477 1177	ALA 4844 Gea
1873 1873	109 109	14	100			ESTER		957 G ¥ AR		1178	GWA
1873	109	14	$100 \\ 100$			SMITH L College		956 G ¥ AR	GUS	726 1170	GHA GHA
1873 1873	109 109	14	100	6454	14751	COLLEGE	31 07	957 G ¥ AR	GUS	1152	SWA
1673 1673	109 109	14 14	100 100	6451 6451	14759	COLLEGE UNIV EXP FARM		957 G ¥ AR		1160	SHA GHA
1873	109	14	100	6453	14800	SHEEP CR	01 07		eule -	477	GWA
1673 1873	109 109	14 14	100 100			COLLEGE College	10 08	957 G W AR 957 G W AR	6U5 6U5	1159 1157	SWA Gwa
1873	109	14	100	6451	14748	COLLEGE	18 05	940 G GU	TLSHER	3	ALA 3103
1873 1873	109 109	14	100 100			FAIRBANKS Fairbanks	06	933 L J PA 933 L J PA	LMER	192 164	ALA 5280 ALA 5274
1873	109	14 14	100			FAIRBANKS FAIRBANKS	06	933 L J PA 933 L J PA	LHER	171 202	ALA 5275 ALA 5993
1873 1873	109 109	14	100 100	6451	14743	FAIRBANKS	20 07	931 L J PA	LMER	11	ALA 25554
1873	109	14 14	100 100			FAIRBANKS FAIRBANKS		931 L J PA 931 L J PA		11 12	ALA 5969 ALA 5970
1873 1873	109 109	14	100	6452	14749	COLLEGE	16 05	967 L A VI	ERECK	8191	GEA
1873 1873	109	14 14	100 100			COLLEGE College	24 06 05	967 L * VI 967 L * VI	ERECK	8184 8184	GWA GWA
1873	109	14	100	6446	14816	FAIRBANKS	02 06	967 L ^ VI	ERECK	92878 8321	GWA GWA
1873 1873	109 109	14	101 101			HOT SPS RD 423 HOT SPS RD 423				7531	FSLC
1673	109	14 14	101 105			HOT SPS RD 423 WICKERSHAM DOM				7530 1198	F5LC Ala 6935
1873 1673	109 109	14	105	6515	14810	WICKERSHAW DOM	24 08	957 6 ¥ AR	GUS	1199	ALA 6938
1873 1873	109 109	14 14	105 105	6515 6515	14810	WICKERSHAM OOM WICKERSHAM DOM	24 08 24 08	957 6 W AR 957 6 W AR	16US 16US	1198 1199	SWA SWA
113	SETCHELL										
1873	113	12	32	6103	13825	KLUANE LAKE	25 n7	944 J P AN	INFRSON	9403	ISC 25596A
1873	113	12	32	6137	13945	DONJEK R	27 06	948 J P AN	DERSON	10515	ISC 255965
1873 1873	113 113	12 12	32 32			DONJEK R Kluane lake	27 06	946 J P AN 966 D F MU	IRRAY	10321 365	1SC 255965 SWA
1873	113	12 12	32 32	6122	13859	BURWASH LDG BURWASH LDG		948 H M RA 944 H M RA		13306 12271	ALA 19725 ALA 19724
1873 1873	113 113	12	32	6122	13859	BURWASH LDG	02 07	948 H M RA	UP	13306	GWA
1873 1873	113 113	12 12	32 32			BURWASH LDG DUKE R	29 06	944 H ¥ RA 962 L A SP		12271 113	GWA Can
1873	113	12	32	6120	13845	JACQUOT IS	29 06	962 L A SP	ETZMAN	112	CAN
1873	113 113	12 12	32 40			ALSEK R	03 06	968 S L WE	ARSON	7852 55	GHA Can
1873	113	12	40	6045	13735	ALSEK R	05 07	957 ¥ P 50	HOFIELD	7568 7608	CAN GWA
1873 1873	113 113	14	46 46			ALSEK R Alsek R		965 L A VI 965 L A VI		7608	FSLC 336
1873 1873	113 113	14	67 69	6105	14200	CHITINA R MATANUSKA	27 05	925 H LA 931 J P AN	IDERSON	824	CAN Ala 18348
1873	113	14	69	6136	14906	PALMER	10 06	944 J P AN	DERSON	8431	ALA 554
1673 1873	113 113	14	69 69			MATANUSKA	10 07	944 J P AN 931 J P AN	IDERSON	A431 A84	GWA ISC 255967
1873	113	14	69	6136	14906	PALMER	10 06	944 J P AN	DERSON	8431 25242	ISC 255969
1873 1873	113	14	69 71	6155	15425	PALMER Head of Big R.	77	950 W H D9	lury	3973	CAN
1873	113	14 14	71 80	6155	15425	HEAD OF BIG R. Farewell	97	950 ¥ H DR		4032 2892	
1873 1873	113	14	60	6230	15340	FAREWELL LAKE	88	949 🖬 H DR	IURY	3036	CAN
1873 1873	113 113	14 14	81 82			TONZONA R Kahiltna gl		961 L A VI 956 L A VI		5000 1054	LAV Ala 3498
1673	113	14	82	6228	15115	KAHILTNA GL	27 06	956 L A VI	ERECK	1054	GWA
1873 1873	113 113	14 14	85 66	6346	14445	TANANA R Tanàna R	08	957 L & SP	PETZMAN	S.N. 4633	ALA 6947 Can
1873	113	14	86	6342	14435	TANANA RIVER	10 07	957 L A SP	ETZMAN	506	CAN

TAXON	SPC 5 V	нтв г	pROV	GUAD	LAT	LONG	LOCALITY	JATE	COLLS	CTOR NAME	COL MO HERB + NO
1873	113		14	86	6342	14435	TANANA RIVER	10 07	957 L A	SPETZMAN	506 US 2349813
1873	113		14	87	6340	14930	TEKLANIKA R	28 07	956 G W	ARGUS	694 ALA 4521
1873 1873	113 113		14 14	87 86	6340	14930	TEKLANIKA R	2R 07	956 G W	ARGUS	694 GWA 695 ALA 22493
1873	113		14	88	6330	15004	TOKLAT R	27 07	956 G ¥	ARGUS	695 ALA 4520
1873 1873	113 113		14 14	88 86	6330	15004	TOKLAT R	27 07	956 G W	ARGUS	585 ALA 4516 685 GWA
1873	113		14	88	6330	15004	TOKLAT R	27 07	956 G W	ARGUS	686 G#A
1873	113		14	68	6325	15032	MULDRON GL	31 08	932 D	KAYE	1 US 2441267
1673 1673	113 113		14 14	68 86	6325	15015	HULDRON GL	12 07	928 T 932 W A	SETCHELL	2095 ALA 10195 587 US 2441268
1873	113		14	88	6325	15032	MULDROW GL	12 07	932 # /	SETCHELL	587 WIS
1873 1873	113 113		14 14	88 88	6325	15020	MULDROW GL	25 06	956 L A	VIERECK	1090 ALA 11620 3066 GWA
1873	113		14	88	6325	15030	THOROFARE R	02 08	964 L A	VIERECK	7419 -SLC 284
1873	113		14	108	6416	14519	TANANA RIVER TEKLANIKA R TEKLANIKA R TOKLAT R TOKLAT R TOKLAT R TOKLAT R TOKLAT R MULDROW GL MULDROW GL MULDROW GL MULDROW GL THOROFARE R THOROFARE R TANANA R	29 05	965 L A	VIERECK	7560 GWA
116		HENSI									
1873 1873	116 116		2	1 2	5955	13632	INSPECTOR CREE CHILKAT PASS.	13 7	967 G W	ARGUS	6731 GWA 6815 GWA
1673	116		2	2	5941	13632	CHILKAT PASS.	13 7	967 G M	ARGUS	6815 GWA 6800 GWA 6870 GWA 6870 GWA 6867 GWA 6868 GWA
1673 1673	116 116		2	2 35	5935	13629	THREE GUARDSME	14 7	967 G H	ARGUS ARGUS	6800 GWA 6070 GWA
1873	116		2	35	5530	12245	PINE RIVER.	7 6	967 6 4	ARGUS	6067 GWA
1873 187 3	116 116		2	35 49	5530	12245	PINE RIVER. PRINCE GEORGE.	7 6	967 G W	ARGUS	6068 5WA 6077 6WA
1673	116		ē	49	5330	12830	SKEENA RIVER.	22 07	967 G W	ARGU5	6848 GWA
1873	116		14 14	3	5555	13002	HYDER	28 06	939 JP	ANDERSON	5444 ISC 255993
$1873 \\ 1873$	116 116		14	3	5559	13114	BURROUGHS BAY	19 09	915 E	WALKER	1015 F 466614
1873	116		14	3	5555	13002	HYDER	02 06	924 K	WHITED	11728 NA 332064
1873 1873	116 116		14 14	6 6	5648	13250	PETERSBURG	19 4	967 G W	ARGUS	6834 SWA
1673	116		14	6	5637	13234	PETERSBURG. MI	18 7	967 G ¥	ARGUS	6P28 G#A
1873 1873	116 116		14 14	6 6	5628	13223	WRANGELL. PAIS	21 7	967 G H	ARGUS	6842 GWA
1873	116		14	6	5628	13223	WRANGELL	19 09	950 J	CHRIST	20212 VA 320586
1873 1873	116 116		14 14	5 9	5628	13223	FRESHWATER BAY	27 07	/914 A 5937 J P	ANDERSON	3089 ISC 255998
1873	116		14	9	5704	13516	SITKA ROAD TO	17 7	967 G W	ARGUS	6731 GWA 6715 GWA 6715 GWA 6707 GWA 6707 GWA 6707 GWA 6707 GWA 6707 GWA 6707 GWA 6707 GWA 6707 GWA 6709 GWA 5444 ISC 255993 6709 GWA 6738 GWA 6738 GWA 6738 GWA 6748 GWA 6749 GWA 6749 GWA 6755 GWA 6755 GWA 6756 GWA 6756 GWA 6756 GWA 6757 GWA 6757 GWA 6756 GWA 6757 GWA 6756 GWA 6757 GWA 6756 GWA 6757 GWA 6757 GWA 6757 GWA 6757 GWA 6756 GWA 6757 GWA 6757 GWA 6757 GWA 6757 GWA 6757 GWA 6757 GWA 6759 GWA
1873 1873	116 116		14 14	9 10	5/04	13515	GEIKE INLET	29 06	967 6 W 928 J P	ANOERSON	752 ISC 255995
1873	115		14	10	5854	13603	MUIR INLET. GL	29 6	967 G ¥	ARGUS	6397 GWA
1873 1873	116 116		14	10 10	5854	13603	MUIR INLET, GL	27 06	596767 596764	ARGUS	6355 GWA
1873	116		14	10	5859	13606	MUIR INLET, GL	01 7	967 G M	ARGUS	6508 GWA
1873 1873	116 116		14	10	5859	13606	MUIR INLET, GL	01 7	79676¥ 79676¥	ARGUS	6481 SWA
1873	116		14	10	5858	13606	MUIR INLET. GL	29 6	967 G M	ARGUS	6453 GWA
1873 1873	116 116		14 14	10 10	5855	13602	MUIR INLET, GL	28 8	5 967 G ¥	ARGUS	6383A GWA
1873	116		14 14	10	5855	13603	MUIR INLET+ GL	28 6	5 967 G ¥	ARGUS	6374 98A 6160 684
1873 1873	116 116		14	10 10	5832	13724	CRILLON LAKE	13 07	7956 D	BRINK	10 F AB5198
1873	116		14	11	5825	13433	MENDENHALL GL	24 06	917 J P	ANDERSON	411 ISC 255983
1873 1873	116 116		14	11	5825	13433	MENDENHALL GL MENDENHALL GL	31 05	5925 J ¤ 5941 J ¤	ANDERSON	2415 ISC 255997 6439 ISC 255990
1873	116		14	- ii	5818	13425	JUNEAU	23 0	946 J P	ANDERSON	6227 ALA 555
1873 1873	116 116		14	11	5825	13436	DOUGLAS ISLAND GUSTAVUS+	04 0	7967 G W 7967 G W	ARGUS	6595 SWA 6594 GWA
1673	116		14	11	5822	13436	MENDENHALL RIV	13	5 967 G ¥	ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS VIERECK	6305 GW4
1873 1873	116 116		14 14	11 11			DOUGLAS ISLAND MENDENHALL GLA	10	79676¥	ARGUS	6597 G#A 6665 G#A
1873	116		14	11	5831	13445	EAGLE RIVER, 1	10	7 967 G W	ARGUS	6665 9¥4 6667 9¥8 6573 8¥8
1873 1873	116 116		14 14	11		13540	OUSTAVUS. MT ROBERTS TR	09 0	7967 G W 7967 G W	ARGUS	6642A GWA
1873	116		14	11	5818	13423		09 13 (7 967 G W	ARGUS ARGUS	5651 RWA 6099 S#A
1873 1873	116 116		14 14	11			MT ROBERTS	06 08	967 L A	VIERECK	A605 SWA
1873	116		14				THREE SAINTS B	07 0	7 963 B H	NYBAKKEN	1008 SWA
1873 1873	116 116		14 14	45	5926	13612	BIG BOULDER CR BIG BOULDER CR	12	7967 G ¥ 7967 G ¥	ARGUS	6692 GWA 6695 GWA
1873	115		14	45 45	5925	13603	KLEHINI RIVER	12	7 967 G W 7 967 G W	ARGUS	6688 GWA 6694 GWA
1873 1873	116 116		14				BIG BOULDER CR HAINES: MI. 6		7967 G W		6746 GWA
1873	116		14	45	5928	13605	MOSQUITO LAKE	45	7 967 G W	ARGU5	6679 344
1873 1873	116 116		14	45 45			MDSQUITD LAKE. MDSQUITD LAKE.		7967 G ¥ 7967 G ¥		6671 S¥A 6672 S¥A
1873	116		14	45	5901	13533	DAVID5ON GL	06 0	7 929 ¥	COOPER	111 F 745928 CAN 122114
1873 1873	116 116		14 14				SKAGWAY Skagway		8 916 M 8 916 M	MALTE MALTE	CAN 122111
1873	116		14	46	5952	13945	YAKUTAT BAY.	16 (6 967 G W	ARGUS	6190 SWA 6191 GWA
1673 1873	116 116		14 14	46 46	5955	13945	YAKUTAT BAY. Yakutat bay.		6967 G ¥ 6967 G ¥		6180 GWA
1873	116		14	46	5952	13945	YAKUTAT BAY+	15 (6 967 G W	ARGUS	6192 GW4
1873 1873	116 116		14 14	46 46	5952	13945	YAKUTAT BAY. Yakutat bay.	16	6 967 G ¥ 6 967 G ¥	ARGUS	6117 G#A 6186 G#A
1673	116		14	46	5952	13945	YAKUTAT BAY.	14	6 967 G W	ARGUS	6136 GWA
1873	116		14	46	5952	15945	YAKUTAT BAY.	10	6 967 G W	N7603	6186 GWA

TAXON	SPC S V	HYB PROV	QUAD	LAT	LONG	LOCALITY	DA	Ŧ£	COLL	ECTOR NAME	COL ND HE49 + NO
1873	116	14	46	5915	13830	TANIS LAKE	19	6 90	67 G #	ARGUS	6240 GWA
1873	116	14	46	5915	13830	TANIS LAKE	21	6 90	67 G W	ARGUS	6274 GWA
1873 1873	116 116	14	46	5915	13830	TANIS LAKE	19	6 90	67 6 W 67 6 W	ARGUS	6210 GWA
1873	116	14	46	5915	13830	TANIS LAKE.	22	6 9	67 5 ¥	ARGUS	6306 GWA
1873 1873	116 116	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	46	5933 5935	13930	SITUK RIVER. Yakutat	23	691 06	675 ¥ V 1	ARGUS HARNE	6353 G¥A 5172 Ala 32576
1873	116	14	46	5935	13940	YAKUTAT	12	06 90	66 Ý Ľ	HARMS	5216 ALA 32571
1873 1873	116 116	14	46	5935	13940	YAKUTAT Yakutat	10	06 90	65 V L	HARMS	5165 ALA 32576
1873	116	14	46	5930	13940	YAKUTAT	09	06 90	65 L A	VIERECK	7597 FSLC 334
1873 1673	116 116	14	46	5906	13822	E ALSEK R	10	06 90	65 L A	VIERECK	7601 FSLC 327
1673	116	14	46	5930	13940	YAKUTAT	09	06 90	65 L A	VIERECK	7597 GWA
1673 1873	116 116	14	46	5908	13822	E ALSEK R	10	06 90	65 L A	VIERECK	7601 GWA
1873	116	14	50	5940	15132	HOMER	13	06 90	67 L Å	VIERECK	8259 GWA
	116 116	14	62	6003	15140	NINILCHIK CAMP	13	06 90	67 L A	VIERECK	9260 GWA
	116	14	63	6055	14939	HOPE	03	06 91	41 J P	ANDERSON	6539 TSC 255991
	116 116	14	63	6007	14927	SEWARD	30	05 9	41 J P	ANDERSON	6462 150 255992
	116	14	63	6055	14939	HOPE	24	05 9	41 J # 51 J #	CALDER	1926 GWA
	116 116	14	63	6019 6003	14921	SNOW R DELTA	28	05 9	51 J 4	CALDER	4965 GWA
	116	14	63	6007	14927	SEWARD	27	05 9	45 W J	EYERDAN	3672 CAN
	116	14	63	6003	14804	PORT SAN JUAN	12	07 9	48 ¥ J	EYERDAM	5845 ISC 255985
	116 116	14	63	6055	14852	PORTAGE GL	07	07 90 06 90	67 V L 66 V I	HARYS HARYS	58964 ALA 34637 5096 814 32683
1873	116	14	63	6003	14904	DAY HARBOR	16	06 9	52 D	KLEIN	1 ALA 22977
	116 116	14	63	6003	14904	DAY MARBOR Portage 61 PD	16	06 9! 06 0/	52 D	KLEIN	2 ALA 22975
1873	116	14	63	6048	14855	PORTAGE SL RD	11	06 90	67 L A	VIERECK	1270 GEA
1673 1673	116 116	14	63	6048	14850	PORTASE BL	04 1	07 9	57 L A	VIERECK	2033 GHA
1873	116	14	63	6045	14923	SEWARD HWY M59	12	06 90	57 L A	VIERECK	9240 GDA 9243 GWA
	116 116	14	63 64	6048	14850	PORTAGE GL	04 1	07 95	57 L A	VIERECK	2033 ALA 8388
1873	116	14	64	6040	14543	ORCA	20 1	05 94	40 I L	NORBERG	NR 332115 Cân
	116 116	14	64	6100	14500	COPPER & FLATS		96	60 A	SHEETS	5.N. ALA 25128
1873	116	14	68	6107	14616	VALDEZ	05 (07 93	50 A 35 J P	ANDERSON	>.N. ALA 25121 1865 ISC 256600
1673 1873	116 116	<u>14</u> 14	68	6111	14619	VALDEZ GLACIER	02 (08 96	67 L 4	VIERECK	A749 SWA
1873	116	14	68	6112	14619	VALDEZ	02 0	08 90 08 04	67 L #	VIERECK	8748 GBA 8744 GBA
114							•		or L A	VIL ALOR	
116	STOLO	NIFERA									COL ND HEP9 + NO 6240 GWA 6274 GWA 6210 GWA 6393 GWA 63753 GWA 5172 ALA 32574 5216 ALA 32571 5165 ALA 32572 7597 FSLC 332 7597 FSLC 332 7597 FSLC 332 7597 GWA 7595 GWA 7595 GWA 7595 GWA 7595 GWA 7595 GWA 7595 GWA 7595 GWA 7595 GWA 8965 GWA 539 JSC 255992 6462 ALA 558 9964 ALA 32633 50964 ALA 32643 50964 ALA 32644 50964 ALA 32644 50964 ALA 32644 50964 ALA 32644 5096 ALA 32644 50964
1873	STOLC 118 118	NIFERA 02	002	5935	13630	INSPECTOR CREE	12	7 9(67 G W	ARGUS	6697 SWA
1873 1873 1873	STOLC 118 118 118	02 02	002 002 002	5935 5935 5935	13630 13630 13630	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE	12 12 12	7 90 7 90 7 90	67 G W 67 G W 67 G W	ARGUS ARGUS ARGUS	6697 SWA 6726 GWA 5706 SWA
1873 1873 1873 1873	STOLC 118 118 118 118 118	02 02 02	002 002 002 002	5935 5935 5935 5935 5935	13630 13630 13630 13630	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE	12 12 12 12	7 90 7 90 7 90 7 90	67 G W 67 G W 67 G W 67 G W	ARGUS ARGUS ARGUS ARGUS ARGUS	6697 SWA 6726 SWA 5706 SWA 6707 SWA 6707 SWA
1673 1873 1873 1873 1873 1873 1873	STOLC 116 118 118 118 118 118	02 02 02 02 02	002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13630 13629 13629	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSWE MT GLAVE	12 12 12 12 14	7 90 7 90 7 90 7 90 7 90 7 90	67 G W 67 G W 67 G W 67 G W 67 G W 67 G W	ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS	6697 SWA 6726 SWA 5706 SWA 6707 SWA 6707 SWA 6797 SWA
1873 1873 1873 1873 1873 1873 1873 1873	STOLC 116 118 118 118 118 118 118 118	02 02 02 02 02 02	002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13630 13629 13629 13629	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE	12 12 12 14 14	7 9(7 9(7 9(7 9(7 9(7 9(67 G W 67 G W 67 G W 67 G W 67 G W 67 G W	ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS	6697 SWA 6726 SWA 5706 SWA 6707 SWA 6776 SWA 6797 SWA 6794 GWA 6794 GWA
1673 1873 1873 1873 1873 1873 1873 1873 18	STOLC 116 118 118 118 118 118 118 118 118	02 02 02 02 02 02 02 02	002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13629 13629 13629 13629 13629	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUAROSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE	12 12 12 14 14 14 14	7 90 7 90 7 90 7 90 7 90 7 90 7 90 7 90	67 G W 67 G W	ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS	6697 SWA 6726 SWA 6706 SWA 6707 SWA 6797 SWA 6799 SWA 6799 SWA 6799 SWA
1673 1873 1873 1873 1873 1873 1873 1873 18	STOLC 116 118 118 118 118 118 118 118 118 118	02 02 02 02 02 02 02 02 02 02 02 02 02 0	002 002 002 002 002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13629 13629 13629 13629 13629	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE	12 12 12 14 14 14 14 14	7 90 7 90 7 90 7 90 7 90 7 90 7 90 7 90	67 G W 67 G W	ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS	6697 SWA 6726 SWA 6706 SWA 6707 SWA 6777 SWA 6797 SWA 6799 SWA 6796 SWA 6789 GWA 6788 GWA
1673 1873 1873 1873 1873 1873 1873 1873 18	STOLC 118 118 118 118 118 118 118 118 118 11	NIFERA 02 02 02 02 02 02 02 02 02 02 02 02 02	002 002 002 002 002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13629 13629 13629 13629 13629 13629 13629	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE	12 12 14 14 14 14 14 14	7 90 7 90 7 90 7 90 7 90 7 90 7 90 7 90	67 G W 67 G W 57 G W 57 G W	ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS	6697 SWA 6726 SWA 6706 SWA 6707 SWA 6777 SWA 6797 SWA 6799 GWA 6799 GWA 6789 GWA 6788 GWA 6788 GWA 6788 GWA 6788 GWA
1673 1873 1873 1873 1873 1873 1873 1873 18	STOLC 118 118 118 118 118 118 118 118 118 11	NIFERA 02 02 02 02 02 02 02 02 02 02 02 02 02	002 002 002 002 002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13629 13629 13629 13629 13629 13629 13629 13629	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE	12 12 12 14 14 14 14 14 14 14 14	7 90 7 90 7 90 7 90 7 90 7 90 7 90 7 90	67 6 W 67 6 W 67 6 6 7 6 W 67 6 7 6 W 67 6 7 6	ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS	6697 SWA 6726 SWA 6706 SWA 6707 SWA 6797 SWA 6797 SWA 6799 SWA 6796 SWA 6788 SWA 6788 SWA 6788 SWA 6788 SWA 6788 SWA 6781 SWA 6771 SWA
1873 1873 1873 1873 1873 1873 1873 1873	STOLC 118 118 118 118 118 118 118 118 118 11	02 02 02 02 02 02 02 02 02 02 02 02 02 0	002 002 002 002 002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13629 13629 13629 13629 13629 13629 13629 13629 13629	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE THREE GUARDSME THREE GUARDSME	12 12 12 14 14 14 14 14 14 14 14	7 90 7 90 7 7 96 7 7 96 7 7 96	67 G W W 67 G W W 57 G W W 57 G W W 57 G W	ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS	6697 SWA 6726 SWA 6706 SWA 6707 SWA 6797 SWA 6797 SWA 6799 GWA 6799 GWA 6789 GWA 6788 GWA 6788 GWA 6788 GWA 6781 SWA 6771 SWA 6771 SWA 6772 GWA
1673 1873 1873 1873 1873 1873 1873 1873 18	STOLC 118 118 118 118 118 118 118 118 118 11	02 02 02 02 02 02 02 02 02 02 02 02 02 0	002 002 002 002 002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE THREE GUARDSME THREE GUARDSME THREE GUARDSME	12224444444444444444444444444444444444	7 7 7 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	67 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7	ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS	6697 SWA 6726 GWA 5705 SWA 6707 SWA 6775 GWA 6799 GWA 6799 GWA 6789 GWA 6789 GWA 6788 GWA 6784 GWA 6784 GWA 6782 GWA 6773 GWA 6777 GWA 6777 GWA
1673 1873 1873 1873 1873 1873 1873 1873 18	STOLC 118 118 118 118 118 118 118 118 118 11	NIFERA 02 02 02 02 02 02 02 02 02 02 02 02 02	002 002 002 002 002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE THREE GUARDSME THREE GUARDSME THREE GUARDSME INSPECTOR CREE	11122224444444444444444444444444444444	77777777777777777777777777777777777777	6 67 67 67 67 67 67 67 67 67 6	ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS	6697 SWA 6726 SWA 6706 SWA 6707 SWA 6707 SWA 6798 GWA 6799 GWA 6788 GWA 6788 GWA 6782 GWA 6782 GWA 6773 GWA 6773 GWA 6777 SWA 6777 SWA 6711 SWA 6711 SWA 6711 SWA 6711 SWA 6711 SWA
1873 1873 1873 1873 1873 1873 1873 1873	STOLC 118 118 118 118 118 118 118 118 118 11	NIFERA 02 02 02 02 02 02 02 02 02 02 02 02 02	002 002 002 002 002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13630 13630	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE THREE GUARDSME THREE GUARDSME INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE	122224444444444444444444444444444444444	7 90 7 90 7 90 7 90 7 90 7 90 7 90 7 90	6 67 67 67 67 67 67 67 67 67 6	ARGUS ARGUS	6697 SWA 6726 SWA 5706 SWA 6707 SWA 6776 SWA 6794 GWA 6794 GWA 6789 GWA 6788 GWA 6788 GWA 6782 GWA 6782 GWA 6782 GWA 6773 SWA 6773 SWA
1673 1875 1875	STOLC 118 118 118 118 118 118 118 118 118 11	02 02 02 02 02 02 02 02 02 02 02 02 02 0	002 002 002 002 002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13630 13630	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE THREE GUARDSME THREE GUARDSME INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE	111111111111111111111111111111111111111	7 90 7 90 7 90 7 90 7 90 7 90 7 90 7 90	6 67 67 67 67 67 67 67 67 67 6	ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS ARGUS	6697 SWA 6726 SWA 6706 SWA 6706 SWA 6776 SWA 6799 SWA 6799 SWA 6799 SWA 6789 SWA 6788 SWA 6782 SWA 6772 SWA 6711 SWA 6711 SWA 6711 SWA 6711 SWA 6711 SWA 6711 SWA 6711 SWA 6715 SWA 6725 SWA
1673 1875 1875	STOLC 118 118 118 118 118 118 118 118 118 11	02 02 02 02 02 02 02 02 02 02 02 02 02 0	0022 0022 0022 0022 0022 0022 0022 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13620 13630 13630 13630	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE INFREE GUARDSME THREE GUARDSME INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE	111111111111111111111111111111111111111	7 90 7 90 7 90 7 90 7 90 7 90 7 90 7 90	6 6 6 7 6 6 6 8 8 8 8 8 8 8 8 8 8 8 8 8	ARGUS ARGUS	6697 SWA 6726 SWA 6706 SWA 6707 SWA 6797 SWA 6797 SWA 6799 GWA 6798 GWA 6788 GWA 6788 GWA 6788 GWA 6782 GWA 6771 GWA 6772 GWA 6772 GWA 6771 GWA 6711 GWA 6711 GWA 6711 GWA 6731 GWA 6731 GWA 6731 GWA 6731 GWA 6733 GWA
$\begin{array}{c} 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 7 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 7 \\ 1 \\ 8 \\ 7 \\ 7 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1$		02 02 02 02 02 02 02 02 02 02 02 02 02 0	0022 0002 0002 0002 0002 0002 0002 000	5935 5935 59355 59355 59355 59355 59355 59355 59355 59355 59355 59355 59355 59355 59355 59355 59355 59355 59355 59355 59355	$13630\\13630\\13630\\13629\\13629\\13629\\13629\\13629\\13629\\13629\\13629\\13629\\13629\\13629\\13629\\13630\\1000\\100$	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE INSPECTOR CREE INSPECTOR CREE	111111111111111111111111111111111111111	$\begin{array}{c} 7 & 96 \\ 7 & 9$	6 7 7 6 6 W W W W W W W W W W W W W W W	ARGUS ARGUS	6697 SWA 6726 SWA 6706 SWA 6707 SWA 6797 SWA 6799 GWA 6799 GWA 6788 GWA 6788 GWA 6788 GWA 6788 GWA 6782 GWA 6782 GWA 6773 GWA 6777 GWA 6777 GWA 6711 GWA 6777 GWA 6772 GWA 6772 GWA 6772 GWA 6773 GWA 6733 GWA 6733 GWA 6733 GWA 6733 GWA 6733 GWA 6733 GWA
1673 1873 1873 1873 1873 1873 1873 1873 1873 1873 1873 1873 1873 1873 1873 1675 1675 1675 1675 1675 1675 1675 1675 1675 1675 1675 1675 1675 1675 1675 1675 1675 17555 175555 17555555555555555555555555555555555555	118 118 118 118 118 118 118 118 118 118	02 02 02 02 02 02 02 02 02 02 02 02 02 0	00000000000000000000000000000000000000	5935 5935 5935 5935 5935 5935 5935 5935	$13630\\13630\\13630\\13629\\13629\\13629\\13629\\13629\\13629\\13629\\13629\\13629\\13629\\13629\\13629\\13630\\1000\\100$	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE THREE GUARDSME THREE GUARDSME INSPECTOR CREE INSPECTOR CREE	111111111111111111111111111111111111111	$\begin{array}{c} 7 & 96\\$	6776667766667766677666776667766677666776667766677666776667766677666776667766677666776667766677444	ARGUS ARGUS	6697 S#4 6726 S#4 6707 S#4 6707 S#4 6797 S#4 6799 G#4 6799 G#4 6789 G#4 6788 G#4 6782 G#4 6782 G#4 6782 G#4 6773 G#4 6777 S#4 6777 S#4 6777 S#4 6716 S#4 6716 S#4 6731 S#4 6733 S#4 6733 S#4 6533 S#4 6537 C#4
1673 1875 1875	118 118 118 118 118 118 118 118 118 118	02 02 02 02 02 02 02 02 02 02 02 02 02 0	002 002 002 002 002 002 002 002 002 002	59355 59355 599355 599355 5993355 5593355 55993355 55593555 5593355 5593555 5593555 55935555 5595355555555	$\begin{array}{c} 13630\\ 13630\\ 13630\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13620\\ 13630\\ 1360\\ 1000\\ 10$	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE THREE GUARDSME THREE GUARDSME INSPECTOR CREE INSPECTOR CREE	111111111111111111111111111111111111111	$\begin{array}{c} 7 & 96\\$	677666776666776666776667749999999999999	ARGUS ARGUS	6697 SWA 6726 SWA 6705 SWA 6707 SWA 6797 SWA 6797 SWA 6799 GWA 6789 GWA 6788 GWA 6788 GWA 6782 GWA 6782 GWA 6771 GWA 6772 GWA 6772 GWA 6771 GWA 6772 GWA 6771 GWA 6772 SWA 6731 GWA 6733 GWA 6733 GWA 6733 GWA 6733 GWA 6733 GWA
$\begin{array}{c} 1 \\ 0 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3$	118 118 118 118 118 118 118 118 118 118	02 02 02 02 02 02 02 02 02 02 02 02 02 0	002 002 002 002 002 002 002 002 002 002	59355 599355 599355 599355 5993355 5993355 5993355 5993355 5993355 5993355 5993355 5993355 55993355 559993355 55993555 55993555 55993555 559993555 559935555 559993555 5599355555555	$\begin{array}{c} 13630\\ 13630\\ 13630\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13620\\ 13630\\ 13620\\ 13630\\ 13620\\ 13$	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE ENSPECTOR CREE INSPECTOR CREE	111111111111111111111111111111111111111	$\begin{array}{c} 7 & 96 \\ 7 & 7 & 96 \\ 7 & 7 & 96 \\ 7 & 96$	6776667766667766667766667766657766	ARGUS ARGUS	6697 SWA 6726 SWA 6706 SWA 6707 SWA 6776 GWA 6794 GWA 6794 GWA 6789 GWA 6789 GWA 6788 GWA 6782 GWA 6782 GWA 6771 SWA 6771 SWA 6771 GWA 6771 GWA 6711 GWA 6711 GWA 6711 GWA 6716 SWA 6726 GWA 6733 GWA 673 GWA 6736 GWA 6766 SWA 6707 GWA 6707 GWA
$\begin{array}{c} 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1$	118 118 118 118 118 118 118 118 118 118	02 02 02 02 02 02 02 02 02 02 02 02 02 0		5935 5935 5935 5935 5935 5935 5935 5935	$\begin{array}{c} 13630\\ 13630\\ 13630\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13629\\ 13630\\ 13629\\ 13$	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE THREE GUARDSME THREE GUARDSME INSPECTOR CREE INSPECTOR CREE	111111111111111111111111111111111111111	$\begin{array}{c} 7 & 96 \\ 7 & 7 & 96 \\ 7 & 96 \\ 7 & 96 \\ 7 & 96 \\ 7 & 96 \\ 7 & 96 \\ 7 & 96$	677766776666777666666776666665555555555	ARGUS ARGUS	6697 S#4 6726 G#A 6707 S#A 6707 S#A 6797 S#A 6799 G#A 6799 G#A 6789 G#A 6788 G#A 6782 G#A 6782 G#A 6771 G#A 6772 G#A 6777 S#A 6777 S#A 6710 B#A 6716 S#A 6725 S#A 6733 G#A 6733 G#A 6733 G#A 6765 S#A 6766 S#A
$\begin{array}{c} 1 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 0$	116 116 118 118 118 118 118 118 118 118	02 02 02 02 02 02 02 02 02 02 02 02 02 0		5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13620 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13620 13630 13630 13630 13630 13630 13630 13630 13630 13630 13630 13630	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE INSPECTOR CREE INSPECTOR CREE INS	111111111111111111111111111111111111111	$\begin{array}{c} 7 & 96 \\ 7 & 7 & 96 \\ 7 & 7 & 96 \\ 7 & 7 & 96 \\ 7 & 7 & 96 \\ 7 & 7 & 96 \\ 7 & 7 & 96 \\ 7 & 7 & 96 \\ 7 & 7 & 96 \\ 7 & 96 \\ 7 & 7 & 96 \\ 7 & 9$	67 6 6 7 6 6 7 6 6 7 6 6 7 7 6 6 7 7 6 6 7 7 6 6 7 7 6 6 7 7 6 6 7 7 6 6 7 7 6 6 7 7 6 6 7	ARGUS ARGUS	6697 SWA 6726 SWA 6706 SWA 6707 SWA 6776 GWA 6799 GWA 6799 GWA 6789 GWA 6788 GWA 6782 GWA 6782 GWA 6772 GWA 6771 GWA 6711 GWA 6711 GWA 6711 GWA 6721 GWA 6733 GWA 6733 GWA 6733 GWA 6733 GWA 6733 GWA 6735 GWA
$\begin{array}{c} 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 $	118 118 118 118 118 118 118 118 118 118	02 02 02 02 02 02 02 02 02 02 02 02 02 0	002 002 002 002 002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13620 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13620 13630 13630 13630 13630 13630 13630 13630 13630 13630 13630 13630 13630 13630 13630	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE INSPECTOR CREE INSPECTOR CREE	111111111111111111111111111111111111111	7796 7796 7796 7796 7796 7796 7796 7796	67 7 6 6 6 6 7 7 6 6 6 6 9 9 9 9 9 9 9 9	ARGUS YIERECK	6697 SHA 6726 SHA 6706 SHA 6707 SHA 6796 SHA 6799 GHA 6799 GHA 6789 GHA 6789 GHA 6788 GHA 6782 GHA 6782 GHA 6773 GHA 6773 GHA 6773 GHA 6711 SHA 6731 GHA 6733 SHA 6733 SHA 6733 SHA 6733 SHA 6733 SHA 6733 SHA 6735 GHA 6735 GHA 6735 GHA 6736 GHA 6736 SHA
$\begin{array}{c} 1 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 7 \\ 3 \\ 1 \\ 0 \\ 7 \\ 1 \\ 0 \\ 0$		02 02 02 02 02 02 02 02 02 02 02 02 02 0	002 002 002 002 002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13620 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13620 136300 13630 136300 136300 136300 136300 136300 136300 136300 1363000 13630000000000	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE THREE GUARDSME THREE GUARDSME INSPECTOR CREE INSPECTOR CREE	111111111111111111111111111111111111111	7 90 7 90 7 90 7 90 7 90 7 90 7 90 90 7 90 90 90 90 90 90 90 90 90 90 9	67 67 67 67 67 67 67 67 67 67 67 67 67 6	ARGUS VIEPECK VIEPECK VIEPECK	6697 S#4 6726 G#A 6707 S#A 6707 S#A 6707 S#A 6798 G#A 6799 G#A 6789 G#A 6788 G#A 6782 G#A 6782 G#A 6773 G#A 6773 G#A 6777 S#A 6777 S#A 6777 S#A 6733 G#A 6725 S#A 6733 G#A 6765 G#A 6766 S#A 6766 S#A 6776 G#A 6776 G#A 6776 G#A 6775 G#A 6775 G#A 6775 G#A 6775 G#A 6775 G#A 6775 G#A 6737 G#A 6739 G#A 6739 G#A 8539 G#A 8539 G#A 8539 G#A
$\begin{array}{c} 1 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 1 \\ 0 \\ 7 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3$	116 116 118 118 118 118 118 118 118 118	02 02 02 02 02 02 02 02 02 02 02 02 02 0	002 002 002 002 002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13620 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13620 13630 135000 13500 135000 135000 135000 1350000000000	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE INSPECTOR CREE INSPECTOR	111111111111111111111111111111111111111	7 9 9 0 0 7 7 9 9 0 7 7 7 9 9 0 7 7 7 9 9 0 7 7 7 9 9 0 7 7 7 9 9 0 7 7 7 9 9 0 7 7 7 9 9 0 7 7 7 9 9 0 7 7 7 9 9 0 7 7 7 9 9 0 7 7 7 9 9 0 7 7 7 9 9 0 0 7 7 7 9 9 0 0 7 7 7 9 9 0 0 7 7 7 9 9 0 0 7 7 7 9 9 0 0 7 7 7 7	67 7 6 6 6 6 5 7 7 6 6 6 6 6 7 9 9 9 9 9 9 9 9 9 9 9 9	ARGUS ARGUS	6697 S#4 6726 S#4 6706 S#4 6707 S#4 6776 G#4 6799 G#4 6799 G#4 6789 G#4 6789 G#4 6782 G#4 6782 G#4 6781 S#4 6771 S#4 6771 S#4 6771 S#4 6711 G#4 6711 G#4 6711 G#4 6711 G#4 6726 S#4 6733 G#4 6733 G#4 6797 G#4 6797 G#4 6797 G#4 6797 G#4 6797 S#4 6797 S#4 8739 S#4
$\begin{array}{c} 1 \\ 8 \\ 1 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 1 \\ 8 \\ 7 \\ 3 \\ 1 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1$	118 118 118 118 118 118 118 118	02 02 02 02 02 02 02 02 02 02 02 02 02 0	002 002 002 002 002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13620 13630 13630 13630 13630 13630 13630 13630 13630 13630 13630 13639 13629 13508	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE THREE GUARDSME THREE GUARDSME INSPECTOR CREE INSPECTOR CREE INSPEC	111111111111111111111111111111111111111	7 90 7 7 90	67 67 67 67 67 67 67 67 67 67 67 67 67 6	ARGUS ARGUS	6697 S#4 6726 S#4 6706 S#4 6707 S#4 6796 G#4 6799 G#4 6799 G#4 6789 G#4 6789 G#4 6788 G#4 6782 G#4 6782 G#4 6771 G#4 6772 G#4 6772 G#4 6711 G#4 6711 G#4 6712 G#4 6712 G#4 6713 G#4 6725 G#4 6725 G#4 6733 3#4 6725 G#4 6733 3#4 6733 3#4 6733 3#4 6735 G#4 6775 G
$\begin{array}{c} 1 \\ 6 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 1 \\ 8 \\ 7 \\ 7 \\ 3 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1$		02 02 02 02 02 02 02 02 02 02 02 02 02 0	002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13620 13630 13630 13630 13630 13630 13630 13630 13630 13630 13630 13630 13630 13630 13630 13630 13639 13629 13629 13629 13629 13568 13508	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE THREE GUARDSME THREE GUARDSME THREE GUARDSME INSPECTOR CREE INSPECTOR CREE INSPEC	111111111111111111111111111111111111111	7 96 7 7 97 7 7 96 7 7 97 7 7 96 7 7 97 7 7 96 7 7 96 7 7 97 7 7 97 7 7 96 7 7 97 7	67 67 67 67 67 67 67 67 67 67 67 67 67 6	ARGUS ARGUS	6697 S#A 6726 S#A 6706 S#A 6707 S#A 6776 G#A 6799 G#A 6798 G#A 6789 G#A 6788 G#A 6782 G#A 6782 G#A 6782 G#A 6771 G#A 6772 G#A 6710 G#A 6710 G#A 6711 S#A 6722 S#A 6711 S#A 6723 G#A 6733 G#A 6733 G#A 6735 G#A 6735 G#A 6735 G#A 6735 G#A 6735 G#A 6737 G#A 5739 G#A 6737 G#A 5739 G#A 6737 G#A 5739 G#A 5739 G#A 5739 G#A 5739 G#A 5739 G#A 5739 G#A 5739 G#A 5739 G#A 5739 G#A 5739 G#A 5739 G#A 5739 G#A 5739 G#A 5739 G#A 5739 G#A 5739 G#A 5737 G#A 5739 G#A 5737 G#A 5737 G#A 5739 G#A 5737 G#A 5739 G#A 5737 G#A 5747 G#A 5747 G
$\begin{array}{c} 1867333333333333333333333333333333333333$		02 02 02 02 02 02 02 02 02 02 02 02 02 0	002 002 002 002 002 002 002 002 002 002	5935 5935 5935 5935 5935 5935 5935 5935	13630 13630 13630 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13620 13630 13530 13530 13530 13530 13530 13530 13530 13530 13530 13530 13530 13530 13530 13530 13530 13530 1355000 135500 135500 1355000 1355000 1355000 1355000 13550000000000	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE INSPECTOR CREE INSPECTOR CREE INSPEC	111111111111111111111111111111111111111	$\begin{array}{c} 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 &$	67 7 7 6 6 6 6 6 6 6 6 6 6 6 7 5 7 5 7 5	ARGUS ARGUS	6697 S#4 6726 S#4 6706 S#4 6707 S#4 6796 G#4 6794 G#4 6798 G#4 6798 G#4 6789 G#4 6789 G#4 6788 G#4 6781 S#4 6771 S#4 6771 S#4 6771 S#4 6771 S#4 6771 S#4 6771 S#4 6771 S#4 6773 G#4 6775 S#4 6775 S#4 6775 S#4 6776 S#4 6776 S#4 6776 S#4 6776 S#4 6776 S#4 6777 G#4 6777 S#4 6777 S#4 6775 S
$\begin{array}{c} 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 $		02 02 02 02 02 02 02 02 02 02 02 02 02 0	$\begin{array}{c} 0 0 2 \\ 0 0 2 \\ 0 0 2 \\ 0 0 0 \\ 0 0 0 \\ 0 0 0 \\ 0 0 0 \\ 0 0 0 \\ 0 0 0 \\ 0 0 0 \\ 0 0 0 \\ 0 0 \\ 0 0 0 \\ 0 0 \\ 0 0 \\ 0 0 \\ 0 0 \\ 0 0 \\ 0 0 \\ 0 0 \\ 0 0 \\ 0 \\ 0 0 \\ 0$	5935 5935 59356 59358 59359 59	13630 13630 13630 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13629 13620 13630 13550	INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE INSPECTOR CREE THREE GUARDSME MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE MT GLAVE THREE GUARDSME THREE GUARDSME INSPECTOR CREE INSPECTOR CREE INSPEC	111111111111111111111111111111111111111	$\begin{array}{c} 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 & 7 & 96\\ 7 &$	67 67 67 67 67 67 67 67 67 67 67 67 67 6	ARGUS ARGUS	6697 S#4 6726 G#A 6706 S#A 6707 S#A 6797 G#A 6798 G#A 6798 G#A 6798 G#A 6789 G#A 6788 G#A 6782 G#A 6782 G#A 6772 G#A 6773 G#A 6773 G#A 6773 G#A 6773 G#A 6716 S#A 6733 G#A 6733 G#A 6733 G#A 6733 G#A 6735 G#A 6735 G#A 6736 G#A 6736 G#A 6737 G#A 6737 G#A 6737 G#A 6737 G#A 6739 G#A 6737 G#A 6747 G#A 6747 G

•

•

.

•

•

! - :

•

•

TAXON	SPC S V)	HYB PROY	UUAD	LAT LOP	IG LOCALITT	DATE	COLLECTOR NAME	COL NO HERB + NO
1873	118	02	13	5830 1304	0 DEASE LAKE	03 GA	962 5 MACDONALD	COL NO HERB + NO 445 CAN 273999 R6A7 VA 319578 B8A7 VA 319578 15219 US 2349127 15219 US 2349127 15219 US 2349127 15219 US 2349127 4500 ALA 17664 6595 GWA 6477 GWA 6477 GWA 6477 GWA 6477 GWA 6477 GWA 6477 GWA 6470 GWA 6469 GWA 6469 GWA 6469 GWA 6469 GWA 6471 GWA 6470 GWA 6469 GWA 6473 GWA 6473 GWA 6473 GWA 6517 GWA 6517 GWA 6517 GWA 6519 GWA 6526 GWA 6526 GWA 6527 GWA 6526 GWA 6527 GWA 6527 GWA 6528 GWA 6528 GWA 6529 GWA 6529 GWA 6529 GWA 6528 GWA 6529 GWA 6528 GWA 6529 GWA 6529 GWA 6529 GWA 6520 GWA 6521 GWA 6521 GWA 6528 GWA 6528 GWA 6529 GWA 6529 GWA 6529 GWA 6529 GWA 6520 GWA 6520 GWA 6520 GWA 6520 GWA 6520 GWA 6520 GWA 6521 GWA 6520 GWA 6521 GWA 6525 GWA 6526 GWA 6526 GWA 6600 GWA 66
1673 1673	118	02	20	5800 1311	O TELEGRAPH CR	15 08	962 5 MACDONALD 941 T MCCABE	845 UAN 273999 8887 NA 319578
	118 118	02 02	20 : 33 :	5800 1311 5530 1270	LO TELEGRAPH CR	15 08	9 1 T NCCABE	8887 NA 319578
1873	118	00144444444444444444444444444444444444	33	5530 1274	SKEENA CROSS	30 08	954 J A CALDER	15219 US 2349127
	118 118	14	3 3	5555 1300	1 CHICKANIN GL	17 07	941 T MCCABE	9006 NA 319577
1473	118	14	10	5854 1360	IN PEAK 13 MUTR INFEF GL	29 06	959 D KLEIN	460 ALA 17864
1873 1873	118	14	10 5	859 1360	6 MUIR INLET, GL	01 7	967 G W ARGUS	6395 GWA 6477 GWA
	118	14	10 5	658 1360 6858 1360	6 MUIR INLET GL	- 01 7	967 G W ARGUS	6474 GHA
	118	14	10 5	6858 1360	6 MUIR INLET - GL	01 7	967 G W ARGUS	6473 SWA 6071 GWA
	118 118	14	10 5	6058 1360 1868 1360	6 MUIR INLET SU	. 01 7	967 G W ARGUS	6470 GWA
1873	118	14	10 5	5858 1360	6 MUIR INLET GL	. 29 6	967 6 W ARGUS 967 6 W ARGUS	6461 GWA
	118 118	14	10 5	858 1360	6 MUIR INLET GL	01 7	967 G W ARGUS	6469 SWA
1873	110	24	10 5	i858 1360	Ó MUIR INLETA GL	. 29 6	967 5 W ARGUS	6448 3WA
1873	118	14	10 5	858 1360	6 MUIR INLET, GL	01 7	967 G ¥ ARGUS	6469 SHA
1873 1873 1873	118	14	10 5	858 1360 858 1360	6 MUIR INLET, GL 6 Muitr Inlet, GL	. 01 7	967 G ¥ ARGUS	6470 SWA
1873	118	14	10 5	858 1360	6 MUIR INLET GL	. 29 6	967 G V ARGUS	6471 GWA 6452 GWA
1873	118	14 14	10 5	858 1360	6 MUIR INLET GL	29 6	967 6 # ARGUS	6448 GWA
1873 1873	116	14	10 5	859 1360	6 MUIR INCEID GL 6 Muir Inceid Gl	01 7	967 G W ARGUS	6473 S#A
1873 1873	118 118	14	10 5	859 1360	6 MUIR INLET, GL	01 7	967 G W ARGUS	6517 SWA
1873	118	14	10 5	859 1360	6 MUIR INLET, GL 6 Muir Inlet, GL	01 7	967 G W ARGUS	6511 GWA
1873	116	14	10 5	859 1360	6 MUIR INLET, GL	01 7	967 G W ARGUS	6519 SBA 4524 SWA
1873 1873	118	14	10 5	859 1360	6 MUIR INLET: GL	01 7	967 G ¥ ARGUS	6526 SWA
1873	118	14	10 5	859 1360	6 MUIR INLET+ GL	01 7	967 G W ARGUS	6527 GWA
1873 1873	118	14 14	10 5	859 1360	6 MUIR THLET. GL	01 7	967 G W ARGUS	6529 SHA
1673	118	14	10 5	859 1360	6 MUIR INLET, GL 6 Mitte Inlet, GL	01 7	967 G W ARGUS	6506 GWA
1873	118	14	10 5	855 1360	3 MUIR INLET	28 06	967 G V ARGUS	6386 GWA
1873 1873		14 14	10 5	855 1360	3 MUIR INLET, GL	28 6	967 G # ARGUS	6386 SHA
1873	118	14 14 14 14 14 14 14	10 5	858 1361	1 HUIR INLET	14 07	933 R BATES	46 GH
	118 118	14	10 5	858 1361	HUIR INLET	08 06	899 F V COVILLE	6214 US 376921
1873	118	14	10 5	900 1361	D MUIR GLACIER D MUIR GLACIER	29 06	897 W EVANS	158 US 378396
	118 118	14	11 5	818 1342	5 JUNEAU	15 06	940 J P ANDERSON	5472 A 5.N. ALA 559
	118	14	11 5 11 5	818 1342 817 1342	D JUNEAU A MI POGEDIE	15 06	940 J P ANDERSON	5.N. ISC 256239
1873	118	14	11 5	826 1343	MENDENHALL	22 7	925 J P ANDERSON	2478 ISC 255224 409 ISC 85580
	118 118	14 14	11 5	830 13420 836 1343	ANHERST PK	26 07	952 G W ARGUS	100 ALA 4736
1873	118	14	11 5	826 1343	MENDENHALL GLA	10 7	967 G W ARGUS	6660 3WA
	118 118	14 14	11 5	818 1342	MT ROBERTS TR	09 7	967 G Y ARGUS	5609 GWA
	118	14	11 5	518 1 342 . 840 1 341 0	P MT ROBERTS TR) Taku b	09 7 10 04	967 G W ARGUS	6643 SWA
	118	14	11 5	840 1341	TAKU C	21 07	952 G ¥ ARGUS	NG 384 89 384
	118 118	14	11 50	930 1341: 918 13423	DEATH VALLEY	27 07	952 G ¥ ARGUS	P6 5WA
1873 1	118	.14	11 5	318 13423	MT ROBERTS TR	09 7	967 G H ARGUS	5604 GWA
	118	14 14	11 5	318 13423	MT ROBERTS TR	09 7	967 G ¥ ARGUS	6603 SWA
1673 1	118	14	11 50	318 13423 318 13423	MT ROBERTS TR	09 7	967 G ¥ ARGUS	6616 GWA
	118	14	11 56	318 13423	MT ADBERTS TR	09 7	967 G # ARGUS	6614 SWA
	18	14 14	11 56	318 13423 318 13423	MT ROBERTS TR	09 7	967 G ¥ ARGUS	6613 SWA
	18	14	11 56	18 13423	MT ROBERTS TR	09 7	967 G W ARGUS	6011 SWA 6602 GWA
	18		11 56	318 13423 318 13423	MT ROBERTS TR	09 7	967 G W ARGUS	5610 GWA
1873 1	18	14	11 56	18 13423	MT ROBERTS TR	09 7	967 5 ¥ ARGUS 987 6 ¥ Argus	6638 SWA
	18	14	11 58	18 13423 18 13423	AT ROBERTS TR	09 7	967 G W AROUS	6631 SWA
1873 1	18	14	11 58	26 13435	MENDENHALL GLA	10 7	967 G M ARGUS 967 G M ARGUS	6621 GWA
	18	14	11 56	17 13424	HT ROBERTS	23 07	955 A L THRONE	10279 WTS
	18	24 14	11 56	17 13424	MT ROBERTS MT ROBERTS	06 08	967 L A VIERECK	8620 GWA
1873	18	14	29 55	03 16219	KING COVE	26 07	967 L A VIERECK 932 W J Everdan	8630 GWA 18364 US 1631461
	.18 .18	14 14		OU IOLI	ATNO LOVE	20 07 1	952 W J LTERDAN	193A US 1631461
1873 1	.18	14	34 57	47 15247	AQDIAK	08 06 1	913 R F GRTGGS 899 F V COVILLE	US 1072095 621A US 373564
	18		34 57	47 15247	KODIAK	28 07 1	904 C V PIPER	4689 05 421028
· · · · · ·	.16 .18		34 57 34 57	47 15247 47 15247		20 08 1	900 F A WALPOLE	1225 US 378193
1873 1	18	14	34 57	47 15247	KODIAK	20 08	900 F A WALPOLE 900 F A WALPOLE	1225 US 378194 1225 US 378194
	18 18		34 57	47 15247	NODIAK	20 08 9	DOD F A WALPOLE	1225 05 378193
1873 1	18	14	34 57	47 15247 47 15247		22 08 9	DOD F & WALPOLE	1227 US 378199
	18 18	14	35 57	10 15418	CANNERY MT	28 06 9	39 E LOOFF	1227 US 378200 931 A
1873 1	16				CANNERY MT	10 06 9	939 E LOOFF	901 A
1873 1	18	14	39 58	34 16146	CAPE PEIRCE	10 06 9	70 L DICK	901 NY 55 GHA
	18 18		39 58	34 16146	CAPE PEIRCE	26 5 9	970 L DICK	7 GWA
1873 1	18	14	39 58	34 16146	CAPE PEIRCE	28 59 30 59	970 L DICK 970 L DICK	17 3WA 20 9WA
1873 1	18	14	39 58	34 16146	CAPE PEIRCE	2 7 9	TO L DICK	237 GWA

\$

TAXON SPC 5 V HYB	PROV QUAD LA	T LONG LOCALIT	TY DATE COLLECTOR NAME	COL NO HERB + NO
1873 118 1873 118 1873 118 1873 118 1873 118 1873 118 1873 118 1873 118 1873 118 1873 118 1873 118 1873 118 1873 118 1873 118 1873 118 1873 116 1873 116 1873 116 1873 118 1873 116 1873 116 1873 116 1873 116 1873 116 1873 116 1873 116 1873 118	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12 15617 BECHARDF L 13 13830 TANIS LAKE 15 13830 TANIS LAKE 13 13945 YAKUTAT 13 13944 YAKUTAT 13 13944 YAKUTAT 15 15020 SKILAK L 15 14926 MOOSE 14 14926 MOSE PASI 14 14938 HATCHER P 14 14905 GIROWOOD 14 14905 GIROWOOD	23 07 934 J P ANDERSON 22 6 967 G W ARGUS 22 6 967 G W ARGUS 24 6 967 G W ARGUS 25 22 6 967 G W ARGUS 26 967 G W ARGUS 27 6 967 G W ARGUS 28 6 967 G W ARGUS 29 6 967 G W ARGUS 29 6 967 G W ARGUS 20 6 996 F V COVILLE 24 06 916 E P WALKER 24 06 916 F N MULLER 393 A W SMARPLES 5 17 06 941 J P ANDERSON 5 17 06 941 J P ANDERSON 5 17 06 949 F V COVILLE ANDERSON 5 17 06 949 J D MUTILLY 4150 07 08 947 DUTILLY 4150 07 08 947 DUTILLY 4150 07 08 947	6293 9WA 6736 6WA 6332 6WA 6334 6WA 6304 9WA 6302 6WA 1141 US 373567 1141 A 1061 US 887058 1061 US 1086935 886 US 2176395 5.N. 75C 256236 6814 75C 256419 6814 VA 319576 1079 US 373566
119 DRUMMOND	IANA			
1873 119 1873 119 1873 119 1873 119 1873 119 1873 119 1873 119 1873 119	12 44 50 12 44 60 12 44 50	03 12840 WATSON LA 03 12840 WATSON LA 03 12855 UPPER LIA	KE 24 06 966 G ARGUS KE 28 06 966 G ARGUS	9047 US 2347455 9044 US 2347454 9045 US 2347454 9045 US 2347454 9045 074 2364 US 1287566 6024 3WA 12644 US 2233002 273 DTF 1143 24525 GWA 24629 GWA 24629 GWA 24629 GWA 10015 US 2422616 10015 GWA 10015 GWA 10155 GWA 4956 GWA 44362 GWA 44362 GWA 5017 GWA 5035 GWA
1 73 122 1 1673 122 1 1673 122 1 1673 122 1 1673 122 1 1673 122 0 1 1673 122 0 1	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	41 13632 NADAHINI 41 13632 NADAHINI 41 13632 NADAHINI 51 13632 NADAHINI 35 13629 THREE GUA 39 12428 N TETSA R 21 12434 SUMMIT PA 21 12434 SUMMIT PA 42 13406 MACKENZIE 50 11550 COPPERVIN 50 11550 COPPERVIN 50 11550 COPPERVIN 50 13502 FELLON RI 50 9318 CORAL HAR 336 B405 SOUTHAVPI 25 8550 SOUTHAVPI 26 8550 SOUTHAVPI 27 12542 FLAT RIVE 22 13932 FIRTH RIV 307 13928 BLACK FOD 354 13802 OLD CROW 103 13822 KLUANE LI 23 13822 KLUANE LI	06 05 960 J A CALDER SS 13 07 943 H MAUP SS 11 07 943 H MAUP SS 11 07 943 H PAUP SS 11 07 943 H PAUP SS 11 07 943 H PAUP CELT 18 07 943 A F PORSILD E 16 07 965 J A LARSEN NE 15 07 947 A F PORSILD IVER 08 07 947 A F PORSILD IVER 08 07 945 E XUYT NE IVER 07 951 D K RODY NE IVEN 07 951 D K RODY NE IVEN 07	24355 ALA 17326 10510 ALA 19740 10469 ALA 19747 6983 SWA 7030 GWA

TAXO	I SPO	: 5	۷	нүв	PROV	QUAD	LAT	LONG	LOCALITY	Ð	ATE		COL	LE	CTOR NAME	COL NO	HERS	+ NO
1873	122	2	1		14	10	5854	13603	MUIR INLETA GL	27	06	967	G	¥	ARGUS	6354	G M A	
1873	12;		1		14	10	5855	13903	MUIR INLET# GL	26	6	967	G	¥.	ARGUS	6389		-
1873 1873	122	20			14 14	10 10	5859	13606	MUIR INLET Muir Inlet	01	07	967	G	۲.	ARGUS	6490	G#A	
1673	12		î		14	25			FALSE PASS	21	05	957	1	₩ L	ARGUS NORBERG	6349 358	GWA	255878
1873	12:	20			14	34			UYAK BAY	27	05	938	J	Þ	ANDERSON	3139	150	255853
1873	12				14	43 45			RASPBERRY IS. HAINES RD M 82	25	08	945	₩.	5	EYERDAM	5231 8551	ISC	255850
1873	12		1		14	46	5952	13945	YAKUTAT BAY.	14	6	967	6	w	ARGUS	6107		
1873 1673	123	20	1		14	51 55	5904	15455	BATTLE L DUCHILETHLUK R	20	07	965	V.		HARMS	4287	ALA	32591
1873	122	2	1		14	62	6013	15048	BEAR CREEK	15		968			BOS HAMMARSTROM	12	ALA OTE	
1873 1873	12:		1		14 14	62 67	6003	15140	NINILCHIK WRANGELL MTS	09	06	961	E	L	LITTLE, JR.	18396	GWA	
1873	122	2 0	1		14	69	ь140	14900	MATANUSKA VY	20	06				SCOTT PALMER	1613 198	GWA Ala	
1873 1873	122				14	69	6140	14900	MATANUSKA VY			940	L.	л.	PALMER	424	ALA	5223
1873	122		1		14	69 71	6155	15425	LTL SUSITNA CN HEAD OF BIG R.	13	06	965	5	L	VELSH Drury	4100 4023		247217
1873	122		1		14	71	6152	15433	HEAD OF BIG R.	5	7	950	M 1	н	DRURY	3897	CAN	
1673 1873	122		1		14 14	80 80			FARÈWELL L. Farèwell	15					DRURY LITTLE: JR.	2278 18439	CAN	
1873	12	2 0	1		14	81	6234	15049	TALKEETNA MTS	12	07	931	J 1	P	ANDERSON	1038	ALA	
167 3 1873	122				14 14	81 81			TALKEETNA MTS Tonzona River	12	07	931	J !	-	ANDERSON	1038		255851
1673	122				14	86	6310	14530	PHELAN CREEK	20	07	957	G 1	Ψ.	VIERECK ARGUS	5003 1146	FSL	
1873 1873	122		1		14 14	86	6310	14530	PHELAN CREEK	20	07	957	G	۲.	ARGUS	1146	GWA	
1873	123				14	86 66	6337	14643	GLACIER CREEK W FK LTL DELTA	10	07	941 941	L.	J	PALMER	661 554	- 4LA - 4LA	
1873	122				14	86	6337	14643	W FK LTL DELTA	03	06	941	ъ.	J	PALMER	496	ALA	
1873 1873	122				14	86 86	6337	14645	W FK LTL DELTA W FK LTL DELTA	03	06	941	<u>ь</u> ,	J.	PALMER	558 554	ALA	
1873	122	: D	1		14	86	6337	14643	# FK LTL DELTA	03	06	941	1.	J	PALMER	406	150	255902 255901
1873 1873	122				14	87 86	6355	14725	DRY CREEK Toklat R BR	30	06	962	1.4	A	VIERECK	5759	GWA	
1873	122				14	88	6330	15000	TOKLAT R BR	28	07	956	61		ARGUS ARGUS	689 689	ALA SWA	22494
1873 1873	122		1		14 14	88	6324	15020	THOROFARE R	20	07	956	1.	۵	VIERECK	1425	ALA	
1873	122				14	86 86			TOKLAT R BR Toklat river	10	DB	956	1.1	р 8	VIERECK Viereck	1793 1794	ALA GWA	
1873	128				14	88	6332	15002	TOKLAT R BR	22	07	965	5 1	L	WELSH	4857	TSC	247205
1873 1873	122				14 14	92 94	6302	16320 16530	PASTOLIK RIVER			922 954			PALMER HELL <u>e</u> r	394 1071	ALA	
1873	122	0	1		14	100	6452	14750	COLLEGE						ARGUS	1200	ALA GWA	
1673 1673	122				14 14	104 104			CIRCLE EAGLE CR CAMP	• •	••	932			BEAUCHANP	5.N.	ALA	
1873	122	0	1		14	11)			IMURUK LAKE	12	06				SIEH	266 72	ALA TSC	32696 255849
1873 1873	122				14 14	124 125	6725	15007	WISEMAN	01	06	939	J 1	D	ANDERSON	5873	ALA	27555
1873	122		i		14	129	6853	15512	EASTER CREEK CAPE LISBURNE	07	06	965 938	J I	P	STAENDER ANDERSON	61 4497	ALA	255837
1873	122				14	123	6806	16545	OGOTORUK CREEK	11	08	966	G I	۲.	ARGUS	5954	GWA	
1873 1873	122				14 14	129 123	6815	16533	CAPE THOMPSON KUKPUK RIVER	n a	06	960	Ц М И 0	9	BELSON Melchior	547	ALA GWA	28876
1873	122	0	1		14	129	6840	16610	KAPALDAK CREEK	19	07	96D	L		VIERECK	4172	ALA	
1673 1673	122		1		14 14	129 131			KAPALDAK CREEK DRIFTWOOD CR	24					VIERECK Pégau	4277 16069	ALA GWA	13224
1673	122	0	1		14	136	6803	14500	OLD JOHN LAKE	06	08	957	5		SHETLER	97RAF	ALA	4269
1873 1873	122		1		14 14	137	6822	14355	SHEENJEK RIVER SHEENJEK RIVER	22	06	956	8		KESSEL	555	ALA	5649
1873	122				14	137			SHEENJEK RIVER						KESSEL KESSEL	S55 S19	ALA	
1873	122				14 14	137	6822	14355	SHEENJEK RIVER	15	06	956	8	1	KESSEL	519	ALA	5048
1873 1873	122	0	1		14	137			SHEENJEK RIVER FIRTH RIVER	15	06 06	955 961	E I		KESSEL LITTLE, JR.	519 18454	G MA G MA	
1873 1873	122				14 14	139 139	6924	14608	CANNING RIVER	26	07	947	L		SPETZMAN	406	150	255839
1873	122				14	139			CANNING RIVER CANNING RIVER	26	07	947 947	L		SPETZMAN SPETZMAN	407		255838 255840
1873	122	0	2		14	141	6925	15210	UMIAT	11	07	53	F F	4	BORMANN	53-271	US	2385823
1873 1873	122				1	141 141		1520B 15208	UMIAT	19	06 04	952 953	Ģ,		LINDSAY 541TH	2253 1846	150	224879 10646
1873	122	D	1		1 -	144	6923	15210	UMIAT	29	07	966	۲		SUDA	27966	ALA GWA	10040
1873 1873	122				14 14	141 141		15210 15210				966 966			SUDA	28166	GWA	
	122				14			15210		27	07	966 966			SUDA SUDA	26166 24966	GWA GWA	
1673	122				14	141	6923	15210	UNIAT	29	,07	966	۲	1	SUDA	28066	G∎A	
1673 1873	122				14 14	141	6922	15210 15210	UMIAT	12	06 08	964 964	Ģ G		WEST	7177 7506	GWA GWA	
1873	122				14	14.5	6953	15708	MEADE RIVER	21	07	960	0.		GEIST	S.N.	ALA	27709
1873 1873	122				14 14				MEADE RIVER WAINWRIGHT	21	07	960 958	s		GEIST SHUSHAN	5.N.	ALA WIS	28946
1873	122	0	1		14	145	6902	16350	CAPÉ BEAUFORT	25	07	966	G N	٠.	ARGUS	5560	GWA	
1873 1873	122				14 14				CAPE BEAUFORT						ARGUS Argus	5697 5626	GWA GWA	
1873	122	0	1		14	145	6902	16350	CAPE BEAUFORT	24	07	966	G 🖌		ARGUS	5439	GWA	
	122				14	147 147	7030	15730	MEADE R. P.D. MEADE R. P.O.	14	07	966	6 .		ARGUS Argus	5188 5189	GIA CHA	
1873	122	0	1		14	147	7030	15730	MEADE R. P.O.	18	07	965	G ¥		ARGUS	5367	GWA GWA	
	122				14 14	147 147	7030	15730	MEADE R P O	15	07	966	G 🕨		ARGUS Argus	5239 5235	GHA	
1873	122	0	1		14	147	7030	15730	MEADE R. P.O.				G 🖌		ARGUS	5205	G≓A G⊮A	
1873 1873	122					14) 151	7040	15655	MEADE RIVER BULLEN	16	07	952	Ģн	1	NARO ARGUS	1147	TSC	224875
			•			+	10	14000	DURFEN	03	08	100				5822	SWA	

TAXON	SPC 5 V HYB	PROV				LOCALITY	DATE	COLLECTOR NAME	COL NO HERS + NO
185	2 ALAXENSI	S VAR	. LDN	3ISTYL	.15				6802 544 6735 944 2744 07F 10156 4L4 19745 10156 4L4 19743 9149 ALA 18706 12946 644 27944 9149 ALA 18706 11945 944 14 11945 944 27958 1887 92302 ISC 255875 1887 742 27958 9504 5126 55895 9504 744 19752 9507 1587 744 9145 TSC 255895 9146 TSC 255895 9145 TSC 255879 6 644 5024 744 5026 644 5028 644 6492 644 6493 644 6494 644 6495 644 6492 644 6493 644 <
1873	122 2	2	2	5935	13629	THREE GUAROSHE	14 7	967 S # ARGUS	6802 GWA
1873 1873	122 2 122 2	2	2 14	5935 5822	13630	INSPECTOR CREE DEASE L VILLAS	12 7 13 8	967 G ¥ ARGUS 969 K RIGBY	6735 984 2744 off 1134
1873	122 0 2	2	16	5849	12507	RACING RIVER	27 05	960 J A CALDER	24669 GWA 10156 ALA 19785
1673 1673	122 0 2 122 0 2	2	22 22	5714	12243	SIKANNI RIVER	20 06	943 H Y RAUP	10157 4LA 19744
1873 1873	122 0 2 122 2	2777	339 368	6205	12735	BRINTNELL L 5. NAMANNI R.	20 06	939 H Y RAUP 970 G W SCOTTER	9149 ALA 19806 12968 GWA
1473	122 0 2	;	388	b050	12337	LIARD RIVER	03 08	961 W J CODY	11945 SWA
1673 1873	122 0 2	12 12	4 5	6103	13930	OLD CROW R CN	18 6	952 0 ¥ 66151 970 J × RIGBT	3 BRY 92302
1873	122 0 2	12 12	22	6335	13554	MATO.	08 08	944 J P ANDERSON	ISC 255871 19881 ALA 19750
1873 1873	122 0 2 122 0 2	12	32 35	6150	13300	LOWER LAPIE R	15 06	944 A F POPSILD	9504 TSC 255897
1873 1873	122 0 2 122 0 2	12 12	40 40	6047 6047	13738	ALSEK RIVER	24 06	944 H M RAUP	11887 ALA 19751 11887 GWA
1873	122 0 2	12	41	o043	13500	WHITEHORSE	01 06	944 A F PORSILD	9145 TSC 255898
1873 1873	122 0 2	12 12	41 41	6043	13500	WHITEHORSE	13 06	944 A F PORSILD 958 W M STIELL	9196 15C 255879 6 SWA
1873	122 0 2	12	44	6003	12840	WATSON LAKE	25 06	966 G M ARGUS	5026 SWA
1673 1873	122 0 2 122 0 2	12 12	44 44	6003	12855	UPPER LIARD R	25 06	966 G ¥ ARGUS	5028 344
1873 1873	122 0 2 122 0 2	14 14	3	5555	13001	HYDER HYDER	05	924 K WHITED 924 K WHITED	1151 ISC 129371 1152 ISC 129370
1673	122 2	14	6	5648	13258	PETERSBURG+	19 4	967 G W ARGUS	6838 SWA
1673 1673	122 2 122 2	14	10 10	5859 5859	13606	MUIR INLET: GL MUIR INLET: GL	01 7	967 G W ARGUS 967 G W ARGUS	6496 SWA
1873	122 2	14	10	5859	13606	MUIR INLET . GL	01 7	967 G W ARGUS	6498 34A
1673 1873	122 2	14	10	5859	13606	MUIR INLET . GL	01 7	967 G W ARGUS	6492 SWA
1673 1873	122 2 122 2	14 14	10 10	5859 5859	13606	MUIR INLET GL	01 7	967 G W ARGUS 967 G W ARGUS	6494 GWA 6495 GWA
1873	122 2	14	10	5859	13606	MUIR INLET, GL	01 7	967 G W ARGUS	6478 984
1873 1873	122 2 122 2	14 14	10 10	5859 5857	13606	MUIR INLET, GL MUIR INLET, GL	01 7 29 6	967 G W ARGUS 967 G W ARGUS	6421 SWA
1873 1873	122 0 2 122 0 2	14 14	10	5855	13603	MUIR INLET	28 06	967 6 W ARGUS	6391 SEA 6392 SEA
1873	122 0 2	14	10	5855	13603	MUIR INLET	28 06	967 6 W ARGUS	6393 GWA
1673 1673	122 0 2 122 0 2	14 14	10 10	5855 5855	13603	MUIR INLET Muir Inlet	28 06	967 G ¥ ARGUS 967 G ¥ ARGUS	6387 GWA 6388 GWA
1673	122 2	14	10	5855	13603	MUIR INLET . GL	28 6	967 G W ARGUS	6392 GWA
1673 1673	122 2 122 2	14 14	10 10	5855 5855	13603	MUIR INLET GL	28 6	967 G W ARGUS	63838 G#A
1873 1873	122 2 122 2	14 14	10 10	5855 5855	13603	MUIR INLET, GL	28 6	967 G W ARGUS 967 G W ARGUS	6393 GWA 6388 GWA
1673	122 2	14	10	5855	13603	HUIR INLET. GL	28 6	967 G ¥ ARGUS	6387 GWA
1873 1873	122 2 122 2	14 14	10 10	5855	13603	MUIR INLET: GL	28 5	967 G W ARGUS	6371 GWA
1873	122 0 2 122 0 2	14 14	11 11	5818	13424		09 05	967 J P ANDERSON	6422 TSC 255875
1673 1673	122 0 2	14	11	5818	13424	JUNEAU	09 05	967 J P ANDERSON	6422 ALA 1362
1873 1873	122 2 122 2	14 14	11 11	5826 5826	13435	MENDENHALL GLA	10 7	967 G W ARGUS 967 G W ARGUS	6862 3WA 8666 gwa
1873	122 2	19	ii	5825	13540	GUSTAVUS.	04 07	967 6 W ARGUS	6577 SWA
1873 1873	122 0 2 122 0 2	14 14	34 42	5746	15312	UPPER KNIFE CR	15 08	950 E K CLARK 954 G SCHALLER	SANA 4LA 2977
1873	122 2	14 14	45 45	5925	13603	KLEHINI RIVER	12 7	967 5 ¥ 496US	6689 GWA
1873	122 2 122 2	14	45	5928	13605	MOSQUITO LAKE	45 7	967 G W ARGUS	6683 GWA
1673 1673	122 2	14	45 45	5907 5927	13520	HAINESP MI. 6 Skágwat	13 7	967 G ¥ ARGUS 961 E L LITTLE: JR.	6797 GWA 18118 GWA
1673	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	14	46	5952	13945	TAKUTAT BAY.	14 6	967 G W ARGUS	6134 GWA
1873 1873	122 2	14	46 46	5915	13830	TANIS LAKE	21 6	967 G W ARGUS	6276 SHA
1873	122 2	14 14	46 46	5952 5915	13945	YAKUTAT BAY. Tanis Lake.	14 6	967 6 ¥ ARBUS 967 6 ¥ Arbus	6120 GWA 6307 GWA
1873			62	6001	15141	DEEP CREEK	13 06	967 L A VIERECK	A261 5WA
1873 1873	122 0 2 122 0 2	14 14	63 63	6055	14938	BERTHA CREEK	29 06	941 J P ANDERSON 967 V L HARMS	6536 ISC 255942 6062 ALA 34636
1873	122 0 2 122 0 2	14	67 68	6126	14255	MCCARTHY VALDEZ	08 06	961 E L LITTLE, J9. 935 J P ANDERSON	14377 GWA 1865 ISC 255877
1873 1873	122 0 2	14	68	6150	14731	SHEEP YT	15 07	948 J P ANDERSON	10670 ISC 255858
1873 1873	122 0 2 122 0 2	14	68 69	6157 6140	14517	COPPER CENTER Matanuska VY		961 É L'LITTLE, JR. 940 L'J PALMER	18383 GWA 342 ALA 5163
1673	122 0 2	14	69 69	ь117	14858	EKLUTNA GL Eureka Lodge	20 06	965 S L WELSH 965 S L WELSH	4250 15C 247436 4460 ALA 29981
1873 1873	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	14	70	6157	15111	SKÆENTNA	15 06	961 E L LITTLE: J9.	18434 GWA
1873 1873	122 2 122 2	14 14	71 73			HEAD OF BIG R. Aniak region		950 W H DRURY 949 W H DRURY	3898 CAN 1611 CAN
1873	122 0 2	14	73	6132	16010	KALSKAG	19 06	930 W R MILLER	2650 150 255874
1873 1873	122 0 2 122 0 2	14	73 79	6259	15604	KALSKAG Takotna	26 07	930 W A MILLER 941 J P Anderson	2630 ALA 2856 7416 TSC 255903 7416 ALA 490
1873 1873	122 0 2 122 2	14	79 60			TAKOTNA Kuskokeim R.	26 07	941 J P ANDERSON 949 W H DRURY	7416 ALA 490 2149 CAN
1673	122 2	14	80	6257	15536	MCGRATH	13 6	949 # H DRURY	1371 CAN
1673 1673	122 2 122 0 2	14	80 80			KUSKOKWIM R. Mcgrath		949 M H DRURY 948 R L LATDEN	2136 CAN 20043 75C 255857

TAXO	N SPC S V H	YB PROV	QUAD	LAT	LONG	LOCALITY	DATE	COLLECTOR NAME	COL NO HERB + NO
1873	122 (2	14	84	5242	18358	SLANA	26.07	947 DUTILLY	31/07
1873	122 (2	14	84	6240	14130	ALA HWY M 1230	27 05	947 BUTILLY 961 E L LITTLE, JR.	21627 TSC 255836 18226 SWA
1873	122 (2	14	84	6222	14300	NABESNA ROAD	28 06	96E S L WELSH	18226 SWA 5652 SWA
1673	122 (2	14	86	6347	14545	DONNELY DOME	30 06	951 G W ARGUS	1064 GWA
1873	122 (2	14	86	6347	14430	GEORGE LAKE	09 08	95 G W ARGUS 961 V L HARMS 951 W H DRURY 971 M WILLIAMS 951 M H DRURY 931 C H ROUSE 931 C H ROUSE 931 C H ROUSE 931 C H ROUSE 931 C H ROUSE	3146 ALA 32606
1873	122 (2	14	86			DONNELLY DOME	08 05	96 VL HARHS	3542 ALA 32638
1673 1673	122 2 122 2	1	89 95			NIXON FORK Anvil MT.	10 6	951 W H DRURY	3623 CAN
1873	122 (2	14	04	C 4: 4: E.		MOSES POINT	14 6	971 M WILLIAMS	2686 GWA
1873	122 (2	14	96	6402	16055	EGAVIK	11 08	965 M L HENRY 931 C H ROUSE 931 C H ROUSE 961 E L LITTLE, JR. 931 C H ROUSE 931 C H ROUSE 931 C H ROUSE 931 G H ROUSE 931 G H ROUSE 931 G H ROUSE 931 G H ROUSE 931 G H ROUSE 931 G H ROUSE 931 G H ROUSE 931 G H ROUSE 931 G H ROUSE 931 G H ROUSE 931 G H ROUSE 931 G H ROUSE 931 G H ROUSE 931 G H ROUSE 931 G H ROUSE 931 G H ROUSE	10 ALA 30404 19 ALA 25459
1873	122 (2	14	96	6402	16055	EGAVIK	11 08	931 C 4 ROUSE	19 ALA 2058
1073	122 (2	14	97	6445	15857	GALENA	16 06	961 E L LITTLE, JR.	18504 3WA
1873 1873	122 (2 122 (2	14 14	97 97	6420	15843	KALIAG	04 07	931 C H ROUSE	44 ALA 25452
1673	122 (2	14	97	6420	15843	KAL TAG	04 07	931 C H ROUSE	44 ALA 2059
1673	122 (2	14	97	6420	15843	KALTAG	04 07	931 G H ROUSE	44 ALA 2078 39 ALA 2077
1673	122 (2	14	97	6420	15843	KALTAG	04 07	931 G H ROUSE	39 ALA 25467
1073	122 (2	14	97	6420	15843	KALTAG	04 07	931 G H ROUSE	40 ALA 2075
1873	122 C 2 122 C 2	14 14	97 100	6420 64E1	15843	KALTAG	04 07	931 G H ROUSE	40 ALA 25468
1873	122 0 2	14	100	6452	14750	COLLEGE	30 05	PAL J P ANDERSON	60P2 ISC 255876
1873	122 0 2	14	100	6455	14745	GOLDSTREAM CR	05 07	951 B W ARGUS	1202 SWA 5092 SWA
1873	122 8 2	14	100	6452	14750	COLLEGE	30 08	951 G W ARGUS	1201 GWA
1673	122 (2	14	100	6452	14747	COLLEGE	07 07	966 G W ARGUS	5120 SNA
$1873 \\ 1873$	122 (2 122 (2	14 14	001	6451	14759	COLLEGE	10 08	951 G ¥ ARGUS	1158 SWA
1873	122 0 2	14	100 100	6452	14/4/	COLLEGE	07 07	966 G W ARGUS	5116 GWA
1873	122 0 2	14	100	6452	14747	COLLEGE	07 07	951 G W ARGUS	5113 SWA 5108 GWA
1873	122 0 2	14	100	6452	14747	COLLEGE	07 07	966 G V ARGUS	5108 GWA 5119 GWA
1873	122 0 2	14	100	6452	14747	COLLEGE	07 07	955 G W ARGUS	5110 SWA
1873	122 0 2	14	100	6452	14747	COLLEGE	07 07	966 G W ARGUS	5114 GWA
1873 1873	122 0 2 122 0 2	14 14	100 100	6452	14750	COLLEGE	30 08	957 G W ARGUS	1202 ALA 6729
1673	122 0 2	14	100	6502	14740	ENGINEED CR	25 07	932 G W GASSER	409 ALA
1873	122 0 2	14	100	6451	14743	FAIRBANKS	20 07	95: 6 W ARGUS 964 6 W ARGUS 951 6 W ARGUS 951 6 W ARGUS 964 6 W ARGUS 964 6 W ARGUS 964 6 W ARGUS 964 6 W ARGUS 964 6 W ARGUS 964 6 W ARGUS 964 6 W ARGUS 932 6 W GASSER 964 V L HARMS 931 L J PALMER 931 S S SUTH 952 S S SUTH 964 L A VIERECK	2635 4LA 32625 10 4LA 5968
1873	122 0 2	14	100	6451	14743	FAIRBANKS	20 07	931 L J PALMER	22 ALA 3975
1873	122 0 2	14	100	6451	14743	FAIRBANKS	06	931 L J PALMER	169 ALA 5270
1873	122 0 2 122 0 2	14 14	100 100	6451	14748	FAIRBANKS	21 07	963 T SCHUCK	12 ALA 26175
1873	122 0 2	14	100	D431	14752	FAIRBANKS	17 00	953 S 6 SMITH	143 S#A
1873	122 0 2	14	100	6452	14752	U A EXP. FARM	17 06	964 L A VIERECK	7144 FSLC 282 7193 FSLC 282
1873	122 0 2	14	100	6452	14752	U A EXP. FARM	17 04	964 L A VIERECK	7146 FSLC 270
1673 1873	122 0 2 122 0 2	14	100	6454	14752	U A EXP. FARM	17 05	964 L A VIERECK	7184 F5LC 270
1873	122 0 2		100 100	6443	14710	MODSE CREEK	17 04	964 L A VIERECK	7148 F5LC 272
1873	122 0 2						24 04	964 L A VIERECK 967 L A VIERECK	7156 F5LC 272 8285 9WA
1873	122 0 2	14	100	6451	14752	SMITH LAKE		967 L A VIERECK	8285 GWA 8185 GWA
1673	122 0 2		100	6446	14816	NENANA MI 339	24 05	967 L A VIERECK	AZATA GHA
1873 1673	122 0 2 122 0 2		100 100	6446	14816			966 L A VIERECK	7877 GWA
1873	122 0 2			6451	14010			967 L A VIERECK	8200 5WA
1673	122 0 2		100	6444	14809		09 06	959 L A VIERECK 966 L A VIERECK	4806 G#A 7909 G#A
1673	122 0 2						20 05	965 L A VIERECK	
1873	122 0 2		101	6404	14507	GERSTLE R	13 OB	963 L A VIERECK	7108 FSLC 55
1673 1673	122 0 2 122 0 2		104	6545	14430	N EAGLE SUMMIT	15 06	951 J L BUCKLEY	S.N. GEA
1873	122 0 2		104	6545	14430	N EAGLE SUMMIT	15 06	951 J _ BUCKLEY	5.N. ALA 26815
1673	122 0 2		104	6527	14526	EAGLE SUMMIT	17 06	965 L & VIERECK 963 L & VIERECK 951 J L BUCKLEY 951 J L BUCKLEY 965 J & DUCKLEY 965 J & TRENT 966 J & TRENT 965 J & TRENT 965 L & VIERECK 957 G # ARGUS 957 G # ARGUS 965 V L HARMS 968 D & UNIVERSE	S.N. ALA 5030 4965 ALA 30703
1873	122 0 2		104	6527	14526	EAGLE CR CAMP	12 06	966 J 4 TRENT	4965 ALA 30703 366 ALA 32697
1873	122 0 2		104	6527	14526	EAGLE CR CAMP	14 06	965 J V TRENT	3565 ALA 30670
1873 1873	122 0 2		104	6527	14526	EAGLE CR CAMP	12 06	966 J V TRENT	566 ALA 32694
1873	122 0 2		104 105	6507	14408	CIRCLE NORM S	09 07	965 L A VIERECK	7703 GMA
1873	122 0 2	14	105	6507	14735	CHATANIKA R	03 08	957 G V ARGUS	1155 ANA 1155 ALA 6805
1673	122 0 2	14	106	6527	14815	TOLOVANA R BR	30 07	965 V . HARNS	4650 ALA 32595
1673 1873	122 0 2 122 0 2		117	6654	15141	BETTLES		965 V . HARNS 939 6 T JOHNSON	ISC 255855
1873	122 0 2		121 124	6725	14350	SMALL LAKE	03 08	939 6 7 JOHNSON 957 5 SMETLER 962 8 BROCKWAN	995AF ALA 4227
1873	122 0 2		124	6725	15006	BETTLES SMALL LAKE WISEMAN WISEMAN	28 06	957 5 SMETLER 962 R BROCKMAN 949 L I JORDAL	ALA 28488
		-					20 06	STATE & OOKDAL	2032 150 255856

HYBRIDS

15	PEDICE	LLARIS	K 71 ATH	BASCEN	15								
1873 1873 1873	15	71 11 71 12 71 12	44 600	12840	MCKAGUE WATSON LAKE WATSON LAKE	26	06		G	J BREITUNG W ARGUS SUDA	S.N. 5050 13566	CAN GWA GWA	49131
28 3	PLANIF	OLIA SS	P+ PULCHR	X 109	SCOULERIANA								
1673 1873 1873	28 3 3 1 28 3 3 1 28 3 1		89 6315	15442	KUSKOKWIM R NIXON MINE Smith L	19 4 24	9	949	W	H DRURY H DRURY A VIERECK	2102 33774 8286	CAN	

TAXON	SPC S V	нүв р	ROV	GAUN	LAT	LÓNG	LOCALII	ry -	DA	TE	с	0 . L!	ECTOR NAME	COL NO H	FRB + ND
45	ARCT	1CA X	49	GLAU	CA										
1873	45		14			17255	ATTU ISLAN	Gr	15	08	945	G W	SOULE	374	TSC 255823
						-									
45	ARCT	ICA X	83	OVAL.	IFOLIA	•									
1873	45		14	111	6546	16855	LTL DIOMEN DGDTDRJK (OFFV		20	~ / /	C 141	A Devic	5017	TSC 256225 GWA
1873 1873	45 45		14 14	129 151			BULLEN		03	65	966	GΨ	ARGUS	5765	SWA
45	ARCT	ICA X	87	BARC	LAYI										
1873	45		14			13423	MT ROBER	TS TR	09	7	967	G₩	ARGUS	6642	GWA
			_												
45	ARCT	ICA X	118	STOL	DNIFEF	1A									
1873	45	118	02	2			MT GLAVE						ARGUS	6798 6795	
1873 1873	45 45	118 118	02 14	2 10	5935	13686	MT GLAVE	T. GL	14	7	967	6 W	ARGUS	6525	
1673	45	118	14	10	5858	13606	MUIR INLE	T, GL	01	Ż	967	Ğ Ŵ	ARGUS	6472	
1675	45	118	14 14	10	5859	13606	MUIR INLE	T≠ GL. T≠ GL	01	7	967	G W	ARGUS	6500 6499	584. 584.
1873 1873	45 45	118 116	14	10 10	5859	13606	MUIR INLE	T. GL	õî	ź	967	G ¥	ARGUS ARGUS ARGUS ARGUS ARGUS	6516	
71	ATHA	BASCEN	1212	×ı		LCELLAR									
1673	71	15	01	36	5250	11804	ATHABASCA	R					MACOUN		CAN 95377 Can 122167
1873 1873	71 71	15 15	01	36 52	4954	11605	JASPER CARBERRY				906			5.4.	CAN 70266
1673	71	15	07											5402	GWA
1873	71	15	11	4	5954	10205	QUILLWORT	LAKE	28	07	962	GW	ARGUS	88062 88062	JAD Gwa
1873 1673	71 71	15 15	11	4 35	5237	10205	MCKAGUE	LAKE	31	05	939	AJ	PREITUNG	106	DAO
1873	71	15	ĩĩ	35	5237	10356	MCKAGUE		16	08	939	ΑU	BREITJNG	478	040
1873	71	15	11	35	5237	10356	MCKAGUE		20	06	939	A J	BREITUNG	167	740 040
1873	71	15 15	11	35 35	5237	10356	MCKAGUE		25	05	939	A J	BREITUNG	448	DAD DAD
1873	71 71	15	11	35	5237	10356	MCKAGUE		19	06	939	ÂŬ	BREITUNG	166	DA0
1873	71	15	11	35	5237	10356	MCKAGUE		20	06	939	A J	BREITUNG	168	DAC
1873	71 71	15 15	11	35 35	5237	10356	MCKAGUE		21	06	939	A J	I AREITUNG	363	DAD DAD
1873 1673	71	15	11	35	5237	10356	MCKAGUE		26	05	939	AU	BREITUNG	82	CAN
1873	71	15	11	35	5237	10356	MCKAGUE		30	07	939	A J	BREITJNG	363	CAN Can 49050
1873	71	15	11	35	5237	10355	MCKAGUE		31	05	939	A .	U BREITUNG	110	CAN 49050 CAN 49057
1873 1873	71 71	15 15	11	35 35	5237	10356	MCKAGUE		28	05	939	Â	JBREITUNG	94	CAN 49056
1873	71	15	11	35	5237	10356	MCKAGUE		31	05	939	Α.	BREITUNG	104	CAN 49135
1873	71	15	11	35	5237	10356	MCKAGUE		19	06	939	A .) BREITUNS I ARETTUNG	165	CAN 49051 CAN 49052
1673 1873	71 71	15 15	11	35 35	5237	10356	MCKAGUE		20	06	939	ÂĽ	BREITUNG	167	CAN 49059
1873	71	15	11	35	5237	10356	MCKAGUE		31	05	939	Α.	BREITUNG	106	SASK 33706
1673	71	15	11	35	5237	10356	MCKAGUE		28	05	939	. A. L	PREITUNG		545K 33705 DAG
1873	7 <u>1</u> 71	15 15	11 12	35 44	6003	10356	WATSON LA	KE	25	05	966	6	ARGUS	5051	545K 33988
1873	71	15	12	44	6003	12840	WATSON LA	KE	25	06	966	Ġ 1	ARGUS	5045	SASK 33985
1873	71	15	12	44	6003	12640	WATSON LA	KE	25	06	966	6	ARGUS	5048	SASK 33996 GWA
1873 1873	71 71	15 15	12	44 44	6003	12840	WATSON LA	KE	25	06	966	Gi	ARGUS	5045	SWA
1673	71	15	12	44	6003	12840	WATSON LA	KE	25	06	966	6 1	ARGUS	5048	SWA
1673	71	15	12	44	6003	12840	WATSON LA	KE .	26	06	966	î	SUDA	14466	SASK 33993 SASK 33990
1873 1873	71 71	15 15	12	44 44	6003	12840	WATSON L	KE	25	06	966	Ŷ	SUDA	13466	SASK 33992
1873	71	15	14	85	6322	14339	ALA HWY P	1335	08	06	944	нч	RAUP	12713	CAN 278798
1873	71	15	14	65	6322	14339	ALA HWY M	1335	08	08	944	нч	RAUP	12713	ALA 19484
87	BAR	CLATI		12 00,		^							<pre>+ THIERET + ARGUS + ARGUS + ARGUS + BREITUNG BREITUNG</pre>		
1873	87	32	14	11	5825	13432	MENDENHAL	L GL	07	08	967	L	A VIERECK	8638	SWA
87	BAR	CĻA¥I	x 10												
1873	67	103	14	86	6330	14550	FALLS CR	EK	12	06	951	M	CODY	5114	CAN
87	BAR	CLAYI	x 1:												
1873	<u>В</u> 7	118	14	010	5858	13606	MUIR INL	CT GL	29	6	967	G	W ARGUS	6467 6500	
1873 1873	67 87	118 118	14	010 010	5859	13606	MUIR INLE MUIR INLE	ET GL	01	7	967 967	6	W ARGUS	6520	

н С. И

. .

٠.

•

rte L

÷ .

•

г... к

,

•

10

1873 101 4 49 12 4 5338 13945 BABBAGE RIVER 9 7 970 5 L WELSH 10409 0TF 1 1873 101 4 49 12 32 6103 13831 KLUANE L 11 07 944 H W RAUP 12403 ALA 19 1873 101 4 49 14 71 6155 15425 HEAD OF BIG R. 9 7 950 W H DRURY 4019A CAY	1188 1191 1946 6687 1579
1473 101 4 49 12 4 6938 13945 ВАВВАЕСТИКСЯ 9 7 970 5 L WELSH 10069 01F 1 1873 101 4 49 12 32 6103 13831 KLUANE L 11 07 944 H W RAUP 12403 ALA 19 1873 101 4 49 14 71 6155 15425 HEAD OF BIG R. 9 7 950 W H DRURY 4019A CAY	687 579
1473 101 4 49 12 4 6338 13945 ВАВВА́СЕ́ RIVER 9 7 970 5 L WELSH 10809 ЛТГ 1873 101 4 49 12 32 6103 13831 KLUANE L 11 07 944 H W RAUP 12403 ALA 19 1873 101 4 49 14 71 6155 15425 HEAD OF BIG R. 9 7 950 W H DRURY 4019A CAY	687 579
1873 101 4 49 14 71 6155 15425 HEAD OF BIG R. 9 7 950 W H DRURY 4019A CAN	687
	579
1873 101 4 49 14 80 6233 15336 FAREWELL L. 3 8 949 W H DRURY 2411 CAN	579
1873 101 4 49 14 86 6357 14547 RICH HWY M249 26 D7 948 J P ANDERSON 10859 ISC 256 1873 101 4 49 14 87 6340 14930 TEKLANIKA R 20 07 955 6 # ARCUS 607 814 8	
bor ala bor bor 14900 TERERATRA R 20 07 956 6 F RRGUS BUT ALA	
1875 101 4 49 14 87 6340 14930 TEKLANIKA R 20 07 956 G W ARGUS 607 ALA 22	464
1873 101 4 49 14 67 5340 14930 TEKLANIKA R 20 07 955 6 W ARGUS 605 644	
1873 101 4 49 14 87 6340 14930 TEKLANIKA R 20 07 956 6 W ARGUS 607 94	
1873 101 4 49 14 87 6340 14930 TEKLANIKA R 20 07 956 G W ARGUS 605 RW 1873 101 4 49 14 88 6330 15002 TOKLAT R 27 07 956 G W ARGUS 687 ALA 4	
1873 101 4 49 14 88 6328 15010 HIGHWAY PASS 21 07 956 G # ARGUS 622 SWA	695
1873 101 4 49 14 88 6328 15010 HIGHWAY PASS 21 07 956 G W ARGUS 622 84	
	219
1873 101 4 49 14 88 6325 15035 MULDROW MORAIN 28 08 939 A NELSON 4270 ALA	513
1873 101 4 49 14 88 6325 15035 MULDROW MORAIN 28 08 939 A NELSON 4270 64 1873 101 4 49 14 88 6325 15035 MULDROW MORAIN 28 08 939 A NELSON 4270 84	
1873 101 4 49 14 86 6325 15035 MULDROW MORAIN 28 08 939 A NELSON 4270 NA	
1873 101 4 49 14 88 6325 15035 MULDROW MORAIN 28 08 939 A NELSON 4270 US	
1873 101 4 49 14 100 6452 14750 COLLEGE 05 07 957 G WARGUS 1089 GWA	314
1873 101 4 49 14 101 6412 14600 SHAW CR FLATS 18 08 964 L & VIERECK 7513 FSLC	286
1673 101 4 49 14 124 6725 15007 WISEMAN 31 07 939 J P ANDERSON 5817 ISC 256 1873 101 4 49 14 124 6725 15007 WISEMAN 31 07 939 J P ANDERSON 5818 ISC 256	550
1873 101 4 49 14 124 6725 15007 WISEMAN 31 07 939 J P ANDERSON 5817 ALA 27	558
1873 101 4 49 14 124 6725 15007 WISEMAN 31 07 939 J P ANDERSON 5817 NA	
1873 101 4 49 14 124 6725 15007 WISEMAN 31 07 939 J P ANDERSON 5818 NA	
92 PHLEBOPHYLLA X 105 ROTUNDIFOLIA	
1473 92 105 14 41 5842 15640 NAKNEK 25 06 949 K RAUP B US 2176	
	647 092
1873 92 105 14 124 6725 15006 WISEMAN 23 06 949 L H JORDAL 1970 TSC 256	
1873 92 105 14 145 5902 16350 CAPE BEAUFORT 23 07 966 G W ARGUS 5306 GWA 1873 92 105 14 145 5902 16350 CAPE BEAUFORT 23 07 966 G W ARGUS 5413 GWA	
1873 92 105 14 152 7005 14335 BARTER ISLAND 07 0A 966 6 M ARCHS 5860 CMA	
1873 92 105 14 153 7120 15640 BARROW 12 07 966 G W ARGUS 5173 GWA	
1873 92 105 14 153 7120 15640 BARROW 11 07 966 6 W ARGUS 5155 SWA 1873 92 105 14 153 7120 15640 BARROW 11 07 967 6 W ARGUS 5158 GWA	
1873 92 105 14 153 7120 15640 BARROW 25 07 966 Y SUDA 24066 GWA	
195 1 ROTUNDIFOLIA SSP. ROTUNDIFOLIA X 92 PHLEBOPHYLLA	
1873 105 1 92 07 152 6813 13547 CANGE LAKE 20 06 964 J A LARSEN 7022 GWA 1873 105 1 92 14 86 6355 14730 DRY CREEK 25 06 962 L A VIERECK 5717 RWA	
1873 105 1 92 14 129 6806 16545 OGOTORUK CREEK 11 08 966 G W ARGUS 5951 GWA	
1873 105 1 92 14 138 6950 14220 NUVAGAPAK PT 09 08 966 G W ARGUS 5896 GWA 1873 105 1 92 14 138 6950 14220 NUVAGAPAK PT 09 08 966 G W ARGUS 5902 GWA	
1873 105 I 92 14 138 6950 14220 NUVAGAPAK PT 09 08 966 6 W ARGUS 5800 6WA	
1873 105 1 92 14 138 6950 14220 NUVAGAPAK PT 09 08 966 G ¥ ARGUS 5910 3¥A 1873 105 1 92 14 145 6902 16350 CAPE BEAUFORT 24 07 966 G ¥ ARGUS 5441 3¥A	
1873 105 1 92 14 145 6902 16350 CAPE BEAUFORT 24 07 966 G W ARGUS 5441 SWA 1873 105 1 92 14 145 6902 16350 CAPE BEAUFORT 24 07 966 G W ARGUS 5465 SWA	
1873 105 1 92 14 147 7030 15730 MEADE RIVER PO 16 07 966 G W ARSUS 5284 GWA	
1873 105 1 92 14 151 7010 14650 BULLEN 03 DB 966 G W ARGUS 5724 GWA 1873 105 1 92 14 151 7010 14650 BULLEN 03 DB 966 G W ARGUS 5731 GWA	
1873 105 1 92 14 151 7010 14650 BULLEN 03 08 966 6 W ARGUS 5730 GWA	
1873 105 1 92 14 151 701D 14650 BULLEN 03 08 966 G W ARGUS 5729 GWA	
1873 105 1 92 14 152 7005 14335 BARTER ISLAND 07 08 966 6 W ARGUS 5858 GWA	
1673 105 1 92 14 152 7005 14335 BARTER ISLAND 07 DB 966 G W ARGUS 5872 GWA	
1673 105 1 92 14 152 7005 14335 BARTER ISLAND 07 08 966 G W ARGUS 5857 GWA 1873 105 1 92 14 153 7125 15630 POINT BARROW 10 07 966 G W ARGUS 5124 GWA	
1873 105 92 14 153 7125 15630 POINT BARROW 10 07 966 G W ARGUS 5123 GWA	
1873 105 1 92 14 153 7120 15640 BARROW 31 07 966 G V ARGUS 5719 GWA	
122 1 ALAXENSIS VAR. ALAXENSIS X 103 LANATA	
1873 122 0 1 103 14 129 6815 16600 IBRULIKORAK CR 10 07 960 L H BELSON 87 ALA 280	587

TAXON	5PC	5 V	нүв	PROV	QUAD	LAT	LONG	LOCALITY	DAT	£	COLLECTOR NAME	COL NO HERB	+ NÖ
122	2	ALAX	EN\$1	S VAR	. LON	GISTYI	.15 X :	122 ALAXENSIS					
1673	122		122	2	4	5847	12502	MACDONALD CR	8	5 9	60 J A CALDER	24352 ALA	17325
1873	122		122	12	10			WATSON LAKE	25	6 9	66 G W ARGUS	5025 GWA	
1873	122		122	14	10			GEIKIE INLET	29	69	28 J P ANDERSON	754 TSC	
1873	122		122	14	34			OLD HARBOR		6 9	64 F BROOKS	29 ALA	26534
1873	122		2 122	14	46			ALSEK R FLATS	10	6 9	65 L A VIERECK	7602 GWA	
1873	12		122	14	69			EUREKA LODGE	28		65 S L WELSH	4460 ISC	
1673	122		122	14	86			RAINBON MT	30	6 9	66 C PARKER	RM19 ALA	
1873	122		122	14	94		16525		11	6 9	38 J P ANDERSON	3239 ISC	
1873	122		122		94			SALMON LAKE	14	7 9	66 S L WELSH	5900 GWA	
1873	122		122	14	96			EGAVIK	11	8 9	31 C H ROUSE	15 ALA	2052
1873	122		122	14	96			EGAVIK	11	8 9	31 C H ROUSE	18 ALA	2057
1873	122		122	14	96			EGAVIK	11		31 C H ROUSE	18 ALA	25458
1873	122		122	14	96			EGAVIK	11		31 C H ROUSE	16 ALA	25456
1873	122		2 122	14	100			COLLEGE	- 7		66 G W ARGUS	5109 GWA	
1873	122		122	14	100			COLLEGE	7		66 G W ARGUS	5115 SWA	
1873	122		122	14	100			COLLEGE	7		66 G W ARGUS	5117 GWA	
1873	123		1.2		100			COLLEGE	13		57 G W ARGUS	1012 GWA	
1873	12		122	1	100			COLLEGE	13		57 G ¥ ARGUS	1012 ALA	5719
1673	122		2 122	14	100			COLLEGE	7	79	66 G W ARGUS	5118 GWA	
1873	12		122		100			NENANA	19	6 9	65 V L HARMS	3720 ALA	32583
1873	12		122		101			TWELVE WI CR	17	6 9	57 5 SHETLER	B6AF ALA	
1873	12		2 122	14	101			GERSTLE RIVER	16	7 9	57 L & SPETZMAN	601 ALA	
1873	12		2 122		101			GERSTLE RIVER	31		57 L A SPETZMAN	975 ALA	6841
1873	12		2 122		101			LTL SALCHA R	20	5 9	66 L A VIERECK	7884 GWA	

Anderson, J. P.

(1959) Flora of Alaska and adjacent parts of *Canada*. Iowa State Univ. Press. Ames. Iowa.

Anderson. N.J.

(1858). Salices Boreali-Americanae: a synopsis of North American wiilows. Proc. Amer. Acad. Arts and Sci. 4: 3-32,

(1867). Monographia Salicum. Kyl. Svenska Vetenskapsakad. Handl. 6: 1–180.

(1868).Salix. Pages 190-331 in A.P. de Candolle. Prodromos systematis naturalis regni veyetabilis. Vol. 16. Victor Masson. Paris.

Argus, G.W.

(1964) Preliminary reports on the flora of Wisconsin, no. 51: Saiicaceae; the genus Salix — the willows. Wis. Acad. Sci., Arts and Letters 53: 217-72.

(1965a). The taxonomy of the Saiix glauca complex in North America. Contrib. Gray Herb.. Harvard Univ. 196: 1-142.

(1965b). An endemic subspecies of Salix reticulata L. from the Oueen Charlotte Islands, British Columbia. Can. J Bot. 43: 1021-24.

(1966).Botanical investigations in northeastern Saskatchewan: the subarctic Patterson-Hasbala Lakes region. Can. Field Natur. 80: 119-43.

(1969). New combinations in the Salix of Alaska and Yukon. Can. J. Bot. 47: 795-801.

Baker. H.G.

(1959). Reproductive methods as factors in speciation in flowering plants. Cold Spring Harbor Symp. Ouant. Biol 24: 177-90.

Ball, C. R.

(1934). New or little known west American willows. Univ. Calif. Publ *Bot.* 17: 399-434.

(1950). A review of *Salix* anglorum and Salix petrophila. Amer. Midland Natur. 43: 224-41. (1951). New combinations in Salix [sections

Pellitae and Phylicifoiiae). Amer. Midland Natur. 45: 740.49.

Blackburn. K. B. and J. W. Heslop-Harrison (1924). A preliminary account of the chromosomes and chromosome behaviour in the Sali. caceae. Ann. Bot. 38: 361-78.

Bliss, L.C. and J. C. Cantlon (1957). Succession on river alluvium in northern Alaska. Amer. Midland Natur. 58: 452-69.

Boivin. B.

(1966). Enumeration des plantes du Canada. II. Lignidees. Natur. *can.* 93: 371-437.

(1967). Flora of the Prairie Provinces. Pt. 1. Phytoiogla 15: 121-59.329-446;16: 1-47.

Breitung. A. J. (1957). Annotated catalogue of the vascular flora of Saskatchewan. Amer. Midland Natur. 58: 1-72. Cain, **S.** A.

(1944). Foundations of *plant* geography. Harper, New York.

Coville. F. V. (1900). The tree willows of Alaska. Proc. Wash. Acad. Sci. 2: 275-86.

(1901). The willows of Alaska. Proc. Wash. Acad. Sci. 3: 297-362.

Crocker, R. L., and J. Major

(1955). Soil devsiopment in relation to vegetation and surface age at Glacier Bay. Alaska. *J. Ecol.* 43: 427-48.

Cronquist, A.

(1964). Salix. Pages 37-71 in C.L. Hitchcock et al.. Vascular plants of the Pacific Northwest. Pt. 2. Univ. Wash. Publ. Biol. 17.

Crovello. T.

(1968). A numerical taxonomic study of the genus Salix. section Sitchenses. Univ. Calif. Pubi. *Bot.* 44: 1-61.

Dalla Torre, **K.W.V.**, and H. Harms (1900-1907).Genera Siphonogamarum. **G.** Engelmann, Leipzig.

Davis. P. H., and V. H. Heywood (1963). Principles of angiosperm taxonomy. Oliver and Boyd, Edinburgh and London.

Decker. H. F.

(1966). Plants. Pt. 4. Pages 73-94 in A. Mirskv, Soil development and ecological succession in a degiaciated area of Muir Inlet. southeast Alaska. Ohio State Univ. *Inst.* Polar Stud. Rep. 20.

Drury. W. H. Jr.

(1962). Patterned ground and vegetation on southern Bylot Island, Northwest Territories, Canada. Contrib. Gray Herb.. Harvard Univ. 190: 1-111.

Du Rietz. G. E.

(1930). The fundamental units of biological taxonomy. Svensk *Bot*. Tidskr. 24: 333428.

Ehrendorfer, F.

(1965). Dispersal mechanisms, genetic systems. and colonizing abilities in some flowering plant families. Pages 331-51 in H. G. Baker and G. L. Stebbins. The genetics of colonizing species. Academic Press, NewYork.

Enander. **S.J.** (1907). Studier ofver Sallces i Linnes herbarium. Akademiska Bokhandeln (C. J. Lund. ström), Uppsala.

Federova.Sarkissova, **O.V.**

(1946). On the chromosome number of certain

willow and poplar species. C.R. (Dokl.) Acad. Sci. URSS 54: 353-56.

Fisher, M.J.

(1928). The morphology and anatomy of the flowers of the Salicaceae. Amer. J. Bot. 15(5): 307-26: 15(6): 372-94.

Floderus. B.

(1926). On the Salix flora of Kamtchatka. Kgl. Svenska Vetensk.-Akad. Ark. Sot. 20A: 1-68.

(1933). Salices Peninsulae Anadyrensis. Kgl. Svenska Vetensk.-Akad. Ark. Bot. 25A: 1-12. (1937). Salix. Pages 146-53 in E. Hulten, Flora of the Aleutian Islands. Bokforlags aktiebolaget Thuie. Stockholm.

(1832). Novitiae Florae Sueclcae. Vol. 1. Ex Officina Berlingiana, Lund. Sweden,

Gjaervoll. 0.

(1963). Botanical Investigations in central Alaska, especially in White Mts. Pt. 2: Dicotvledones. Saiicaceae-Umbelliferae. Kol. Nor. Vldensk, Selsk, Skr. Artic, 4: 3-115.

Hakansson. A.

(1933). Dietonjugation der chromosomen bei einigen Salix.Basterden. Hereditas 18: 199-214.

(1955). Chromosome numbers and meiosis in certain salices. Hereditas 41: 454-82.

Hedberg. O. (1967) Chromosome numbers of vascular plants from arctic and subarctic North America. Ark. Sot. 6: 309-26.

Heribert-Nilsson, N.

(1918). Experimentelle studien uber Variabilitat. Spaltung. Artbildung und Evolution in der Gattung Salix. Lunds Univ. Arsskr. N. F.. Avd. 2. 141281: 125-45.

(1930). Synthetische Bastardierungs-versuche in der Gattung Salix. Lunds Univ. Arsskr. N. F. Avd. 2, 27(4): 1-97.

(1935). Die Analyse der synthetisch hergestellten Saiix laurina. Hereditas 20: 339-53.

Heusser. C. J.

(1960). Late-Pleistocene environments of North Pacific North America. Amer. Geol. Soc. Spec. Publ. 35: 1-308.

Hiitonen. , I.

(1950). Uber die gemeinsamen Zuge der Floren von Nordamerika und Fennoskandien, nebst einem Blick auf die Salix-Flora des ostiichen Nordamerikas. Memo. Soc. Fauna Flora Fenn. 25: 72-86.

Holmberg. O.R. (1963). Skandlnaviens Flora. 1b. hl. P.A. Norstedt. Stockholm.

Holmen. K.

(1952). Cytological studies in the flora of Peary Land, north Greenland. Medd. Grenland 128: 3-40.

Hooker. W.J.

(1838). Flora Boreali-Americana. Voi. 2. H.G. Bohn. London,

Hulten. E. (1937). Flora of the Aleutian Islands. Bokforlags aktiebolaget Thule. Stockholm.

(1940). Two new species of Salix from Alaska, Svensk Bot. Tidskr. 34: 373-76.

(1943). Flora of Alaska and Yukon. Vol. 3. Lunds *Univ.* Arsskr. N. F. Avd. 2. 39(1): 415-567.

(1967). Comments on the flora of Alaska and Yukon. Ark. Bot. Ser. 2, 7: 1-147.

(1968). Flora of Alaska and neighboring ter. ritories. Stanford Univ. Press, Stanford. Calif.

(1969). Vascular plants. Pages 56.95 In T. Karlstrom and G. Bail, eds. The Kodiak Island refugium: its geology, flora, fauna and history. Rverson. Toronto

Johnson, A.W., and J. G. Packer

(1968). Chromosome numbers in the flora of Ogotoruk Creek. N.W. Alaska. Bot. Notis. 121: 401-56.

Jorgensen, G. T., Sørensen. and M, Westergaard

(1958). The flowering plants of Greenland: a taxonomic and cytological survey. Biol. Skr. Kgl. Dansk. Vidensk. Selsk. 9: 1-172.

Kimura. A.

(1934). Salix. Pages 26-32 in M. Tatewaki and Y. Kobayashi. A contribution to the flora of the Aleutian Islands. J. Fac. Agr. Hokkaido Imp. Univ. 36.

Lanjouw. J. and F.A. Stafleu

(1964). Index Herbariorium. Pt. 1: The her. baria of the world. 5th ed. Regnum Veg. 31: 1-251.

Linnaeus. C.

(1753). Species plantarum. Salvii Laurentii. Stockholm.

(1763). Species piantarum. 2nd ed. Salvii Laurentii. Stockholm.

Love, A.

(1954). Cytotaxonomical evaluation of corresponding taxa. Vegetatio 5-6: 212-24.

Love, A., and D. Love

(1948). Chromosome numbers of northern plant species. Iceland Univ. Inst. Appl. Sci.. Dep. Agr., Rep. B. 3: 1-131

(1956). Cytotaxonomical conspectus of the icelandic flora. Acta Horti Gotoburg. 20: 65-290.

(1961). Some nomenclatural changes in the European flora. II: Subspecific categories. Bot. Notis. 114: 48-56.

(1964). Page 202 in A. Love and O. Solbrig, I.O.P.E. chromosome number reports, II. Taxon 13.

Love, **A**, and **J** Ritchle (1966). Chromosome numbers from central northern Canada. Can. *J*. Bot. 44: 429-39.

Mosquin, T.

(1966). Reproductive specialization as a factor in the evolution of the Canadian fiora. Pages 43-65 In R. L. Taylor and R. A. Ludwig, The evolution of Canada's flora. Univ. Toronto Press, Toronto.

Mosquin, **T.**, and **D. E.** Hayley

(1966). Chromosome numbers and taxonomy of some Canadian Arctic, plants.Can. J. Bot. 44: 1209-18.

Nssarov. M. H. (1936). Salix. Pages 24-216 *in* V.L. Komarov, Flora *URSS* [in Russian]. Vol. 5. Acad. Sci. **URSS.** Moscow.

Orth, N.J.

(1967). Dictionary **of** Alaska place names. *US.* Geol. Surv. Proc. Pap. 567: 1-1084.

Porsild, A. E.

(1951). Botany of southeastern Yukon adjacent to the Canol Road. Nat. Mus. Can. Bull. 121: **1-400.**

Raup. H. M.

(1934). Phytogeographic studies in the Peace and upper Liard River regions, Canada. Contr. Arnold Arboretum, Harvard Univ. 6: 1-230

(1943). The willows of the Hudson Bay region and the Labrador Peninsula. Sargentia 4: 81-127.

(1959). The willows of boreal western America. Contrib. Gray Herb., Harvard *Univ.* **185**: 1-95.

Rechinger. K. H.

(1964). Saiix. Pages 43-54 in **T.** G. Tutin, et al., eds. Flora Europea. **Vol**, 1. Cambridge Unlv. press.

Rowlee. W. W.

(1907). Two new willows from Canadian Rocky Mountains. Bull. Torrey Bot. Club 34: 157-159.

Schneider, C.

(1917). Saiix. Pages 40-179 *in* C.S. Sargent. Plantae Wiisonianae. Vol. 3. Publ. Arnold Arboretum, Harvard Univ. 4.

(1918a). Notes on American willows I: The

species related to Saiix arctica Pall. Bot. Gaz. 66: 117-42.

(1918b). Notes **on** American wiiiows. II: The species related to Saiix giauca L. Bot. Gaz. 66: 318-53.

(1919a). Notes on American willows. **iii**: A conspectus of American species and varieties of sections Reticulatae. Herbacecae. **Ovali**foilae. and Glaucae. Bot. Gaz. 67: 27-64.

(1919b). Notes on American willows. IV: Species and varieties of section Longifoiiae. Bot. Gaz. 67: 309-46.

(1919c). Notes on American willows. Vi: The species of the sections Phylicifoliae and Sitchenses. *J.* Arnold Arboretum, Harvard Univ. 1: 67-97.

(1920). Notes on American willows. X: The species of the sections Fulvae and Roseae. *J.* Arnold Arboretum, Harvard Univ. 2: 65-90.

(1921). Notes on American willows XII: J. Arnold Arboretum, Harvard Univ. 3: 61-125.

Skvortsov. A. K.

(1957). Commentationes de morphoiogia et systematica Salicacearum [in Russian]. Not. Syst. Leningrad **18**: 34-47.

(1961). Willows of the section Phylicifoliae Dumort. in the flora of USSR [in Russian]. Byull. Mosk. Obshchest. Ispyt. Prir. Otd. Bioi. 66: 26-33.

(1966). Salicaceae. Pages 7-118 in A. I. Toimatchev. Flora Arctica URSS [in Russian]. Voi. 5. "Nauka". Moscow.

(1968). Willows of the **USSR:** a taxonomic and geographic revision [in Russian]. Mater. Posnaniyu Fauny Flory *SSSR* Otd. Bot. vyp. **15: 5-261.**

Sokolovskaja. A., and O. Strelkova

(1941). Polyploidy and karyological races under conditions in the Arctic [in Russian]. Doki. Akad. Nauk *SSSR*. N.S. 32: 144-47.

(1948). Geographical distribution of polyploids [in Russian]. Uch. Zap. LGU 66: 179-93. (1960). Geographic distribution of the polypioid species of plants in the Eurasian Arctic [in Russian]. Bot. Zh. **45:** 369-381.

Soper. J. H.

(1964). Mapping the distribution of plants by machine. Can. J. Bot. 42: 1087-1100.

Spetzman. LA.

(1959). Vegetation of the Arctic slope of Alaska. **US.** Geol. Surv. Prof. Pap. 302-E: 1-58.

Stearn, W.T.

(1962). Systematics Association Committee for Descriptive Biological Terminology II: Terminology of simple symmetrical piane shapes [Chart 11. Taxon 11: 145-56, 245-47. (1966). Botanical Latin. Nelson, London.

273

Stebbins. G.L. (1950). Variation and evolution in plants. Columbia Univ. Press, New York. Suda. Y., and G.W. Argus (1968). Chromosome numbers of some North American Salix. Brittonia 20; 191-97. (1969). Chromosome numbers of some North American arctic and boreal Saiix. Can. J. Bot. 47: 859-62. Taylor. R., and G. Mulligan (1968). Flora of the Oueen Charlotte Islands. Pt. 2: Cytological aspects of the vascular plants. Can. Dep. Agr., *Res. Br. Monog.* 4. Queen's Printer. Ottawa. Thomas, J. H. (1957). The vascular flora of Middleton Island. Alaska. Contrib. Dudley Herb. 5: 39-56. Trautvetter. E.R. (1847). Florula boganidensis phanerogama. Pages 144-67 in A.T. von Middendorff. Reise in den ausserten Norden und Osten Sibiriens. Viereck. L.A. (1966). Piant succession and soil development on gravel outwash of the Muldrow Glacier. Alaska. Ecol. Monogr. 36: 181-99. Wahlenberg. G. (1812). Flora Lapponica. Berlin, in taberna libraría scholae realis. Wiggins. I.L, and J.H. Thomas (1962). A flora of the Alaskan Arctic slope. Àrctic Inst. N. Arner., Spec, Publ. 4. Wilkinson. J. (1944). The cytology of Salix in relation to its taxonomy. Ann. Bot. 8[30-31):269-84. Willdenow, C.L (1806). Caroli a Linne Species piantarum. Vol. 4. pt. 2. 4th ed. G. C. Nawk. Berlin, Zhukova, P.C. (1967). Chromosome numbers in some species of plants of the northeastern part of the USSR [in Russian]. Pt. 2. Bot. Zh. 52: 983-87. (1968). Chromosome numbers in some plant Species from the northeast of the USSR [in Russian]. Pt. 3. Bot. Zh. 53: 365-68. (1969). Chromosome numbers in some species of plants in the northeastern USSR [in Russian]. Pt. 4. Bot. Zh. 54: 1985-90.

alaxensis, 5, 13, 14, 15, 18, 19, athabascensis X pedicellaris, 7, 8, 186. 187, 181. 182, 188. 189. 119, 267 264 aurita X repens, 6 alaxensis, alaxensis, 5, 10, 14, 15, 19. 20. 29. 172. 181-85. 18. babylonica, 5, 31, 41-43, 197 264 balsamifera, 147 alaxensis, longistylis, 5, 29, 180. barclayi, 5, 13, 14, 18, 19, 32, 182-85. 187, 188, 189, 266 75. 120. 127. 128-31. 133. 134. alaxensis, obovalifolia, 181, 185 139, 172, 238 alaxensis X lanata ssp. richardsonii, barclayi, angustifolia, 129 8,269 barclavi, commutata, 135 albertana, 175 barciayi, grandifolia, 129 aliena, 77 barclayi, padophylla, 125 amplifolia, 131, 134 barclavi, pseudomonticola, 125 anadyrensis, 161 barclayi, rotundifolia, 129 anglorum, 61, 81 barclayi x commutata, 8, 268 anglorum, antiplasta, 81 barclayi X lanata ssp, richardsonii, anglorum, araioclada, 81 8, 268 anglorum. kophophylla, 81, 84 barclavi x stolonifera. 8,75, 268 Arbuscella (Section), 5, 10, 157, barrattiana, 5, 19, 20, 30, 174-77, 164 242 arbusculoides, 5, 8, 14, 15, 18, bebbiana, 5, 15, 18, 19, 33, 148-53, 19, 20, 33, 168-71, 188, 189. 197 210 bebbiana, bebbiana, 151 arbusculoides, glabra, 169, 171 bebbiana, depilis, 149, 151 arbutifolia, 113 bebbiana, perrostrata, 149, 151 18, arctica. 5, 10, 13, 15, 17, behringica, 53, 57 19, 26, 52, 71, 75, **80-85**, 88. bella, 186, 189 89, 93. 101, 103, 110, 111, 164. bicolor, 163 214 blakii. 45 arctica, antiplasta, 81, 84 boganidensis, 171 arctica, araioclada, 81, 84 brachycarpa, 5, 19, 93, 101, 247 arctica, arctica, 84 brachycarpa, brachycarpa, 5, 10, 18, arctica, crassijulis, 81, 83 34, 85, 89-94, 247 arctica, kophophylla, 81, 84 brachycarpa, glabellicarpa, 89 arctica, torulosa, 81, 84 brachycarpa, mexiae, 92 arctica X barclayi, 7, 268 brachycarpa, nipho'clada, 5, 10, 14, arctica X glauca, 7, 85, 268 15, 18, 19, 26, 34, **90–94**, 103, 247 arctica x ovalifolia. 7, 71, 85, 89, brachycarpa, psammophila, 91 268 brachycarpa, sansonii, 91 arctica X stolonifera, 7, 75, 76, 85, brachycarpa ssp. niphoclada X glau-268 ca, 7, 269 arctogena, 6 brachystachys, 153 arctolitoralis, 66 brachystachys. scouleriana, 153 arctophila, 5, 10. 19, 26, 85, 108-11, 229 calcicola, 173 athabascensis, 5, 10, 18, 34, 99, 10, 18, 33, candida. 5, 176-79, 101, 102-07, 117, 119, 231 183, 200

candida, denudata, 177 candidula, 177 caprea, 10, 151, 153, 155 capreoides, 153 Caprisalix (Subgenus), 164 Chamaetia (Section), 5, 10, 45 chamissonis, 5, 10, 18, 19, 25, 52, 85, **106–09,** 111, 241 chlorophylla, 157 chlorophylla, nelsonii, 157 cinerascens, occidentalis, 149 cinerea, 10 (cinerea X purpurea) X caprea, 6 (cinerea X purpurea) X (purpurea X viminalis), 6 coaetanea, 155 commutata, 5, 8, 13, 18, 19, 20, 31, 75, 120, 131, 135-39, 209 commutata, denudata, 135, 139 commutata, mixta, 135 commutata, puberula, 135 commutata, sericea, 135, 139 commutata x myrtillifolia, 139 conjuncta, 129 cordata, 121 cordata, mackenzieana, 123 cordata, monticola, 124 cordata, rigida, 121 cordata X rostrata, 123 Cordatae (Section), 5, 10, 121 coulteri, 191 crassijulis, 81, 83, 84 cuneata, 85 cyclophylla, 67 depressa, 151 depressa, rostrata, 149, 151 desertorum, 95 desertorum, fruticulosa, 89 desertorum, stricta, 89 discolor, 105, 155, 157 drummondiana, 5. 10, 18, 19, 30, 184, **186-89,** 264 drummondiana, bella, 186 drummondiana, subcoerulea, 186 exigua, interior, 43, 54 exigua, interior, pedicellata, 43

fallax, 103 farrae, 119, 120 farrae, microserrulata, 119 farrae, walpolei, 119 flagellaris, 65 flavescens, 153 flavescens, capreoides, 153 flavescens, scouleriana, 153 fluviatilis, 45 fragilis, 16 fulcrata, subglauca, 159 fumosa, 109 fuscescens, 5, 10, 15, 18, 19, 26, 28, 112-15, 220 fuscescens, hebecarpa, 115 fuscescens, reducta, 113 glacialis, 8, 68 glauca., 5, 10, 14, 15, 17, 34, 41, 93. 52, 85, 94. 95–103. 105. 107, 164, 222 glauca, acutifolia (Western phase), 5, 18, 19, **95–103,** 224 glauca, alicea, 95 glauca, desertorum, 95 glauca, desertorum, sericea, 95 glauca, glabrescens, 95 glauca, glauca (Beringia phase), 5, 18, 19, 95-103, 222 glauca, niphoclada, 91 glauca, perstipula, 95 glauca, poliophylla, 95 (Rocky glauca. villosa Mountain phase), 5, 18, 19, **95–103,** 228 Glaucae (Section), 1, 5, 10, 81 glaucops, glabrescens, 95 glaucops, villosae, 95 giaucosericea, 100 5, 10, 15, 18, 19, hastata. 32, **118-20**, 131, 137, 213 hastata, farrae, 119 hastata, psiloides, 119 Hastatae (Section], 5, 10, 119 hebecarpa, 115 herbacea X polaris, 6 hookeriana, 5, 16, 18, 19, 29. 32, 56, 131 - 35, 230

humillima, 169 interior, 5, 10, 16, 18, 31, 42-45, 200 krylovii, 179 kurilensis, 88 lanata, 5, 151, 173 lanata, richardsonii, 5, 10, 14, 15, 18, 19, 29, 129, 131, **170–73**, 177, 254 Lanatae (Section), 5, 10, 171 lancifolia, 35 lasiandra, 5, 10, 14, 16, 18, 19, 32, 35-38, 195, 230 lasiandra, lancifolia, 35 lasiandra, lasiandra, 38 lasiandra, recomponens, 35, 38 leiocarpa, 53 lingulata, 92 livida, 153 livida, occidentalis, 149 livida. rostrata, 149 longifolia, 43 longifolia, pedicellata, 43 Longifoliae (Section), 4, 5, 10, 16, **43**, 45 longipetiolata, 88 lucida, 37, 41 maccalliana, 5, 10, 18, 20, 33, 38 - 41. 232 Maccallianae (Section), 4, 5, 10, 38 rnackenzieana, 123, 124 mackenzieana. macrogemma, 123 melanopsis, 45 monica, 157 monticola, 5, 10, 18, 19, 29, 124-29, 232 muriei, 92 myrsinites, 109, 111, 143 myrsinites, curtiflora. 140, 143 myrsinites, pseudomyrsinites. 140. 143 myrtillifolia, 5, 27, 10, 14, 18. 31. 120. 127. 131, 137, 139. 143, 145-47, 233

myrtillifolia, curtiflora, 140 myrtillifolia, pseudomyrsinites, 8, 140, 143 rnyrtilloides, 115, 119 myrtiiloides, pedicellaris, 115 Myrtilloides (Section), 5, 10, 113 Myrtosalix (Section), 5, 10, 107 nakamurana. 88 nelsonii, 157 niphoclada, 91 niphoclada, mexiae, 92 niphoclada, muriei, 92 novae-angliae. 5, 8, 18, 31, 120. 127, 131, 137, 138, 140-45, 246 novaeangliae, myrtillifolia, 145 novae-angliae, pseudocordata, 140. 143 novae-angliae, pseudomyrsinites, 140, 143 nummularia. 5. 10. 19. 20. 27. 57, 59-61, 234 nummularia, tundricola, 59 nuttallii, 153 nuttallii, capreoides, 153 orbicularis, 45 ovalifolia, 5, 17, 52, 56, 69, 70. 75, 76, 88, 234 ovalifolia, arctolitoralis, 5, 19, 28, 66, 68, 69 - 71, 236 ovalifolia, camdensis, 65 ovalifolia, cyclophylla, 5, 19, 28. 67 - 71, 237 ovalifolia, glacialis, 5, 8, 19, 25. 51, 68-71, 236 ovalifolia, ovalifolia, 5, 10, 19, 28, 51, 64 - 71, 234 pachnophora, 186 padifolia, 124, 125 padophylla, 125, 129 paleoneura, 61 parallelinervis, 159 pedicellaris, 5, 10, 18, 32, 105. 114-19, 201 pedicellaris. athabascensis, 103 pedicellaris, hypoglauca, 115

pedicellaris, tenuescens, 115 pellita, 186, 187 pennata, 157 pentandra, 5, 31, 35, 201 Pentandrae (Section], 4, 5, 10, 35, 41 perrostrata. 149 phlebophylla, 5, 10, 15, 18, 19, 25, 52, 56, 57, 61-63, 71, 243 phlebophylla X rotundifolia, 8, 56, 269 phylicifoiia, 6, 10, 163, 164, 166 phylicifolia, pennata. 157 phylicifoiia, planifolia, 157, 158 phylicifolia, subglauca. 159 phylicoides, 159 planifolia, **5**, **1O** 105, 157, 162, 163, 201 pianifoiia, monica, 157 planifoiia, nelsonii, 157 planifolia, planifolia. 5, **10**, 18, 30, 157 **- 67**, 201 planifolia, pulchra, 5, 10, 14, 15, 19. 20, 30, 63, 18, 76, 158, 159-67, 172, 204 planifolia, pulchra, yukonensis, 5, 14, 18, 30, 161-67, 203 planifolia ssp. pulchra X scouleriana, 8,267 polaris, 5, **10,18,** 19, 25, 49-52, 57. 252 polaris. leiocarpa, 53 polaris, pseudopolaris, 49 polaris, selwynensis, 49, 52 pseudocordata, 140, 143, 145 pseudomonticola, 125 pseudomonticola, padophylla, 125 pseudopolaris, 49. 52 pulchra, 159. 163, 164 pulchra, anadyrensis, 161, 163 pulchra, kalarica, 159, 163 pulchra, looffiae, 159, 167 pulchra, palmeri, 159, 167 pulchra, parallelinervis, 159, 163 pulchra, yukonensis, 161 purpurea, 117 pyrenaica, 101 pyrifolia, 5, 19, 31. 147-49, 201

rectijulis, 107 (repens X phylicifolia) X [viminalis x phylicifolia), 6 repens X viminalis, 6 reptans, 93, 101 reticulata, 5, 10, 13, 14, 15, 18, 19, 45, 47, 48. 56, 75, 76, 250 reticulata, gigantifolia. 45 reticulata, glabellicarpa, 5, 8-9, 18, 25, 46-49, 254 reticulata, glabra, 45 reticulata, orbicularis, 45 reticulata, reticulata, 5, 18, 25, 45-49, 250 reticulata, subrotunda, 45 reticulata, villosa, 45, 48 retusa, 79 Retusae (Section), 5, 10, 49 richardsonii, 171, 173 10, 5. 18, 20, 29, 32. rigida. 121-24. 127, 131, 201 rigida. mackenzieana. 123, 124 rigida. macrogemma. 123 rostrata, 149 rostrata, perrostrata, 149 rotundifolia. 5. 10, 15, 18, 53. 56, 256 rotundifolia, dodgeana, 5. 18. 19. 27, 54 - 58, 258 rotundifolia, pilosiuscula, 56 rotundifolia, rotundifolia, 5, 18, 19. 27, 53-58, 59, 63, 71, 256 Salix (Genus), 24 Salix [Subgenus), 164 saxatilis, 109 scouleriana, 5, 10, 17, 18, 19, 30, 152-57, 192. **258** scouleriana, brachystachys, 153 scouleriana, coetanea, 154 scouleriana, flavescens, 153 scouleriana, poikila, 153, 157 scouleriana, thompsoni. 154 serissima, 37 setchelliana, 5, 14, 18, 27, 77-79, 260 Sitchenses (Section), 1, 4, 5. 10, 191

sitchensis, 5, 10, 13, 14, 16, 18, 33, 75, 157, **190-92**, **261** sitchensis, congesta, 191 sitchensis, coulteri, 191 sitchensis, denudata, 191 speciosa, 181 speciosa, alaxensis, 181 sphenophylla, 5. 10, 19, 20, 26, 28, 85-89, 210 sphenophylla, pseudotorulosa, 85, 88 stagnalis, 153 starkeana, 153 stipulifera, 101 stolonifera, 5, 13, 18, 26, 28. 52. 72-77, 131. 262 stricta, 89 Subalbae (Section), 4, 5. 41 subcoerulea, 186 torulosa, 81, 83, 84. 88 tundricola, 59, 61 vagans, 153 vagans, cinerascens. occidentaiis, 149 vagans, rostrata, 149 vestita, 49 Vetrix (Section), 5, 10, 149 villosa, 95 Villosae (Section), 5, 10, 177 viminalis, 10 virninalis \times aurita, 6 viminaiis X caprea, 6 viminalis X cinerea, 6 walpolei, 119, 120 xerophila, 149. 153